

2023 CANNERY TOMATO



...From Field to Yield



VARIETY GUIDE

VARIETY	DIS / RES	DAYS	ATTRIBUTES	VINE SIZE	2022 PTAB		2022 LAB		
					LOADS	BRIX	BRIX	PPB	USE
BHN SEED									
BP13	VFFFNptsw	115	F3	MED	2,504	4.92	MED	INTER	EARLY
BP51	VFFFNptsw*	115	F3, EFH	MED/LG	561	5.23	HIGH	THIN	EARLY
BP58	VFFFNptsw	117	F3	MED/LG	14	5.46	MED/HIGH	THIN	EARLY
BP49	VFFFNptsw	122	F3	MED/LG	110	5.29	HIGH	THIN	THIN
BP59	VFFFNptsw*	122	F3, EFH	MED/LG	15	5.73	5.65	4.68	INTER
BP71	VFFFNptsw	122	F3	MED/LG	174	5.25	5.12	5.12	PEAR
BP72	VFFFNptsw	122	F3	MED/LG	418	5.56	5.57	5.57	PEAR
BP88	VFFFNptsw	122	F3	MED/LG	1,248	4.92	5.33	5.33	PEAR
BP101	VFFFNptsw	123	F3	MED/LG	15	4.83	MED	INTER	PEAR
BP43	VFFFNptsw	123	F3	LARGE	4,927	5.46	5.42	5.42	THIN
BP50	VFFFNptsw*	124	F3, EFH	MED/LG	-	-	MED	THICK	THICK
BP74	VFFFNptsw*	125	F3, EFH	LARGE	7,223	5.44	5.62	5.62	THIN
BP116	VFFFNptsw	116	F3	MED/LG	-	-	MED/HIGH	INTER	EARLY
BP91	VFFFNptsw	118	F3	LARGE	-	-	MED/HIGH	THIN	THIN
BP93	VFFFNptsw	119	F3	MED/LG	22	4.65	5.56	4.43	INTER

HM.CLAUSE / HARRIS MORAN

HM7103	VFFNtsw*	116	EFH	MED/LG	8,706	5.57	5.42	5.56	EARLY
HM5511	VFFFNtswFrMv	118	F3, Fr	LARGE	7,329	5.66	5.69	4.93	THIN
HM5522	VFFNtswFr	122	Fr	LARGE	22,895	5.81	5.98	4.61	INTER
HM8163	VFFNtsw	122	-	MED/LG	7,263	5.93	5.85	4.59	PEAR
HM8507	VFFFNtswFr	122	F3, Fr	MED/LG	33	5.45	5.91	5.31	PEAR
HM9905	VFFN*	122	EFH	MED	1,892	4.97	MED	INTER	INTER
HM3887	VFFNptsw	123	-	LARGE	2,260	5.65	HIGH	INTER	INTER
HM8268	VFFFNtsw	123	F3	MED/LG	3,996	5.42	5.75	4.37	INTER
HMC8512	VFFFNtsw	123	F3	LARGE	10	5.68	5.80	4.52	INTER
HM4909	VFFNtswFr	124	Fr	LARGE	2,045	5.70	HIGH	INTER	INTER
HM5235	VFFFNptsw	124	F3	LARGE	3,723	5.16	MED/HIGH	INTER	INTER
HM58841	VFFNtsw*	124	EFH	LARGE	33,686	5.21	5.52	3.28	INTER
HM7885	VFN*	124	EFH	MED/LG	553	4.86	MED	THICK	PEAR
HM3888	VFFNptsw*	125	EFH	LARGE	490	5.33	MED/HIGH	INTER	INTER
HM4521	VFFNptsw*	125	EFH	LARGE	9,333	5.53	5.40	3.82	INTER
HM8237	VFFFNtswFrMv*	126	F3, Fr, EFH	LARGE	3,149	5.14	5.39	3.79	INTER
HMC0371	VFFFNtswFrMv	117	F3, Fr	MED/LG	-	-	HIGH	INTER	EARLY

KRAFT HEINZ COMPANY / HEINZSEED

H1015	VFFNP*	114	EFS™	MED	1,390	5.00	MED/HIGH	INTER	EARLY
H1293	VFFNptsw	120	-	MED/LG	226	5.17	5.55	4.78	PEAR
H2128	VFFFNptsw	121	F3	MED/LG	110	4.81	5.42	4.28	PEAR
H5608	VFFNptsw	121	-	LARGE	10,702	5.10	5.08	2.57	THICK
H1776	VFFNptsw*	122	EFS™	MED/LG	4,592	5.40	5.31	2.62	THICK
H1991	VFFFNptsw	124	F3	MED/LG	1,353	4.84	5.10	2.73	THICK
H2010	VFFFNtsw*	124	F3, EFS™	MED/LG	1,504	4.88	5.22	3.89	INTER
H2012	VFFFNtsw*	124	F3, EFS™	MED/LG	1,435	5.18	5.35	3.58	INTER
H1422	VFFFNp	125	F3	LARGE	-	-	MED	THICK	THICK
H1662	VFFFNptswLV	125	F3, LV	LARGE	15,928	5.10	5.16	2.44	THICK
H1996	VFFFNtsw*	125	F3, EFS™	MED/LG	9,711	5.07	5.07	2.53	THICK
H2016	VFFFNptsw	127	F3	MED/LG	2,014	4.77	4.88	2.07	THICK
H1310	VFFFNptsw*	128	F3, EFS™	LARGE	599	4.40	MED	2.32	THICK
H1428	VFFNtsw*	128	EFS™	MED/LG	2,789	4.72	MED	2.24	THICK
H5508	VFFNtsw*	128	EFS™	MED	1,177	4.88	4.85	2.33	THICK
H8504	VFFNP*	130	EFS™	MED/LG	-	-	MED	THICK	THICK
H9663	VFFNP	130	-	LARGE	-	-	MED	THICK	THICK

Contact your AgSeeds representative for your seed and transplant requirements.

VARIETY	DIS / RES	DAYS	ATTRIBUTES	VINE SIZE	2022 PTAB		2022 LAB		
					LOADS	BRIX	BRIX	PPB	USE
KRAFT HEINZ COMPANY / HEINZSEED									
H2374	VFFFNptswFr	116	F3, Fr	MED/LG	-	-	MED	THICK	EARLY
H2241	VFFFNptsw	117	F3	MED	-	-	5.32	4.95	EARLY
H2354	VFFFNtswFrMv	122	F3, Fr	MED/LG	-	-	MED/HIGH	INTER	INTER
H2355	FFFNtswFrMv	124	F3, Fr	LARGE	-	-	HIGH	THIN	THIN
H2365	VFFFNptswFrLv*	127	F3. Fr	MED/LG	-	-	MED	THICK	THICK

BASF VEGETABLE SEEDS / NUNHEMS

N6416	VFNptsw	108	-	MED	3,053	4.97	MED	INTER	EARLY
N6397	VFFN	116	-	MED/LG	219	5.54	HIGH	THIN	EARLY
N6366	VFFNP	118	-	MED/LG	2,668	5.28	MED/HIGH	THIN	THIN
N6402	VFFNptsw	120	-	MED/LG	4,879	5.82	HIGH	THIN	THIN
N6426	VFFNtswLv*	122	EFH, Lv	MED/LG	370	5.16	MED	THICK	THICK
N6473	VFFFNtsw*	123	F3, EFH	MED/LG	670	4.94	5.44	4.25	INTER
N6415	VFFNptsw*	125	EFH	LARGE	53	4.60	MED	THICK	THICK
N6420	VFFNtsw	125	-	MED/LG	1,631	5.11	5.20	4.13	PEAR
N6441	VFFFNtsw*	126	F3, EFH	MED/LG	95	5.35	MED	INTER	INTER
N6474	VFFFNtsw*	126	F3, EFH	MED/LG	1,412	5.13	5.51	5.02	THIN
N6428	VFFFNtsw*	128	F3, EFH	MED/LG	29,137	4.89	5.12	3.47	INTER
N6434	VFFFNtsw*	128	F3, EFH	MED/LG	4,506	4.92	5.29	4.38	INTER
N6475	VFFFNtsw*	128	F3, EFH	MED/LG	4,589	4.77	4.75	2.14	THICK
N6480	VFFFNptsw*	122	F3, EFH	MED/LG	-	-	5.09	2.64	THICK
N6483	VFFFNtswLv*	122	F3, EFH, Lv	MED/LG	-	-	5.52	4.68	INTER
N6485	VFFFNtswLv	125	F3, Lv	MED/LG	16	4.64	MED	INTER	PEAR
N6486	VFFFNtsw*	125	F3, EFH	MED/LG	-	-	MED/HIGH	INTER	INTER

NEWBREED

NB63	VFFFNptsw	117	F3	MED/LG	366	5.05	HIGH	THIN	EARLY
------	-----------	-----	----	--------	-----	------	------	------	-------

ORSETTI SEEDS

BOS6845	VFFFNtsw	114	F3	MED/LG	63	5.65	MED/HIGH	INTER	EARLY
BOS3842	VFFNtsw	116	-	MED	170	5.62	MED/HIGH	INTER	EARLY
BOS6848	VFFFNtsw	124	F3	MED/LG	1,737	4.91	MED	THICK	THICK
BOS4565	VFFFNtsw	125	F3	LARGE	226	4.89	MED/HIGH	INTER	INTER
BOS4680	VFFNtsw	125	-	LARGE	239	5.33	MED	THICK	THICK
BOS5341	VFFFNtsw	125	F3	MED/LG	8	5.60	MED/HIGH	INTER	INTER
BOS811	VFFNtsw*	125	EFH	LARGE	11,398	5.05	MED	THICK	THICK

VEGETABLES BY BAYER / SEMINIS

SVTM9018	VFFFNtswFr	112	F3, Fr	MED	864	5.32	5.09	4.71	EARLY
SVTM9027	VFFFNtswLv	114	F3, Lv	MED	8,508	5.64	5.64	5.17	EARLY
SVTM9032	VFFFNptswFrLv	114	F3, Fr, Lv	MED/LG	2,794	5.45	5.76	5.00	EARLY
SVTM9033	VFFFNtsw	114	F3	MED	-	-	MED	THICK	EARLY
SVTM9034	VFFFNtsw	116	F3	MED/LG	-	-	5.78	5.66	EARLY
SVTM1082	VFFFNtsw	122	F3	MED/LG	10,382	5.64	5.79	5.19	THIN
SVTM9011	VFFFNptsw	122	F3	LARGE	3,632	5.64	HIGH	THIN	THIN
SVTM9012	VFFFNptsw	122	F3	LARGE	2,675	5.68	5.89	5.46	THIN
SV8011TM	VFFNptsw	123	-	LARGE	603	4.83	MED/HIGH	INTER	INTER
SVTM9013	VFFFNptsw	123	F3	LARGE	23,680	5.14	5.44	3.62	INTER
SVTM9021	VFFFNptswFr	123	F3, Fr	LARGE	4,739	5.08	5.66	4.23	INTER
DRI319	VFFNptsw	124	-	LARGE	1,691	5.50	5.91	5.85	THIN
SVTM9023	VFFFNptsw*	125	F3, EFH	LARGE	8,944	5.22	5.24	2.82	THICK
SVTM9028	VFFFNptsw	125	F3	LARGE	1,374	5.08	4.93	2.13	THICK
SVTM9038	VFFFNptsw*	125	F3, EFH	LARGE	296	4.79	4.91	1.78	THICK
SVTM9008	VFFNptsw*	127	EFH	LARGE	3,450	5.26	5.20	2.67	THICK

ematode P = Bacterial Speck, Race 0 tsw = Tomato Spotted Wilt Virus Lv = Powdery Mildew Mv = Tomato Mosaic Virus
(cm) EARLY = Maturity 117 Days or Less THIN = PPB ≥ 4.90 INTER = PPB 3.06 to 4.89 THICK = PPB ≤ 3.05

VARIETY	DIS / RES	DAYS	ATTRIBUTES	VINE SIZE	2022 PTAB		2022 LAB		
					LOADS	BRIX	BRIX	PPB	USE
VEGETABLES BY BAYER / SEMINIS									
SVTM9016	VFFFNtsw*	127	F3, EFH	LARGE	22,370	5.07	5.35	2.89	THICK
SVTM9019	VFFFNPtsw*	127	F3, EFH	LARGE	2,725	5.46	5.71	5.24	THIN
SVTM9024	VFFFNPtsw*	127	F3, EFH	LARGE	358	5.10	5.36	2.90	THICK
SVTM9025	VFFFNPtswFr*	127	F3, Fr, EFH	LARGE	6,930	5.41	5.32	3.01	THICK
SVTM9030	VFFFNPtsw*	127	F3, EFH	LARGE	48	4.71	5.19	2.33	THICK
SVTM9036	VFFFNPtswLv*	127	F3, EFH, Lv	LARGE	125	5.00	5.39	3.64	INTER
SVTM9037	VFFFNPtswLv*	127	F3, EFH, Lv	LARGE	388	5.15	5.22	2.35	THICK
SVTM9039	VFFFNtswLv	115	F3, Lv	MED	-	-	MED/HIGH	INTER	EARLY
SVTM9040	VFFFNPtsw	122	F3	LARGE	-	-	5.82	5.07	THIN
SVTM9041	VFFFNPtsw*	127	F3, EFH	LARGE	-	-	MED/HIGH	THICK	THICK

UNITED GENETICS

UG4014	VFFNptsw*	117	EFH	MED/LG	-	-	MED/HIGH	INTER	EARLY
UG16609	VFFNptsw	118	-	MED	205	5.55	HIGH	THIN	THIN
UG6617	VFFFNptsw	123	F3	MED/LG	1	5.20	5.76	5.92	THIN
UG29814	VFFFNptsw*	125	F3, EFH	MED/LG	3,792	5.35	5.39	3.63	INTER
UG16112	VFFNptsw*	128	EFH	MED	3,415	5.06	MED	THICK	THICK
UG19406	VFFNP*	128	EFH	LARGE	-	-	MED/HIGH	INTER	INTER

SYNGENTA

BQ403	VFFNptsw	112	-	MED	8,398	5.46	5.42	5.28	EARLY
BQ400	VFFNptsw	115	-	MED	8,191	5.27	5.19	3.70	EARLY
BQ273	VFFNptsw	116	-	MED/LG	9,583	5.29	5.26	4.02	EARLY
BQ413	VFFFNtsw	117	F3	MED/LG	396	4.57	MED	INTER	EARLY
BQ395	VFFFNtsw	124	F3	LARGE	-	-	MED	THICK	THICK
BQ398	VFFNtsw	124	-	LARGE	-	-	MED/HIGH	THICK	THICK
SY0393	VFFFNtsw	112	F3	MED	-	-	MED/HIGH	THIN	EARLY

= Trial Varieties V = Verticillium Wilt F3 = Fusarium Wilt, Races 1, 2 & 3 Fr = Fusarium Crown Rot
 N = Root Knot Nematode P = Bacterial Speck, Race 0 tsw = Tomato Spotted Wilt Virus Lv = Powdery Mildew
 Mv = Tomato Mosaic Virus * = EFS™, EFH Lab Data from 36 Common Locations, AgSeeds Quality Lab
 Viscosity = Predicted Paste Bostwick (cm) EARLY = Maturity 117 Days or Less THIN = PPB ≥ 4.90
 INTER = PPB 3.06 to 4.89 THICK = PPB ≤ 3.05



Williams • Woodland • Five Points • Riverdale

Sales Representatives

North		Central	
Ken English	(530) 304-3927	Daron Spears	(209) 988-7772
Scott Sullivan	(530) 304-2000	Corey Moore	(209) 988-1958
Lance Stevens	(530) 304-8800	Matt Enos	(209) 675-8737
Erik Wilson	(530) 624-8924	South	
Brett Mulqueeney	(530) 219-4152	Tom Marks	(209) 988-3365
Dave Rominger	(530) 304-2276	David Bodine	(559) 285-5162
Ross Lopez	(805) 264-2427	Joe Mouren	(559) 285-0299
		Gar Gladders	(559) 363-9443

www.agseeds.com

Administrative / Operations Staff

Woodland (530) 666-3361 28 N. East Street, Woodland, CA 95776		
Daniele Ragogna	Tim Misner	Greg Cassel
Carmen Valencia	Leo Robles	Sam Cheda
Eve Borup	Sammy Springer	Brandon Kuehn
	Jose Madrigal	
Riverdale (559) 923-1800 22673 S. Elm Avenue, Riverdale, CA 93656		
John Harris	Dean Ferguson	Wendy Jenzen
Rob Kamper		Jose Pimentel