

2020

PTAB Summary



2020 California Processing Tomato

Statewide - Top 45

Final PTAB

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2019 Rank
1	N6428	Inter	F3, EFH	43,534	4.81	2.6	2.1	22.04	4.50	1
2	BQ273	Early	-	24,279	5.38	0.8	1.7	21.12	4.38	3
3	H1662	Thick	F3, Lv	23,619	4.99	2.2	1.6	21.86	4.46	6
4	SV8011TM	Inter	-	21,489	5.40	2.0	1.2	20.62	4.43	5
5	DRI319	Thin	-	15,402	5.67	1.9	2.4	21.61	4.42	7
6	BOS811	Thick	EFH	14,682	5.12	1.4	0.7	20.25	4.40	23
7	SVTM9011	Thin	F3	14,285	5.65	2.9	1.8	20.71	4.43	50
8	H1428	Thick	EFS™	14,195	4.83	2.0	0.9	21.25	4.49	2
9	H4707	Thick	EFS™	13,348	4.88	1.5	0.8	22.60	4.45	9
10	BQ403	Early	-	13,289	5.42	0.5	1.9	21.28	4.36	15
11	AB0311	Thin	-	13,194	5.83	2.3	1.8	20.78	4.39	4
12	BQ400	Early	-	12,103	5.25	0.5	1.2	20.11	4.47	14
13	HM5522	Inter	Fr	11,518	5.75	1.0	0.7	20.32	4.37	54
14	H5608	Thick	-	11,066	5.14	1.6	1.1	20.37	4.45	10
15	H2401	Thick	EFS™	9,630	4.86	2.1	1.0	21.71	4.38	11
16	HM58841	Inter	EFH	8,892	5.12	1.4	0.7	21.07	4.40	20
17	HM5235	Inter	F3	8,843	5.38	3.2	2.6	20.60	4.48	25
18	SVTM9008	Thick	EFH	8,736	5.24	2.3	0.5	20.77	4.34	39
19	SVTM9016	Thick	F3, EFH	8,520	4.89	2.5	0.6	21.67	4.38	96
20	SV2756TM	Thick	EFH	7,967	5.09	2.3	0.6	21.03	4.48	8
21	UG16112	Thick	EFH	6,879	5.12	1.5	0.4	20.57	4.40	27
22	SVTM9013	Inter	F3	6,797	5.16	2.4	1.4	20.73	4.43	66
23	N6366	Thin	-	6,008	5.39	1.0	1.9	20.99	4.46	24
24	HM4521	Inter	EFH	5,804	5.30	0.8	0.5	21.06	4.38	38
25	N6402	Thin	-	5,743	5.76	1.2	1.6	20.50	4.46	31
26	HM4885	Thick	EFH	5,611	5.04	1.6	0.9	20.95	4.39	16
27	SVTM9014	Inter	F3	5,534	5.05	2.7	1.3	20.73	4.42	71
28	HM3887	Inter	-	5,400	5.53	1.7	1.6	21.17	4.44	19
29	BP13	Early	F3	4,933	4.86	0.4	1.6	21.60	4.38	34
30	HM8163	Pear	-	4,611	5.77	1.4	1.1	20.02	4.45	70
31	H5508	Thick	EFS™	4,354	4.65	2.6	0.4	21.22	4.48	26
32	N6434	Inter	F3, EFH	4,082	5.06	2.3	2.1	22.01	4.50	28
33	HM58811	Thick	EFH	3,882	4.96	1.0	0.9	21.91	4.42	41
34	HM58801	Inter	F3, EFH	3,876	5.12	3.1	2.8	21.81	4.49	53
35	H1293	Pear	-	3,795	5.51	1.5	1.1	20.33	4.53	21
36	N6426	Thick	EFH, Lv	3,096	5.01	1.9	1.3	20.69	4.47	22
37	BQ413	Early	F3	3,015	4.67	1.9	1.7	21.43	4.53	43
38	SVTM1082	Thin	F3	2,875	5.41	1.3	1.6	21.57	4.34	12
39	HM4909	Inter	Fr	2,722	5.51	1.2	1.1	22.69	4.25	30
40	SVTM9000	Early	Lv	2,566	5.05	0.4	0.5	20.86	4.42	42
41	HM9905	Inter	EFH	2,516	4.75	1.1	0.9	20.91	4.47	40
42	HM7885	Pear	EFH	2,467	4.99	1.6	1.1	21.24	4.62	32
43	H1015	Early	EFS™	2,349	5.20	0.4	1.2	20.79	4.44	35
44	BP43	Thin	F3	2,278	5.53	2.4	1.3	20.82	4.46	87
45	H1310	Thick	F3, EFS™	2,239	4.98	4.8	2.2	21.95	4.53	17
Statewide				442,120	5.20	1.8	1.4	21.17	4.43	

2020 California Processing Tomato

North Region - Top 45

Final PTAB

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2019 Rank
1	N6428	Inter	F3, EFH	29,551	4.83	2.4	2.4	22.22	4.48	1
2	H1662	Thick	F3, Lv	11,917	4.96	2.7	2.2	21.96	4.47	2
3	HM58841	Inter	EFH	6,438	5.12	1.3	0.7	21.07	4.39	7
4	BP13	Early	F3	4,724	4.86	0.4	1.6	21.65	4.38	15
5	H1428	Thick	EFS™	4,527	4.74	3.1	1.5	21.39	4.48	4
6	SVTM9016	Thick	F3, EFH	4,100	4.94	2.0	0.8	21.88	4.36	71
7	AB0311	Thin	-	3,989	5.72	2.1	1.4	20.81	4.35	9
8	SVTM9011	Thin	F3	3,879	5.39	2.4	1.3	20.31	4.36	39
9	HM5235	Inter	F3	3,682	5.25	2.2	2.7	20.78	4.43	11
10	SV8011TM	Inter	-	3,672	5.13	2.0	1.5	20.98	4.40	6
11	H4707	Thick	EFS™	2,877	4.85	2.4	1.7	22.69	4.45	14
12	SVTM9013	Inter	F3	2,614	5.10	2.1	1.7	20.96	4.41	48
13	HM58811	Thick	EFH	2,527	4.81	1.1	0.7	21.67	4.41	22
14	BQ413	Early	F3	2,501	4.57	1.9	1.7	21.68	4.51	19
15	HM4909	Inter	Fr	2,443	5.43	1.2	1.0	22.72	4.24	17
16	H1015	Early	EFS™	2,349	5.20	0.4	1.2	20.79	4.44	16
17	DRI319	Thin	-	2,325	5.43	1.6	1.8	21.52	4.36	5
18	H1310	Thick	F3, EFS™	2,239	4.98	4.8	2.2	21.95	4.53	3
19	UG19406	Inter	EFH	2,100	5.51	2.0	0.8	21.61	4.31	20
20	HM5522	Inter	Fr	2,037	5.39	0.8	0.5	20.33	4.34	49
21	SVTM9014	Inter	F3	1,631	4.95	2.9	1.8	20.75	4.41	53
22	BOS811	Thick	EFH	1,602	4.84	1.4	0.7	20.84	4.39	26
23	BQ273	Early	-	1,521	5.13	0.4	0.8	21.67	4.29	8
24	SVTM1082	Thin	F3	1,408	5.29	1.1	1.4	21.57	4.31	10
25	H5706	Thick	EFS™	1,313	4.68	2.4	1.7	21.54	4.45	5
26	H1293	Pear	-	1,137	5.35	1.2	0.7	20.55	4.51	21
27	BQ403	Early	-	1,119	5.10	0.2	0.8	22.05	4.27	24
28	HM8163	Pear	-	1,089	5.53	1.6	0.9	20.13	4.43	63
29	N6434	Inter	F3, EFH	1,028	5.07	2.2	3.2	22.54	4.46	12
30	HM4521	Inter	EFH	1,027	4.87	0.8	0.5	21.32	4.37	29
31	H2401	Thick	EFS™	976	4.78	2.9	2.3	22.37	4.37	18
32	H8504	Thick	EFS™	938	4.64	2.0	1.2	22.01	4.33	36
33	HM9905	Inter	EFH	855	4.89	1.0	1.1	20.96	4.50	32
34	H5608	Thick	-	827	5.10	1.0	1.6	20.65	4.42	31
35	SVTM9008	Thick	EFH	821	5.02	1.3	0.5	21.04	4.28	40
36	N6397	Early	-	788	5.31	0.4	1.1	21.80	4.41	27
37	HM4885	Thick	EFH	731	4.69	1.2	0.9	20.90	4.31	30
38	SVTM9012	Thin	F3	696	5.16	3.0	1.8	20.64	4.38	88
39	BQ141	Inter	F3	669	4.98	0.8	5.3	21.81	4.45	46
40	HM3887	Inter	-	667	5.19	0.9	2.1	21.86	4.39	35
41	UG4014	Early	-	653	4.83	2.9	1.3	20.75	4.51	94
42	HM3888	Inter	EFH	597	5.34	1.1	0.8	21.79	4.47	23
43	BP43	Thin	F3	566	5.21	2.0	1.0	20.70	4.43	65
44	H1422	Thick	F3	539	4.82	3.4	3.5	21.07	4.51	33
45	N6426	Thick	EFH, Lv	536	4.64	1.0	0.8	21.40	4.39	57
North Total				130,425	5.01	2.0	1.7	21.59	4.42	

2020 California Processing Tomato

Central Region - Top 45

Final PTAB

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2019 Rank
1	H1662	Thick	F3, Lv	7,193	5.02	1.5	1.0	21.81	4.45	3
2	DRI319	Thin	-	6,059	5.45	1.9	2.5	21.45	4.41	1
3	N6428	Inter	F3, EFH	5,815	4.71	2.9	1.4	21.68	4.54	8
4	H1428	Thick	EFS™	4,989	4.75	1.2	0.6	21.22	4.47	2
5	SVTM9011	Thin	F3	4,725	5.64	2.9	1.9	20.78	4.44	35
6	SV8011TM	Inter	-	4,069	5.02	2.7	0.9	20.27	4.43	7
7	H4707	Thick	EFS™	3,839	4.84	0.9	0.6	22.55	4.44	5
8	H2401	Thick	EFS™	3,260	4.68	1.4	0.9	21.88	4.35	9
9	AB0311	Thin	-	3,219	5.50	3.4	2.0	20.49	4.40	4
10	BOS811	Thick	EFH	2,658	4.94	1.7	0.8	20.23	4.43	59
11	HM5522	Inter	Fr	2,613	5.52	1.5	0.7	20.23	4.36	27
12	HM58801	Inter	F3, EFH	2,540	5.12	3.6	2.9	21.77	4.50	60
13	HM58841	Inter	EFH	2,210	5.02	1.7	0.6	21.15	4.41	14
14	SVTM9014	Inter	F3	2,120	4.88	2.9	1.1	20.73	4.43	57
15	SVTM9013	Inter	F3	2,087	5.16	2.9	1.4	20.65	4.46	52
16	HM5235	Inter	F3	1,959	5.36	4.0	2.8	20.42	4.47	23
17	SVTM9016	Thick	F3, EFH	1,812	4.89	1.9	0.6	21.67	4.37	65
18	N6366	Thin	-	1,723	5.17	1.1	1.6	20.69	4.43	13
19	HM4885	Thick	EFH	1,625	4.96	2.1	1.0	21.07	4.39	16
20	HM4521	Inter	EFH	1,479	4.96	0.9	0.6	21.15	4.39	46
21	N6402	Thin	-	1,236	5.37	1.4	2.0	20.62	4.46	29
22	HM9905	Inter	EFH	1,220	4.90	1.2	0.6	20.64	4.44	15
23	BP43	Thin	F3	1,149	5.67	2.5	1.4	20.97	4.46	64
24	SVTM9008	Thick	EFH	1,078	5.25	2.3	0.6	20.71	4.30	51
25	HM3887	Inter	-	1,064	5.69	2.2	1.9	20.84	4.48	37
26	HM8163	Pear	-	1,048	5.83	1.7	1.5	20.00	4.47	74
27	N6426	Thick	EFH, Lv	1,025	5.00	2.4	1.4	20.23	4.49	20
28	SVTM1082	Thin	F3	986	5.65	1.4	1.6	21.39	4.35	6
29	BQ403	Early	-	934	5.29	0.2	2.2	21.18	4.33	22
30	N6434	Inter	F3, EFH	925	4.70	4.4	1.6	21.83	4.53	42
31	BQ398	Inter	-	793	4.92	3.3	1.0	20.21	4.45	28
32	BQ273	Early	-	788	5.28	1.2	2.0	20.91	4.45	18
33	N6420	Pear	-	709	5.04	1.6	1.6	21.24	4.52	19
34	HM5900	Inter	-	626	5.29	1.2	2.4	21.66	4.40	17
35	SVTM9007	Thick	-	464	4.53	2.0	1.6	22.09	4.57	48
36	Misc	Misc	-	430	5.24	2.7	1.1	20.31	4.43	45
37	H1293	Pear	-	423	5.58	2.4	1.8	20.25	4.56	12
38	BQ422	Inter	F3	405	4.93	8.3	2.0	21.21	4.64	-
39	SSA6377	Thin	-	401	5.14	1.2	1.1	21.41	4.40	-
40	H5508	Thick	EFS™	345	4.54	0.8	0.3	21.13	4.40	40
41	N6415	Thick	EFH	343	5.15	1.3	0.8	20.30	4.36	10
42	HM7885	Pear	EFH	318	4.77	1.7	1.2	21.02	4.60	32
43	N6407	Thin	EFH	310	5.36	2.0	0.7	22.00	4.45	43
44	H1776	Thick	EFS™	289	5.22	1.8	0.8	21.16	4.41	71
45	UG4014	Early	-	284	4.86	1.6	0.9	20.37	4.44	-
Central Total				86,485	5.12	2.1	1.4	21.14	4.44	

2020 California Processing Tomato

South Region - Top 45

Final PTAB

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2019 Rank
1	BQ273	Early	-	21,718	5.42	0.8	1.7	21.06	4.38	1
2	SV8011TM	Inter	-	13,748	5.59	1.8	1.2	20.62	4.44	4
3	BQ400	Early	-	12,078	5.26	0.5	1.2	20.11	4.47	8
4	BQ403	Early	-	11,236	5.47	0.5	2.0	21.21	4.37	10
5	H5608	Thick	-	10,239	5.15	1.7	1.1	20.34	4.45	3
6	BOS811	Thick	EFH	10,083	5.24	1.3	0.7	20.15	4.40	16
7	N6428	Inter	F3, EFH	8,166	4.84	3.1	1.2	21.68	4.53	11
8	SV2756TM	Thick	EFH	7,967	5.09	2.3	0.6	21.03	4.48	2
9	DRI319	Thin	-	7,018	5.95	2.0	2.4	21.79	4.44	15
10	HM5522	Inter	Fr	6,868	5.94	0.9	0.8	20.34	4.38	53
11	SVTM9008	Thick	EFH	6,837	5.26	2.4	0.5	20.74	4.36	27
12	UG16112	Thick	EFH	6,676	5.13	1.5	0.4	20.55	4.40	20
13	H4707	Thick	EFS™	6,632	4.91	1.4	0.5	22.60	4.46	7
14	AB0311	Thin	-	5,986	6.08	1.8	2.0	20.92	4.40	5
15	SVTM9011	Thin	F3	5,658	5.84	3.1	1.9	20.92	4.47	46
16	H2401	Thick	EFS™	5,394	4.99	2.3	0.9	21.49	4.40	9
17	H1428	Thick	EFS™	4,679	5.00	1.9	0.5	21.14	4.52	6
18	H1662	Thick	F3, Lv	4,509	5.02	1.9	0.8	21.69	4.47	21
19	N6402	Thin	-	4,506	5.86	1.2	1.5	20.47	4.46	24
20	H5508	Thick	EFS™	3,803	4.68	2.8	0.5	21.24	4.50	17
21	HM3887	Inter	-	3,669	5.55	1.7	1.4	21.14	4.44	13
22	N6366	Thin	-	3,357	5.47	0.9	1.9	21.09	4.47	23
23	HM4521	Inter	EFH	3,298	5.58	0.8	0.4	20.94	4.38	34
24	HM4885	Thick	EFH	3,255	5.16	1.5	0.9	20.90	4.40	12
25	HM5235	Inter	F3	3,202	5.53	3.8	2.5	20.51	4.53	43
26	SVTM9016	Thick	F3, EFH	2,608	4.83	3.7	0.4	21.34	4.42	84
27	HM8163	Pear	-	2,474	5.86	1.3	1.0	19.97	4.46	57
28	SVTM9000	Early	Lv	2,280	5.06	0.4	0.5	20.75	4.42	33
29	H1293	Pear	-	2,218	5.58	1.5	1.2	20.24	4.53	22
30	N6434	Inter	F3, EFH	2,129	5.21	1.4	1.8	21.84	4.51	41
31	SVTM9013	Inter	F3	2,112	5.22	2.3	1.1	20.53	4.44	65
32	HM7885	Pear	EFH	2,098	5.01	1.5	1.1	21.29	4.62	25
33	CXD187	Early	-	1,931	4.84	0.8	2.3	21.29	4.40	51
34	SVTM9014	Inter	F3	1,783	5.36	2.2	1.0	20.72	4.43	68
35	N6416	Early	-	1,524	5.17	0.4	1.4	21.10	4.36	31
36	N6426	Thick	EFH, Lv	1,440	5.19	1.9	1.5	20.81	4.50	18
37	N6415	Thick	EFH	1,396	5.18	0.4	0.8	21.52	4.44	14
38	UG29814	Inter	F3, EFH	1,262	5.62	1.7	0.7	20.83	4.47	91
39	Misc	Misc	-	1,150	5.20	2.2	1.0	20.71	4.46	36
40	HM58811	Thick	EFH	1,143	5.18	1.1	1.1	22.32	4.44	49
41	N6420	Pear	-	988	5.17	1.9	1.6	20.95	4.55	39
42	H5702	Thick	EFS™	985	4.87	2.7	0.6	20.63	4.56	26
43	SVTM9007	Thick	-	972	4.83	1.6	1.7	22.47	4.54	28
44	BQ398	Inter	-	895	5.27	2.7	1.1	19.56	4.47	37
45	HM58801	Inter	F3, EFH	870	5.30	2.4	2.8	21.86	4.49	54
South Total				223,084	5.34	1.6	1.2	20.94	4.44	

2020 California Processing Tomato

Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
Early Class										
BQ273	SYN	-	24,279	24,907	5.38	5.34	0.8	1.7	21.12	4.38
BQ403	SYN	-	13,289	9,616	5.42	5.29	0.5	1.9	21.28	4.36
BQ400	SYN	-	12,103	9,635	5.25	5.14	0.5	1.2	20.11	4.47
BP13	BHN	F3	4,933	2,898	4.86	4.76	0.4	1.6	21.60	4.38
BQ413	SYN	F3	3,015	2,164	4.67	4.64	1.9	1.7	21.43	4.53
SVTM9000	SVS	Lv	2,566	2,293	5.05	5.16	0.4	0.5	20.86	4.42
H1015	HZ	EFS™	2,349	2,815	5.20	5.06	0.4	1.2	20.79	4.44
CXD187	HM	-	1,931	423	4.84	4.72	0.8	2.3	21.29	4.40
UG4014	UG	-	1,586	6	5.00	5.53	2.2	1.1	20.63	4.51
N6416	NS	-	1,524	1,759	5.17	4.84	0.4	1.4	21.10	4.36
N6397	NS	-	788	840	5.31	5.30	0.4	1.1	21.80	4.41
NB63	NB	F3	534	-	4.93	-	2.1	1.5	20.68	4.50
N6459	NS	F3	304	442	5.12	5.05	1.5	1.5	21.38	4.48
BP51	BHN	F3, EFH	255	14	5.84	5.39	0.3	2.9	21.81	4.34
HM58881	HM	-	218	273	5.20	4.95	0.9	2.8	21.16	4.47
H1765	HZ	-	198	105	5.50	5.05	0.1	1.0	20.91	4.39
BOS3842	OS	-	191	128	5.55	4.88	1.1	1.4	22.12	4.44
H1902	HZ	F3	77	-	4.92	-	0.4	2.0	22.00	4.44
SVTM9018	SVS	F3, Fr	71	-	4.82	-	0.4	0.6	21.90	4.31
SV0599TM	SVS	-	25	34	6.02	5.51	0.1	0.7	21.84	4.33
HM7103	HM	-	13	-	5.58	-	0.1	1.1	20.73	4.37
H1901	HZ	-	4	2	4.40	5.05	4.3	1.4	19.63	4.37
Early Total			70,253	58,354	5.25	5.20	0.7	1.6	21.01	4.40
Thin Class										
DRI319	SVS	-	15,402	20,550	5.67	5.65	1.9	2.4	21.61	4.42
SVTM9011	SVS	F3	14,285	1,702	5.65	5.56	2.9	1.8	20.71	4.43
AB0311	SVS	-	13,194	23,733	5.83	5.71	2.3	1.8	20.78	4.39
N6366	NS	-	6,008	5,327	5.39	5.37	1.0	1.9	20.99	4.46
N6402	NS	-	5,743	3,768	5.76	5.54	1.2	1.6	20.50	4.46
SVTM1082	SVS	F3	2,875	13,660	5.41	5.50	1.3	1.6	21.57	4.34
BP43	BHN	F3	2,278	101	5.53	4.93	2.4	1.3	20.82	4.46
SVTM9012	SVS	F3	1,604	8	5.46	5.35	2.9	1.9	20.65	4.42
UG16609	UG	-	868	1,477	5.80	5.50	1.7	2.0	21.04	4.42
HM4326	HM	-	650	514	5.50	5.53	1.0	1.1	21.17	4.34
SSA6377	SSA	-	501	-	5.25	-	1.2	1.1	21.50	4.37
N6407	NS	EFH	310	340	5.36	5.02	2.0	0.7	22.00	4.45
UG27713	UG	-	292	659	6.02	5.99	2.6	3.0	19.84	4.48
BQ393	SYN	F3	175	-	4.65	-	1.6	3.6	22.08	4.48

2020 California Processing Tomato

Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
BP74	BHN	F3	139	-	5.27	-	1.4	0.9	21.81	4.45
H1161	HZ	-	57	85	5.23	5.82	0.9	1.0	20.96	4.40
HM5511	HM	F3	31	-	5.34	-	1.9	2.8	21.06	4.42
SVTM9019	SVS	F3, EFH	22	-	5.42	-	1.0	1.3	21.89	4.27
LYKOBOL	UG	-	11	-	5.68	-	1.1	1.0	19.18	4.53
BP48	BHN	F3	8	8	5.69	5.31	0.8	2.4	21.06	4.43
BP49	BHN	F3	7	10	5.33	5.15	1.9	0.9	20.79	4.49
BOS2074	OS	F3	6	-	6.05	-	1.4	3.3	20.08	4.45
Thin Total			64,466	71,942	5.65	5.61	2.1	1.9	21.01	4.42
Intermediate Class										
N6428	NS	F3, EFH	43,534	26,976	4.81	4.93	2.6	2.1	22.04	4.50
SV8011TM	SVS	-	21,489	23,050	5.40	5.20	2.0	1.2	20.62	4.43
HM5522	HM	Fr	11,518	1,284	5.75	5.62	1.0	0.7	20.32	4.37
HM58841	HM	EFH	8,892	7,661	5.12	5.17	1.4	0.7	21.07	4.40
HM5235	HM	F3	8,843	5,273	5.38	5.27	3.2	2.6	20.60	4.48
SVTM9013	SVS	F3	6,797	479	5.16	5.21	2.4	1.4	20.73	4.43
HM4521	HM	EFH	5,804	2,458	5.30	5.16	0.8	0.5	21.06	4.38
SVTM9014	SVS	F3	5,534	350	5.05	5.19	2.7	1.3	20.73	4.42
HM3887	HM	-	5,400	7,744	5.53	5.62	1.7	1.6	21.17	4.44
N6434	NS	F3, EFH	4,082	4,877	5.06	4.88	2.3	2.1	22.01	4.50
HM58801	HM	F3, EFH	3,876	1,321	5.12	5.34	3.1	2.8	21.81	4.49
HM4909	HM	Fr	2,722	3,772	5.51	5.42	1.2	1.1	22.69	4.25
HM9905	HM	EFH	2,516	2,398	4.75	5.07	1.1	0.9	20.91	4.47
UG19406	UG	EFH	2,187	4,016	5.51	5.19	2.0	0.8	21.58	4.31
BQ398	SYN	-	1,928	1,893	5.05	5.27	2.7	1.1	19.87	4.45
UG29814	UG	F3, EFH	1,299	6	5.61	5.52	1.7	0.7	20.86	4.47
HM1892	HM	EFH	839	2,618	5.57	5.31	1.5	2.0	21.26	4.54
HM3888	HM	EFH	787	1,723	5.31	5.44	1.1	0.7	21.71	4.47
HM5900	HM	-	715	1,462	5.31	5.44	1.2	2.2	21.60	4.38
BQ141	SYN	F3	669	613	4.98	5.11	0.8	5.3	21.81	4.45
BP42	BHN	F3	636	-	5.16	-	2.2	2.6	20.62	4.47
BQ422	SYN	F3	512	261	4.92	4.78	7.0	2.4	21.21	4.60
N6463	NS	EFH	392	-	4.88	-	0.8	0.7	20.38	4.42
N6460	NS	F3, EFH	345	347	5.07	5.01	0.7	0.8	21.59	4.45
NB23	NB	F3	323	-	5.78	-	1.9	1.5	20.54	4.44
N6441	NS	F3, EFH	185	2,012	4.81	5.05	5.8	0.3	21.24	4.51
N6465	NS	F3, EFH	118	-	5.02	-	2.9	1.1	21.22	4.46
CXD255	HM	-	91	175	5.01	4.80	1.8	2.3	22.71	4.36
N6464	NS	EFH	61	-	5.57	-	1.4	1.0	21.25	4.37
BP47	BHN	F3	60	12	5.30	5.13	0.8	0.6	22.20	4.37

2020 California Processing Tomato

Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
UG29314	UG	F3, EFH	51	1	5.21	5.20	2.1	1.5	21.32	4.42
BOS4565	OS	F3	23	-	5.17	-	1.7	1.8	20.80	4.43
N6440	NS	F3, EFH	13	563	4.82	4.72	7.1	0.7	21.42	4.50
UG9436	UG	-	13	-	5.81	-	3.0	0.7	18.31	4.48
LYCOMECH	UG	-	12	-	5.33	-	0.8	0.5	19.92	4.50
SV2493TM	SVS	F3	3	7	5.70	5.27	6.0	1.5	22.00	4.53
SVTM9003	SVS	EFH	3	227	5.20	5.40	1.2	1.0	19.83	4.35
SVTM7791	SVS	-	3	-	5.13	-	3.0	0.3	20.33	4.46
BP16	BHN	F3	1	1	4.70	5.60	7.0	2.0	21.50	4.50
BP2	BHN	F3	1	-	5.70	-	0.5	1.5	21.50	4.46
BP20	BHN	F3	1	1	5.00	4.70	1.0	1.5	21.00	4.32
UG37314	UG	Fr, EFH	1	1	5.50	5.60	0.5	0.5	19.00	4.48
BQ402	SYN	-	1	3	5.10	5.27	0.5	1.0	21.00	4.33
Intermediate Total			142,280	103,585	5.17	5.16	2.1	1.6	21.26	4.45
Thick Class										
H1662	HZ	F3, Lv	23,619	22,199	4.99	4.97	2.2	1.6	21.86	4.46
BOS811	OS	EFH	14,682	5,526	5.12	5.09	1.4	0.7	20.25	4.40
H1428	HZ	EFS™	14,195	25,920	4.83	4.92	2.0	0.9	21.25	4.49
H4707	HZ	EFS™	13,348	18,664	4.88	4.86	1.5	0.8	22.60	4.45
H5608	HZ	-	11,066	18,063	5.14	4.88	1.6	1.1	20.37	4.45
H2401	HZ	EFS™	9,630	13,886	4.86	4.83	2.1	1.0	21.71	4.38
SVTM9008	SVS	EFH	8,736	2,455	5.24	5.24	2.3	0.5	20.77	4.34
SVTM9016	SVS	F3, EFH	8,520	44	4.89	4.84	2.5	0.6	21.67	4.38
SV2756TM	SVS	EFH	7,967	19,657	5.09	4.87	2.3	0.6	21.03	4.48
UG16112	UG	EFH	6,879	4,922	5.12	4.99	1.5	0.4	20.57	4.40
HM4885	HM	EFH	5,611	8,836	5.04	5.05	1.6	0.9	20.95	4.39
H5508	HZ	EFS™	4,354	5,263	4.65	4.63	2.6	0.4	21.22	4.48
HM58811	HM	EFH	3,882	2,370	4.96	5.00	1.0	0.9	21.91	4.42
N6426	NS	EFH, Lv	3,096	5,617	5.01	5.08	1.9	1.3	20.69	4.47
H1310	HZ	F3, EFS™	2,239	8,491	4.98	5.02	4.8	2.2	21.95	4.53
N6415	NS	EFH	1,739	10,385	5.17	4.96	0.6	0.8	21.28	4.43
SVTM9007	SVS	-	1,436	2,124	4.73	4.91	1.7	1.7	22.35	4.55
H5706	HZ	EFS™	1,313	-	4.68	-	2.4	1.7	21.54	4.45
H5702	HZ	EFS™	1,166	8,100	4.82	4.75	2.5	0.6	20.58	4.55
H1776	HZ	EFS™	1,120	1,755	5.31	5.16	2.4	0.6	20.86	4.44
H8504	HZ	EFS™	1,040	3,010	4.68	4.94	2.0	1.2	22.00	4.34
H1996	HZ	F3, EFS™	563	4	5.02	4.83	1.3	0.7	20.77	4.44
H1997	HZ	F3	550	3	4.96	4.77	2.7	1.3	21.61	4.45
H1422	HZ	F3	539	708	4.82	4.95	3.4	3.5	21.07	4.51
H9663	HZ	-	501	969	4.85	4.70	2.3	1.8	20.21	4.40

2020 California Processing Tomato

Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
Hz Trial	HZ	-	431	331	4.94	4.90	2.8	1.6	21.32	4.48
SVTM9023	SVS	F3, EFH	404	-	5.12	-	2.9	1.3	22.31	4.47
BOS7744	OS	-	226	17	5.06	5.64	4.1	1.0	21.42	4.53
H1991	HZ	F3	214	3	4.86	4.93	4.3	1.2	20.44	4.43
SVTM9025	SVS	F3, Fr, EFH	190	-	5.23	-	1.0	0.4	21.67	4.26
ISI25033	ISI	-	105	-	5.19	-	1.0	1.0	20.97	4.41
BP50	BHN	F3, EFH	100	-	5.02	-	3.0	2.2	21.33	4.42
H1994	HZ	F3, EFS™	81	1	5.12	4.80	1.5	0.7	21.52	4.41
SVTM9024	SVS	F3, EFH	69	-	5.15	-	1.6	0.7	21.35	4.31
BQ430	SYN	-	45	-	4.37	-	4.2	0.5	20.87	4.54
BQ431	SYN	-	43	-	4.75	-	9.4	0.8	20.55	4.51
BOS4569	OS	F3	20	-	5.38	-	0.5	1.6	21.05	4.37
HM6140	HM	-	17	7	5.18	5.09	0.8	0.5	19.65	4.33
BQ434	SYN	F3	14	-	5.18	-	2.8	0.7	19.68	4.44
BOS4680	OS	-	11	-	5.48	-	1.3	0.0	20.23	4.53
ISI23024	ISI	-	11	-	5.51	-	0.0	0.1	20.14	4.48
ISI26623	ISI	-	11	-	5.79	-	0.1	0.4	20.64	4.36
BQ435	SYN	F3	7	-	4.40	-	1.9	1.9	21.43	4.44
H1311	HZ	EFS™	5	38	5.20	5.31	3.2	3.4	22.00	4.47
UG15212	UG	EFH	1	483	5.70	4.95	1.5	0.5	18.50	4.33
Thick Total			149,796	189,851	4.99	4.92	2.0	1.0	21.30	4.44
Pear Class										
HM8163	HM	-	4,611	360	5.77	5.88	1.4	1.1	20.02	4.45
H1293	HZ	-	3,795	7,628	5.51	5.37	1.5	1.1	20.33	4.53
HM7885	HM	EFH	2,467	3,452	4.99	4.78	1.6	1.1	21.24	4.62
N6420	NS	-	2,180	2,637	5.02	4.86	1.9	1.5	21.06	4.53
H1292	HZ	-	118	308	6.03	5.20	0.2	0.8	20.06	4.48
ISI18205	ISI	-	106	10	5.39	5.37	0.8	1.8	20.47	4.56
HM5369	HM	-	77	66	5.52	5.41	1.3	1.1	20.70	4.53
HP108	SVS	-	45	15	5.42	5.09	0.8	1.7	21.97	4.49
Pear Total			13,399	14,476	5.43	5.14	1.5	1.2	20.52	4.52
Misc Total			1,926	1,441	5.13	5.12	2.4	1.1	20.82	4.44
Dead Varieties Total			-	2,851	-	5.10	-	-	-	-
Statewide Total			442,120	442,500	5.20	5.13	1.8	1.4	21.17	4.43

*Dead Varieties: Varieties that had loads in 2019 but failed to collect any loads in 2020.

2020 California Processing Tomato

Supplier Detail

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
BHN Seed										
BP13	Early	F3	4,933	2,898	4.86	4.76	0.4	1.6	21.60	4.38
BP43	Thin	F3	2,278	101	5.53	4.93	2.4	1.3	20.82	4.46
BP42	Inter	F3	636	-	5.16	-	2.2	2.6	20.62	4.47
BP51	Early	F3, EFH	255	14	5.84	5.39	0.3	2.9	21.81	4.34
BP74	Thin	F3	139	-	5.27	-	1.4	0.9	21.81	4.45
BP50	Thick	F3, EFH	100	-	5.02	-	3.0	2.2	21.33	4.42
BP47	Inter	F3	60	12	5.30	5.13	0.8	0.6	22.20	4.37
BP48	Thin	F3	8	8	5.69	5.31	0.8	2.4	21.06	4.43
BP49	Thin	F3	7	10	5.33	5.15	1.9	0.9	20.79	4.49
BP16	Inter	F3	1	1	4.70	5.60	7.0	2.0	21.50	4.50
BP2	Inter	F3	1	-	5.70	-	0.5	1.5	21.50	4.46
BP20	Inter	F3	1	1	5.00	4.70	1.0	1.5	21.00	4.32
BHN Seed Total			8,419	3,079	5.11	4.77	1.1	1.7	21.33	4.41
Harris Moran										
HM5522	Inter	Fr	11,518	1,284	5.75	5.62	1.0	0.7	20.32	4.37
HM58841	Inter	EFH	8,892	7,661	5.12	5.17	1.4	0.7	21.07	4.40
HM5235	Inter	F3	8,843	5,273	5.38	5.27	3.2	2.6	20.60	4.48
HM4521	Inter	EFH	5,804	2,458	5.30	5.16	0.8	0.5	21.06	4.38
HM4885	Thick	EFH	5,611	8,836	5.04	5.05	1.6	0.9	20.95	4.39
HM3887	Inter	-	5,400	7,744	5.53	5.62	1.7	1.6	21.17	4.44
HM8163	Pear	-	4,611	360	5.77	5.88	1.4	1.1	20.02	4.45
HM58811	Thick	EFH	3,882	2,370	4.96	5.00	1.0	0.9	21.91	4.42
HM58801	Inter	F3, EFH	3,876	1,321	5.12	5.34	3.1	2.8	21.81	4.49
HM4909	Inter	Fr	2,722	3,772	5.51	5.42	1.2	1.1	22.69	4.25
HM9905	Inter	EFH	2,516	2,398	4.75	5.07	1.1	0.9	20.91	4.47
HM7885	Pear	EFH	2,467	3,452	4.99	4.78	1.6	1.1	21.24	4.62
CXD187	Early	-	1,931	423	4.84	4.72	0.8	2.3	21.29	4.40
HM1892	Inter	EFH	839	2,618	5.57	5.31	1.5	2.0	21.26	4.54
HM3888	Inter	EFH	787	1,723	5.31	5.44	1.1	0.7	21.71	4.47
HM5900	Inter	-	715	1,462	5.31	5.44	1.2	2.2	21.60	4.38
HM4326	Thin	-	650	514	5.50	5.53	1.0	1.1	21.17	4.34
HM58881	Early	-	218	273	5.20	4.95	0.9	2.8	21.16	4.47
CXD255	Inter	-	91	175	5.01	4.80	1.8	2.3	22.71	4.36
HM5369	Pear	-	77	66	5.52	5.41	1.3	1.1	20.70	4.53
HM5511	Thin	F3	31	-	5.34	-	1.9	2.8	21.06	4.42
HM6140	Thick	-	17	7	5.18	5.09	0.8	0.5	19.65	4.33
HM7103	Early	-	13	-	5.58	-	0.1	1.1	20.73	4.37
Harris Moran Total			71,511	54,321	5.33	5.24	1.6	1.3	20.99	4.42

2020 California Processing Tomato

Supplier Detail

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
Heinz										
H1662	Thick	F3, Lv	23,619	22,199	4.99	4.97	2.2	1.6	21.86	4.46
H1428	Thick	EFS™	14,195	25,920	4.83	4.92	2.0	0.9	21.25	4.49
H4707	Thick	EFS™	13,348	18,664	4.88	4.86	1.5	0.8	22.60	4.45
H5608	Thick	-	11,066	18,063	5.14	4.88	1.6	1.1	20.37	4.45
H2401	Thick	EFS™	9,630	13,886	4.86	4.83	2.1	1.0	21.71	4.38
H5508	Thick	EFS™	4,354	5,263	4.65	4.63	2.6	0.4	21.22	4.48
H1293	Pear	-	3,795	7,628	5.51	5.37	1.5	1.1	20.33	4.53
H1015	Early	EFS™	2,349	2,815	5.20	5.06	0.4	1.2	20.79	4.44
H1310	Thick	F3, EFS™	2,239	8,491	4.98	5.02	4.8	2.2	21.95	4.53
H5706	Thick	EFS™	1,313	-	4.68	-	2.4	1.7	21.54	4.45
H5702	Thick	EFS™	1,166	8,100	4.82	4.75	2.5	0.6	20.58	4.55
H1776	Thick	EFS™	1,120	1,755	5.31	5.16	2.4	0.6	20.86	4.44
H8504	Thick	EFS™	1,040	3,010	4.68	4.94	2.0	1.2	22.00	4.34
H1996	Thick	F3, EFS™	563	4	5.02	4.83	1.3	0.7	20.77	4.44
H1997	Thick	F3	550	3	4.96	4.77	2.7	1.3	21.61	4.45
H1422	Thick	F3	539	708	4.82	4.95	3.4	3.5	21.07	4.51
H9663	Thick	-	501	969	4.85	4.70	2.3	1.8	20.21	4.40
Hz Trial	Thick	-	431	331	4.94	4.90	2.8	1.6	21.32	4.48
H1991	Thick	F3	214	3	4.86	4.93	4.3	1.2	20.44	4.43
H1765	Early	-	198	105	5.50	5.05	0.1	1.0	20.91	4.39
H1292	Pear	-	118	308	6.03	5.20	0.2	0.8	20.06	4.48
H1994	Thick	F3, EFS™	81	1	5.12	4.80	1.5	0.7	21.52	4.41
H1902	Early	F3	77	-	4.92	-	0.4	2.0	22.00	4.44
H1161	Thin	-	57	85	5.23	5.82	0.9	1.0	20.96	4.40
H1311	Thick	EFS™	5	38	5.20	5.31	3.2	3.4	22.00	4.47
H1901	Early	-	4	2	4.40	5.05	4.3	1.4	19.63	4.37
Heinz Total			92,572	140,068	4.96	4.92	2.0	1.2	21.50	4.46
NewBreed										
NB63	Early	F3	534	-	4.93	-	2.1	1.5	20.68	4.50
NB23	Inter	F3	323	-	5.78	-	1.9	1.5	20.54	4.44
NewBreed Total			857	0	5.25	0	2.0	1.5	20.63	4.48
Nunhems										
N6428	Inter	F3, EFH	43,534	26,976	4.81	4.93	2.6	2.1	22.04	4.50
N6366	Thin	-	6,008	5,327	5.39	5.37	1.0	1.9	20.99	4.46
N6402	Thin	-	5,743	3,768	5.76	5.54	1.2	1.6	20.50	4.46
N6434	Inter	F3, EFH	4,082	4,877	5.06	4.88	2.3	2.1	22.01	4.50
N6426	Thick	EFH, Lv	3,096	5,617	5.01	5.08	1.9	1.3	20.69	4.47

2020 California Processing Tomato

Supplier Detail

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
N6420	Pear	-	2,180	2,637	5.02	4.86	1.9	1.5	21.06	4.53
N6415	Thick	EFH	1,739	10,385	5.17	4.96	0.6	0.8	21.28	4.43
N6416	Early	-	1,524	1,759	5.17	4.84	0.4	1.4	21.10	4.36
N6397	Early	-	788	840	5.31	5.30	0.4	1.1	21.80	4.41
N6463	Inter	EFH	392	-	4.88	-	0.8	0.7	20.38	4.42
N6460	Inter	F3, EFH	345	347	5.07	5.01	0.7	0.8	21.59	4.45
N6407	Thin	EFH	310	340	5.36	5.02	2.0	0.7	22.00	4.45
N6459	Early	F3	304	442	5.12	5.05	1.5	1.5	21.38	4.48
N6441	Inter	F3, EFH	185	2,012	4.81	5.05	5.8	0.3	21.24	4.51
N6465	Inter	F3, EFH	118	-	5.02	-	2.9	1.1	21.22	4.46
N6464	Inter	EFH	61	-	5.57	-	1.4	1.0	21.25	4.37
N6440	Inter	F3, EFH	13	563	4.82	4.72	7.1	0.7	21.42	4.50
Nunhems Total			70,422	66,495	5.00	5.02	2.1	1.9	21.68	4.49
Orsetti Seeds										
BOS811	Thick	EFH	14,682	5,526	5.12	5.09	1.4	0.7	20.25	4.40
BOS7744	Thick	-	226	17	5.06	5.64	4.1	1.0	21.42	4.53
BOS3842	Early	-	191	128	5.55	4.88	1.1	1.4	22.12	4.44
BOS4565	Inter	F3	23	-	5.17	-	1.7	1.8	20.80	4.43
BOS4569	Thick	F3	20	-	5.38	-	0.5	1.6	21.05	4.37
BOS4680	Thick	-	11	-	5.48	-	1.3	0.0	20.23	4.53
BOS2074	Thin	F3	6	-	6.05	-	1.4	3.3	20.08	4.45
Orsetti Seeds Total			15,159	5,671	5.12	5.09	1.4	0.7	20.30	4.40
Seminis										
SV8011TM	Inter	-	21,489	23,050	5.40	5.20	2.0	1.2	20.62	4.43
DRI319	Thin	-	15,402	20,550	5.67	5.65	1.9	2.4	21.61	4.42
SVTM9011	Thin	F3	14,285	1,702	5.65	5.56	2.9	1.8	20.71	4.43
AB0311	Thin	-	13,194	23,733	5.83	5.71	2.3	1.8	20.78	4.39
SVTM9008	Thick	EFH	8,736	2,455	5.24	5.24	2.3	0.5	20.77	4.34
SVTM9016	Thick	F3, EFH	8,520	44	4.89	4.84	2.5	0.6	21.67	4.38
SV2756TM	Thick	EFH	7,967	19,657	5.09	4.87	2.3	0.6	21.03	4.48
SVTM9013	Inter	F3	6,797	479	5.16	5.21	2.4	1.4	20.73	4.43
SVTM9014	Inter	F3	5,534	350	5.05	5.19	2.7	1.3	20.73	4.42
SVTM1082	Thin	F3	2,875	13,660	5.41	5.50	1.3	1.6	21.57	4.34
SVTM9000	Early	Lv	2,566	2,293	5.05	5.16	0.4	0.5	20.86	4.42
SVTM9012	Thin	F3	1,604	8	5.46	5.35	2.9	1.9	20.65	4.42
SVTM9007	Thick	-	1,436	2,124	4.73	4.91	1.7	1.7	22.35	4.55
SVTM9023	Thick	F3, EFH	404	-	5.12	-	2.9	1.3	22.31	4.47
SVTM9025	Thick	F3, Fr, EFH	190	-	5.23	-	1.0	0.4	21.67	4.26
SVTM9018	Early	F3, Fr	71	-	4.82	-	0.4	0.6	21.90	4.31

2020 California Processing Tomato

Supplier Detail

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
SVTM9024	Thick	F3, EFH	69	-	5.15	-	1.6	0.7	21.35	4.31
HP108	Pear	-	45	15	5.42	5.09	0.8	1.7	21.97	4.49
SV0599TM	Early	-	25	34	6.02	5.51	0.1	0.7	21.84	4.33
SVTM9019	Thin	F3, EFH	22	-	5.42	-	1.0	1.3	21.89	4.27
SV2493TM	Inter	F3	3	7	5.70	5.27	6.0	1.5	22.00	4.53
SVTM7791	Inter	-	3	-	5.13	-	3.0	0.3	20.33	4.46
SVTM9003	Inter	EFH	3	227	5.20	5.40	1.2	1.0	19.83	4.35
Seminis Total			111,240	110,560	5.40	5.37	2.2	1.4	20.98	4.41
United Genetics										
UG16112	Thick	EFH	6,879	4,922	5.12	4.99	1.5	0.4	20.57	4.40
UG19406	Inter	EFH	2,187	4,016	5.51	5.19	2.0	0.8	21.58	4.31
UG4014	Early	-	1,586	6	5.00	5.53	2.2	1.1	20.63	4.51
UG29814	Inter	F3, EFH	1,299	6	5.61	5.52	1.7	0.7	20.86	4.47
UG16609	Thin	-	868	1,477	5.80	5.50	1.7	2.0	21.04	4.42
UG27713	Thin	-	292	659	6.02	5.99	2.6	3.0	19.84	4.48
UG29314	Inter	F3, EFH	51	1	5.21	5.20	2.1	1.5	21.32	4.42
UG9436	Inter	-	13	-	5.81	-	3.0	0.7	18.31	4.48
LYCOMECH	Inter	-	12	-	5.33	-	0.8	0.5	19.92	4.50
LYKOBOL	Thin	-	11	-	5.68	-	1.1	1.0	19.18	4.53
UG15212	Thick	EFH	1	483	5.70	4.95	1.5	0.5	18.50	4.33
UG37314	Inter	Fr, EFH	1	1	5.50	5.60	0.5	0.5	19.00	4.48
United Genetics Total			13,200	11,598	5.29	5.18	1.7	0.7	20.79	4.41
Syngenta										
BQ273	Early	-	24,279	24,907	5.38	5.34	0.8	1.7	21.12	4.38
BQ403	Early	-	13,289	9,616	5.42	5.29	0.5	1.9	21.28	4.36
BQ400	Early	-	12,103	9,635	5.25	5.14	0.5	1.2	20.11	4.47
BQ413	Early	F3	3,015	2,164	4.67	4.64	1.9	1.7	21.43	4.53
BQ398	Inter	-	1,928	1,893	5.05	5.27	2.7	1.1	19.87	4.45
BQ141	Inter	F3	669	613	4.98	5.11	0.8	5.3	21.81	4.45
BQ422	Inter	F3	512	261	4.92	4.78	7.0	2.4	21.21	4.60
BQ393	Thin	F3	175	-	4.65	-	1.6	3.6	22.08	4.48
BQ430	Thick	-	45	-	4.37	-	4.2	0.5	20.87	4.54
BQ431	Thick	-	43	-	4.75	-	9.4	0.8	20.55	4.51
BQ434	Thick	F3	14	-	5.18	-	2.8	0.7	19.68	4.44
BQ435	Thick	F3	7	-	4.40	-	1.9	1.9	21.43	4.44
BQ402	Inter	-	1	3	5.10	5.27	0.5	1.0	21.00	4.33
Syngenta Total			56,080	49,256	5.30	5.25	0.9	1.7	20.92	4.41
Statewide Total			442,120	442,500	5.20	5.13	1.8	1.4	21.17	4.43

2020 California Processing Tomato

Brix Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
AB0311	Thin	13,194	5.83	2.3	1.8	20.78	4.39	8.0%	48.0%	77.0%	96.6%	10
HM8163	Pear	4,611	5.77	1.4	1.1	20.02	4.45	7.6%	29.8%	78.7%	96.5%	3
N6402	Thin	5,743	5.76	1.2	1.6	20.50	4.46	24.3%	84.5%	98.3%	100.0%	9
HM5522	Inter	11,518	5.75	1.0	0.7	20.32	4.37	12.4%	41.1%	66.2%	90.6%	2
DRI319	Thin	15,402	5.67	1.9	2.4	21.61	4.42	1.2%	22.0%	62.7%	88.4%	10
SVTM9011	Thin	14,285	5.65	2.9	1.8	20.71	4.43	2.1%	25.9%	65.4%	97.4%	1
UG29814	Inter	1,299	5.61	1.7	0.7	20.86	4.47	9.7%	54.3%	55.7%	87.8%	1
HM3887	Inter	5,400	5.53	1.7	1.6	21.17	4.44	14.6%	67.4%	83.6%	94.6%	6
BP43	Thin	2,278	5.53	2.4	1.3	20.82	4.46	-	1.6%	32.6%	76.1%	3
UG19406	Inter	2,187	5.51	2.0	0.8	21.58	4.31	-	9.8%	38.5%	79.3%	10
HM4909	Inter	2,722	5.51	1.2	1.1	22.69	4.25	1.6%	82.0%	98.8%	100.0%	5
H1293	Pear	3,795	5.51	1.5	1.1	20.33	4.53	19.6%	55.7%	94.7%	99.6%	7
SVTM9012	Thin	1,604	5.46	2.9	1.9	20.65	4.42	-	2.9%	56.9%	89.7%	1
BQ403	Early	13,289	5.42	0.5	1.9	21.28	4.36	62.0%	99.9%	100.0%	100.0%	4
SVTM1082	Thin	2,875	5.41	1.3	1.6	21.57	4.34	-	18.6%	73.6%	87.0%	3
SV8011TM	Inter	21,489	5.40	2.0	1.2	20.62	4.43	3.7%	47.1%	81.1%	94.1%	5
N6366	Thin	6,008	5.39	1.0	1.9	20.99	4.46	50.5%	80.9%	85.4%	94.3%	16
BQ273	Early	24,279	5.38	0.8	1.7	21.12	4.38	41.6%	89.9%	94.8%	99.0%	6
HM5235	Inter	8,843	5.38	3.2	2.6	20.60	4.48	0.0%	28.6%	71.1%	99.1%	4
H1776	Thick	1,120	5.31	2.4	0.6	20.86	4.44	-	-	6.7%	81.9%	2
HM4521	Inter	5,804	5.30	0.8	0.5	21.06	4.38	5.1%	21.3%	51.1%	71.9%	4
BQ400	Early	12,103	5.25	0.5	1.2	20.11	4.47	62.6%	96.2%	99.4%	100.0%	4
SVTM9008	Thick	8,736	5.24	2.3	0.5	20.77	4.34	-	5.9%	37.5%	74.6%	2
H1015	Early	2,349	5.20	0.4	1.2	20.79	4.44	33.0%	100.0%	100.0%	100.0%	9
N6415	Thick	1,739	5.17	0.6	0.8	21.28	4.43	15.6%	68.5%	80.3%	80.3%	6
N6416	Early	1,524	5.17	0.4	1.4	21.10	4.36	100.0%	100.0%	100.0%	100.0%	6
SVTM9013	Inter	6,797	5.16	2.4	1.4	20.73	4.43	1.6%	16.8%	67.5%	88.1%	1
H5608	Thick	11,066	5.14	1.6	1.1	20.37	4.45	27.9%	69.5%	94.9%	100.0%	11
HM58801	Inter	3,876	5.12	3.1	2.8	21.81	4.49	-	0.6%	32.1%	79.5%	4
UG16112	Thick	6,879	5.12	1.5	0.4	20.57	4.40	-	1.9%	27.7%	74.3%	4
BOS811	Thick	14,682	5.12	1.4	0.7	20.25	4.40	0.6%	31.8%	63.1%	86.9%	3
HM58841	Inter	8,892	5.12	1.4	0.7	21.07	4.40	-	2.7%	31.6%	67.9%	4
SV2756TM	Thick	7,967	5.09	2.3	0.6	21.03	4.48	0.0%	23.5%	53.4%	98.0%	5
N6434	Inter	4,082	5.06	2.3	2.1	22.01	4.50	-	27.4%	71.9%	88.5%	3

2020 California Processing Tomato

Brix Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
BQ398	Inter	1,928	5.05	2.7	1.1	19.87	4.45	-	1.2%	22.0%	55.0%	2
SVTM9014	Inter	5,534	5.05	2.7	1.3	20.73	4.42	-	24.4%	57.6%	81.1%	1
SVTM9000	Early	2,566	5.05	0.4	0.5	20.86	4.42	54.7%	99.9%	100.0%	100.0%	2
HM4885	Thick	5,611	5.04	1.6	0.9	20.95	4.39	6.1%	26.8%	39.1%	71.1%	5
N6420	Pear	2,180	5.02	1.9	1.5	21.06	4.53	2.9%	25.0%	53.3%	98.8%	6
N6426	Thick	3,096	5.01	1.9	1.3	20.69	4.47	0.2%	5.4%	63.5%	85.4%	5
UG4014	Early	1,586	5.00	2.2	1.1	20.63	4.51	2.6%	16.3%	62.5%	88.8%	1
H1662	Thick	23,619	4.99	2.2	1.6	21.86	4.46	-	1.6%	18.2%	83.7%	3
HM7885	Pear	2,467	4.99	1.6	1.1	21.24	4.62	0.0%	35.1%	72.9%	99.9%	12
H1310	Thick	2,239	4.98	4.8	2.2	21.95	4.53	-	-	12.7%	90.9%	6
HM58811	Thick	3,882	4.96	1.0	0.9	21.91	4.42	0.0%	14.9%	43.8%	59.0%	4
SVTM9016	Thick	8,520	4.89	2.5	0.6	21.67	4.38	-	6.2%	46.5%	75.0%	1
H4707	Thick	13,348	4.88	1.5	0.8	22.60	4.45	1.5%	4.2%	35.2%	91.4%	12
H2401	Thick	9,630	4.86	2.1	1.0	21.71	4.38	1.9%	6.2%	37.0%	75.2%	18
BP13	Early	4,933	4.86	0.4	1.6	21.60	4.38	23.3%	96.7%	100.0%	100.0%	5
CXD187	Early	1,931	4.84	0.8	2.3	21.29	4.40	100.0%	100.0%	100.0%	100.0%	23
H1428	Thick	14,195	4.83	2.0	0.9	21.25	4.49	-	4.2%	35.4%	96.5%	5
H5702	Thick	1,166	4.82	2.5	0.6	20.58	4.55	-	2.7%	39.8%	79.6%	6
N6428	Inter	43,534	4.81	2.6	2.1	22.04	4.50	-	15.1%	58.9%	78.2%	4
HM9905	Inter	2,516	4.75	1.1	0.9	20.91	4.47	-	-	0.9%	21.3%	10
SVTM9007	Thick	1,436	4.73	1.7	1.7	22.35	4.55	-	-	54.4%	100.0%	2
H5706	Thick	1,313	4.68	2.4	1.7	21.54	4.45	-	-	21.9%	91.4%	5
H8504	Thick	1,040	4.68	2.0	1.2	22.00	4.34	-	-	57.6%	84.7%	15
BQ413	Early	3,015	4.67	1.9	1.7	21.43	4.53	1.2%	83.5%	100.0%	100.0%	2
H5508	Thick	4,354	4.65	2.6	0.4	21.22	4.48	-	-	-	14.6%	11

*Age: How many years each variety has been commercial.

2020 California Processing Tomato

Mold Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
SVTM9000	Early	2,566	5.05	0.4	0.5	20.86	4.42	54.7%	99.9%	100.0%	100.0%	2
H1015	Early	2,349	5.20	0.4	1.2	20.79	4.44	33.0%	100.0%	100.0%	100.0%	9
BP13	Early	4,933	4.86	0.4	1.6	21.60	4.38	23.3%	96.7%	100.0%	100.0%	5
N6416	Early	1,524	5.17	0.4	1.4	21.10	4.36	100.0%	100.0%	100.0%	100.0%	6
BQ403	Early	13,289	5.42	0.5	1.9	21.28	4.36	62.0%	99.9%	100.0%	100.0%	4
BQ400	Early	12,103	5.25	0.5	1.2	20.11	4.47	62.6%	96.2%	99.4%	100.0%	4
N6415	Thick	1,739	5.17	0.6	0.8	21.28	4.43	15.6%	68.5%	80.3%	80.3%	6
BQ273	Early	24,279	5.38	0.8	1.7	21.12	4.38	41.6%	89.9%	94.8%	99.0%	6
CXD187	Early	1,931	4.84	0.8	2.3	21.29	4.40	100.0%	100.0%	100.0%	100.0%	23
HM4521	Inter	5,804	5.30	0.8	0.5	21.06	4.38	5.1%	21.3%	51.1%	71.9%	4
N6366	Thin	6,008	5.39	1.0	1.9	20.99	4.46	50.5%	80.9%	85.4%	94.3%	16
HM5522	Inter	11,518	5.75	1.0	0.7	20.32	4.37	12.4%	41.1%	66.2%	90.6%	2
HM58811	Thick	3,882	4.96	1.0	0.9	21.91	4.42	0.0%	14.9%	43.8%	59.0%	4
HM9905	Inter	2,516	4.75	1.1	0.9	20.91	4.47	-	-	0.9%	21.3%	10
HM4909	Inter	2,722	5.51	1.2	1.1	22.69	4.25	1.6%	82.0%	98.8%	100.0%	5
N6402	Thin	5,743	5.76	1.2	1.6	20.50	4.46	24.3%	84.5%	98.3%	100.0%	9
SVTM1082	Thin	2,875	5.41	1.3	1.6	21.57	4.34	-	18.6%	73.6%	87.0%	3
BOS811	Thick	14,682	5.12	1.4	0.7	20.25	4.40	0.6%	31.8%	63.1%	86.9%	3
HM58841	Inter	8,892	5.12	1.4	0.7	21.07	4.40	-	2.7%	31.6%	67.9%	4
HM8163	Pear	4,611	5.77	1.4	1.1	20.02	4.45	7.6%	29.8%	78.7%	96.5%	3
H4707	Thick	13,348	4.88	1.5	0.8	22.60	4.45	1.5%	4.2%	35.2%	91.4%	12
UG16112	Thick	6,879	5.12	1.5	0.4	20.57	4.40	-	1.9%	27.7%	74.3%	4
H1293	Pear	3,795	5.51	1.5	1.1	20.33	4.53	19.6%	55.7%	94.7%	99.6%	7
HM7885	Pear	2,467	4.99	1.6	1.1	21.24	4.62	0.0%	35.1%	72.9%	99.9%	12
HM4885	Thick	5,611	5.04	1.6	0.9	20.95	4.39	6.1%	26.8%	39.1%	71.1%	5
H5608	Thick	11,066	5.14	1.6	1.1	20.37	4.45	27.9%	69.5%	94.9%	100.0%	11
HM3887	Inter	5,400	5.53	1.7	1.6	21.17	4.44	14.6%	67.4%	83.6%	94.6%	6
UG29814	Inter	1,299	5.61	1.7	0.7	20.86	4.47	9.7%	54.3%	55.7%	87.8%	1
SVTM9007	Thick	1,436	4.73	1.7	1.7	22.35	4.55	-	-	54.4%	100.0%	2
N6426	Thick	3,096	5.01	1.9	1.3	20.69	4.47	0.2%	5.4%	63.5%	85.4%	5
N6420	Pear	2,180	5.02	1.9	1.5	21.06	4.53	2.9%	25.0%	53.3%	98.8%	6
DRI319	Thin	15,402	5.67	1.9	2.4	21.61	4.42	1.2%	22.0%	62.7%	88.4%	10
BQ413	Early	3,015	4.67	1.9	1.7	21.43	4.53	1.2%	83.5%	100.0%	100.0%	2
H8504	Thick	1,040	4.68	2.0	1.2	22.00	4.34	-	-	57.6%	84.7%	15

2020 California Processing Tomato

Mold Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
SV8011TM	Inter	21,489	5.40	2.0	1.2	20.62	4.43	3.7%	47.1%	81.1%	94.1%	5
UG19406	Inter	2,187	5.51	2.0	0.8	21.58	4.31	-	9.8%	38.5%	79.3%	10
H1428	Thick	14,195	4.83	2.0	0.9	21.25	4.49	-	4.2%	35.4%	96.5%	5
H2401	Thick	9,630	4.86	2.1	1.0	21.71	4.38	1.9%	6.2%	37.0%	75.2%	18
H1662	Thick	23,619	4.99	2.2	1.6	21.86	4.46	-	1.6%	18.2%	83.7%	3
UG4014	Early	1,586	5.00	2.2	1.1	20.63	4.51	2.6%	16.3%	62.5%	88.8%	1
N6434	Inter	4,082	5.06	2.3	2.1	22.01	4.50	-	27.4%	71.9%	88.5%	3
AB0311	Thin	13,194	5.83	2.3	1.8	20.78	4.39	8.0%	48.0%	77.0%	96.6%	10
SVTM9008	Thick	8,736	5.24	2.3	0.5	20.77	4.34	-	5.9%	37.5%	74.6%	2
SV2756TM	Thick	7,967	5.09	2.3	0.6	21.03	4.48	0.0%	23.5%	53.4%	98.0%	5
SVTM9013	Inter	6,797	5.16	2.4	1.4	20.73	4.43	1.6%	16.8%	67.5%	88.1%	1
BP43	Thin	2,278	5.53	2.4	1.3	20.82	4.46	-	1.6%	32.6%	76.1%	3
H5706	Thick	1,313	4.68	2.4	1.7	21.54	4.45	-	-	21.9%	91.4%	5
H1776	Thick	1,120	5.31	2.4	0.6	20.86	4.44	-	-	6.7%	81.9%	2
SVTM9016	Thick	8,520	4.89	2.5	0.6	21.67	4.38	-	6.2%	46.5%	75.0%	1
H5702	Thick	1,166	4.82	2.5	0.6	20.58	4.55	-	2.7%	39.8%	79.6%	6
H5508	Thick	4,354	4.65	2.6	0.4	21.22	4.48	-	-	-	14.6%	11
N6428	Inter	43,534	4.81	2.6	2.1	22.04	4.50	-	15.1%	58.9%	78.2%	4
SVTM9014	Inter	5,534	5.05	2.7	1.3	20.73	4.42	-	24.4%	57.6%	81.1%	1
BQ398	Inter	1,928	5.05	2.7	1.1	19.87	4.45	-	1.2%	22.0%	55.0%	2
SVTM9011	Thin	14,285	5.65	2.9	1.8	20.71	4.43	2.1%	25.9%	65.4%	97.4%	1
SVTM9012	Thin	1,604	5.46	2.9	1.9	20.65	4.42	-	2.9%	56.9%	89.7%	1
HM58801	Inter	3,876	5.12	3.1	2.8	21.81	4.49	-	0.6%	32.1%	79.5%	4
HM5235	Inter	8,843	5.38	3.2	2.6	20.60	4.48	0.0%	28.6%	71.1%	99.1%	4
H1310	Thick	2,239	4.98	4.8	2.2	21.95	4.53	-	-	12.7%	90.9%	6

*Age: How many years each variety has been commercial.

2020 California Processing Tomato

Limited Use Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
UG16112	Thick	6,879	5.12	1.5	0.4	20.57	4.40	-	1.9%	27.7%	74.3%	4
H5508	Thick	4,354	4.65	2.6	0.4	21.22	4.48	-	-	-	14.6%	11
HM4521	Inter	5,804	5.30	0.8	0.5	21.06	4.38	5.1%	21.3%	51.1%	71.9%	4
SVTM9000	Early	2,566	5.05	0.4	0.5	20.86	4.42	54.7%	99.9%	100.0%	100.0%	2
SVTM9008	Thick	8,736	5.24	2.3	0.5	20.77	4.34	-	5.9%	37.5%	74.6%	2
H5702	Thick	1,166	4.82	2.5	0.6	20.58	4.55	-	2.7%	39.8%	79.6%	6
SV2756TM	Thick	7,967	5.09	2.3	0.6	21.03	4.48	0.0%	23.5%	53.4%	98.0%	5
SVTM9016	Thick	8,520	4.89	2.5	0.6	21.67	4.38	-	6.2%	46.5%	75.0%	1
H1776	Thick	1,120	5.31	2.4	0.6	20.86	4.44	-	-	6.7%	81.9%	2
HM58841	Inter	8,892	5.12	1.4	0.7	21.07	4.40	-	2.7%	31.6%	67.9%	4
HM5522	Inter	11,518	5.75	1.0	0.7	20.32	4.37	12.4%	41.1%	66.2%	90.6%	2
BOS811	Thick	14,682	5.12	1.4	0.7	20.25	4.40	0.6%	31.8%	63.1%	86.9%	3
UG29814	Inter	1,299	5.61	1.7	0.7	20.86	4.47	9.7%	54.3%	55.7%	87.8%	1
UG19406	Inter	2,187	5.51	2.0	0.8	21.58	4.31	-	9.8%	38.5%	79.3%	10
H4707	Thick	13,348	4.88	1.5	0.8	22.60	4.45	1.5%	4.2%	35.2%	91.4%	12
N6415	Thick	1,739	5.17	0.6	0.8	21.28	4.43	15.6%	68.5%	80.3%	80.3%	6
HM58811	Thick	3,882	4.96	1.0	0.9	21.91	4.42	0.0%	14.9%	43.8%	59.0%	4
HM9905	Inter	2,516	4.75	1.1	0.9	20.91	4.47	-	-	0.9%	21.3%	10
H1428	Thick	14,195	4.83	2.0	0.9	21.25	4.49	-	4.2%	35.4%	96.5%	5
HM4885	Thick	5,611	5.04	1.6	0.9	20.95	4.39	6.1%	26.8%	39.1%	71.1%	5
H2401	Thick	9,630	4.86	2.1	1.0	21.71	4.38	1.9%	6.2%	37.0%	75.2%	18
BQ398	Inter	1,928	5.05	2.7	1.1	19.87	4.45	-	1.2%	22.0%	55.0%	2
HM4909	Inter	2,722	5.51	1.2	1.1	22.69	4.25	1.6%	82.0%	98.8%	100.0%	5
HM8163	Pear	4,611	5.77	1.4	1.1	20.02	4.45	7.6%	29.8%	78.7%	96.5%	3
UG4014	Early	1,586	5.00	2.2	1.1	20.63	4.51	2.6%	16.3%	62.5%	88.8%	1
H5608	Thick	11,066	5.14	1.6	1.1	20.37	4.45	27.9%	69.5%	94.9%	100.0%	11
H1293	Pear	3,795	5.51	1.5	1.1	20.33	4.53	19.6%	55.7%	94.7%	99.6%	7
HM7885	Pear	2,467	4.99	1.6	1.1	21.24	4.62	0.0%	35.1%	72.9%	99.9%	12
BQ400	Early	12,103	5.25	0.5	1.2	20.11	4.47	62.6%	96.2%	99.4%	100.0%	4
SV8011TM	Inter	21,489	5.40	2.0	1.2	20.62	4.43	3.7%	47.1%	81.1%	94.1%	5
H8504	Thick	1,040	4.68	2.0	1.2	22.00	4.34	-	-	57.6%	84.7%	15
H1015	Early	2,349	5.20	0.4	1.2	20.79	4.44	33.0%	100.0%	100.0%	100.0%	9
SVTM9014	Inter	5,534	5.05	2.7	1.3	20.73	4.42	-	24.4%	57.6%	81.1%	1
N6426	Thick	3,096	5.01	1.9	1.3	20.69	4.47	0.2%	5.4%	63.5%	85.4%	5

2020 California Processing Tomato

Limited Use Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
BP43	Thin	2,278	5.53	2.4	1.3	20.82	4.46	-	1.6%	32.6%	76.1%	3
N6416	Early	1,524	5.17	0.4	1.4	21.10	4.36	100.0%	100.0%	100.0%	100.0%	6
SVTM9013	Inter	6,797	5.16	2.4	1.4	20.73	4.43	1.6%	16.8%	67.5%	88.1%	1
N6420	Pear	2,180	5.02	1.9	1.5	21.06	4.53	2.9%	25.0%	53.3%	98.8%	6
H1662	Thick	23,619	4.99	2.2	1.6	21.86	4.46	-	1.6%	18.2%	83.7%	3
HM3887	Inter	5,400	5.53	1.7	1.6	21.17	4.44	14.6%	67.4%	83.6%	94.6%	6
SVTM1082	Thin	2,875	5.41	1.3	1.6	21.57	4.34	-	18.6%	73.6%	87.0%	3
BP13	Early	4,933	4.86	0.4	1.6	21.60	4.38	23.3%	96.7%	100.0%	100.0%	5
N6402	Thin	5,743	5.76	1.2	1.6	20.50	4.46	24.3%	84.5%	98.3%	100.0%	9
SVTM9007	Thick	1,436	4.73	1.7	1.7	22.35	4.55	-	-	54.4%	100.0%	2
H5706	Thick	1,313	4.68	2.4	1.7	21.54	4.45	-	-	21.9%	91.4%	5
BQ273	Early	24,279	5.38	0.8	1.7	21.12	4.38	41.6%	89.9%	94.8%	99.0%	6
BQ413	Early	3,015	4.67	1.9	1.7	21.43	4.53	1.2%	83.5%	100.0%	100.0%	2
SVTM9011	Thin	14,285	5.65	2.9	1.8	20.71	4.43	2.1%	25.9%	65.4%	97.4%	1
AB0311	Thin	13,194	5.83	2.3	1.8	20.78	4.39	8.0%	48.0%	77.0%	96.6%	10
SVTM9012	Thin	1,604	5.46	2.9	1.9	20.65	4.42	-	2.9%	56.9%	89.7%	1
BQ403	Early	13,289	5.42	0.5	1.9	21.28	4.36	62.0%	99.9%	100.0%	100.0%	4
N6366	Thin	6,008	5.39	1.0	1.9	20.99	4.46	50.5%	80.9%	85.4%	94.3%	16
N6428	Inter	43,534	4.81	2.6	2.1	22.04	4.50	-	15.1%	58.9%	78.2%	4
N6434	Inter	4,082	5.06	2.3	2.1	22.01	4.50	-	27.4%	71.9%	88.5%	3
H1310	Thick	2,239	4.98	4.8	2.2	21.95	4.53	-	-	12.7%	90.9%	6
CXD187	Early	1,931	4.84	0.8	2.3	21.29	4.40	100.0%	100.0%	100.0%	100.0%	23
DRI319	Thin	15,402	5.67	1.9	2.4	21.61	4.42	1.2%	22.0%	62.7%	88.4%	10
HM5235	Inter	8,843	5.38	3.2	2.6	20.60	4.48	0.0%	28.6%	71.1%	99.1%	4
HM58801	Inter	3,876	5.12	3.1	2.8	21.81	4.49	-	0.6%	32.1%	79.5%	4

*Age: How many years each variety has been commercial.

2020 California Processing Tomato

Color Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
BQ398	Inter	1,928	5.05	2.7	1.1	19.87	4.45	-	1.2%	22.0%	55.0%	2
HM8163	Pear	4,611	5.77	1.4	1.1	20.02	4.45	7.6%	29.8%	78.7%	96.5%	3
BQ400	Early	12,103	5.25	0.5	1.2	20.11	4.47	62.6%	96.2%	99.4%	100.0%	4
BOS811	Thick	14,682	5.12	1.4	0.7	20.25	4.40	0.6%	31.8%	63.1%	86.9%	3
HM5522	Inter	11,518	5.75	1.0	0.7	20.32	4.37	12.4%	41.1%	66.2%	90.6%	2
H1293	Pear	3,795	5.51	1.5	1.1	20.33	4.53	19.6%	55.7%	94.7%	99.6%	7
H5608	Thick	11,066	5.14	1.6	1.1	20.37	4.45	27.9%	69.5%	94.9%	100.0%	11
N6402	Thin	5,743	5.76	1.2	1.6	20.50	4.46	24.3%	84.5%	98.3%	100.0%	9
UG16112	Thick	6,879	5.12	1.5	0.4	20.57	4.40	-	1.9%	27.7%	74.3%	4
H5702	Thick	1,166	4.82	2.5	0.6	20.58	4.55	-	2.7%	39.8%	79.6%	6
HM5235	Inter	8,843	5.38	3.2	2.6	20.60	4.48	0.0%	28.6%	71.1%	99.1%	4
SV8011TM	Inter	21,489	5.40	2.0	1.2	20.62	4.43	3.7%	47.1%	81.1%	94.1%	5
UG4014	Early	1,586	5.00	2.2	1.1	20.63	4.51	2.6%	16.3%	62.5%	88.8%	1
SVTM9012	Thin	1,604	5.46	2.9	1.9	20.65	4.42	-	2.9%	56.9%	89.7%	1
N6426	Thick	3,096	5.01	1.9	1.3	20.69	4.47	0.2%	5.4%	63.5%	85.4%	5
SVTM9011	Thin	14,285	5.65	2.9	1.8	20.71	4.43	2.1%	25.9%	65.4%	97.4%	1
SVTM9014	Inter	5,534	5.05	2.7	1.3	20.73	4.42	-	24.4%	57.6%	81.1%	1
SVTM9013	Inter	6,797	5.16	2.4	1.4	20.73	4.43	1.6%	16.8%	67.5%	88.1%	1
SVTM9008	Thick	8,736	5.24	2.3	0.5	20.77	4.34	-	5.9%	37.5%	74.6%	2
AB0311	Thin	13,194	5.83	2.3	1.8	20.78	4.39	8.0%	48.0%	77.0%	96.6%	10
H1015	Early	2,349	5.20	0.4	1.2	20.79	4.44	33.0%	100.0%	100.0%	100.0%	9
BP43	Thin	2,278	5.53	2.4	1.3	20.82	4.46	-	1.6%	32.6%	76.1%	3
SVTM9000	Early	2,566	5.05	0.4	0.5	20.86	4.42	54.7%	99.9%	100.0%	100.0%	2
UG29814	Inter	1,299	5.61	1.7	0.7	20.86	4.47	9.7%	54.3%	55.7%	87.8%	1
H1776	Thick	1,120	5.31	2.4	0.6	20.86	4.44	-	-	6.7%	81.9%	2
HM9905	Inter	2,516	4.75	1.1	0.9	20.91	4.47	-	-	0.9%	21.3%	10
HM4885	Thick	5,611	5.04	1.6	0.9	20.95	4.39	6.1%	26.8%	39.1%	71.1%	5
N6366	Thin	6,008	5.39	1.0	1.9	20.99	4.46	50.5%	80.9%	85.4%	94.3%	16
SV2756TM	Thick	7,967	5.09	2.3	0.6	21.03	4.48	0.0%	23.5%	53.4%	98.0%	5
HM4521	Inter	5,804	5.30	0.8	0.5	21.06	4.38	5.1%	21.3%	51.1%	71.9%	4
N6420	Pear	2,180	5.02	1.9	1.5	21.06	4.53	2.9%	25.0%	53.3%	98.8%	6
HM58841	Inter	8,892	5.12	1.4	0.7	21.07	4.40	-	2.7%	31.6%	67.9%	4
N6416	Early	1,524	5.17	0.4	1.4	21.10	4.36	100.0%	100.0%	100.0%	100.0%	6
BQ273	Early	24,279	5.38	0.8	1.7	21.12	4.38	41.6%	89.9%	94.8%	99.0%	6

2020 California Processing Tomato

Color Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
HM3887	Inter	5,400	5.53	1.7	1.6	21.17	4.44	14.6%	67.4%	83.6%	94.6%	6
H5508	Thick	4,354	4.65	2.6	0.4	21.22	4.48	-	-	-	14.6%	11
HM7885	Pear	2,467	4.99	1.6	1.1	21.24	4.62	0.0%	35.1%	72.9%	99.9%	12
H1428	Thick	14,195	4.83	2.0	0.9	21.25	4.49	-	4.2%	35.4%	96.5%	5
BQ403	Early	13,289	5.42	0.5	1.9	21.28	4.36	62.0%	99.9%	100.0%	100.0%	4
N6415	Thick	1,739	5.17	0.6	0.8	21.28	4.43	15.6%	68.5%	80.3%	80.3%	6
CXD187	Early	1,931	4.84	0.8	2.3	21.29	4.40	100.0%	100.0%	100.0%	100.0%	23
BQ413	Early	3,015	4.67	1.9	1.7	21.43	4.53	1.2%	83.5%	100.0%	100.0%	2
H5706	Thick	1,313	4.68	2.4	1.7	21.54	4.45	-	-	21.9%	91.4%	5
SVTM1082	Thin	2,875	5.41	1.3	1.6	21.57	4.34	-	18.6%	73.6%	87.0%	3
UG19406	Inter	2,187	5.51	2.0	0.8	21.58	4.31	-	9.8%	38.5%	79.3%	10
BP13	Early	4,933	4.86	0.4	1.6	21.60	4.38	23.3%	96.7%	100.0%	100.0%	5
DRI319	Thin	15,402	5.67	1.9	2.4	21.61	4.42	1.2%	22.0%	62.7%	88.4%	10
SVTM9016	Thick	8,520	4.89	2.5	0.6	21.67	4.38	-	6.2%	46.5%	75.0%	1
H2401	Thick	9,630	4.86	2.1	1.0	21.71	4.38	1.9%	6.2%	37.0%	75.2%	18
HM58801	Inter	3,876	5.12	3.1	2.8	21.81	4.49	-	0.6%	32.1%	79.5%	4
H1662	Thick	23,619	4.99	2.2	1.6	21.86	4.46	-	1.6%	18.2%	83.7%	3
HM58811	Thick	3,882	4.96	1.0	0.9	21.91	4.42	0.0%	14.9%	43.8%	59.0%	4
H1310	Thick	2,239	4.98	4.8	2.2	21.95	4.53	-	-	12.7%	90.9%	6
H8504	Thick	1,040	4.68	2.0	1.2	22.00	4.34	-	-	57.6%	84.7%	15
N6434	Inter	4,082	5.06	2.3	2.1	22.01	4.50	-	27.4%	71.9%	88.5%	3
N6428	Inter	43,534	4.81	2.6	2.1	22.04	4.50	-	15.1%	58.9%	78.2%	4
SVTM9007	Thick	1,436	4.73	1.7	1.7	22.35	4.55	-	-	54.4%	100.0%	2
H4707	Thick	13,348	4.88	1.5	0.8	22.60	4.45	1.5%	4.2%	35.2%	91.4%	12
HM4909	Inter	2,722	5.51	1.2	1.1	22.69	4.25	1.6%	82.0%	98.8%	100.0%	5

*Age: How many years each variety has been commercial.

2020 California Processing Tomato

pH Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
HM4909	Inter	2,722	5.51	1.2	1.1	22.69	4.25	1.6%	82.0%	98.8%	100.0%	5
UG19406	Inter	2,187	5.51	2.0	0.8	21.58	4.31	-	9.8%	38.5%	79.3%	10
H8504	Thick	1,040	4.68	2.0	1.2	22.00	4.34	-	-	57.6%	84.7%	15
SVTM1082	Thin	2,875	5.41	1.3	1.6	21.57	4.34	-	18.6%	73.6%	87.0%	3
SVTM9008	Thick	8,736	5.24	2.3	0.5	20.77	4.34	-	5.9%	37.5%	74.6%	2
BQ403	Early	13,289	5.42	0.5	1.9	21.28	4.36	62.0%	99.9%	100.0%	100.0%	4
N6416	Early	1,524	5.17	0.4	1.4	21.10	4.36	100.0%	100.0%	100.0%	100.0%	6
HM5522	Inter	11,518	5.75	1.0	0.7	20.32	4.37	12.4%	41.1%	66.2%	90.6%	2
BQ273	Early	24,279	5.38	0.8	1.7	21.12	4.38	41.6%	89.9%	94.8%	99.0%	6
HM4521	Inter	5,804	5.30	0.8	0.5	21.06	4.38	5.1%	21.3%	51.1%	71.9%	4
SVTM9016	Thick	8,520	4.89	2.5	0.6	21.67	4.38	-	6.2%	46.5%	75.0%	1
BP13	Early	4,933	4.86	0.4	1.6	21.60	4.38	23.3%	96.7%	100.0%	100.0%	5
H2401	Thick	9,630	4.86	2.1	1.0	21.71	4.38	1.9%	6.2%	37.0%	75.2%	18
AB0311	Thin	13,194	5.83	2.3	1.8	20.78	4.39	8.0%	48.0%	77.0%	96.6%	10
HM4885	Thick	5,611	5.04	1.6	0.9	20.95	4.39	6.1%	26.8%	39.1%	71.1%	5
HM58841	Inter	8,892	5.12	1.4	0.7	21.07	4.40	-	2.7%	31.6%	67.9%	4
BOS811	Thick	14,682	5.12	1.4	0.7	20.25	4.40	0.6%	31.8%	63.1%	86.9%	3
CXD187	Early	1,931	4.84	0.8	2.3	21.29	4.40	100.0%	100.0%	100.0%	100.0%	23
UG16112	Thick	6,879	5.12	1.5	0.4	20.57	4.40	-	1.9%	27.7%	74.3%	4
DRI319	Thin	15,402	5.67	1.9	2.4	21.61	4.42	1.2%	22.0%	62.7%	88.4%	10
HM58811	Thick	3,882	4.96	1.0	0.9	21.91	4.42	0.0%	14.9%	43.8%	59.0%	4
SVTM9000	Early	2,566	5.05	0.4	0.5	20.86	4.42	54.7%	99.9%	100.0%	100.0%	2
SVTM9012	Thin	1,604	5.46	2.9	1.9	20.65	4.42	-	2.9%	56.9%	89.7%	1
SVTM9014	Inter	5,534	5.05	2.7	1.3	20.73	4.42	-	24.4%	57.6%	81.1%	1
N6415	Thick	1,739	5.17	0.6	0.8	21.28	4.43	15.6%	68.5%	80.3%	80.3%	6
SV8011TM	Inter	21,489	5.40	2.0	1.2	20.62	4.43	3.7%	47.1%	81.1%	94.1%	5
SVTM9011	Thin	14,285	5.65	2.9	1.8	20.71	4.43	2.1%	25.9%	65.4%	97.4%	1
SVTM9013	Inter	6,797	5.16	2.4	1.4	20.73	4.43	1.6%	16.8%	67.5%	88.1%	1
H1776	Thick	1,120	5.31	2.4	0.6	20.86	4.44	-	-	6.7%	81.9%	2
H1015	Early	2,349	5.20	0.4	1.2	20.79	4.44	33.0%	100.0%	100.0%	100.0%	9
HM3887	Inter	5,400	5.53	1.7	1.6	21.17	4.44	14.6%	67.4%	83.6%	94.6%	6
H5608	Thick	11,066	5.14	1.6	1.1	20.37	4.45	27.9%	69.5%	94.9%	100.0%	11
H5706	Thick	1,313	4.68	2.4	1.7	21.54	4.45	-	-	21.9%	91.4%	5
H4707	Thick	13,348	4.88	1.5	0.8	22.60	4.45	1.5%	4.2%	35.2%	91.4%	12

2020 California Processing Tomato

pH Sort > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
BQ398	Inter	1,928	5.05	2.7	1.1	19.87	4.45	-	1.2%	22.0%	55.0%	2
HM8163	Pear	4,611	5.77	1.4	1.1	20.02	4.45	7.6%	29.8%	78.7%	96.5%	3
N6366	Thin	6,008	5.39	1.0	1.9	20.99	4.46	50.5%	80.9%	85.4%	94.3%	16
N6402	Thin	5,743	5.76	1.2	1.6	20.50	4.46	24.3%	84.5%	98.3%	100.0%	9
BP43	Thin	2,278	5.53	2.4	1.3	20.82	4.46	-	1.6%	32.6%	76.1%	3
H1662	Thick	23,619	4.99	2.2	1.6	21.86	4.46	-	1.6%	18.2%	83.7%	3
BQ400	Early	12,103	5.25	0.5	1.2	20.11	4.47	62.6%	96.2%	99.4%	100.0%	4
HM9905	Inter	2,516	4.75	1.1	0.9	20.91	4.47	-	-	0.9%	21.3%	10
UG29814	Inter	1,299	5.61	1.7	0.7	20.86	4.47	9.7%	54.3%	55.7%	87.8%	1
N6426	Thick	3,096	5.01	1.9	1.3	20.69	4.47	0.2%	5.4%	63.5%	85.4%	5
HM5235	Inter	8,843	5.38	3.2	2.6	20.60	4.48	0.0%	28.6%	71.1%	99.1%	4
H5508	Thick	4,354	4.65	2.6	0.4	21.22	4.48	-	-	-	14.6%	11
SV2756TM	Thick	7,967	5.09	2.3	0.6	21.03	4.48	0.0%	23.5%	53.4%	98.0%	5
H1428	Thick	14,195	4.83	2.0	0.9	21.25	4.49	-	4.2%	35.4%	96.5%	5
HM58801	Inter	3,876	5.12	3.1	2.8	21.81	4.49	-	0.6%	32.1%	79.5%	4
N6428	Inter	43,534	4.81	2.6	2.1	22.04	4.50	-	15.1%	58.9%	78.2%	4
N6434	Inter	4,082	5.06	2.3	2.1	22.01	4.50	-	27.4%	71.9%	88.5%	3
UG4014	Early	1,586	5.00	2.2	1.1	20.63	4.51	2.6%	16.3%	62.5%	88.8%	1
N6420	Pear	2,180	5.02	1.9	1.5	21.06	4.53	2.9%	25.0%	53.3%	98.8%	6
H1293	Pear	3,795	5.51	1.5	1.1	20.33	4.53	19.6%	55.7%	94.7%	99.6%	7
BQ413	Early	3,015	4.67	1.9	1.7	21.43	4.53	1.2%	83.5%	100.0%	100.0%	2
H1310	Thick	2,239	4.98	4.8	2.2	21.95	4.53	-	-	12.7%	90.9%	6
SVTM9007	Thick	1,436	4.73	1.7	1.7	22.35	4.55	-	-	54.4%	100.0%	2
H5702	Thick	1,166	4.82	2.5	0.6	20.58	4.55	-	2.7%	39.8%	79.6%	6
HM7885	Pear	2,467	4.99	1.6	1.1	21.24	4.62	0.0%	35.1%	72.9%	99.9%	12

*Age: How many years each variety has been commercial.

2020 California Processing Tomato

% Harvested by September 26 > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
CXD187	Early	1,931	4.84	0.8	2.3	21.29	4.40	100.0%	100.0%	100.0%	100.0%	23
N6416	Early	1,524	5.17	0.4	1.4	21.10	4.36	100.0%	100.0%	100.0%	100.0%	6
H1015	Early	2,349	5.20	0.4	1.2	20.79	4.44	33.0%	100.0%	100.0%	100.0%	9
SVTM9000	Early	2,566	5.05	0.4	0.5	20.86	4.42	54.7%	99.9%	100.0%	100.0%	2
BQ403	Early	13,289	5.42	0.5	1.9	21.28	4.36	62.0%	99.9%	100.0%	100.0%	4
BP13	Early	4,933	4.86	0.4	1.6	21.60	4.38	23.3%	96.7%	100.0%	100.0%	5
BQ413	Early	3,015	4.67	1.9	1.7	21.43	4.53	1.2%	83.5%	100.0%	100.0%	2
BQ400	Early	12,103	5.25	0.5	1.2	20.11	4.47	62.6%	96.2%	99.4%	100.0%	4
HM4909	Inter	2,722	5.51	1.2	1.1	22.69	4.25	1.6%	82.0%	98.8%	100.0%	5
N6402	Thin	5,743	5.76	1.2	1.6	20.50	4.46	24.3%	84.5%	98.3%	100.0%	9
H5608	Thick	11,066	5.14	1.6	1.1	20.37	4.45	27.9%	69.5%	94.9%	100.0%	11
SVTM9007	Thick	1,436	4.73	1.7	1.7	22.35	4.55	-	-	54.4%	100.0%	2
HM7885	Pear	2,467	4.99	1.6	1.1	21.24	4.62	0.0%	35.1%	72.9%	99.9%	12
H1293	Pear	3,795	5.51	1.5	1.1	20.33	4.53	19.6%	55.7%	94.7%	99.6%	7
HM5235	Inter	8,843	5.38	3.2	2.6	20.60	4.48	0.0%	28.6%	71.1%	99.1%	4
BQ273	Early	24,279	5.38	0.8	1.7	21.12	4.38	41.6%	89.9%	94.8%	99.0%	6
N6420	Pear	2,180	5.02	1.9	1.5	21.06	4.53	2.9%	25.0%	53.3%	98.8%	6
SV2756TM	Thick	7,967	5.09	2.3	0.6	21.03	4.48	0.0%	23.5%	53.4%	98.0%	5
SVTM9011	Thin	14,285	5.65	2.9	1.8	20.71	4.43	2.1%	25.9%	65.4%	97.4%	1
AB0311	Thin	13,194	5.83	2.3	1.8	20.78	4.39	8.0%	48.0%	77.0%	96.6%	10
H1428	Thick	14,195	4.83	2.0	0.9	21.25	4.49	-	4.2%	35.4%	96.5%	5
HM8163	Pear	4,611	5.77	1.4	1.1	20.02	4.45	7.6%	29.8%	78.7%	96.5%	3
HM3887	Inter	5,400	5.53	1.7	1.6	21.17	4.44	14.6%	67.4%	83.6%	94.6%	6
N6366	Thin	6,008	5.39	1.0	1.9	20.99	4.46	50.5%	80.9%	85.4%	94.3%	16
SV8011TM	Inter	21,489	5.40	2.0	1.2	20.62	4.43	3.7%	47.1%	81.1%	94.1%	5
H5706	Thick	1,313	4.68	2.4	1.7	21.54	4.45	-	-	21.9%	91.4%	5
H4707	Thick	13,348	4.88	1.5	0.8	22.60	4.45	1.5%	4.2%	35.2%	91.4%	12
H1310	Thick	2,239	4.98	4.8	2.2	21.95	4.53	-	-	12.7%	90.9%	6
HM5522	Inter	11,518	5.75	1.0	0.7	20.32	4.37	12.4%	41.1%	66.2%	90.6%	2
SVTM9012	Thin	1,604	5.46	2.9	1.9	20.65	4.42	-	2.9%	56.9%	89.7%	1
UG4014	Early	1,586	5.00	2.2	1.1	20.63	4.51	2.6%	16.3%	62.5%	88.8%	1
N6434	Inter	4,082	5.06	2.3	2.1	22.01	4.50	-	27.4%	71.9%	88.5%	3
DRI319	Thin	15,402	5.67	1.9	2.4	21.61	4.42	1.2%	22.0%	62.7%	88.4%	10
SVTM9013	Inter	6,797	5.16	2.4	1.4	20.73	4.43	1.6%	16.8%	67.5%	88.1%	1

2020 California Processing Tomato

% Harvested by September 26 > 1,000 Loads

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								25-Jul	15-Aug	5-Sep	26-Sep	
UG29814	Inter	1,299	5.61	1.7	0.7	20.86	4.47	9.7%	54.3%	55.7%	87.8%	1
SVTM1082	Thin	2,875	5.41	1.3	1.6	21.57	4.34	-	18.6%	73.6%	87.0%	3
BOS811	Thick	14,682	5.12	1.4	0.7	20.25	4.40	0.6%	31.8%	63.1%	86.9%	3
N6426	Thick	3,096	5.01	1.9	1.3	20.69	4.47	0.2%	5.4%	63.5%	85.4%	5
H8504	Thick	1,040	4.68	2.0	1.2	22.00	4.34	-	-	57.6%	84.7%	15
H1662	Thick	23,619	4.99	2.2	1.6	21.86	4.46	-	1.6%	18.2%	83.7%	3
H1776	Thick	1,120	5.31	2.4	0.6	20.86	4.44	-	-	6.7%	81.9%	2
SVTM9014	Inter	5,534	5.05	2.7	1.3	20.73	4.42	-	24.4%	57.6%	81.1%	1
N6415	Thick	1,739	5.17	0.6	0.8	21.28	4.43	15.6%	68.5%	80.3%	80.3%	6
H5702	Thick	1,166	4.82	2.5	0.6	20.58	4.55	-	2.7%	39.8%	79.6%	6
HM58801	Inter	3,876	5.12	3.1	2.8	21.81	4.49	-	0.6%	32.1%	79.5%	4
UG19406	Inter	2,187	5.51	2.0	0.8	21.58	4.31	-	9.8%	38.5%	79.3%	10
N6428	Inter	43,534	4.81	2.6	2.1	22.04	4.50	-	15.1%	58.9%	78.2%	4
BP43	Thin	2,278	5.53	2.4	1.3	20.82	4.46	-	1.6%	32.6%	76.1%	3
H2401	Thick	9,630	4.86	2.1	1.0	21.71	4.38	1.9%	6.2%	37.0%	75.2%	18
SVTM9016	Thick	8,520	4.89	2.5	0.6	21.67	4.38	-	6.2%	46.5%	75.0%	1
SVTM9008	Thick	8,736	5.24	2.3	0.5	20.77	4.34	-	5.9%	37.5%	74.6%	2
UG16112	Thick	6,879	5.12	1.5	0.4	20.57	4.40	-	1.9%	27.7%	74.3%	4
HM4521	Inter	5,804	5.30	0.8	0.5	21.06	4.38	5.1%	21.3%	51.1%	71.9%	4
HM4885	Thick	5,611	5.04	1.6	0.9	20.95	4.39	6.1%	26.8%	39.1%	71.1%	5
HM58841	Inter	8,892	5.12	1.4	0.7	21.07	4.40	-	2.7%	31.6%	67.9%	4
HM58811	Thick	3,882	4.96	1.0	0.9	21.91	4.42	0.0%	14.9%	43.8%	59.0%	4
BQ398	Inter	1,928	5.05	2.7	1.1	19.87	4.45	-	1.2%	22.0%	55.0%	2
HM9905	Inter	2,516	4.75	1.1	0.9	20.91	4.47	-	-	0.9%	21.3%	10
H5508	Thick	4,354	4.65	2.6	0.4	21.22	4.48	-	-	-	14.6%	11

*Age: How many years each variety has been commercial.

2020 California Processing Tomato

Brix History - Selected Counties

Brix

County	2016	2017	2018	2019	2020	3 Year Average
Colusa	5.02	5.10	4.77	4.88	4.95	4.94
Contra Costa	5.74	5.65	5.25	5.43	5.31	5.48
Fresno	5.60	5.32	5.17	5.25	5.39	5.35
Glenn	4.96	5.00	4.54	4.68	4.93	4.82
Kern	5.18	5.05	4.96	5.01	5.20	5.08
Kings	5.36	5.22	5.17	5.02	5.33	5.22
Madera	5.08	5.03	4.80	4.88	4.88	4.93
Merced	5.27	5.19	4.92	5.07	5.06	5.10
Sacramento	5.61	5.55	5.30	5.35	5.25	5.41
San Joaquin	5.32	5.29	5.17	5.28	5.18	5.25
Solano	5.54	5.55	5.24	5.35	5.18	5.37
Stanislaus	5.58	5.49	5.21	5.17	5.09	5.31
Sutter	5.25	5.28	5.02	5.08	5.01	5.13
Yolo	5.16	5.17	4.87	5.03	4.98	5.04
State Average	5.37	5.26	5.06	5.13	5.20	5.19

% of State Average

County	2016	2017	2018	2019	2020	3 Year Average
Colusa	93.5%	97.0%	94.2%	95.1%	95.2%	95.2%
Contra Costa	106.9%	107.5%	103.7%	105.8%	102.1%	105.4%
Fresno	104.3%	101.2%	102.1%	102.3%	103.7%	102.9%
Glenn	92.4%	95.1%	89.6%	91.2%	94.8%	92.8%
Kern	96.5%	96.1%	97.9%	97.6%	100.0%	97.8%
Kings	99.9%	99.3%	102.1%	97.8%	102.5%	100.5%
Madera	94.6%	95.7%	94.8%	95.1%	93.9%	95.0%
Merced	98.2%	98.7%	97.1%	98.8%	97.3%	98.2%
Sacramento	104.5%	105.6%	104.7%	104.2%	101.0%	104.2%
San Joaquin	99.1%	100.6%	102.1%	102.9%	99.6%	101.0%
Solano	103.2%	105.6%	103.5%	104.2%	99.6%	103.4%
Stanislaus	104.0%	104.4%	102.9%	100.7%	97.9%	102.2%
Sutter	97.8%	100.4%	99.1%	99.0%	96.4%	98.7%
Yolo	96.1%	98.3%	96.2%	98.0%	95.8%	97.1%
State Average	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: 2016 and 2017 on old PTAB grading system

2020 California Processing Tomato

Color History - Selected Counties

Color

County	2016	2017	2018	2019	2020	3 Year Average
Colusa	26.30	24.84	21.87	21.02	21.79	21.56
Contra Costa	24.47	25.54	20.67	20.53	20.69	20.63
Fresno	24.31	24.65	21.18	21.01	20.99	21.06
Glenn	25.81	24.70	21.70	21.26	22.58	21.85
Kern	25.33	24.74	21.34	21.33	20.73	21.13
Kings	24.58	25.43	21.55	20.98	20.84	21.12
Madera	24.97	25.08	21.42	20.95	21.29	21.22
Merced	24.35	24.94	21.44	21.33	21.39	21.39
Sacramento	24.30	24.52	21.55	21.49	21.16	21.40
San Joaquin	24.42	24.98	21.28	21.49	20.92	21.23
Solano	24.83	24.54	21.51	20.77	21.27	21.18
Stanislaus	24.27	24.57	21.15	21.00	20.90	21.02
Sutter	25.51	24.85	21.85	21.61	21.91	21.79
Yolo	25.07	24.76	21.46	21.43	21.44	21.44
State Average	24.72	24.88	21.37	21.11	21.17	21.22

% of State Average

County	2016	2017	2018	2019	2020	3 Year Average
Colusa	94.0%	100.2%	97.8%	100.4%	97.1%	98.4%
Contra Costa	101.0%	97.4%	103.4%	102.8%	102.3%	102.8%
Fresno	101.7%	100.9%	100.9%	100.5%	100.9%	100.8%
Glenn	95.8%	100.7%	98.5%	99.3%	93.7%	97.1%
Kern	97.6%	100.6%	100.2%	99.0%	102.1%	100.4%
Kings	100.6%	97.8%	99.2%	100.6%	101.6%	100.5%
Madera	99.0%	99.2%	99.8%	100.8%	99.4%	100.0%
Merced	101.5%	99.8%	99.7%	98.9%	99.0%	99.2%
Sacramento	101.7%	101.5%	99.2%	98.2%	100.1%	99.1%
San Joaquin	101.3%	99.6%	100.4%	98.2%	101.2%	99.9%
Solano	99.6%	101.4%	99.4%	101.6%	99.5%	100.2%
Stanislaus	101.9%	101.3%	101.1%	100.5%	101.3%	101.0%
Sutter	96.9%	100.1%	97.8%	97.7%	96.6%	97.4%
Yolo	98.6%	100.5%	99.6%	98.5%	98.7%	98.9%
State Average	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: 2016 and 2017 on old grading system