

2021

New Varieties



2021 New Varieties

VARIETY	DISEASE RESISTANCE	DAYS	ATTRIBUTES	USE	2020 AG SEEDS LAB			PTAB	
					BRIX	PPB	OSTWALD	LOADS	BRIX
New Commercial Varieties									
BP51	VFFFNPtsw*	115	FFF, EFH	Early	5.31	5.55	411	255	5.84
NB63	VFFFNPtsw	117	FFF	Early	5.25	4.77	403	534	4.93
SVTM9011	VFFFNPtsw	122	FFF	Thin	5.64	5.49	440	14,285	5.65
SVTM9012	VFFFNPtsw	122	FFF	Thin	5.67	5.53	414	1,604	5.46
SVTM9013	VFFFNPtsw	123	FFF	Intermediate	5.29	3.27	595	6,797	5.16
SVTM9014	VFFFNPtsw	123	FFF	Intermediate	5.37	3.30	565	5,534	5.05
SVTM9016	VFFFNPtsw*	128	FFF, EFH	Thick	5.14	2.53	596	8,520	4.89
BQ393	VFFFNtsw	122	FFF	Thin	4.94	5.22	448	175	-
UG29814	VFFFNPtsw*	125	FFF, EFH	Intermediate	5.29	3.54	548	1,299	5.61
New Semi-Commercial Varieties									
BP74	VFFFNPtsw*	123	FFF, EFH	Thin	5.47	4.94	426	139	-
HM5511	VFFFNtswFrMv	124	FFF, Fr	Thin	5.49	4.72	336	31	-
HM7103	VFFNtsw*	116	EFH	Early	5.42	5.72	347	13	-
HM8237	VFFFNtswFrMv*	126	FFF, Fr, EFH	Intermediate	5.32	3.88	323	-	-
H1991	VFFFNPtsw	124	FFF	Thick	5.11	2.75	742	214	4.86
H1994	VFFFNtsw*	125	FFF, EFS™	Thick	5.12	2.37	798	81	-
H1996	VFFFNtsw*	125	FFF, EFS™	Thick	5.07	2.55	704	563	5.02
H2010	VFFFNtsw*	124	FFF, EFS™	Intermediate	5.09	3.68	450	-	-
SVTM9018	VFFFNtswFr	112	FFF, Fr	Early	4.99	5.22	317	71	-
SVTM9019	VFFFNPtsw*	125	FFF, EFH	Thin	5.48	5.33	349	22	-
SVTM9021	VFFFNPtswFr	125	FFF, Fr	Intermediate	5.26	3.64	497	-	-
SVTM9023	VFFFNPtsw*	125	FFF, EFH	Thick	5.20	2.76	629	404	5.12
SVTM9024	VFFFNPtsw*	125	FFF, EFH	Thick	5.20	2.64	691	69	-
SVTM9025	VFFFNPtswFr*	125	FFF, Fr, EFH	Thick	5.21	2.74	708	190	-
BQ391	VFFFNtsw	124	FFF	Thick	4.99	2.26	753	-	-
BQ395	VFFFNtsw	124	FFF	Thick	4.87	2.28	695	-	-
UG4014	VFFNPtsw*	117	EFH	Early	5.23	4.43	410	1,586	5.00

Thin = PPB ≥ 4.70

Intermediate = PPB 2.81 to 4.69

Thick = PPB ≤ 2.80

Early = Maturity 117 Days or Less

* = EFS™ / EFH

2021 Adaptive Varieties

VARIETY	DISEASE RESISTANCE	ATTRIBUTES	USE	2020 AG SEEDS LAB			
				FRUIT WT (g)	BRIX	PPB	OSTWALD
BHN Seed, 8 Locations							
BP13	VFFFNPtsw	FFF	Early	68.6	5.01	4.83	385
BP82	VFFFNPtsw*	FFF, EFH	Thin	82.9	5.20	5.57	434
SVTM9011	VFFFNPtsw	FFF	Thin	77.8	5.69	5.50	505
BP59	VFFFNPtsw*	FFF, EFH	Intermediate	68.3	5.29	4.29	387
BP62	VFFFNPtsw*	FFF, EFH	Intermediate	85.1	5.28	2.90	540
N6428	VFFFNtsw*	FFF, EFH	Intermediate	76.3	5.04	3.44	513
BP78	VFFFNPtsw*	FFF, EFH	Thick	78.9	4.80	2.47	591
H1662	VFFFNPtswLv	FFF, Lv	Thick	68.9	4.99	1.75	1026
BP60	VFFFNPtsw	FFF	Pear	58.4	5.50	2.07	339
BP70	VFFFNPtsw	FFF	Pear	69.9	5.08	4.59	331
BP71	VFFFNPtsw	FFF	Pear	66.6	4.79	4.68	278
BP72	VFFFNPtsw	FFF	Pear	60.7	5.36	5.55	265
BP88	VFFFNPtsw	FFF	Pear	73.9	5.01	4.29	268
HM8163	VFFNtsw	-	Pear	71.6	5.54	2.08	391
Harris Moran, 31 Locations							
HMC627849	VFFFNPtswFrMv*	FFF, Fr, EFH	Intermediate	82.7	5.46	4.18	308
HM8268	VFFFNtsw	FFF	Intermediate	76.2	5.43	3.98	458
N6428	VFFFNtsw*	FFF, EFH	Intermediate	79.6	5.04	3.34	428
HMX61P6140	VFFNtsw	-	Thick	69.0	5.17	2.66	797
Heinz, 28 Locations							
H2011	VFFFNtsw*	FFF, EFS™	Intermediate	67.6	5.23	3.38	616
H2012	VFFFNtsw*	FFF, EFS™	Intermediate	70.7	5.23	3.59	569
N6428	VFFFNtsw*	FFF, EFH	Intermediate	80.5	5.01	3.26	430
H2015	VFFFNPtsw	FFF	Thick	69.0	4.81	1.68	690
H2016	VFFFNPtsw	FFF	Thick	79.2	4.81	2.02	724
H1662	VFFFNPtswLv	FFF, Lv	Thick	75.3	5.01	2.25	862
Nunhems, 38 Locations							
N6474	VFFFNtsw*	FFF, EFH	Thin	81.3	5.30	4.76	383
SVTM9012	VFFFNPtsw	FFF	Thin	85.5	5.60	5.61	393
N6473	VFFFNtsw*	FFF, EFH	Intermediate	83.1	5.24	4.25	346
N6428	VFFFNtsw*	FFF, EFH	Intermediate	81.6	5.03	3.46	420
N6475	VFFFNtsw*	FFF, EFH	Thick	74.1	4.82	2.26	425
H1662	VFFFNPtswLv	FFF, Lv	Thick	77.2	5.02	2.32	853

Thin = PPB ≥ 4.70

Intermediate = PPB 2.81 to 4.69

Thick = PPB ≤ 2.80

Early = Maturity 117 Days or Less

* = EFS™ / EFH

2021 Adaptive Varieties

VARIETY	DISEASE RESISTANCE	ATTRIBUTES	USE	2020 AG SEEDS LAB			
				FRUIT WT (g)	BRIX	PPB	OSTWALD
Seminis, 9 Locations							
SVTM9027	VFFFNtswLv	FFF, Lv	Early	81.7	5.87	5.78	397
BQ273	VFFFNptsw	-	Early	80.2	5.28	3.93	481
N6428	VFFFNtsw*	FFF, EFH	Intermediate	82.6	5.28	3.43	453
SVTM9028	VFFFNptsw	FFF	Thick	70.8	4.99	2.03	640
SVTM9030	VFFFNptsw*	FFF, EFH	Thick	67.7	5.03	1.94	626
H1662	VFFFNptswLv	FFF, Lv	Thick	73.4	5.17	2.82	651
Syngenta, 34 Locations							
BQ394	VFFFNtsw	FFF	Thick	79.9	4.86	2.36	553
H1662	VFFFNptswLv	FFF, Lv	Thick	77.0	5.02	2.30	853
N6428	VFFFNtsw*	FFF, EFH	Intermediate	81.3	5.01	3.43	420
United Genetics							
UG10017	VFFFNptsw	FFF	Intermediate	-	-	-	-
UG10217	VFFFNptsw	FFF	Intermediate	-	-	-	-
UG1918	VFFFNptsw	FFF	Intermediate	-	-	-	-
UG3817	VFFFNptsw	FFF	Intermediate	-	-	-	-
UG4317	VFFFNptsw	FFF	Intermediate	-	-	-	-
UG6517	VFFFNptsw	FFF	Intermediate	-	-	-	-
UG6617	VFFFNptsw	FFF	Intermediate	-	-	-	-

Thin = PPB ≥ 4.70

Intermediate = PPB 2.81 to 4.69

Thick = PPB ≤ 2.80

Early = Maturity 117 Days or Less

* = EFS™ / EFH