

20 21



Chemistry Profile



2021 Tomato Chemistry Profile

Supplier Summary: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
BHN	BP13	VFFFNPtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
BHN	BP43	VFFFNPtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
BHN	BP51	VFFFNPtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
BHN	BP71	VFFFNPtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
BHN	BP72	VFFFNPtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
BHN	BP74	VFFFNPtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
BHN	BP88	VFFFNPtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
BHN	BP94	VFFFNPtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
HM	HMC7849	VFFFNPtswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
HZ	H1776	VFFNPtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
NB	NB63	VFFFNPtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089

2021 Tomato Chemistry Profile

Supplier Summary: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
SVS	DRI319	VFFNPtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
SVS	SVTM1082	VFFFNtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
SVS	SVTM9011	VFFFNtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
SVS	SVTM9012	VFFFNtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
SVS	SVTM9013	VFFFNtsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
SVS	SVTM9014	VFFFNtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
SVS	SVTM9016	VFFFNtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
SVS	SVTM9019	VFFFNtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
SVS	SVTM9021	VFFFNtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
SVS	SVTM9023	VFFFNtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SVS	SVTM9024	VFFFNtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
SVS	SVTM9025	VFFFNtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
SVS	SVTM9028	VFFFNtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
SVS	SVTM9030	VFFFNtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
SVS	SVTM9032	VFFFNtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
SVS	SVTM9036	VFFFNtswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
SVS	SVTM9037	VFFFNtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
SYN	BQ273	VFFNPtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
SYN	BQ604	VFFFNtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Supplier Summary: Ranked out of 71 Varieties - #1 Most Desirable - 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
BHN	BP13	VFFFNPtsw	Early	65	64	48	35	28	40	54	54
BHN	BP43	VFFFNPtsw*	Thin	15	8	49	54	35	9	43	42
BHN	BP51	VFFFNPtsw*	Early	1	20	68	66	15	22	55	55
BHN	BP68	VFFFNPtsw	Inter	40	52	29	23	43	16	29	29
BHN	BP71	VFFFNPtsw	Pear	29	68	62	44	53	6	68	68
BHN	BP72	VFFFNPtsw	Pear	69	14	69	69	66	3	69	69
BHN	BP74	VFFFNPtsw*	Thin	11	9	47	53	50	13	47	46
BHN	BP87	VFFFNPtsw	Early	47	57	37	25	6	46	25	25
BHN	BP88	VFFFNPtsw	Pear	8	42	53	48	68	19	66	66
BHN	BP94	VFFFNPtsw	Early	3	50	60	49	71	34	67	67
HM	HM4521	VFFNPtsw*	Inter	32	37	35	32	13	65	41	41
HM	HM5369	VFFNtsw	Pear	25	34	38	36	70	44	48	47
HM	HM5511	VFFFNtswFrMv	Thin	36	10	45	52	55	24	71	71
HM	HM5522	VFFNtswFr	Inter	49	2	40	51	22	5	42	47
HM	HM58841	VFFNtsw*	Inter	42	19	16	28	46	58	28	28
HM	HM7103	VFFNtsw*	Early	43	27	65	62	12	41	63	63
HM	HMC7849	VFFFNPtswFrMv*	Inter	24	17	32	39	47	43	70	70
HM	HM8163	VFFNtsw	Pear	66	4	30	46	65	26	44	43
HM	HM8237	VFFFNtswFrMv*	Inter	13	35	36	33	18	55	62	62
HM	HM8268	VFFFNtsw	Inter	20	18	39	43	50	18	38	38
HM	HMC8512	VFFFNtswFr	Inter	12	13	33	40	61	17	35	35
HM	HMC9174	VFFFNtswFr	Early	16	30	71	70	5	7	65	65
HZ	H1293	VFFNPtsw	Pear	70	32	42	41	64	20	32	32
HZ	H1310	VFFFNPtsw*	Thick	52	67	11	9	38	31	8	8
HZ	H1428	VFFNtsw*	Thick	71	58	4	6	31	28	1	1
HZ	H1662	VFFFNPtswLv	Thick	45	54	3	8	45	67	2	2
HZ	H1776	VFFNPtsw*	Thick	7	40	1	15	40	39	5	5
HZ	H1991	VFFFNPtsw	Thick	58	49	15	17	30	1	11	16
HZ	H1996	VFFFNtsw*	Thick	62	53	17	16	59	15	15	14
HZ	H2010	VFFFNtsw*	Inter	50	46	43	37	29	11	39	39
HZ	H2012	VFFFNtsw*	Inter	57	43	25	27	19	60	22	22
HZ	H2016	VFFFNPtsw	Thick	28	69	12	2	34	8	13	12
HZ	H5508	VFFNtsw*	Thick	60	71	23	5	7	51	20	20
HZ	H5608	VFFNPtsw	Thick	64	61	19	12	57	14	21	21
NB	NB63	VFFFNPtsw	Early	61	22	61	61	67	2	56	56
NS	N6420	VFFNtsw	Pear	21	56	50	38	69	48	57	57
NS	N6428	VFFFNtsw*	Inter	30	55	34	26	62	61	30	30

2021 Tomato Chemistry Profile

Supplier Summary: Ranked out of 71 Varieties - #1 Most Desirable - 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
NS	N6473	VFFFNtsw*	Inter	18	28	41	42	49	4	59	59
NS	N6474	VFFFNtsw*	Thin	41	21	55	56	32	54	51	51
NS	N6475	VFFFNtsw*	Thick	54	70	21	4	56	25	34	34
SVS	DRI319	VFFNPtsw	Thin	26	1	59	71	21	57	49	49
SVS	SVTM1082	VFFFNtsw	Thin	59	6	54	63	27	64	33	33
SVS	SVTM9008	VFFNPtsw*	Thick	33	48	8	14	4	62	14	13
SVS	SVTM9011	VFFFNtsw	Thin	27	3	46	58	44	36	31	31
SVS	SVTM9012	VFFFNtsw	Thin	10	5	57	65	25	27	53	53
SVS	SVTM9013	VFFFNtsw	Inter	4	39	27	29	41	38	24	24
SVS	SVTM9014	VFFFNtsw	Inter	5	26	18	24	16	37	26	26
SVS	SVTM9016	VFFFNtsw*	Thick	17	47	14	18	32	68	18	18
SVS	SVTM9018	VFFFNtswFr	Early	67	65	67	50	2	47	64	64
SVS	SVTM9019	VFFFNtsw*	Thin	22	12	56	60	8	71	61	61
SVS	SVTM9021	VFFFNtswFr	Inter	14	25	31	34	24	42	23	23
SVS	SVTM9023	VFFFNtsw*	Thick	34	41	13	20	10	70	6	6
SVS	SVTM9024	VFFFNtsw*	Thick	37	45	6	13	3	63	7	7
SVS	SVTM9025	VFFFNtswFr*	Thick	44	36	22	22	1	66	16	15
SVS	SVTM9027	VFFFNtswLv	Early	2	16	58	59	36	29	36	36
SVS	SVTM9028	VFFFNtsw	Thick	63	59	10	10	39	21	12	11
SVS	SVTM9030	VFFFNtsw*	Thick	68	62	5	3	17	56	4	4
SVS	SVTM9032	VFFFNtswFrLv	Early	38	11	52	55	11	52	52	52
SVS	SVTM9033	VFFFNtsw	Early	55	60	26	19	23	59	27	27
SVS	SVTM9034	VFFFNtsw	Early	19	7	66	68	58	30	50	50
SVS	SVTM9036	VFFFNtswLv*	Inter	9	33	28	31	50	53	19	19
SVS	SVTM9037	VFFFNtswLv*	Thick	45	63	2	1	20	69	3	3
SYN	BQ273	VFFNPtsw	Early	23	44	51	45	9	32	37	37
SYN	BQ391	VFFFNtsw	Thick	53	51	7	11	42	50	9	9
SYN	BQ395	VFFFNtsw	Thick	35	66	9	7	60	49	10	10
SYN	BQ398	VFFNtsw	Thick	48	38	20	21	26	10	17	17
SYN	BQ403	VFFNPtsw	Early	39	29	63	57	14	23	45	44
SYN	BQ604	VFFFNtsw	Inter	56	31	24	30	48	33	46	45
UG	UG10017	VFFFNtsw	Inter	51	23	44	47	54	12	40	40
UG	UG1918	VFFFNtsw*	Thin	6	24	70	67	37	35	60	60
UG	UG6617	VFFFNtsw	Thin	31	15	64	64	63	45	58	58
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Use Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
BHN	BP13	VFFFNPtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
BHN	BP51	VFFFNPtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
BHN	BP94	VFFFNPtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
NB	NB63	VFFFNPtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
SVS	SVTM9032	VFFFNPtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
SYN	BQ273	VFFNPtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
BHN	BP43	VFFFNPtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
BHN	BP74	VFFFNPtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
SVS	DRI319	VFFNPtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
SVS	SVTM1082	VFFFNPtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
SVS	SVTM9011	VFFFNPtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
SVS	SVTM9012	VFFFNPtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
SVS	SVTM9019	VFFFNPtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
HM	HMC7849	VFFFNPtswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945

2021 Tomato Chemistry Profile

Use Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SVS	SVTM9013	VFFFNPtsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
SVS	SVTM9014	VFFFNPtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
SVS	SVTM9021	VFFFNPtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
SVS	SVTM9036	VFFFNPtswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
SYN	BQ604	VFFFNPtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
HZ	H1776	VFFNtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
SVS	SVTM9016	VFFFNPtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
SVS	SVTM9023	VFFFNPtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SVS	SVTM9024	VFFFNPtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
SVS	SVTM9025	VFFFNPtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
SVS	SVTM9030	VFFFNPtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
SVS	SVTM9037	VFFFNPtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
BHN	BP71	VFFFNPtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
BHN	BP72	VFFFNPtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
BHN	BP88	VFFFNPtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Use Sort: Ranked by Each Use Catogory - #1 Most Desirable - 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
BHN	BP13	VFFFNPtsw	Early	13	13	3	3	10	9	8	8
BHN	BP51	VFFFNPtsw*	Early	1	4	13	12	8	3	9	9
BHN	BP87	VFFFNPtsw	Early	10	11	2	2	3	11	1	1
BHN	BP94	VFFFNPtsw	Early	3	10	7	5	14	8	14	14
HM	HM7103	VFFNtsw*	Early	9	6	10	11	6	10	11	11
HM	HMC9174	VFFFNtswFr	Early	4	8	14	14	2	2	13	13
NB	NB63	VFFFNPtsw	Early	12	5	8	10	13	1	10	10
SVS	SVTM9018	VFFFNtswFr	Early	14	14	12	6	1	12	12	12
SVS	SVTM9027	VFFFNtswLv	Early	2	3	6	9	11	5	3	3
SVS	SVTM9032	VFFFNPtswFrLv	Early	7	2	5	7	5	13	7	7
SVS	SVTM9033	VFFFNtsw	Early	11	12	1	1	9	14	2	2
SVS	SVTM9034	VFFFNtsw	Early	5	1	11	13	12	6	6	6
SYN	BQ273	VFFNPtsw	Early	6	9	4	4	4	7	4	4
SYN	BQ403	VFFNPtsw	Early	8	7	9	8	7	4	5	5
BHN	BP43	VFFFNPtsw*	Thin	4	5	4	3	6	1	3	3
BHN	BP74	VFFFNPtsw*	Thin	3	6	3	2	9	2	4	4
HM	HM5511	VFFFNtswFrMv	Thin	9	7	1	1	10	3	11	11
NS	N6474	VFFFNtsw*	Thin	10	10	6	4	5	8	6	6
SVS	DRI319	VFFNPtsw	Thin	6	1	9	11	2	9	5	5
SVS	SVTM1082	VFFFNPtsw	Thin	11	4	5	7	4	10	2	2
SVS	SVTM9011	VFFFNPtsw	Thin	7	2	2	5	8	6	1	1
SVS	SVTM9012	VFFFNPtsw	Thin	2	3	8	9	3	4	7	7
SVS	SVTM9019	VFFFNPtsw*	Thin	5	8	7	6	1	11	10	10
UG	UG1918	VFFFNtsw*	Thin	1	11	11	10	7	5	9	9
UG	UG6617	VFFFNtsw	Thin	8	9	10	8	11	7	8	8
BHN	BP68	VFFFNPtsw	Inter	12	17	7	1	9	5	7	7
HM	HM4521	VFFNPtsw*	Inter	11	13	12	9	1	18	13	13
HM	HM5522	VFFNtswFr	Inter	14	1	15	18	5	2	14	15
HM	HM58841	VFFNtsw*	Inter	13	5	1	5	10	15	6	6
HM	HMC7849	VFFFNPtswFrMv*	Inter	9	3	9	13	11	12	18	18
HM	HM8237	VFFFNtswFrMv*	Inter	5	12	13	10	3	14	17	17
HM	HM8268	VFFFNtsw	Inter	8	4	14	16	14	7	10	10
HM	HMC8512	VFFFNtswFr	Inter	4	2	10	14	17	6	9	9
HZ	H2010	VFFFNtsw*	Inter	15	16	17	12	7	3	11	11
HZ	H2012	VFFFNtsw*	Inter	18	15	4	4	4	16	2	2
NS	N6428	VFFFNtsw*	Inter	10	18	11	3	18	17	8	8
NS	N6473	VFFFNtsw*	Inter	7	9	16	15	13	1	16	16

2021 Tomato Chemistry Profile

Use Sort: Ranked by each Use category - #1 Most Desirable - 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SVS	SVTM9013	VFFFNPtsw	Inter	1	14	5	6	8	10	4	4
SVS	SVTM9014	VFFFNPtsw	Inter	2	8	2	2	2	9	5	5
SVS	SVTM9021	VFFFNPtswFr	Inter	6	7	8	11	6	11	3	3
SVS	SVTM9036	VFFFNPtswLv*	Inter	3	11	6	8	14	13	1	1
SYN	BQ604	VFFFNPtsw	Inter	17	10	3	7	12	8	15	14
UG	UG10017	VFFFNtsw	Inter	16	6	18	17	16	4	12	12
HZ	H1310	VFFFNPtsw*	Thick	12	18	11	9	13	9	8	8
HZ	H1428	VFFNtsw*	Thick	21	12	4	6	10	8	1	1
HZ	H1662	VFFFNPtswLv	Thick	9	11	3	8	17	18	2	2
HZ	H1776	VFFNtsw*	Thick	1	3	1	15	15	10	5	5
HZ	H1991	VFFFNPtsw	Thick	15	8	15	17	9	1	11	16
HZ	H1996	VFFFNtsw*	Thick	17	10	16	16	20	5	15	14
HZ	H2016	VFFFNPtsw	Thick	3	19	12	2	12	2	13	12
HZ	H5508	VFFNtsw*	Thick	16	21	21	5	4	13	19	19
HZ	H5608	VFFNPtsw	Thick	19	14	17	12	19	4	20	20
NS	N6475	VFFFNtsw*	Thick	14	20	19	4	18	7	21	21
SVS	SVTM9008	VFFNPtsw*	Thick	4	7	8	14	3	15	14	13
SVS	SVTM9016	VFFFNPtsw*	Thick	2	6	14	18	11	19	18	18
SVS	SVTM9023	VFFFNPtsw*	Thick	5	4	13	19	5	21	6	6
SVS	SVTM9024	VFFFNPtsw*	Thick	7	5	6	13	2	16	7	7
SVS	SVTM9025	VFFFNPtswFr*	Thick	8	1	20	21	1	17	16	15
SVS	SVTM9028	VFFFNPtsw	Thick	18	13	10	10	14	6	12	11
SVS	SVTM9030	VFFFNPtsw*	Thick	20	15	5	3	6	14	4	4
SVS	SVTM9037	VFFFNPtswLv*	Thick	9	16	2	1	7	20	3	3
SYN	BQ391	VFFFNtsw	Thick	13	9	7	11	16	12	9	9
SYN	BQ395	VFFFNtsw	Thick	6	17	9	7	21	11	10	10
SYN	BQ398	VFFNtsw	Thick	11	2	18	20	8	3	17	17
BHN	BP71	VFFFNPtsw	Pear	4	7	6	4	1	2	6	6
BHN	BP72	VFFFNPtsw	Pear	6	2	7	7	4	1	7	7
BHN	BP88	VFFFNPtsw	Pear	1	5	5	6	5	3	5	5
HM	HM5369	VFFNtsw	Pear	3	4	2	1	7	6	3	3
HM	HM8163	VFFNtsw	Pear	5	1	1	5	3	5	2	2
HZ	H1293	VFFNPtsw	Pear	7	3	3	3	2	4	1	1
NS	N6420	VFFNtsw	Pear	2	6	4	2	6	7	4	4
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Fruit Weight Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
BHN	BP51	VFFFNptsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
BHN	BP94	VFFFNptsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
SVS	SVTM9013	VFFFNptsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
SVS	SVTM9014	VFFFNptsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
HZ	H1776	VFFNptsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
BHN	BP88	VFFFNptsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
SVS	SVTM9036	VFFFNptswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
SVS	SVTM9012	VFFFNptsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
BHN	BP74	VFFFNptsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
SVS	SVTM9021	VFFFNptswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
BHN	BP43	VFFFNptsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
SVS	SVTM9016	VFFFNptsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
SVS	SVTM9019	VFFFNptsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
SYN	BQ273	VFFNptsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
HM	HMC7849	VFFFNptswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
SVS	DRI319	VFFNptsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
SVS	SVTM9011	VFFFNptsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
HZ	H2016	VFFFNptsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
BHN	BP71	VFFFNptsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
HM	HM4521	VFFNptsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
SVS	SVTM9008	VFFNptsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
SVS	SVTM9023	VFFFNptsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
SVS	SVTM9024	VFFFNptsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405

2021 Tomato Chemistry Profile

Fruit Weight Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SVS	SVTM9032	VFFFNPtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
SVS	SVTM9025	VFFFNPtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
SVS	SVTM9037	VFFFNPtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
SYN	BQ604	VFFFNPtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
SVS	SVTM1082	VFFFNPtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
NB	NB63	VFFFNPtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
BHN	BP13	VFFFNPtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
SVS	SVTM9030	VFFFNPtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
BHN	BP72	VFFFNPtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Brix Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SVS	DRI319	VFFNPtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
SVS	SVTM9011	VFFFNPtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
SVS	SVTM9012	VFFFNPtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
SVS	SVTM1082	VFFFNPtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
BHN	BP43	VFFFNPtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
BHN	BP74	VFFFNPtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
SVS	SVTM9032	VFFFNPtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
SVS	SVTM9019	VFFFNPtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
BHN	BP72	VFFFNPtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
HM	HMC7849	VFFFNPtswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
BHN	BP51	VFFFNPtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
NB	NB63	VFFFNPtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
SVS	SVTM9021	VFFFNPtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
SVS	SVTM9014	VFFFNPtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
SYN	BQ604	VFFFNPtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
SVS	SVTM9036	VFFFNPtswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
SVS	SVTM9025	VFFFNPtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859

2021 Tomato Chemistry Profile

Brix Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
SVS	SVTM9013	VFFFNPtsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
HZ	H1776	VFFNPtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
SVS	SVTM9023	VFFFNPtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
BHN	BP88	VFFFNPtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
SYN	BQ273	VFFNPtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
SVS	SVTM9024	VFFFNPtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
SVS	SVTM9016	VFFFNPtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
BHN	BP94	VFFFNPtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
SVS	SVTM9030	VFFFNPtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
SVS	SVTM9037	VFFFNPtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
BHN	BP13	VFFFNPtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
BHN	BP71	VFFFNPtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Juice Bostwick Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HZ	H1776	VFFNPtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
SVS	SVTM9037	VFFFNPtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
HZ	H1428	VFFNPtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
SVS	SVTM9030	VFFFNPtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
SVS	SVTM9024	VFFFNPtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
SYN	BQ391	VFFFNPtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
SYN	BQ395	VFFFNPtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
SVS	SVTM9023	VFFFNPtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SVS	SVTM9016	VFFFNPtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
HM	HM58841	VFFNPtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
HZ	H1996	VFFFNPtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
SVS	SVTM9014	VFFFNPtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
SYN	BQ398	VFFNPtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
NS	N6475	VFFFNPtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
SVS	SVTM9025	VFFFNPtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
HZ	H5508	VFFNPtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
SYN	BQ604	VFFFNPtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
HZ	H2012	VFFFNPtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
SVS	SVTM9033	VFFFNPtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
SVS	SVTM9013	VFFFNPtsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
SVS	SVTM9036	VFFFNPtswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
HM	HM8163	VFFNPtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
SVS	SVTM9021	VFFFNPtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
HM	HMC7849	VFFFNPtswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HMC8512	VFFFNPtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
NS	N6428	VFFFNPtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
HM	HM8237	VFFFNPtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664

2021 Tomato Chemistry Profile

Juice Bostwick Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
SVS	SVTM9011	VFFFNPtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
BHN	BP74	VFFFNPtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
BHN	BP13	VFFFNPtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
BHN	BP43	VFFFNPtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
SYN	BQ273	VFFNPtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
SVS	SVTM9032	VFFFNPtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
BHN	BP88	VFFFNPtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
SVS	SVTM1082	VFFFNPtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
SVS	SVTM9019	VFFFNPtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
SVS	SVTM9012	VFFFNPtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
SVS	DRI319	VFFNPtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
BHN	BP94	VFFFNPtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
NB	NB63	VFFFNPtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
BHN	BP71	VFFFNPtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
BHN	BP51	VFFFNPtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
BHN	BP72	VFFFNPtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Predicted Paste Bostwick Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SVS	SVTM9037	VFFFNPtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
SVS	SVTM9030	VFFFNPtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
SVS	SVTM9024	VFFFNPtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
HZ	H1776	VFFNPtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
SVS	SVTM9016	VFFFNPtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
SVS	SVTM9023	VFFFNPtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
SVS	SVTM9025	VFFFNPtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
SVS	SVTM9014	VFFFNPtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
SVS	SVTM9013	VFFFNPtsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
SYN	BQ604	VFFFNPtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
SVS	SVTM9036	VFFFNPtswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
SVS	SVTM9021	VFFFNPtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
BHN	BP13	VFFFNPtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967

2021 Tomato Chemistry Profile

Predicted Paste Bostwick Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
HM	HMC7849	VFFFNtswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
HZ	H1293	VFFNtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
BHN	BP71	VFFFNtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
SYN	BQ273	VFFNtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
BHN	BP88	VFFFNtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
BHN	BP94	VFFFNtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
BHN	BP74	VFFFNtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
BHN	BP43	VFFFNtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
SVS	SVTM9032	VFFFNtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
SYN	BQ403	VFFNtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
SVS	SVTM9011	VFFFNtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
SVS	SVTM9019	VFFFNtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
NB	NB63	VFFFNtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
SVS	SVTM1082	VFFFNtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
SVS	SVTM9012	VFFFNtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
BHN	BP51	VFFFNtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
BHN	BP72	VFFFNtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
SVS	DRI319	VFFNtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

pH Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SVS	SVTM9025	VFFFNtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
SVS	SVTM9024	VFFFNtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
SVS	SVTM9008	VFFFNtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
BHN	BP87	VFFFNtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
SVS	SVTM9019	VFFFNtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
SYN	BQ273	VFFFNtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
SVS	SVTM9023	VFFFNtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SVS	SVTM9032	VFFFNtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
HM	HM4521	VFFFNtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
SYN	BQ403	VFFFNtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
BHN	BP51	VFFFNtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
SVS	SVTM9014	VFFFNtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
SVS	SVTM9030	VFFFNtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
SVS	SVTM9037	VFFFNtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
SVS	DRI319	VFFFNtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
SVS	SVTM9021	VFFFNtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
SVS	SVTM9012	VFFFNtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
SVS	SVTM1082	VFFFNtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
BHN	BP13	VFFFNtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
HZ	H1991	VFFFNtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
SVS	SVTM9016	VFFFNtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
HZ	H2016	VFFFNtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
BHN	BP43	VFFFNtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925

2021 Tomato Chemistry Profile

pH Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HZ	H1310	VFFFNptsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
SVS	SVTM9028	VFFFNptsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
HZ	H1776	VFFFNptsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
SVS	SVTM9013	VFFFNptsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
BHN	BP68	VFFFNptsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
SVS	SVTM9011	VFFFNptsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
HZ	H1662	VFFFNptswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
HM	HMC7849	VFFFNptswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
SYN	BQ604	VFFFNptsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
SVS	SVTM9036	VFFFNptswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
BHN	BP74	VFFFNptsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
BHN	BP71	VFFFNptsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
HZ	H5608	VFFNptsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
HZ	H1293	VFFNptsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
BHN	BP72	VFFFNptsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
NB	NB63	VFFFNptsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
BHN	BP88	VFFFNptsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
BHN	BP94	VFFFNptsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

a/b Color Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
NB	NB63	VFFFNPtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
BHN	BP72	VFFFNPtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
HM	HM5522	VFFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
BHN	BP71	VFFFNPtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
BHN	BP43	VFFFNPtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
SYN	BQ398	VFFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
BHN	BP74	VFFFNPtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
BHN	BP88	VFFFNPtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
BHN	BP51	VFFFNPtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
SVS	SVTM9012	VFFFNPtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
SYN	BQ273	VFFNPtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288
SYN	BQ604	VFFFNPtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
BHN	BP94	VFFFNPtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
SVS	SVTM9011	VFFFNPtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
SVS	SVTM9014	VFFFNPtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390

2021 Tomato Chemistry Profile

a/b Color Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
SVS	SVTM9013	VFFFNptsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
HZ	H1776	VFFNPtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
BHN	BP13	VFFFNptsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
SVS	SVTM9021	VFFFNptswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
HM	HMC7849	VFFFNptswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
BHN	BP87	VFFFNptsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
SVS	SVTM9032	VFFFNptswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
SVS	SVTM9036	VFFFNptswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
SVS	SVTM9030	VFFFNptsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
SVS	DRI319	VFFNPtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
SVS	SVTM9024	VFFFNptsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
SVS	SVTM1082	VFFFNptsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
SVS	SVTM9025	VFFFNptswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
HZ	H1662	VFFFNptswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
SVS	SVTM9016	VFFFNptsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
SVS	SVTM9037	VFFFNptswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
SVS	SVTM9023	VFFFNptsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SVS	SVTM9019	VFFFNptsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Ostwald Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
SVS	SVTM9037	VFFFNPtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
SVS	SVTM9030	VFFFNPtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
HZ	H1776	VFFNPtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
SVS	SVTM9023	VFFFNPtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SVS	SVTM9024	VFFFNPtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
SVS	SVTM9025	VFFFNPtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
SVS	SVTM9016	VFFFNPtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
SVS	SVTM9036	VFFFNPtswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
SVS	SVTM9021	VFFFNPtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
SVS	SVTM9013	VFFFNPtsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
SVS	SVTM9014	VFFFNPtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
SVS	SVTM9011	VFFFNPtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
SVS	SVTM1082	VFFFNPtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
SYN	BQ273	VFFNPtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288

2021 Tomato Chemistry Profile

Ostwald Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
BHN	BP43	VFFFNtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
SYN	BQ604	VFFFNtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
BHN	BP74	VFFFNtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
SVS	DRI319	VFFNPtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
SVS	SVTM9032	VFFFNtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
SVS	SVTM9012	VFFFNtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
BHN	BP13	VFFFNtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
BHN	BP51	VFFFNtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
NB	NB63	VFFFNtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
SVS	SVTM9019	VFFFNtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
BHN	BP88	VFFFNtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
BHN	BP94	VFFFNtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
BHN	BP71	VFFFNtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
BHN	BP72	VFFFNtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
HM	HMC7849	VFFFNtswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191

2021 Tomato Chemistry Profile

Centistoke Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HZ	H1428	VFFNtsw*	Thick	57	5.13	10.73	2.24	4.09	2.28	974	14.692
HZ	H1662	VFFFNPtswLv	Thick	74	5.17	10.69	2.30	4.11	2.17	949	14.305
SVS	SVTM9037	VFFFNPtswLv*	Thick	74	5.08	10.63	2.11	4.08	2.15	889	13.406
SVS	SVTM9030	VFFFNPtsw*	Thick	66	5.09	10.75	2.19	4.08	2.21	821	12.378
HZ	H1776	VFFNPtsw*	Thick	82	5.40	10.62	2.63	4.10	2.27	820	12.356
SVS	SVTM9023	VFFFNPtsw*	Thick	77	5.39	11.31	2.96	4.07	2.15	772	11.636
SVS	SVTM9024	VFFFNPtsw*	Thick	76	5.27	10.92	2.57	4.05	2.19	690	10.405
HZ	H1310	VFFFNPtsw*	Thick	73	5.04	11.18	2.32	4.10	2.28	688	10.372
SYN	BQ391	VFFFNtsw	Thick	72	5.24	10.96	2.54	4.11	2.23	683	10.298
SYN	BQ395	VFFFNtsw	Thick	76	5.05	11.08	2.29	4.13	2.23	673	10.143
SVS	SVTM9028	VFFFNPtsw	Thick	69	5.12	11.15	2.44	4.10	2.30	659	9.930
HZ	H2016	VFFFNPtsw	Thick	77	4.94	11.20	2.18	4.09	2.32	658	9.920
SVS	SVTM9008	VFFNPtsw*	Thick	77	5.25	11.07	2.61	4.05	2.20	641	9.666
HZ	H1996	VFFFNtsw*	Thick	69	5.19	11.40	2.68	4.13	2.31	639	9.627
SVS	SVTM9025	VFFFNPtswFr*	Thick	74	5.44	11.71	3.05	4.02	2.18	632	9.526
HZ	H1991	VFFFNPtsw	Thick	70	5.25	11.32	2.73	4.09	2.37	664	9.491
SYN	BQ398	VFFNtsw	Thick	74	5.42	11.54	2.97	4.09	2.32	594	8.952
SVS	SVTM9016	VFFFNPtsw*	Thick	80	5.26	11.32	2.75	4.09	2.16	593	8.934
SVS	SVTM9036	VFFFNPtswLv*	Inter	82	5.45	12.27	3.54	4.12	2.22	580	8.739
HZ	H5508	VFFNtsw*	Thick	69	4.81	11.74	2.22	4.06	2.23	576	8.685
HZ	H5608	VFFNPtsw	Thick	69	5.09	11.50	2.56	4.13	2.31	552	8.316
HZ	H2012	VFFFNtsw*	Inter	71	5.34	12.20	3.33	4.08	2.21	529	7.976
SVS	SVTM9021	VFFFNPtswFr	Inter	81	5.54	12.53	3.82	4.08	2.25	511	7.709
SVS	SVTM9013	VFFFNPtsw	Inter	84	5.41	12.26	3.47	4.10	2.27	511	7.708
BHN	BP87	VFFFNPtsw	Early	74	5.13	12.86	3.31	4.06	2.24	508	7.664
SVS	SVTM9014	VFFFNPtsw	Inter	83	5.54	11.44	3.27	4.08	2.28	490	7.390
SVS	SVTM9033	VFFFNtsw	Early	71	5.10	12.22	2.94	4.08	2.21	482	7.262
HM	HM58841	VFFNtsw*	Inter	75	5.62	11.33	3.35	4.11	2.21	475	7.159
BHN	BP68	VFFFNPtsw	Inter	75	5.22	12.43	3.25	4.11	2.31	473	7.139
NS	N6428	VFFFNtsw*	Inter	77	5.16	12.78	3.32	4.15	2.20	470	7.089
SVS	SVTM9011	VFFFNPtsw	Thin	78	5.90	14.04	5.17	4.11	2.28	457	6.889
HZ	H1293	VFFNPtsw	Pear	62	5.45	13.38	4.10	4.17	2.30	450	6.781
SVS	SVTM1082	VFFFNPtsw	Thin	70	5.77	14.69	5.28	4.09	2.19	442	6.664
NS	N6475	VFFFNtsw*	Thick	71	4.85	11.54	2.20	4.13	2.29	442	6.661
HM	HMC8512	VFFFNtswFr	Inter	81	5.67	12.61	4.07	4.13	2.30	428	6.448
SVS	SVTM9027	VFFFNtswLv	Early	86	5.65	14.92	5.20	4.10	2.28	424	6.398
SYN	BQ273	VFFNPtsw	Early	79	5.33	14.23	4.32	4.07	2.28	417	6.288

2021 Tomato Chemistry Profile

Centistoke Sort: 32 Common Locations

Supplier	Variety	Dis / Res	Use	FW	Brix	JB	PPB	pH	a/b	Ost	cSt
HM	HM8268	VFFFNtsw	Inter	79	5.63	13.05	4.23	4.12	2.30	401	6.045
HZ	H2010	VFFFNtsw*	Inter	73	5.26	13.67	3.93	4.09	2.32	396	5.967
UG	UG10017	VFFFNtsw	Inter	73	5.59	13.78	4.53	4.12	2.32	391	5.899
HM	HM4521	VFFNPtsw*	Inter	77	5.44	12.81	3.80	4.07	2.19	389	5.859
BHN	BP43	VFFFNtsw*	Thin	81	5.76	14.19	5.01	4.10	2.32	375	5.658
HM	HM8163	VFFNtsw	Pear	68	5.88	12.47	4.35	4.17	2.29	372	5.604
SYN	BQ403	VFFNPtsw	Early	76	5.50	15.20	5.09	4.07	2.29	369	5.559
SYN	BQ604	VFFFNtsw	Inter	71	5.46	12.13	3.49	4.12	2.28	367	5.539
BHN	BP74	VFFFNtsw*	Thin	81	5.73	14.09	4.91	4.12	2.31	364	5.487
HM	HM5522	VFFNtswFr	Inter	73	5.92	13.15	4.75	4.08	2.33	384	5.470
HM	HM5369	VFFNtsw	Pear	78	5.45	12.89	3.85	4.22	2.25	363	5.470
SVS	DRI319	VFFNPtsw	Thin	78	5.99	14.96	5.77	4.08	2.21	360	5.429
SVS	SVTM9034	VFFFNtsw	Early	79	5.77	15.46	5.66	4.13	2.28	360	5.428
NS	N6474	VFFFNtsw*	Thin	75	5.59	14.78	5.04	4.09	2.22	357	5.386
SVS	SVTM9032	VFFFNtswFrLv	Early	76	5.71	14.33	5.01	4.07	2.22	353	5.329
SVS	SVTM9012	VFFFNtsw	Thin	82	5.86	14.89	5.53	4.09	2.28	353	5.321
BHN	BP13	VFFFNtsw	Early	68	5.07	14.11	3.83	4.09	2.26	349	5.259
BHN	BP51	VFFFNtsw*	Early	87	5.62	15.82	5.59	4.07	2.29	347	5.234
NB	NB63	VFFFNtsw	Early	69	5.59	15.18	5.23	4.18	2.36	346	5.221
NS	N6420	VFFNtsw	Pear	79	5.15	14.21	4.02	4.21	2.23	336	5.070
UG	UG6617	VFFFNtsw	Thin	77	5.66	15.31	5.40	4.15	2.25	331	4.995
NS	N6473	VFFFNtsw*	Inter	80	5.52	13.29	4.16	4.12	2.35	328	4.945
UG	UG1918	VFFFNtsw*	Thin	83	5.56	16.02	5.60	4.10	2.28	327	4.925
SVS	SVTM9019	VFFFNtsw*	Thin	79	5.67	14.87	5.21	4.06	2.13	323	4.865
HM	HM8237	VFFFNtswFrMv*	Inter	81	5.44	12.84	3.82	4.08	2.22	320	4.831
HM	HM7103	VFFNtsw*	Early	75	5.52	15.43	5.24	4.07	2.26	314	4.741
SVS	SVTM9018	VFFFNtswFr	Early	67	5.06	15.81	4.67	4.03	2.24	314	4.735
HM	HMC9174	VFFFNtswFr	Early	80	5.49	16.56	5.76	4.05	2.32	311	4.694
BHN	BP88	VFFFNtsw	Pear	82	5.35	14.61	4.55	4.18	2.30	310	4.681
BHN	BP94	VFFFNtsw	Early	85	5.24	15.03	4.57	4.24	2.28	306	4.607
BHN	BP71	VFFFNtsw	Pear	77	5.01	15.18	4.28	4.12	2.32	300	4.519
BHN	BP72	VFFFNtsw	Pear	63	5.66	15.85	5.68	4.17	2.36	285	4.301
HM	HMC7849	VFFFNtswFrMv*	Inter	78	5.65	12.59	4.02	4.11	2.25	284	4.283
HM	HM5511	VFFFNtswFrMv	Thin	76	5.72	13.99	4.85	4.13	2.29	278	4.191
Average				76	5.41	13.09	3.88	4.10	2.26	478	7.191