

Cannery Tomato



2022



PTAB Summary

2022 California Cannery Tomato

Statewide - Top 45

Final PTAB Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2021 Rank
1	HM58841	Inter	EFH	33,686	5.21	3.9	1.0	21.85	4.45	3
2	N6428	Inter	F3, EFH	29,137	4.89	3.6	2.2	22.44	4.50	1
3	SVTM9013	Inter	F3	23,680	5.14	1.8	1.8	21.13	4.44	8
4	HM5522	Inter	Fr	22,895	5.81	1.0	1.0	20.63	4.38	18
5	SVTM9016	Thick	F3, EFH	22,370	5.07	4.0	0.7	22.05	4.41	14
6	H1662	Thick	F3, Lv	15,928	5.10	3.0	1.9	22.30	4.45	2
7	BOS811	Thick	EFH	11,398	5.05	1.4	0.8	20.60	4.39	7
8	H5608	Thick	-	10,702	5.10	1.1	1.5	20.39	4.45	13
9	SVTM1082	Thin	F3	10,382	5.64	1.1	1.7	21.66	4.35	21
10	H1996	Thick	F3, EFS™	9,711	5.07	2.3	1.3	21.30	4.45	44
11	BQ273	Early	-	9,583	5.29	0.6	1.9	21.29	4.40	5
12	HM4521	Inter	EFH	9,333	5.53	2.0	0.8	21.34	4.40	10
13	SVTM9014	Inter	F3	9,061	5.34	2.1	1.7	20.97	4.45	6
14	SVTM9023	Thick	F3, EFH	8,944	5.22	2.0	1.6	22.16	4.43	23
15	HM7103	Early	EFH	8,706	5.57	0.2	1.7	21.09	4.40	45
16	SVTM9027	Early	F3, Lv	8,508	5.64	0.5	0.9	21.09	4.38	92
17	H4707	Thick	EFS™	8,419	4.76	2.4	1.2	23.01	4.47	4
18	BQ403	Early	-	8,398	5.46	0.3	2.4	21.28	4.37	11
19	BQ400	Early	-	8,191	5.27	0.3	1.3	20.36	4.50	9
20	HM5511	Thin	F3, Fr	7,329	5.66	0.8	4.0	21.34	4.47	56
21	HM8163	Pear	-	7,263	5.93	1.4	1.6	20.61	4.47	24
22	BP74	Thin	F3, EFH	7,223	5.44	2.7	1.6	20.99	4.47	40
23	SVTM9025	Thick	F3, Fr, EFH	6,930	5.41	1.7	1.0	21.99	4.31	27
24	H2015	Thick	F3	5,670	4.45	5.7	1.7	20.46	4.48	109
25	BP43	Thin	F3	4,927	5.46	2.2	1.3	21.39	4.47	19
26	N6402	Thin	-	4,879	5.82	0.7	2.2	20.42	4.48	25
27	SVTM9021	Inter	F3, Fr	4,739	5.08	1.2	1.3	21.58	4.39	33
28	H1776	Thick	EFS™	4,592	5.40	0.7	1.0	21.07	4.44	36
29	N6475	Thick	F3, EFH	4,589	4.77	3.1	1.0	21.56	4.54	83
30	N6434	Inter	F3, EFH	4,506	4.92	2.0	2.5	23.12	4.49	28
31	HM8268	Inter	F3	3,996	5.42	1.5	2.2	20.78	4.45	132
32	UG29814	Inter	F3, EFH	3,792	5.35	3.1	1.3	20.79	4.50	47
33	HM5235	Inter	F3	3,723	5.16	1.3	2.4	21.10	4.43	22
34	SVTM9011	Thin	F3	3,632	5.64	1.9	1.9	20.97	4.40	17
35	SVTM9008	Thick	EFH	3,450	5.26	1.6	1.0	21.50	4.36	20
36	UG16112	Thick	EFH	3,415	5.06	1.2	0.7	20.96	4.42	34
37	HM8237	Inter	F3, Fr, EFH	3,149	5.14	2.0	0.9	21.96	4.39	66
38	N6416	Early	-	3,053	4.97	0.5	1.5	21.30	4.38	42
39	SVTM9032	Early	F3, Fr, Lv	2,794	5.45	0.2	1.3	22.21	4.31	95
40	H1428	Thick	EFS™	2,789	4.72	3.3	1.1	21.48	4.48	16
41	SVTM9019	Thin	F3, EFH	2,725	5.46	1.5	2.1	22.91	4.28	57
42	SVTM9012	Thin	F3	2,675	5.68	2.1	2.0	21.24	4.41	31
43	N6366	Thin	-	2,668	5.28	1.2	2.9	20.99	4.45	32
44	BP13	Early	F3	2,504	4.92	0.5	2.0	21.86	4.37	26
45	HM3887	Inter	-	2,260	5.65	1.7	2.5	21.68	4.44	37
Statewide				418,842	5.25	2.1	1.6	21.48	4.43	

2022 California Cannery Tomato

Use Category Sort

Final PTAB Report

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

Early

BQ273	SYN	-	9,583	13,317	5.29	5.22	0.6	1.9	21.29	4.40
HM7103	HM	EFH	8,706	2,656	5.57	5.48	0.2	1.7	21.09	4.40
SVTM9027	SVS	F3, Lv	8,508	298	5.64	5.51	0.5	0.9	21.09	4.38
BQ403	SYN	-	8,398	11,366	5.46	5.42	0.3	2.4	21.28	4.37
BQ400	SYN	-	8,191	12,159	5.27	5.27	0.3	1.3	20.36	4.50
N6416	NS	-	3,053	3,529	4.97	4.88	0.5	1.5	21.30	4.38
SVTM9032	SVS	F3, Fr, Lv	2,794	245	5.45	5.31	0.2	1.3	22.21	4.31
BP13	BHN	F3	2,504	6,188	4.92	4.70	0.5	2.0	21.86	4.37
CXD187	HM	-	1,715	4,840	4.79	4.52	1.3	2.3	20.78	4.40
H1015	HZ	EFS™	1,390	2,567	5.00	4.88	0.7	1.9	21.76	4.46
SVTM9018	SVS	F3, Fr	864	1,809	5.32	4.64	0.4	1.2	21.98	4.32
BP51	BHN	F3, EFH	561	876	5.23	5.34	0.5	2.4	23.46	4.34
BQ413	SYN	F3	396	3,576	4.57	4.75	2.2	2.0	21.78	4.56
SVTM9000	SVS	Lv	390	3,512	5.00	4.78	0.2	0.6	21.34	4.39
NB63	NB	F3	366	642	5.05	5.36	0.8	4.0	21.50	4.53
N6397	NS	-	219	386	5.54	5.22	0.1	0.9	21.79	4.42
BOS3842	OS	-	170	639	5.62	5.43	0.9	1.8	21.56	4.46
NB169	NB	F3	137	-	5.60	-	0.8	3.1	20.46	4.51
BOS6845	OS	F3	63	3	5.65	5.17	0.1	3.3	20.45	4.44
E247	ES	-	58	-	5.42	-	0.5	0.9	21.49	4.35
N6459	NS	F3	48	661	5.31	5.10	0.4	1.3	21.47	4.57
BP58	BHN	F3	14	-	5.46	-	2.1	0.4	21.61	4.38
BOS8131	OS	-	5	-	5.28	-	0.4	1.3	21.30	4.34
HM9174	HM	F3	3	-	5.83	-	0.2	1.0	20.17	4.34
H1901	HZ	-	2	-	5.10	-	2.3	1.8	20.75	4.42
LS204	LS	F3	1	-	5.80	-	0.0	1.5	20.50	4.54
BQ312	SYN	-	1	-	5.20	-	2.0	2.0	20.00	4.50
SV0599TM	SVS	-	1	-	5.80	-	0.0	0.5	22.50	4.42
H2241	HZ	F3	1	-	5.70	-	6.5	3.5	22.00	4.52

Total	58,142	69,269	5.35	5.09	0.4	1.7	21.20	4.40
--------------	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

Thin

SVTM1082	SVS	F3	10,382	7,914	5.64	5.68	1.1	1.7	21.66	4.35
HM5511	HM	F3, Fr	7,329	1,696	5.66	5.65	0.8	4.0	21.34	4.47
BP74	BHN	F3, EFH	7,223	3,745	5.44	5.47	2.7	1.6	20.99	4.47
BP43	BHN	F3	4,927	8,579	5.46	5.42	2.2	1.3	21.39	4.47
N6402	NS	-	4,879	6,347	5.82	5.86	0.7	2.2	20.42	4.48
SVTM9011	SVS	F3	3,632	8,852	5.64	5.89	1.9	1.9	20.97	4.40
SVTM9019	SVS	F3, EFH	2,725	1,622	5.46	5.53	1.5	2.1	22.91	4.28
SVTM9012	SVS	F3	2,675	4,567	5.68	5.70	2.1	2.0	21.24	4.41

2022 California Cannery Tomato

Use Category Sort

Final PTAB Report

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

Thin

N6366	NS	-	2,668	4,540	5.28	5.35	1.2	2.9	20.99	4.45
DRI319	SVS	-	1,691	9,227	5.50	5.68	3.3	2.3	22.58	4.43
N6474	NS	F3, EFH	1,412	498	5.13	5.18	2.7	1.5	22.47	4.46
AB0311	SVS	-	739	3,856	5.80	5.57	1.2	1.5	21.21	4.35
UG16609	UG	-	205	454	5.55	5.58	0.1	1.9	21.59	4.33
N6407	NS	EFH	201	551	5.29	5.51	0.9	0.5	21.98	4.36
SSA6377	SOS	-	190	156	5.66	5.28	2.6	2.1	22.83	4.47
BP49	BHN	F3	110	-	5.29	-	4.0	1.4	22.32	4.46
H1161	HZ	-	15	58	5.43	5.47	0.3	1.5	23.23	4.45
UG6517	UG	F3	3	-	5.23	-	0.5	1.3	24.33	4.44
BP48	BHN	F3	1	1	5.60	5.70	2.0	2.0	22.50	4.36
UG3817	UG	F3	1	-	5.00	-	1.0	4.5	23.50	4.29
UG6617	UG	F3	1	-	5.20	-	0.0	1.5	23.50	4.44
UG10217	UG	F3	1	-	6.50	-	0.5	1.5	21.50	4.37

Total			51,010	62,663	5.57	5.64	1.6	2.2	21.39	4.42
--------------	--	--	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

Intermediate

HM58841	HM	EFH	33,686	16,795	5.21	5.23	3.9	1.0	21.85	4.45
N6428	NS	F3, EFH	29,137	32,234	4.89	4.88	3.6	2.2	22.44	4.50
SVTM9013	SVS	F3	23,680	12,371	5.14	5.30	1.8	1.8	21.13	4.44
HM5522	HM	Fr	22,895	8,703	5.81	5.72	1.0	1.0	20.63	4.38
HM4521	HM	EFH	9,333	11,545	5.53	5.41	2.0	0.8	21.34	4.40
SVTM9014	SVS	F3	9,061	13,135	5.34	5.39	2.1	1.7	20.97	4.45
SVTM9021	SVS	F3, Fr	4,739	4,500	5.08	5.27	1.2	1.3	21.58	4.39
N6434	NS	F3, EFH	4,506	5,365	4.92	5.13	2.0	2.5	23.12	4.49
HM8268	HM	F3	3,996	3	5.42	5.67	1.5	2.2	20.78	4.45
UG29814	UG	F3, EFH	3,792	2,248	5.35	5.35	3.1	1.3	20.79	4.50
HM5235	HM	F3	3,723	7,010	5.16	5.28	1.3	2.4	21.10	4.43
HM8237	HM	F3, Fr, EFH	3,149	933	5.14	5.13	2.0	0.9	21.96	4.39
HM3887	HM	-	2,260	3,918	5.65	5.50	1.7	2.5	21.68	4.44
HM4909	HM	Fr	2,045	3,768	5.70	5.52	1.4	1.0	22.83	4.28
HM9905	HM	EFH	1,892	1,298	4.97	4.69	1.2	0.9	21.00	4.48
H2010	HZ	F3, EFS™	1,504	329	4.88	5.15	7.2	2.2	21.29	4.47
H2012	HZ	F3, EFS™	1,435	22	5.18	5.44	0.7	2.1	22.63	4.47
N6473	NS	F3, EFH	670	556	4.94	4.86	2.3	2.4	20.99	4.56
SV8011TM	SVS	-	603	5,332	4.83	5.30	3.6	1.7	21.29	4.47
HM3888	HM	EFH	490	1,104	5.33	5.59	3.3	1.3	21.76	4.51
BOS4565	OS	F3	226	79	4.89	5.71	1.2	1.8	21.17	4.41
N6460	NS	F3, EFH	139	-	5.30	-	0.1	0.8	22.02	4.35
SVTM9036	SVS	F3, EFH, Lv	125	-	5.00	-	2.8	2.8	22.39	4.45

2022 California Cannery Tomato

Use Category Sort

Final PTAB Report

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

Intermediate

N6441	NS	F3, EFH	95	182	5.35	4.89	0.4	0.6	21.50	4.53
SSA198	SOS	-	60	498	4.91	5.23	0.2	1.1	22.15	4.44
BQ604	SYN	F3	25	-	5.26	-	1.1	2.2	21.34	4.40
BP93	BHN	F3	22	-	4.65	-	7.7	0.7	20.89	4.52
BP59	BHN	F3, EFH	15	-	5.73	-	1.6	0.0	21.27	4.42
HM5900	HM	-	15	318	5.36	5.45	0.4	1.1	23.63	4.45
HMC8512	HM	F3, Fr	10	-	5.68	-	0.2	5.5	21.25	4.44
HM7849	HM	F3, Fr, EFH	9	-	5.43	-	0.5	8.2	22.28	4.47
BOS5341	OS	F3	8	-	5.60	-	0.3	2.9	20.25	4.42
HM58801	HM	F3, EFH	2	1,347	4.85	5.19	14.0	0.5	20.75	4.55
BP42	BHN	F3	1	194	5.00	5.35	2.5	6.5	21.50	4.52
SVTM9022	SVS	F3	1	-	4.90	-	0.0	2.5	24.00	4.30
Total			163,349	133,787	5.25	5.23	2.5	1.5	21.56	4.44

Thick

SVTM9016	SVS	F3, EFH	22,370	10,410	5.07	4.98	4.0	0.7	22.05	4.41
H1662	HZ	F3, Lv	15,928	24,180	5.10	5.10	3.0	1.9	22.30	4.45
BOS811	OS	EFH	11,398	12,601	5.05	5.13	1.4	0.8	20.60	4.39
H5608	HZ	-	10,702	10,892	5.10	5.23	1.1	1.5	20.39	4.45
H1996	HZ	F3, EFS™	9,711	2,675	5.07	5.18	2.3	1.3	21.30	4.45
SVTM9023	SVS	F3, EFH	8,944	6,667	5.22	5.17	2.0	1.6	22.16	4.43
H4707	HZ	EFS™	8,419	14,842	4.76	4.98	2.4	1.2	23.01	4.47
SVTM9025	SVS	F3, Fr, EFH	6,930	5,670	5.41	5.21	1.7	1.0	21.99	4.31
H2015	HZ	F3	5,670	74	4.45	4.94	5.7	1.7	20.46	4.48
H1776	HZ	EFS™	4,592	4,166	5.40	5.55	0.7	1.0	21.07	4.44
N6475	NS	F3, EFH	4,589	437	4.77	5.02	3.1	1.0	21.56	4.54
SVTM9008	SVS	EFH	3,450	8,199	5.26	5.28	1.6	1.0	21.50	4.36
UG16112	UG	EFH	3,415	4,251	5.06	5.04	1.2	0.7	20.96	4.42
H1428	HZ	EFS™	2,789	9,137	4.72	5.04	3.3	1.1	21.48	4.48
H2016	HZ	F3	2,014	160	4.77	4.91	2.5	1.9	20.89	4.42
BOS6848	OS	F3	1,737	24	4.91	5.53	1.4	1.3	20.18	4.45
SVTM9028	SVS	F3	1,374	388	5.08	4.81	1.0	1.6	20.71	4.45
H1991	HZ	F3	1,353	570	4.84	4.84	4.2	3.2	20.56	4.46
H5508	HZ	EFS™	1,177	2,025	4.88	4.70	1.3	0.6	21.15	4.35
HM58811	HM	EFH	703	1,806	5.16	5.06	5.2	1.6	22.46	4.47
H2401	HZ	EFS™	603	4,228	5.03	5.14	1.9	2.2	21.98	4.36
H1310	HZ	F3, EFS™	599	1,960	4.40	4.86	8.9	2.0	22.42	4.53
HZ Trial	HZ	-	468	411	5.04	5.10	2.5	3.7	23.12	4.39
SVTM9037	SVS	F3, EFH, Lv	388	-	5.15	-	3.1	1.6	22.41	4.40
N6426	NS	EFH, Lv	370	1,482	5.16	5.16	0.9	2.2	21.02	4.43

2022 California Cannery Tomato

Use Category Sort

Final PTAB Report

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

Thick

H1994	HZ	F3, EFS™	362	467	4.97	5.22	1.7	2.0	21.88	4.38
SVTM9024	SVS	F3, EFH	358	11,210	5.10	5.07	2.1	0.8	21.86	4.36
HM4885	HM	EFH	335	1,704	4.68	5.54	2.2	1.7	21.96	4.49
SVTM9038	SVS	F3, EFH	296	-	4.79	-	3.0	1.0	22.11	4.41
BOS4680	OS	-	239	81	5.33	5.34	0.2	0.8	20.28	4.38
BQ391	SYN	F3	147	606	5.54	5.05	0.4	1.9	20.33	4.48
H5706	HZ	EFS™	124	1,858	4.20	4.81	16.4	0.7	21.90	4.52
H1657	HZ	-	94	-	5.26	-	0.2	0.6	19.74	4.46
N6415	NS	EFH	53	460	4.60	5.03	2.2	0.9	21.58	4.41
SVTM9030	SVS	F3, EFH	48	227	4.71	4.77	3.9	0.2	20.50	4.49
BP78	BHN	F3, EFH	20	86	5.14	4.62	1.2	2.9	21.75	4.40
H1311	HZ	EFS™	19	10	5.15	6.67	0.6	0.9	19.03	4.49
BOS8422	OS	F3	3	-	5.90	-	1.0	4.2	20.17	4.52
BOS8423	OS	F3	3	-	5.80	-	1.3	6.2	20.67	4.50
BP34	BHN	F3, EFH	1	-	5.10	-	1.5	4.5	20.50	4.62
Total			131,795	143,964	5.04	5.11	2.6	1.3	21.57	4.43

Pear

HM8163	HM	-	7,263	6,578	5.93	5.92	1.4	1.6	20.61	4.47
N6420	NS	-	1,631	2,019	5.11	5.25	1.6	2.2	22.04	4.56
BP88	BHN	F3	1,248	69	4.92	5.00	2.6	2.4	21.38	4.52
HM5369	HM	-	857	297	5.61	5.54	0.8	1.2	21.83	4.57
HM7885	HM	EFH	553	1,123	4.86	5.20	1.1	1.3	20.50	4.58
BP72	BHN	F3	418	53	5.56	5.02	1.5	2.3	21.43	4.43
H1293	HZ	-	226	1,945	5.17	5.57	1.2	2.2	21.76	4.59
BP60	BHN	F3	190	19	6.13	5.41	0.4	1.6	20.99	4.56
BP71	BHN	F3	174	20	5.25	5.14	0.9	2.0	21.54	4.54
H2128	HZ	F3	110	44	4.81	5.19	2.3	3.3	20.27	4.59
HM8507	HM	F3, Fr	33	-	5.45	-	1.2	1.8	20.18	4.51
N6485	NS	F3, Lv	16	-	4.64	-	1.3	0.6	20.97	4.51
BP101	BHN	F3	15	-	4.83	-	1.4	2.3	21.50	4.50
UG29216	UG	F3	9	-	5.09	-	1.3	8.4	21.39	4.52
HP108	SVS	-	2	27	4.60	5.15	5.0	3.0	24.25	4.53
Pear Total			12,745	12,194	5.61	5.66	1.5	1.7	21.01	4.50
Misc Total			1,801	1,916	5.03	5.23	1.9	1.2	21.89	4.40
Dead Varieties Total			-	6,155	-	5.06	-	-	-	-
Statewide			418,842	429,948	5.25	5.23	2.1	1.6	21.48	4.43

2022 California Cannery Tomato

Supplier Sort

Final PTAB Report

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

BHN Seed

BP74	Thin	F3, EFH	7,223	3,745	5.44	5.47	2.7	1.6	20.99	4.47
BP43	Thin	F3	4,927	8,579	5.46	5.42	2.2	1.3	21.39	4.47
BP13	Early	F3	2,504	6,188	4.92	4.70	0.5	2.0	21.86	4.37
BP88	Pear	F3	1,248	69	4.92	5.00	2.6	2.4	21.38	4.52
BP51	Early	F3, EFH	561	876	5.23	5.34	0.5	2.4	23.46	4.34
BP72	Pear	F3	418	53	5.56	5.02	1.5	2.3	21.43	4.43
BP60	Pear	F3	190	19	6.13	5.41	0.4	1.6	20.99	4.56
BP71	Pear	F3	174	20	5.25	5.14	0.9	2.0	21.54	4.54
BP49	Thin	F3	110	-	5.29	-	4.0	1.4	22.32	4.46
BP93	Inter	F3	22	-	4.65	-	7.7	0.7	20.89	4.52
BP78	Thick	F3, EFH	20	86	5.14	4.62	1.2	2.9	21.75	4.40
BP59	Inter	F3, EFH	15	-	5.73	-	1.6	0.0	21.27	4.42
BP101	Pear	F3	15	-	4.83	-	1.4	2.3	21.50	4.50
BP58	Early	F3	14	-	5.46	-	2.1	0.4	21.61	4.38
BP34	Thick	F3, EFH	1	-	5.10	-	1.5	4.5	20.50	4.62
BP42	Inter	F3	1	194	5.00	5.35	2.5	6.5	21.50	4.52
BP48	Thin	F3	1	1	5.60	5.70	2.0	2.0	22.50	4.36
Total			17,444	19,830	5.33	5.19	2.1	1.7	21.36	4.46

Harris Moran

HM58841	Inter	EFH	33,686	16,795	5.21	5.23	3.9	1.0	21.85	4.45
HM5522	Inter	Fr	22,895	8,703	5.81	5.72	1.0	1.0	20.63	4.38
HM4521	Inter	EFH	9,333	11,545	5.53	5.41	2.0	0.8	21.34	4.40
HM7103	Early	EFH	8,706	2,656	5.57	5.48	0.2	1.7	21.09	4.40
HM5511	Thin	F3, Fr	7,329	1,696	5.66	5.65	0.8	4.0	21.34	4.47
HM8163	Pear	-	7,263	6,578	5.93	5.92	1.4	1.6	20.61	4.47
HM8268	Inter	F3	3,996	3	5.42	5.67	1.5	2.2	20.78	4.45
HM5235	Inter	F3	3,723	7,010	5.16	5.28	1.3	2.4	21.10	4.43
HM8237	Inter	F3, Fr, EFH	3,149	933	5.14	5.13	2.0	0.9	21.96	4.39
HM3887	Inter	-	2,260	3,918	5.65	5.50	1.7	2.5	21.68	4.44
HM4909	Inter	Fr	2,045	3,768	5.70	5.52	1.4	1.0	22.83	4.28
HM9905	Inter	EFH	1,892	1,298	4.97	4.69	1.2	0.9	21.00	4.48
CXD187	Early	-	1,715	4,840	4.79	4.52	1.3	2.3	20.78	4.40
HM5369	Pear	-	857	297	5.61	5.54	0.8	1.2	21.83	4.57
HM58811	Thick	EFH	703	1,806	5.16	5.06	5.2	1.6	22.46	4.47
HM7885	Pear	EFH	553	1,123	4.86	5.20	1.1	1.3	20.50	4.58
HM3888	Inter	EFH	490	1,104	5.33	5.59	3.3	1.3	21.76	4.51
HM4885	Thick	EFH	335	1,704	4.68	5.54	2.2	1.7	21.96	4.49
HM8507	Pear	F3, Fr	33	-	5.45	-	1.2	1.8	20.18	4.51
HM5900	Inter	-	15	318	5.36	5.45	0.4	1.1	23.63	4.45

2022 California Cannery Tomato

Supplier Sort

Final PTAB Report

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

Harris Moran

HMC8512	Inter	F3, Fr	10	-	5.68	-	0.2	5.5	21.25	4.44
HM7849	Inter	F3, Fr, EFH	9	-	5.43	-	0.5	8.2	22.28	4.47
HM9174	Early	F3	3	-	5.83	-	0.2	1.0	20.17	4.34
HM58801	Inter	F3, EFH	2	1,347	4.85	5.19	14.0	0.5	20.75	4.55
Total			111,002	77,442	5.48	5.37	2.0	1.4	21.30	4.43

Heinz

H1662	Thick	F3, Lv	15,928	24,180	5.10	5.10	3.0	1.9	22.30	4.45
H5608	Thick	-	10,702	10,892	5.10	5.23	1.1	1.5	20.39	4.45
H1996	Thick	F3, EFS™	9,711	2,675	5.07	5.18	2.3	1.3	21.30	4.45
H4707	Thick	EFS™	8,419	14,842	4.76	4.98	2.4	1.2	23.01	4.47
H2015	Thick	F3	5,670	74	4.45	4.94	5.7	1.7	20.46	4.48
H1776	Thick	EFS™	4,592	4,166	5.40	5.55	0.7	1.0	21.07	4.44
H1428	Thick	EFS™	2,789	9,137	4.72	5.04	3.3	1.1	21.48	4.48
H2016	Thick	F3	2,014	160	4.77	4.91	2.5	1.9	20.89	4.42
H2010	Inter	F3, EFS™	1,504	329	4.88	5.15	7.2	2.2	21.29	4.47
H2012	Inter	F3, EFS™	1,435	22	5.18	5.44	0.7	2.1	22.63	4.47
H1015	Early	EFS™	1,390	2,567	5.00	4.88	0.7	1.9	21.76	4.46
H1991	Thick	F3	1,353	570	4.84	4.84	4.2	3.2	20.56	4.46
H5508	Thick	EFS™	1,177	2,025	4.88	4.70	1.3	0.6	21.15	4.35
H2401	Thick	EFS™	603	4,228	5.03	5.14	1.9	2.2	21.98	4.36
H1310	Thick	F3, EFS™	599	1,960	4.40	4.86	8.9	2.0	22.42	4.53
HZ Trial	Thick	-	468	411	5.04	5.10	2.5	3.7	23.12	4.39
H1994	Thick	F3, EFS™	362	467	4.97	5.22	1.7	2.0	21.88	4.38
H1293	Pear	-	226	1,945	5.17	5.57	1.2	2.2	21.76	4.59
H5706	Thick	EFS™	124	1,858	4.20	4.81	16.4	0.7	21.90	4.52
H2128	Pear	F3	110	44	4.81	5.19	2.3	3.3	20.27	4.59
H1657	Thick	-	94	-	5.26	-	0.2	0.6	19.74	4.46
H1311	Thick	EFS™	19	10	5.15	6.67	0.6	0.9	19.03	4.49
H1161	Thin	-	15	58	5.43	5.47	0.3	1.5	23.23	4.45
H1901	Early	-	2	-	5.10	-	2.3	1.8	20.75	4.42
H2241	Early	F3	1	-	5.70	-	6.5	3.5	22.00	4.52
Total			69,307	82,620	4.97	5.10	2.7	1.6	21.56	4.45

Nunhems

N6428	Inter	F3, EFH	29,137	32,234	4.89	4.88	3.6	2.2	22.44	4.50
N6402	Thin	-	4,879	6,347	5.82	5.86	0.7	2.2	20.42	4.48
N6475	Thick	F3, EFH	4,589	437	4.77	5.02	3.1	1.0	21.56	4.54

2022 California Cannery Tomato

Supplier Sort

Final PTAB Report

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

Nunhems

N6434	Inter	F3, EFH	4,506	5,365	4.92	5.13	2.0	2.5	23.12	4.49
N6416	Early	-	3,053	3,529	4.97	4.88	0.5	1.5	21.30	4.38
N6366	Thin	-	2,668	4,540	5.28	5.35	1.2	2.9	20.99	4.45
N6420	Pear	-	1,631	2,019	5.11	5.25	1.6	2.2	22.04	4.56
N6474	Thin	F3, EFH	1,412	498	5.13	5.18	2.7	1.5	22.47	4.46
N6473	Inter	F3, EFH	670	556	4.94	4.86	2.3	2.4	20.99	4.56
N6426	Thick	EFH, Lv	370	1,482	5.16	5.16	0.9	2.2	21.02	4.43
N6397	Early	-	219	386	5.54	5.22	0.1	0.9	21.79	4.42
N6407	Thin	EFH	201	551	5.29	5.51	0.9	0.5	21.98	4.36
N6460	Inter	F3, EFH	139	-	5.30	-	0.1	0.8	22.02	4.35
N6441	Inter	F3, EFH	95	182	5.35	4.89	0.4	0.6	21.50	4.53
N6415	Thick	EFH	53	460	4.60	5.03	2.2	0.9	21.58	4.41
N6459	Early	F3	48	661	5.31	5.10	0.4	1.3	21.47	4.57
N6485	Pear	F3, Lv	16	-	4.64	-	1.3	0.6	20.97	4.51

Total			53,686	59,247	5.01	5.08	2.7	2.1	22.05	4.49
--------------	--	--	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

Orsetti

BOS811	Thick	EFH	11,398	12,601	5.05	5.13	1.4	0.8	20.60	4.39
BOS6848	Thick	F3	1,737	24	4.91	5.53	1.4	1.3	20.18	4.45
BOS4680	Thick	-	239	81	5.33	5.34	0.2	0.8	20.28	4.38
BOS4565	Inter	F3	226	79	4.89	5.71	1.2	1.8	21.17	4.41
BOS3842	Early	-	170	639	5.62	5.43	0.9	1.8	21.56	4.46
BOS6845	Early	F3	63	3	5.65	5.17	0.1	3.3	20.45	4.44
BOS5341	Inter	F3	8	-	5.60	-	0.3	2.9	20.25	4.42
BOS8131	Early	-	5	-	5.28	-	0.4	1.3	21.30	4.34
BOS8422	Thick	F3	3	-	5.90	-	1.0	4.2	20.17	4.52
BOS8423	Thick	F3	3	-	5.80	-	1.3	6.2	20.67	4.50

Total			13,852	13,427	5.04	5.15	1.3	0.9	20.56	4.40
--------------	--	--	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

Seminis

SVTM9013	Inter	F3	23,680	12,371	5.14	5.30	1.8	1.8	21.13	4.44
SVTM9016	Thick	F3, EFH	22,370	10,410	5.07	4.98	4.0	0.7	22.05	4.41
SVTM1082	Thin	F3	10,382	7,914	5.64	5.68	1.1	1.7	21.66	4.35
SVTM9014	Inter	F3	9,061	13,135	5.34	5.39	2.1	1.7	20.97	4.45
SVTM9023	Thick	F3, EFH	8,944	6,667	5.22	5.17	2.0	1.6	22.16	4.43
SVTM9027	Early	F3, Lv	8,508	298	5.64	5.51	0.5	0.9	21.09	4.38
SVTM9025	Thick	F3, Fr, EFH	6,930	5,670	5.41	5.21	1.7	1.0	21.99	4.31
SVTM9021	Inter	F3, Fr	4,739	4,500	5.08	5.27	1.2	1.3	21.58	4.39
SVTM9011	Thin	F3	3,632	8,852	5.64	5.89	1.9	1.9	20.97	4.40
SVTM9008	Thick	EFH	3,450	8,199	5.26	5.28	1.6	1.0	21.50	4.36

2022 California Cannery Tomato

Supplier Sort

Final PTAB Report

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2022	2021	2022	2021				

Seminis

SVTM9032	Early	F3, Fr, Lv	2,794	245	5.45	5.31	0.2	1.3	22.21	4.31
SVTM9019	Thin	F3, EFH	2,725	1,622	5.46	5.53	1.5	2.1	22.91	4.28
SVTM9012	Thin	F3	2,675	4,567	5.68	5.70	2.1	2.0	21.24	4.41
DRI319	Thin	-	1,691	9,227	5.50	5.68	3.3	2.3	22.58	4.43
SVTM9028	Thick	F3	1,374	388	5.08	4.81	1.0	1.6	20.71	4.45
SVTM9018	Early	F3, Fr	864	1,809	5.32	4.64	0.4	1.2	21.98	4.32
AB0311	Thin	-	739	3,856	5.80	5.57	1.2	1.5	21.21	4.35
SV8011TM	Inter	-	603	5,332	4.83	5.30	3.6	1.7	21.29	4.47
SVTM9000	Early	Lv	390	3,512	5.00	4.78	0.2	0.6	21.34	4.39
SVTM9037	Thick	F3, EFH, Lv	388	-	5.15	-	3.1	1.6	22.41	4.40
SVTM9024	Thick	F3, EFH	358	11,210	5.10	5.07	2.1	0.8	21.86	4.36
SVTM9038	Thick	F3, EFH	296	-	4.79	-	3.0	1.0	22.11	4.41
SVTM9036	Inter	F3, EFH, Lv	125	-	5.00	-	2.8	2.8	22.39	4.45
SVTM9030	Thick	F3, EFH	48	227	4.71	4.77	3.9	0.2	20.50	4.49
HP108	Pear	-	2	27	4.60	5.15	5.0	3.0	24.25	4.53
SV0599TM	Early	-	1	-	5.80	-	0.0	0.5	22.50	4.42
SVTM9022	Inter	F3	1	-	4.90	-	0.0	2.5	24.00	4.30

Total			116,770	120,038	5.30	5.34	2.0	1.4	21.60	4.40
--------------	--	--	----------------	----------------	-------------	-------------	------------	------------	--------------	-------------

United Genetics

UG29814	Inter	F3, EFH	3,792	2,248	5.35	5.35	3.1	1.3	20.79	4.50
UG16112	Thick	EFH	3,415	4,251	5.06	5.04	1.2	0.7	20.96	4.42
UG16609	Thin	-	205	454	5.55	5.58	0.1	1.9	21.59	4.33
UG29216	Pear	F3	9	-	5.09	-	1.3	8.4	21.39	4.52
UG6517	Thin	F3	3	-	5.23	-	0.5	1.3	24.33	4.44
UG3817	Thin	F3	1	-	5.00	-	1.0	4.5	23.50	4.29
UG6617	Thin	F3	1	-	5.20	-	0.0	1.5	23.50	4.44
UG10217	Thin	F3	1	-	6.50	-	0.5	1.5	21.50	4.37

Total			7,427	6,953	5.22	5.18	2.1	1.0	20.89	4.46
--------------	--	--	--------------	--------------	-------------	-------------	------------	------------	--------------	-------------

Syngenta

BQ273	Early	-	9,583	13,317	5.29	5.22	0.6	1.9	21.29	4.40
BQ403	Early	-	8,398	11,366	5.46	5.42	0.3	2.4	21.28	4.37
BQ400	Early	-	8,191	12,159	5.27	5.27	0.3	1.3	20.36	4.50
BQ413	Early	F3	396	3,576	4.57	4.75	2.2	2.0	21.78	4.56
BQ391	Thick	F3	147	606	5.54	5.05	0.4	1.9	20.33	4.48
BQ604	Inter	F3	25	-	5.26	-	1.1	2.2	21.34	4.40
BQ312	Early	-	1	-	5.20	-	2.0	2.0	20.00	4.50

Total			26,741	41,024	5.33	5.24	0.4	1.9	21.00	4.42
--------------	--	--	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

Statewide			418,842	429,950	5.25	5.23	2.1	1.6	21.48	4.43
------------------	--	--	----------------	----------------	-------------	-------------	------------	------------	--------------	-------------

2022 California Cannery Tomato

Brix History

County	2018	2019	2020	2021	2022	Average
Colusa	4.77	4.88	4.95	4.94	4.68	4.84
Contra Costa	5.25	5.43	5.31	5.24	5.44	5.33
Fresno	5.17	5.25	5.39	5.49	5.58	5.37
Glenn	4.54	4.68	4.93	4.89	4.53	4.71
Kern	4.96	5.01	5.20	4.83	5.09	5.02
Kings	5.17	5.02	5.33	5.33	5.40	5.25
Madera	4.80	4.88	4.88	4.98	4.99	4.91
Merced	4.92	5.07	5.06	5.33	5.27	5.13
Sacramento	5.30	5.35	5.25	5.28	5.26	5.29
San Joaquin	5.17	5.28	5.18	5.16	5.14	5.19
Solano	5.24	5.35	5.18	5.28	5.17	5.24
Stanislaus	5.21	5.17	5.09	5.32	5.25	5.21
Sutter	5.02	5.08	5.01	5.02	4.97	5.02
Yolo	4.87	5.03	4.98	5.01	5.04	4.99
Statewide	5.06	5.13	5.20	5.23	5.25	5.11

% of State Average

County	2018	2019	2020	2021	2022	Average
Colusa	94.2%	95.1%	95.2%	94.4%	89.1%	94.8%
Contra Costa	103.7%	105.8%	102.1%	100.2%	103.8%	104.4%
Fresno	102.1%	102.3%	103.7%	104.9%	106.3%	105.2%
Glenn	89.6%	91.2%	94.8%	93.5%	86.4%	92.3%
Kern	97.9%	97.6%	100.0%	92.4%	97.0%	98.3%
Kings	102.1%	97.8%	102.5%	101.9%	102.9%	102.8%
Madera	94.8%	95.1%	93.9%	95.2%	95.2%	96.1%
Merced	97.1%	98.8%	97.3%	101.9%	100.4%	100.4%
Sacramento	104.7%	104.2%	101.0%	100.9%	100.3%	103.5%
San Joaquin	102.1%	102.9%	99.6%	98.7%	98.0%	101.6%
Solano	103.5%	104.2%	99.6%	101.0%	98.5%	102.7%
Stanislaus	102.9%	100.7%	97.9%	101.6%	100.0%	101.9%
Sutter	99.1%	99.0%	96.4%	96.0%	94.7%	98.3%
Yolo	96.2%	98.0%	95.8%	95.8%	96.2%	97.6%

2022 California Cannery Tomato

Brix Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
HM8163	Pear	7,263	5.93	1.4	1.6	20.61	4.47	12.3%	52.4%	81.4%	95.8%	5
N6402	Thin	4,879	5.82	0.7	2.2	20.42	4.48	16.4%	89.0%	97.2%	100.0%	11
HM5522	Inter	22,895	5.81	1.0	1.0	20.63	4.38	5.9%	51.2%	77.1%	87.9%	4
HM4909	Inter	2,045	5.70	1.4	1.0	22.83	4.28	-	53.5%	94.5%	100.0%	7
SVTM9012	Thin	2,675	5.68	2.1	2.0	21.24	4.41	7.1%	32.4%	65.1%	94.9%	3
HM5511	Thin	7,329	5.66	0.8	4.0	21.34	4.47	16.3%	71.2%	92.3%	99.4%	2
HM3887	Inter	2,260	5.65	1.7	2.5	21.68	4.44	11.7%	71.6%	87.6%	94.6%	8
SVTM9011	Thin	3,632	5.64	1.9	1.9	20.97	4.40	8.9%	44.4%	75.7%	94.4%	3
SVTM9027	Early	8,508	5.64	0.5	0.9	21.09	4.38	25.6%	86.0%	94.5%	95.5%	1
SVTM1082	Thin	10,382	5.64	1.1	1.7	21.66	4.35	-	17.8%	56.2%	89.3%	5
HM7103	Early	8,706	5.57	0.2	1.7	21.09	4.40	57.3%	93.7%	99.5%	100.0%	2
HM4521	Inter	9,333	5.53	2.0	0.8	21.34	4.40	0.6%	38.3%	69.4%	84.8%	5
DRI319	Thin	1,691	5.50	3.3	2.3	22.58	4.43	-	-	27.4%	77.5%	12
BQ403	Early	8,398	5.46	0.3	2.4	21.28	4.37	66.3%	99.1%	100.0%	100.0%	6
BP43	Thin	4,927	5.46	2.2	1.3	21.39	4.47	1.5%	11.4%	38.7%	77.3%	5
SVTM9019	Thin	2,725	5.46	1.5	2.1	22.91	4.28	6.3%	25.9%	56.2%	81.5%	2
SVTM9032	Early	2,794	5.45	0.2	1.3	22.21	4.31	17.8%	96.7%	99.6%	100.0%	1
BP74	Thin	7,223	5.44	2.7	1.6	20.99	4.47	-	3.0%	17.8%	68.9%	2
HM8268	Inter	3,996	5.42	1.5	2.2	20.78	4.45	-	13.2%	54.2%	82.7%	1
SVTM9025	Thick	6,930	5.41	1.7	1.0	21.99	4.31	1.6%	18.5%	49.5%	74.7%	2
H1776	Thick	4,592	5.40	0.7	1.0	21.07	4.44	-	24.3%	77.0%	92.6%	4
UG29814	Inter	3,792	5.35	3.1	1.3	20.79	4.50	-	-	16.0%	86.7%	3
SVTM9014	Inter	9,061	5.34	2.1	1.7	20.97	4.45	5.6%	24.0%	63.3%	80.0%	3
BQ273	Early	9,583	5.29	0.6	1.9	21.29	4.40	46.3%	90.5%	92.1%	95.5%	8
N6366	Thin	2,668	5.28	1.2	2.9	20.99	4.45	41.1%	79.4%	87.2%	97.4%	18
BQ400	Early	8,191	5.27	0.3	1.3	20.36	4.50	77.0%	96.9%	100.0%	100.0%	6
SVTM9008	Thick	3,450	5.26	1.6	1.0	21.50	4.36	-	14.8%	44.3%	63.5%	4
SVTM9023	Thick	8,944	5.22	2.0	1.6	22.16	4.43	0.4%	23.8%	44.1%	69.0%	2
HM58841	Inter	33,686	5.21	3.9	1.0	21.85	4.45	-	5.2%	30.7%	61.5%	6
H2012	Inter	1,435	5.18	0.7	2.1	22.63	4.47	-	-	9.1%	83.4%	1
HM5235	Inter	3,723	5.16	1.3	2.4	21.10	4.43	-	39.1%	94.7%	100.0%	6

2022 California Cannery Tomato

Brix Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
SVTM9013	Inter	23,680	5.14	1.8	1.8	21.13	4.44	3.5%	18.3%	51.8%	79.4%	3
HM8237	Inter	3,149	5.14	2.0	0.9	21.96	4.39	-	17.7%	40.6%	62.6%	1
N6474	Thin	1,412	5.13	2.7	1.5	22.47	4.46	-	7.6%	49.5%	77.1%	1
N6420	Pear	1,631	5.11	1.6	2.2	22.04	4.56	-	19.7%	53.9%	94.8%	8
H5608	Thick	10,702	5.10	1.1	1.5	20.39	4.45	38.1%	90.9%	97.9%	99.2%	14
H1662	Thick	15,928	5.10	3.0	1.9	22.30	4.45	1.6%	6.4%	31.6%	66.8%	5
SVTM9021	Inter	4,739	5.08	1.2	1.3	21.58	4.39	-	17.5%	68.9%	97.7%	2
SVTM9028	Thick	1,374	5.08	1.0	1.6	20.71	4.45	-	0.3%	27.8%	86.6%	1
SVTM9016	Thick	22,370	5.07	4.0	0.7	22.05	4.41	-	3.2%	20.1%	62.7%	3
H1996	Thick	9,711	5.07	2.3	1.3	21.30	4.45	-	5.6%	20.3%	73.4%	2
UG16112	Thick	3,415	5.06	1.2	0.7	20.96	4.42	4.0%	19.7%	43.5%	74.3%	6
BOS811	Thick	11,398	5.05	1.4	0.8	20.60	4.39	3.6%	33.7%	66.5%	79.3%	5
H1015	Early	1,390	5.00	0.7	1.9	21.76	4.46	-	61.1%	100.0%	100.0%	11
Misc	Misc	1,557	5.00	1.9	1.1	21.99	4.39	4.7%	14.1%	23.7%	28.6%	-
N6416	Early	3,053	4.97	0.5	1.5	21.30	4.38	94.5%	100.0%	100.0%	100.0%	8
HM9905	Inter	1,892	4.97	1.2	0.9	21.00	4.48	-	-	-	6.7%	12
BP88	Pear	1,248	4.92	2.6	2.4	21.38	4.52	-	5.8%	23.4%	79.8%	1
BP13	Early	2,504	4.92	0.5	2.0	21.86	4.37	-	66.5%	100.0%	100.0%	7
N6434	Inter	4,506	4.92	2.0	2.5	23.12	4.49	0.1%	16.9%	73.0%	89.6%	5
BOS6848	Thick	1,737	4.91	1.4	1.3	20.18	4.45	-	14.0%	71.3%	97.6%	1
N6428	Inter	29,137	4.89	3.6	2.2	22.44	4.50	-	10.3%	52.1%	69.4%	6
H5508	Thick	1,177	4.88	1.3	0.6	21.15	4.35	-	-	-	58.5%	13
H2010	Inter	1,504	4.88	7.2	2.2	21.29	4.47	-	-	8.2%	28.1%	1
H1991	Thick	1,353	4.84	4.2	3.2	20.56	4.46	-	1.8%	45.9%	89.7%	2
CXD187	Early	1,715	4.79	1.3	2.3	20.78	4.40	78.8%	100.0%	100.0%	100.0%	25
N6475	Thick	4,589	4.77	3.1	1.0	21.56	4.54	-	11.6%	37.4%	72.2%	1
H2016	Thick	2,014	4.77	2.5	1.9	20.89	4.42	8.7%	12.5%	21.9%	77.6%	1
H4707	Thick	8,419	4.76	2.4	1.2	23.01	4.47	-	-	41.3%	73.2%	14
H1428	Thick	2,789	4.72	3.3	1.1	21.48	4.48	-	-	24.2%	61.0%	7
H2015	Thick	5,670	4.45	5.7	1.7	20.46	4.48	-	-	3.0%	60.7%	1

* All Varieties Over 1,000 Loads

2022 California Cannery Tomato

Mold Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
HM7103	Early	8,706	5.57	0.18	1.7	21.09	4.40	57.3%	93.7%	99.5%	100.0%	2
SVTM9032	Early	2,794	5.45	0.25	1.3	22.21	4.31	17.8%	96.7%	99.6%	100.0%	1
BQ400	Early	8,191	5.27	0.26	1.3	20.36	4.50	77.0%	96.9%	100.0%	100.0%	6
BQ403	Early	8,398	5.46	0.32	2.4	21.28	4.37	66.3%	99.1%	100.0%	100.0%	6
SVTM9027	Early	8,508	5.64	0.46	0.9	21.09	4.38	25.6%	86.0%	94.5%	95.5%	1
N6416	Early	3,053	4.97	0.47	1.5	21.30	4.38	94.5%	100.0%	100.0%	100.0%	8
BP13	Early	2,504	4.92	0.54	2.0	21.86	4.37	-	66.5%	100.0%	100.0%	7
BQ273	Early	9,583	5.29	0.60	1.9	21.29	4.40	46.3%	90.5%	92.1%	95.5%	8
H1015	Early	1,390	5.00	0.65	1.9	21.76	4.46	-	61.1%	100.0%	100.0%	11
H2012	Inter	1,435	5.18	0.69	2.1	22.63	4.47	-	-	9.1%	83.4%	1
H1776	Thick	4,592	5.40	0.71	1.0	21.07	4.44	-	24.3%	77.0%	92.6%	4
N6402	Thin	4,879	5.82	0.73	2.2	20.42	4.48	16.4%	89.0%	97.2%	100.0%	11
HM5511	Thin	7,329	5.66	0.85	4.0	21.34	4.47	16.3%	71.2%	92.3%	99.4%	2
SVTM9028	Thick	1,374	5.08	0.96	1.6	20.71	4.45	-	0.3%	27.8%	86.6%	1
HM5522	Inter	22,895	5.81	0.99	1.0	20.63	4.38	5.9%	51.2%	77.1%	87.9%	4
H5608	Thick	10,702	5.10	1.08	1.5	20.39	4.45	38.1%	90.9%	97.9%	99.2%	14
SVTM1082	Thin	10,382	5.64	1.10	1.7	21.66	4.35	-	17.8%	56.2%	89.3%	5
UG16112	Thick	3,415	5.06	1.17	0.7	20.96	4.42	4.0%	19.7%	43.5%	74.3%	6
SVTM9021	Inter	4,739	5.08	1.18	1.3	21.58	4.39	-	17.5%	68.9%	97.7%	2
N6366	Thin	2,668	5.28	1.20	2.9	20.99	4.45	41.1%	79.4%	87.2%	97.4%	18
HM9905	Inter	1,892	4.97	1.24	0.9	21.00	4.48	-	-	-	6.7%	12
H5508	Thick	1,177	4.88	1.29	0.6	21.15	4.35	-	-	-	58.5%	13
HM5235	Inter	3,723	5.16	1.33	2.4	21.10	4.43	-	39.1%	94.7%	100.0%	6
CXD187	Early	1,715	4.79	1.33	2.3	20.78	4.40	78.8%	100.0%	100.0%	100.0%	25
BOS6848	Thick	1,737	4.91	1.36	1.3	20.18	4.45	-	14.0%	71.3%	97.6%	1
BOS811	Thick	11,398	5.05	1.38	0.8	20.60	4.39	3.6%	33.7%	66.5%	79.3%	5
HM8163	Pear	7,263	5.93	1.40	1.6	20.61	4.47	12.3%	52.4%	81.4%	95.8%	5
HM4909	Inter	2,045	5.70	1.41	1.0	22.83	4.28	-	53.5%	94.5%	100.0%	7
SVTM9019	Thin	2,725	5.46	1.48	2.1	22.91	4.28	6.3%	25.9%	56.2%	81.5%	2
HM8268	Inter	3,996	5.42	1.52	2.2	20.78	4.45	-	13.2%	54.2%	82.7%	1
SVTM9008	Thick	3,450	5.26	1.60	1.0	21.50	4.36	-	14.8%	44.3%	63.5%	4

2022 California Cannery Tomato

Mold Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
N6420	Pear	1,631	5.11	1.62	2.2	22.04	4.56	-	19.7%	53.9%	94.8%	8
SVTM9025	Thick	6,930	5.41	1.68	1.0	21.99	4.31	1.6%	18.5%	49.5%	74.7%	2
HM3887	Inter	2,260	5.65	1.70	2.5	21.68	4.44	11.7%	71.6%	87.6%	94.6%	8
SVTM9013	Inter	23,680	5.14	1.84	1.8	21.13	4.44	3.5%	18.3%	51.8%	79.4%	3
SVTM9011	Thin	3,632	5.64	1.86	1.9	20.97	4.40	8.9%	44.4%	75.7%	94.4%	3
Misc	Misc	1,557	5.00	1.87	1.1	21.99	4.39	4.7%	14.1%	23.7%	28.6%	-
HM4521	Inter	9,333	5.53	1.96	0.8	21.34	4.40	0.6%	38.3%	69.4%	84.8%	5
HM8237	Inter	3,149	5.14	1.97	0.9	21.96	4.39	-	17.7%	40.6%	62.6%	1
N6434	Inter	4,506	4.92	2.04	2.5	23.12	4.49	0.1%	16.9%	73.0%	89.6%	5
SVTM9023	Thick	8,944	5.22	2.04	1.6	22.16	4.43	0.4%	23.8%	44.1%	69.0%	2
SVTM9012	Thin	2,675	5.68	2.11	2.0	21.24	4.41	7.1%	32.4%	65.1%	94.9%	3
SVTM9014	Inter	9,061	5.34	2.13	1.7	20.97	4.45	5.6%	24.0%	63.3%	80.0%	3
BP43	Thin	4,927	5.46	2.24	1.3	21.39	4.47	1.5%	11.4%	38.7%	77.3%	5
H1996	Thick	9,711	5.07	2.34	1.3	21.30	4.45	-	5.6%	20.3%	73.4%	2
H4707	Thick	8,419	4.76	2.40	1.2	23.01	4.47	-	-	41.3%	73.2%	14
H2016	Thick	2,014	4.77	2.45	1.9	20.89	4.42	8.7%	12.5%	21.9%	77.6%	1
BP88	Pear	1,248	4.92	2.60	2.4	21.38	4.52	-	5.8%	23.4%	79.8%	1
BP74	Thin	7,223	5.44	2.67	1.6	20.99	4.47	-	3.0%	17.8%	68.9%	2
N6474	Thin	1,412	5.13	2.74	1.5	22.47	4.46	-	7.6%	49.5%	77.1%	1
H1662	Thick	15,928	5.10	3.05	1.9	22.30	4.45	1.6%	6.4%	31.6%	66.8%	5
N6475	Thick	4,589	4.77	3.07	1.0	21.56	4.54	-	11.6%	37.4%	72.2%	1
UG29814	Inter	3,792	5.35	3.08	1.3	20.79	4.50	-	-	16.0%	86.7%	3
H1428	Thick	2,789	4.72	3.32	1.1	21.48	4.48	-	-	24.2%	61.0%	7
DRI319	Thin	1,691	5.50	3.34	2.3	22.58	4.43	-	-	27.4%	77.5%	12
N6428	Inter	29,137	4.89	3.65	2.2	22.44	4.50	-	10.3%	52.1%	69.4%	6
HM58841	Inter	33,686	5.21	3.90	1.0	21.85	4.45	-	5.2%	30.7%	61.5%	6
SVTM9016	Thick	22,370	5.07	3.95	0.7	22.05	4.41	-	3.2%	20.1%	62.7%	3
H1991	Thick	1,353	4.84	4.20	3.2	20.56	4.46	-	1.8%	45.9%	89.7%	2
H2015	Thick	5,670	4.45	5.75	1.7	20.46	4.48	-	-	3.0%	60.7%	1
H2010	Inter	1,504	4.88	7.22	2.2	21.29	4.47	-	-	8.2%	28.1%	1

* All Varieties Over 1,000 Loads

2022 California Cannery Tomato

Limited Use Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
H5508	Thick	1,177	4.88	1.3	0.63	21.15	4.35	-	-	-	58.5%	13
UG16112	Thick	3,415	5.06	1.2	0.68	20.96	4.42	4.0%	19.7%	43.5%	74.3%	6
SVTM9016	Thick	22,370	5.07	4.0	0.72	22.05	4.41	-	3.2%	20.1%	62.7%	3
HM4521	Inter	9,333	5.53	2.0	0.84	21.34	4.40	0.6%	38.3%	69.4%	84.8%	5
BOS811	Thick	11,398	5.05	1.4	0.85	20.60	4.39	3.6%	33.7%	66.5%	79.3%	5
HM9905	Inter	1,892	4.97	1.2	0.86	21.00	4.48	-	-	-	6.7%	12
HM8237	Inter	3,149	5.14	2.0	0.89	21.96	4.39	-	17.7%	40.6%	62.6%	1
SVTM9027	Early	8,508	5.64	0.5	0.93	21.09	4.38	25.6%	86.0%	94.5%	95.5%	1
HM4909	Inter	2,045	5.70	1.4	0.96	22.83	4.28	-	53.5%	94.5%	100.0%	7
HM5522	Inter	22,895	5.81	1.0	0.97	20.63	4.38	5.9%	51.2%	77.1%	87.9%	4
SVTM9025	Thick	6,930	5.41	1.7	0.98	21.99	4.31	1.6%	18.5%	49.5%	74.7%	2
HM58841	Inter	33,686	5.21	3.9	1.00	21.85	4.45	-	5.2%	30.7%	61.5%	6
N6475	Thick	4,589	4.77	3.1	1.01	21.56	4.54	-	11.6%	37.4%	72.2%	1
H1776	Thick	4,592	5.40	0.7	1.02	21.07	4.44	-	24.3%	77.0%	92.6%	4
SVTM9008	Thick	3,450	5.26	1.6	1.04	21.50	4.36	-	14.8%	44.3%	63.5%	4
H1428	Thick	2,789	4.72	3.3	1.12	21.48	4.48	-	-	24.2%	61.0%	7
Misc	Misc	1,557	5.00	1.9	1.14	21.99	4.39	4.7%	14.1%	23.7%	28.6%	-
H4707	Thick	8,419	4.76	2.4	1.18	23.01	4.47	-	-	41.3%	73.2%	14
BOS6848	Thick	1,737	4.91	1.4	1.26	20.18	4.45	-	14.0%	71.3%	97.6%	1
UG29814	Inter	3,792	5.35	3.1	1.29	20.79	4.50	-	-	16.0%	86.7%	3
SVTM9032	Early	2,794	5.45	0.2	1.29	22.21	4.31	17.8%	96.7%	99.6%	100.0%	1
BQ400	Early	8,191	5.27	0.3	1.30	20.36	4.50	77.0%	96.9%	100.0%	100.0%	6
SVTM9021	Inter	4,739	5.08	1.2	1.33	21.58	4.39	-	17.5%	68.9%	97.7%	2
H1996	Thick	9,711	5.07	2.3	1.35	21.30	4.45	-	5.6%	20.3%	73.4%	2
BP43	Thin	4,927	5.46	2.2	1.35	21.39	4.47	1.5%	11.4%	38.7%	77.3%	5
N6474	Thin	1,412	5.13	2.7	1.47	22.47	4.46	-	7.6%	49.5%	77.1%	1
H5608	Thick	10,702	5.10	1.1	1.50	20.39	4.45	38.1%	90.9%	97.9%	99.2%	14
N6416	Early	3,053	4.97	0.5	1.50	21.30	4.38	94.5%	100.0%	100.0%	100.0%	8
HM8163	Pear	7,263	5.93	1.4	1.56	20.61	4.47	12.3%	52.4%	81.4%	95.8%	5
BP74	Thin	7,223	5.44	2.7	1.59	20.99	4.47	-	3.0%	17.8%	68.9%	2
SVTM9028	Thick	1,374	5.08	1.0	1.63	20.71	4.45	-	0.3%	27.8%	86.6%	1

2022 California Cannery Tomato

Limited Use Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
SVTM9023	Thick	8,944	5.22	2.0	1.63	22.16	4.43	0.4%	23.8%	44.1%	69.0%	2
HM7103	Early	8,706	5.57	0.2	1.69	21.09	4.40	57.3%	93.7%	99.5%	100.0%	2
H2015	Thick	5,670	4.45	5.7	1.69	20.46	4.48	-	-	3.0%	60.7%	1
SVTM1082	Thin	10,382	5.64	1.1	1.70	21.66	4.35	-	17.8%	56.2%	89.3%	5
SVTM9014	Inter	9,061	5.34	2.1	1.74	20.97	4.45	5.6%	24.0%	63.3%	80.0%	3
SVTM9013	Inter	23,680	5.14	1.8	1.81	21.13	4.44	3.5%	18.3%	51.8%	79.4%	3
H2016	Thick	2,014	4.77	2.5	1.85	20.89	4.42	8.7%	12.5%	21.9%	77.6%	1
H1015	Early	1,390	5.00	0.7	1.88	21.76	4.46	-	61.1%	100.0%	100.0%	11
BQ273	Early	9,583	5.29	0.6	1.90	21.29	4.40	46.3%	90.5%	92.1%	95.5%	8
H1662	Thick	15,928	5.10	3.0	1.95	22.30	4.45	1.6%	6.4%	31.6%	66.8%	5
SVTM9011	Thin	3,632	5.64	1.9	1.95	20.97	4.40	8.9%	44.4%	75.7%	94.4%	3
SVTM9012	Thin	2,675	5.68	2.1	1.96	21.24	4.41	7.1%	32.4%	65.1%	94.9%	3
BP13	Early	2,504	4.92	0.5	2.01	21.86	4.37	-	66.5%	100.0%	100.0%	7
SVTM9019	Thin	2,725	5.46	1.5	2.10	22.91	4.28	6.3%	25.9%	56.2%	81.5%	2
H2012	Inter	1,435	5.18	0.7	2.10	22.63	4.47	-	-	9.1%	83.4%	1
H2010	Inter	1,504	4.88	7.2	2.21	21.29	4.47	-	-	8.2%	28.1%	1
N6428	Inter	29,137	4.89	3.6	2.21	22.44	4.50	-	10.3%	52.1%	69.4%	6
N6420	Pear	1,631	5.11	1.6	2.21	22.04	4.56	-	19.7%	53.9%	94.8%	8
HM8268	Inter	3,996	5.42	1.5	2.23	20.78	4.45	-	13.2%	54.2%	82.7%	1
N6402	Thin	4,879	5.82	0.7	2.23	20.42	4.48	16.4%	89.0%	97.2%	100.0%	11
CXD187	Early	1,715	4.79	1.3	2.29	20.78	4.40	78.8%	100.0%	100.0%	100.0%	25
DRI319	Thin	1,691	5.50	3.3	2.35	22.58	4.43	-	-	27.4%	77.5%	12
HM5235	Inter	3,723	5.16	1.3	2.36	21.10	4.43	-	39.1%	94.7%	100.0%	6
BP88	Pear	1,248	4.92	2.6	2.37	21.38	4.52	-	5.8%	23.4%	79.8%	1
BQ403	Early	8,398	5.46	0.3	2.38	21.28	4.37	66.3%	99.1%	100.0%	100.0%	6
N6434	Inter	4,506	4.92	2.0	2.49	23.12	4.49	0.1%	16.9%	73.0%	89.6%	5
HM3887	Inter	2,260	5.65	1.7	2.53	21.68	4.44	11.7%	71.6%	87.6%	94.6%	8
N6366	Thin	2,668	5.28	1.2	2.93	20.99	4.45	41.1%	79.4%	87.2%	97.4%	18
H1991	Thick	1,353	4.84	4.2	3.22	20.56	4.46	-	1.8%	45.9%	89.7%	2
HM5511	Thin	7,329	5.66	0.8	4.02	21.34	4.47	16.3%	71.2%	92.3%	99.4%	2

* All Varieties Over 1,000 Loads

2022 California Cannery Tomato

Color History

County	2018	2019	2020	2021	2022	Average
Colusa	21.87	21.02	21.79	21.89	22.17	21.75
Contra Costa	20.67	20.53	20.69	20.34	21.22	20.69
Fresno	21.18	21.01	20.99	20.68	21.13	21.00
Glenn	21.70	21.26	22.58	23.06	22.55	22.23
Kern	21.34	21.33	20.73	20.91	21.07	21.08
Kings	21.55	20.98	20.84	20.83	20.95	21.03
Madera	21.42	20.95	21.29	21.26	21.72	21.33
Merced	21.44	21.33	21.39	21.15	21.64	21.39
Sacramento	21.55	21.49	21.16	21.43	21.55	21.44
San Joaquin	21.28	21.49	20.92	21.24	21.42	21.27
Solano	21.51	20.77	21.27	21.28	22.07	21.38
Stanislaus	21.15	21.00	20.90	20.92	21.18	21.03
Sutter	21.85	21.61	21.91	22.17	22.38	21.98
Yolo	21.46	21.43	21.44	21.18	21.99	21.50
Statewide	21.37	21.11	21.17	21.09	21.48	21.36

% of State Average

County	2018	2019	2020	2021	2022	Average
Colusa	97.8%	100.4%	97.1%	96.4%	96.9%	98.2%
Contra Costa	103.4%	102.8%	102.3%	103.7%	101.2%	103.3%
Fresno	100.9%	100.5%	100.9%	102.0%	101.6%	101.7%
Glenn	98.5%	99.3%	93.7%	91.4%	95.2%	96.1%
Kern	100.2%	99.0%	102.1%	100.9%	101.9%	101.4%
Kings	99.2%	100.6%	101.6%	101.2%	102.5%	101.6%
Madera	99.8%	100.8%	99.4%	99.2%	98.9%	100.2%
Merced	99.7%	98.9%	99.0%	99.7%	99.3%	99.9%
Sacramento	99.2%	98.2%	100.1%	98.4%	99.7%	99.7%
San Joaquin	100.4%	98.2%	101.2%	99.3%	100.3%	100.4%
Solano	99.4%	101.6%	99.5%	99.1%	97.3%	99.9%
Stanislaus	101.1%	100.5%	101.3%	100.8%	101.4%	101.6%
Sutter	97.8%	97.7%	96.6%	95.1%	96.0%	97.2%
Yolo	99.6%	98.5%	98.7%	99.6%	97.6%	99.4%

2022 California Cannery Tomato

Color Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
BOS6848	Thick	1,737	4.91	1.4	1.3	20.18	4.45	-	14.0%	71.3%	97.6%	1
BQ400	Early	8,191	5.27	0.3	1.3	20.36	4.50	77.0%	96.9%	100.0%	100.0%	6
H5608	Thick	10,702	5.10	1.1	1.5	20.39	4.45	38.1%	90.9%	97.9%	99.2%	14
N6402	Thin	4,879	5.82	0.7	2.2	20.42	4.48	16.4%	89.0%	97.2%	100.0%	11
H2015	Thick	5,670	4.45	5.7	1.7	20.46	4.48	-	-	3.0%	60.7%	1
H1991	Thick	1,353	4.84	4.2	3.2	20.56	4.46	-	1.8%	45.9%	89.7%	2
BOS811	Thick	11,398	5.05	1.4	0.8	20.60	4.39	3.6%	33.7%	66.5%	79.3%	5
HM8163	Pear	7,263	5.93	1.4	1.6	20.61	4.47	12.3%	52.4%	81.4%	95.8%	5
HM5522	Inter	22,895	5.81	1.0	1.0	20.63	4.38	5.9%	51.2%	77.1%	87.9%	4
SVTM9028	Thick	1,374	5.08	1.0	1.6	20.71	4.45	-	0.3%	27.8%	86.6%	1
HM8268	Inter	3,996	5.42	1.5	2.2	20.78	4.45	-	13.2%	54.2%	82.7%	1
CXD187	Early	1,715	4.79	1.3	2.3	20.78	4.40	78.8%	100.0%	100.0%	100.0%	25
UG29814	Inter	3,792	5.35	3.1	1.3	20.79	4.50	-	-	16.0%	86.7%	3
H2016	Thick	2,014	4.77	2.5	1.9	20.89	4.42	8.7%	12.5%	21.9%	77.6%	1
UG16112	Thick	3,415	5.06	1.2	0.7	20.96	4.42	4.0%	19.7%	43.5%	74.3%	6
SVTM9011	Thin	3,632	5.64	1.9	1.9	20.97	4.40	8.9%	44.4%	75.7%	94.4%	3
SVTM9014	Inter	9,061	5.34	2.1	1.7	20.97	4.45	5.6%	24.0%	63.3%	80.0%	3
BP74	Thin	7,223	5.44	2.7	1.6	20.99	4.47	-	3.0%	17.8%	68.9%	2
N6366	Thin	2,668	5.28	1.2	2.9	20.99	4.45	41.1%	79.4%	87.2%	97.4%	18
HM9905	Inter	1,892	4.97	1.2	0.9	21.00	4.48	-	-	-	6.7%	12
H1776	Thick	4,592	5.40	0.7	1.0	21.07	4.44	-	24.3%	77.0%	92.6%	4
HM7103	Early	8,706	5.57	0.2	1.7	21.09	4.40	57.3%	93.7%	99.5%	100.0%	2
SVTM9027	Early	8,508	5.64	0.5	0.9	21.09	4.38	25.6%	86.0%	94.5%	95.5%	1
HM5235	Inter	3,723	5.16	1.3	2.4	21.10	4.43	-	39.1%	94.7%	100.0%	6
SVTM9013	Inter	23,680	5.14	1.8	1.8	21.13	4.44	3.5%	18.3%	51.8%	79.4%	3
H5508	Thick	1,177	4.88	1.3	0.6	21.15	4.35	-	-	-	58.5%	13
SVTM9012	Thin	2,675	5.68	2.1	2.0	21.24	4.41	7.1%	32.4%	65.1%	94.9%	3
BQ403	Early	8,398	5.46	0.3	2.4	21.28	4.37	66.3%	99.1%	100.0%	100.0%	6
BQ273	Early	9,583	5.29	0.6	1.9	21.29	4.40	46.3%	90.5%	92.1%	95.5%	8
H2010	Inter	1,504	4.88	7.2	2.2	21.29	4.47	-	-	8.2%	28.1%	1
N6416	Early	3,053	4.97	0.5	1.5	21.30	4.38	94.5%	100.0%	100.0%	100.0%	8

2022 California Cannery Tomato

Color Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
H1996	Thick	9,711	5.07	2.3	1.3	21.30	4.45	-	5.6%	20.3%	73.4%	2
HM5511	Thin	7,329	5.66	0.8	4.0	21.34	4.47	16.3%	71.2%	92.3%	99.4%	2
HM4521	Inter	9,333	5.53	2.0	0.8	21.34	4.40	0.6%	38.3%	69.4%	84.8%	5
BP88	Pear	1,248	4.92	2.6	2.4	21.38	4.52	-	5.8%	23.4%	79.8%	1
BP43	Thin	4,927	5.46	2.2	1.3	21.39	4.47	1.5%	11.4%	38.7%	77.3%	5
H1428	Thick	2,789	4.72	3.3	1.1	21.48	4.48	-	-	24.2%	61.0%	7
SVTM9008	Thick	3,450	5.26	1.6	1.0	21.50	4.36	-	14.8%	44.3%	63.5%	4
N6475	Thick	4,589	4.77	3.1	1.0	21.56	4.54	-	11.6%	37.4%	72.2%	1
SVTM9021	Inter	4,739	5.08	1.2	1.3	21.58	4.39	-	17.5%	68.9%	97.7%	2
SVTM1082	Thin	10,382	5.64	1.1	1.7	21.66	4.35	-	17.8%	56.2%	89.3%	5
HM3887	Inter	2,260	5.65	1.7	2.5	21.68	4.44	11.7%	71.6%	87.6%	94.6%	8
H1015	Early	1,390	5.00	0.7	1.9	21.76	4.46	-	61.1%	100.0%	100.0%	11
HM58841	Inter	33,686	5.21	3.9	1.0	21.85	4.45	-	5.2%	30.7%	61.5%	6
BP13	Early	2,504	4.92	0.5	2.0	21.86	4.37	-	66.5%	100.0%	100.0%	7
HM8237	Inter	3,149	5.14	2.0	0.9	21.96	4.39	-	17.7%	40.6%	62.6%	1
SVTM9025	Thick	6,930	5.41	1.7	1.0	21.99	4.31	1.6%	18.5%	49.5%	74.7%	2
Misc	Misc	1,557	5.00	1.9	1.1	21.99	4.39	4.7%	14.1%	23.7%	28.6%	-
N6420	Pear	1,631	5.11	1.6	2.2	22.04	4.56	-	19.7%	53.9%	94.8%	8
SVTM9016	Thick	22,370	5.07	4.0	0.7	22.05	4.41	-	3.2%	20.1%	62.7%	3
SVTM9023	Thick	8,944	5.22	2.0	1.6	22.16	4.43	0.4%	23.8%	44.1%	69.0%	2
SVTM9032	Early	2,794	5.45	0.2	1.3	22.21	4.31	17.8%	96.7%	99.6%	100.0%	1
H1662	Thick	15,928	5.10	3.0	1.9	22.30	4.45	1.6%	6.4%	31.6%	66.8%	5
N6428	Inter	29,137	4.89	3.6	2.2	22.44	4.50	-	10.3%	52.1%	69.4%	6
N6474	Thin	1,412	5.13	2.7	1.5	22.47	4.46	-	7.6%	49.5%	77.1%	1
DRI319	Thin	1,691	5.50	3.3	2.3	22.58	4.43	-	-	27.4%	77.5%	12
H2012	Inter	1,435	5.18	0.7	2.1	22.63	4.47	-	-	9.1%	83.4%	1
HM4909	Inter	2,045	5.70	1.4	1.0	22.83	4.28	-	53.5%	94.5%	100.0%	7
SVTM9019	Thin	2,725	5.46	1.5	2.1	22.91	4.28	6.3%	25.9%	56.2%	81.5%	2
H4707	Thick	8,419	4.76	2.4	1.2	23.01	4.47	-	-	41.3%	73.2%	14
N6434	Inter	4,506	4.92	2.0	2.5	23.12	4.49	0.1%	16.9%	73.0%	89.6%	5

* All Varieties Over 1,000 Loads

2022 California Cannery Tomato

pH Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
HM4909	Inter	2,045	5.70	1.4	1.0	22.83	4.28	-	53.5%	94.5%	100.0%	7
SVTM9019	Thin	2,725	5.46	1.5	2.1	22.91	4.28	6.3%	25.9%	56.2%	81.5%	2
SVTM9032	Early	2,794	5.45	0.2	1.3	22.21	4.31	17.8%	96.7%	99.6%	100.0%	1
SVTM9025	Thick	6,930	5.41	1.7	1.0	21.99	4.31	1.6%	18.5%	49.5%	74.7%	2
SVTM1082	Thin	10,382	5.64	1.1	1.7	21.66	4.35	-	17.8%	56.2%	89.3%	5
H5508	Thick	1,177	4.88	1.3	0.6	21.15	4.35	-	-	-	58.5%	13
SVTM9008	Thick	3,450	5.26	1.6	1.0	21.50	4.36	-	14.8%	44.3%	63.5%	4
BQ403	Early	8,398	5.46	0.3	2.4	21.28	4.37	66.3%	99.1%	100.0%	100.0%	6
BP13	Early	2,504	4.92	0.5	2.0	21.86	4.37	-	66.5%	100.0%	100.0%	7
N6416	Early	3,053	4.97	0.5	1.5	21.30	4.38	94.5%	100.0%	100.0%	100.0%	8
HM5522	Inter	22,895	5.81	1.0	1.0	20.63	4.38	5.9%	51.2%	77.1%	87.9%	4
SVTM9027	Early	8,508	5.64	0.5	0.9	21.09	4.38	25.6%	86.0%	94.5%	95.5%	1
SVTM9021	Inter	4,739	5.08	1.2	1.3	21.58	4.39	-	17.5%	68.9%	97.7%	2
BOS811	Thick	11,398	5.05	1.4	0.8	20.60	4.39	3.6%	33.7%	66.5%	79.3%	5
HM8237	Inter	3,149	5.14	2.0	0.9	21.96	4.39	-	17.7%	40.6%	62.6%	1
Misc	Misc	1,557	5.00	1.9	1.1	21.99	4.39	4.7%	14.1%	23.7%	28.6%	-
HM7103	Early	8,706	5.57	0.2	1.7	21.09	4.40	57.3%	93.7%	99.5%	100.0%	2
CXD187	Early	1,715	4.79	1.3	2.3	20.78	4.40	78.8%	100.0%	100.0%	100.0%	25
SVTM9011	Thin	3,632	5.64	1.9	1.9	20.97	4.40	8.9%	44.4%	75.7%	94.4%	3
HM4521	Inter	9,333	5.53	2.0	0.8	21.34	4.40	0.6%	38.3%	69.4%	84.8%	5
BQ273	Early	9,583	5.29	0.6	1.9	21.29	4.40	46.3%	90.5%	92.1%	95.5%	8
SVTM9016	Thick	22,370	5.07	4.0	0.7	22.05	4.41	-	3.2%	20.1%	62.7%	3
SVTM9012	Thin	2,675	5.68	2.1	2.0	21.24	4.41	7.1%	32.4%	65.1%	94.9%	3
UG16112	Thick	3,415	5.06	1.2	0.7	20.96	4.42	4.0%	19.7%	43.5%	74.3%	6
H2016	Thick	2,014	4.77	2.5	1.9	20.89	4.42	8.7%	12.5%	21.9%	77.6%	1
SVTM9023	Thick	8,944	5.22	2.0	1.6	22.16	4.43	0.4%	23.8%	44.1%	69.0%	2
DRI319	Thin	1,691	5.50	3.3	2.3	22.58	4.43	-	-	27.4%	77.5%	12
HM5235	Inter	3,723	5.16	1.3	2.4	21.10	4.43	-	39.1%	94.7%	100.0%	6
H1776	Thick	4,592	5.40	0.7	1.0	21.07	4.44	-	24.3%	77.0%	92.6%	4
HM3887	Inter	2,260	5.65	1.7	2.5	21.68	4.44	11.7%	71.6%	87.6%	94.6%	8
SVTM9013	Inter	23,680	5.14	1.8	1.8	21.13	4.44	3.5%	18.3%	51.8%	79.4%	3

2022 California Cannery Tomato

pH Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
H1996	Thick	9,711	5.07	2.3	1.3	21.30	4.45	-	5.6%	20.3%	73.4%	2
HM8268	Inter	3,996	5.42	1.5	2.2	20.78	4.45	-	13.2%	54.2%	82.7%	1
BOS6848	Thick	1,737	4.91	1.4	1.3	20.18	4.45	-	14.0%	71.3%	97.6%	1
SVTM9014	Inter	9,061	5.34	2.1	1.7	20.97	4.45	5.6%	24.0%	63.3%	80.0%	3
HM58841	Inter	33,686	5.21	3.9	1.0	21.85	4.45	-	5.2%	30.7%	61.5%	6
H5608	Thick	10,702	5.10	1.1	1.5	20.39	4.45	38.1%	90.9%	97.9%	99.2%	14
H1662	Thick	15,928	5.10	3.0	1.9	22.30	4.45	1.6%	6.4%	31.6%	66.8%	5
SVTM9028	Thick	1,374	5.08	1.0	1.6	20.71	4.45	-	0.3%	27.8%	86.6%	1
N6366	Thin	2,668	5.28	1.2	2.9	20.99	4.45	41.1%	79.4%	87.2%	97.4%	18
H1991	Thick	1,353	4.84	4.2	3.2	20.56	4.46	-	1.8%	45.9%	89.7%	2
N6474	Thin	1,412	5.13	2.7	1.5	22.47	4.46	-	7.6%	49.5%	77.1%	1
H1015	Early	1,390	5.00	0.7	1.9	21.76	4.46	-	61.1%	100.0%	100.0%	11
H2012	Inter	1,435	5.18	0.7	2.1	22.63	4.47	-	-	9.1%	83.4%	1
BP43	Thin	4,927	5.46	2.2	1.3	21.39	4.47	1.5%	11.4%	38.7%	77.3%	5
HM5511	Thin	7,329	5.66	0.8	4.0	21.34	4.47	16.3%	71.2%	92.3%	99.4%	2
H4707	Thick	8,419	4.76	2.4	1.2	23.01	4.47	-	-	41.3%	73.2%	14
BP74	Thin	7,223	5.44	2.7	1.6	20.99	4.47	-	3.0%	17.8%	68.9%	2
HM8163	Pear	7,263	5.93	1.4	1.6	20.61	4.47	12.3%	52.4%	81.4%	95.8%	5
H2010	Inter	1,504	4.88	7.2	2.2	21.29	4.47	-	-	8.2%	28.1%	1
H2015	Thick	5,670	4.45	5.7	1.7	20.46	4.48	-	-	3.0%	60.7%	1
HM9905	Inter	1,892	4.97	1.2	0.9	21.00	4.48	-	-	-	6.7%	12
N6402	Thin	4,879	5.82	0.7	2.2	20.42	4.48	16.4%	89.0%	97.2%	100.0%	11
H1428	Thick	2,789	4.72	3.3	1.1	21.48	4.48	-	-	24.2%	61.0%	7
N6434	Inter	4,506	4.92	2.0	2.5	23.12	4.49	0.1%	16.9%	73.0%	89.6%	5
N6428	Inter	29,137	4.89	3.6	2.2	22.44	4.50	-	10.3%	52.1%	69.4%	6
BQ400	Early	8,191	5.27	0.3	1.3	20.36	4.50	77.0%	96.9%	100.0%	100.0%	6
UG29814	Inter	3,792	5.35	3.1	1.3	20.79	4.50	-	-	16.0%	86.7%	3
BP88	Pear	1,248	4.92	2.6	2.4	21.38	4.52	-	5.8%	23.4%	79.8%	1
N6475	Thick	4,589	4.77	3.1	1.0	21.56	4.54	-	11.6%	37.4%	72.2%	1
N6420	Pear	1,631	5.11	1.6	2.2	22.04	4.56	-	19.7%	53.9%	94.8%	8

* All Varieties Over 1,000 Loads

2022 California Cannery Tomato

% Harvested by September 24th Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
N6416	Early	3,053	4.97	0.5	1.5	21.30	4.38	94.5%	100.0%	100.0%	100.0%	8
CXD187	Early	1,715	4.79	1.3	2.3	20.78	4.40	78.8%	100.0%	100.0%	100.0%	25
BQ403	Early	8,398	5.46	0.3	2.4	21.28	4.37	66.3%	99.1%	100.0%	100.0%	6
BQ400	Early	8,191	5.27	0.3	1.3	20.36	4.50	77.0%	96.9%	100.0%	100.0%	6
BP13	Early	2,504	4.92	0.5	2.0	21.86	4.37	-	66.5%	100.0%	100.0%	7
H1015	Early	1,390	5.00	0.7	1.9	21.76	4.46	-	61.1%	100.0%	100.0%	11
SVTM9032	Early	2,794	5.45	0.2	1.3	22.21	4.31	17.8%	96.7%	99.6%	100.0%	1
HM7103	Early	8,706	5.57	0.2	1.7	21.09	4.40	57.3%	93.7%	99.5%	100.0%	2
N6402	Thin	4,879	5.82	0.7	2.2	20.42	4.48	16.4%	89.0%	97.2%	100.0%	11
HM5235	Inter	3,723	5.16	1.3	2.4	21.10	4.43	-	39.1%	94.7%	100.0%	6
HM4909	Inter	2,045	5.70	1.4	1.0	22.83	4.28	-	53.5%	94.5%	100.0%	7
HM5511	Thin	7,329	5.66	0.8	4.0	21.34	4.47	16.3%	71.2%	92.3%	99.4%	2
H5608	Thick	10,702	5.10	1.1	1.5	20.39	4.45	38.1%	90.9%	97.9%	99.2%	14
SVTM9021	Inter	4,739	5.08	1.2	1.3	21.58	4.39	-	17.5%	68.9%	97.7%	2
BOS6848	Thick	1,737	4.91	1.4	1.3	20.18	4.45	-	14.0%	71.3%	97.6%	1
N6366	Thin	2,668	5.28	1.2	2.9	20.99	4.45	41.1%	79.4%	87.2%	97.4%	18
HM8163	Pear	7,263	5.93	1.4	1.6	20.61	4.47	12.3%	52.4%	81.4%	95.8%	5
BQ273	Early	9,583	5.29	0.6	1.9	21.29	4.40	46.3%	90.5%	92.1%	95.5%	8
SVTM9027	Early	8,508	5.64	0.5	0.9	21.09	4.38	25.6%	86.0%	94.5%	95.5%	1
SVTM9012	Thin	2,675	5.68	2.1	2.0	21.24	4.41	7.1%	32.4%	65.1%	94.9%	3
N6420	Pear	1,631	5.11	1.6	2.2	22.04	4.56	-	19.7%	53.9%	94.8%	8
HM3887	Inter	2,260	5.65	1.7	2.5	21.68	4.44	11.7%	71.6%	87.6%	94.6%	8
SVTM9011	Thin	3,632	5.64	1.9	1.9	20.97	4.40	8.9%	44.4%	75.7%	94.4%	3
H1776	Thick	4,592	5.40	0.7	1.0	21.07	4.44	-	24.3%	77.0%	92.6%	4
H1991	Thick	1,353	4.84	4.2	3.2	20.56	4.46	-	1.8%	45.9%	89.7%	2
N6434	Inter	4,506	4.92	2.0	2.5	23.12	4.49	0.1%	16.9%	73.0%	89.6%	5
SVTM1082	Thin	10,382	5.64	1.1	1.7	21.66	4.35	-	17.8%	56.2%	89.3%	5
HM5522	Inter	22,895	5.81	1.0	1.0	20.63	4.38	5.9%	51.2%	77.1%	87.9%	4
UG29814	Inter	3,792	5.35	3.1	1.3	20.79	4.50	-	-	16.0%	86.7%	3
SVTM9028	Thick	1,374	5.08	1.0	1.6	20.71	4.45	-	0.3%	27.8%	86.6%	1
HM4521	Inter	9,333	5.53	2.0	0.8	21.34	4.40	0.6%	38.3%	69.4%	84.8%	5

2022 California Cannery Tomato

% Harvested by September 24th Sort

Final PTAB Report

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								23-Jul	13-Aug	3-Sep	24-Sep	
H2012	Inter	1,435	5.18	0.7	2.1	22.63	4.47	-	-	9.1%	83.4%	1
HM8268	Inter	3,996	5.42	1.5	2.2	20.78	4.45	-	13.2%	54.2%	82.7%	1
SVTM9019	Thin	2,725	5.46	1.5	2.1	22.91	4.28	6.3%	25.9%	56.2%	81.5%	2
SVTM9014	Inter	9,061	5.34	2.1	1.7	20.97	4.45	5.6%	24.0%	63.3%	80.0%	3
BP88	Pear	1,248	4.92	2.6	2.4	21.38	4.52	-	5.8%	23.4%	79.8%	1
SVTM9013	Inter	23,680	5.14	1.8	1.8	21.13	4.44	3.5%	18.3%	51.8%	79.4%	3
BOS811	Thick	11,398	5.05	1.4	0.8	20.60	4.39	3.6%	33.7%	66.5%	79.3%	5
H2016	Thick	2,014	4.77	2.5	1.9	20.89	4.42	8.7%	12.5%	21.9%	77.6%	1
DRI319	Thin	1,691	5.50	3.3	2.3	22.58	4.43	-	-	27.4%	77.5%	12
BP43	Thin	4,927	5.46	2.2	1.3	21.39	4.47	1.5%	11.4%	38.7%	77.3%	5
N6474	Thin	1,412	5.13	2.7	1.5	22.47	4.46	-	7.6%	49.5%	77.1%	1
SVTM9025	Thick	6,930	5.41	1.7	1.0	21.99	4.31	1.6%	18.5%	49.5%	74.7%	2
UG16112	Thick	3,415	5.06	1.2	0.7	20.96	4.42	4.0%	19.7%	43.5%	74.3%	6
H1996	Thick	9,711	5.07	2.3	1.3	21.30	4.45	-	5.6%	20.3%	73.4%	2
H4707	Thick	8,419	4.76	2.4	1.2	23.01	4.47	-	-	41.3%	73.2%	14
N6475	Thick	4,589	4.77	3.1	1.0	21.56	4.54	-	11.6%	37.4%	72.2%	1
N6428	Inter	29,137	4.89	3.6	2.2	22.44	4.50	-	10.3%	52.1%	69.4%	6
SVTM9023	Thick	8,944	5.22	2.0	1.6	22.16	4.43	0.4%	23.8%	44.1%	69.0%	2
BP74	Thin	7,223	5.44	2.7	1.6	20.99	4.47	-	3.0%	17.8%	68.9%	2
H1662	Thick	15,928	5.10	3.0	1.9	22.30	4.45	1.6%	6.4%	31.6%	66.8%	5
SVTM9008	Thick	3,450	5.26	1.6	1.0	21.50	4.36	-	14.8%	44.3%	63.5%	4
SVTM9016	Thick	22,370	5.07	4.0	0.7	22.05	4.41	-	3.2%	20.1%	62.7%	3
HM8237	Inter	3,149	5.14	2.0	0.9	21.96	4.39	-	17.7%	40.6%	62.6%	1
HM58841	Inter	33,686	5.21	3.9	1.0	21.85	4.45	-	5.2%	30.7%	61.5%	6
H1428	Thick	2,789	4.72	3.3	1.1	21.48	4.48	-	-	24.2%	61.0%	7
H2015	Thick	5,670	4.45	5.7	1.7	20.46	4.48	-	-	3.0%	60.7%	1
H5508	Thick	1,177	4.88	1.3	0.6	21.15	4.35	-	-	-	58.5%	13
Misc	Misc	1,557	5.00	1.9	1.1	21.99	4.39	4.7%	14.1%	23.7%	28.6%	-
H2010	Inter	1,504	4.88	7.2	2.2	21.29	4.47	-	-	8.2%	28.1%	1
HM9905	Inter	1,892	4.97	1.2	0.9	21.00	4.48	-	-	-	6.7%	12

* All Varieties Over 1,000 Loads

2022 California Cannery Tomato

South Region - Top 45

Final PTAB Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2021 Rank
1	HM5522	Inter	Fr	14,621	6.02	0.5	1.0	20.32	4.38	13
2	H5608	Thick	-	9,837	5.14	0.9	1.5	20.32	4.45	4
3	N6428	Inter	F3, EFH	9,463	5.11	2.7	1.8	21.83	4.54	8
4	BQ273	Early	-	8,639	5.30	0.5	1.9	21.31	4.41	3
5	SVTM9016	Thick	F3, EFH	8,606	5.20	3.7	0.6	21.54	4.43	25
6	BQ400	Early	-	8,081	5.27	0.3	1.3	20.34	4.50	1
7	BOS811	Thick	EFH	7,365	5.19	1.1	0.9	20.40	4.40	2
8	HM4521	Inter	EFH	7,252	5.67	1.5	0.8	21.16	4.39	5
9	BQ403	Early	-	7,179	5.49	0.3	2.4	21.11	4.37	6
10	HM7103	Early	EFH	7,069	5.58	0.1	1.7	20.97	4.40	35
11	H1662	Thick	F3, Lv	6,281	5.11	2.8	2.1	22.23	4.46	11
12	HM5511	Thin	F3, Fr	5,174	5.74	0.7	4.3	21.04	4.47	40
13	HM8163	Pear	-	4,873	6.02	0.8	1.5	20.45	4.47	17
14	SVTM9027	Early	F3, Lv	4,399	5.90	0.3	1.1	20.58	4.40	65
15	SVTM9013	Inter	F3	3,988	5.33	1.3	1.6	20.85	4.43	30
16	SVTM9023	Thick	F3, EFH	3,962	5.36	1.1	1.6	22.22	4.42	34
17	N6402	Thin	-	3,834	5.93	0.7	2.5	20.32	4.50	10
18	UG29814	Inter	F3, EFH	3,792	5.35	3.1	1.3	20.79	4.50	33
19	SVTM9025	Thick	F3, Fr, EFH	3,365	5.53	1.8	1.0	21.89	4.30	39
20	H4707	Thick	EFS™	3,341	4.95	1.1	1.3	22.86	4.44	9
21	H1776	Thick	EFS™	3,258	5.57	0.9	1.0	20.80	4.43	18
22	SVTM1082	Thin	F3	3,215	5.67	0.7	1.6	21.42	4.35	22
23	N6416	Early	-	3,053	4.97	0.5	1.5	21.30	4.38	20
24	SVTM9014	Inter	F3	2,970	5.55	1.3	1.9	20.91	4.44	14
25	UG16112	Thick	EFH	2,904	5.10	1.3	0.6	20.85	4.41	15
26	N6434	Inter	F3, EFH	2,557	4.99	1.2	2.5	22.99	4.52	32
27	H1996	Thick	F3, EFS™	2,510	5.21	2.6	1.3	20.68	4.47	37
28	N6475	Thick	F3, EFH	2,221	4.89	3.4	0.9	21.32	4.58	63
29	SVTM9008	Thick	EFH	2,214	5.30	1.8	1.3	21.69	4.37	7
30	HM3887	Inter	-	1,980	5.67	1.6	2.7	21.61	4.45	31
31	HM58841	Inter	EFH	1,895	5.74	1.2	1.8	21.73	4.49	51
32	N6366	Thin	-	1,879	5.25	0.6	3.4	20.88	4.45	28
33	CXD187	Early	-	1,715	4.79	1.3	2.3	20.78	4.40	12
34	SVTM9011	Thin	F3	1,326	5.78	1.1	1.5	20.81	4.39	16
35	BP43	Thin	F3	1,307	5.79	1.3	1.5	21.15	4.47	27
36	SVTM9019	Thin	F3, EFH	1,049	5.75	0.8	2.6	22.61	4.27	49
37	H2016	Thick	F3	1,004	4.89	3.8	1.7	20.48	4.43	66
38	SVTM9012	Thin	F3	1,000	5.98	1.4	2.6	20.81	4.41	44
39	SVTM9032	Early	F3, Fr, Lv	968	5.84	0.2	1.2	21.52	4.32	69
40	HM8237	Inter	F3, Fr, EFH	935	5.44	1.0	0.8	21.73	4.36	71
41	HM8268	Inter	F3	904	5.56	0.8	2.4	20.29	4.48	90
42	BOS6848	Thick	F3	797	5.08	1.1	1.6	20.06	4.45	76
43	H1991	Thick	F3	745	4.90	2.9	3.3	20.47	4.46	70
44	BP74	Thin	F3, EFH	686	5.68	1.1	2.3	20.84	4.50	53
45	HM5369	Pear	-	649	5.59	0.7	1.2	21.70	4.58	64
Total				184,074	5.42	1.3	1.6	21.10	4.43	

2022 California Cannery Tomato

South Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 13-Aug
							Region	State	Region	State	

Fresno

HM5522	8,417	5.94	0.4	1.0	20.5	4.37	14,621	22,895	57.6%	36.8%	79.9%
HM7103	4,534	5.71	0.1	1.7	20.9	4.40	7,069	8,706	64.1%	52.1%	96.7%
BQ403	3,716	5.70	0.2	2.4	20.9	4.38	7,179	8,398	51.8%	44.2%	98.7%
BQ400	3,700	5.51	0.1	1.4	20.1	4.50	8,081	8,191	45.8%	45.2%	93.2%
HM8163	3,429	6.21	0.8	1.7	20.4	4.48	4,873	7,263	70.4%	47.2%	61.6%
SVTM9027	3,268	6.01	0.3	1.1	20.5	4.40	4,399	8,508	74.3%	38.4%	95.0%
SVTM1082	3,215	5.67	0.7	1.6	21.4	4.35	3,215	10,382	100.0%	31.0%	35.9%
SVTM9023	3,141	5.44	0.8	1.5	22.1	4.42	3,962	8,944	79.3%	35.1%	48.4%
H1662	3,014	5.23	2.1	2.3	22.4	4.46	6,281	15,928	48.0%	18.9%	9.8%
N6402	2,947	5.98	0.7	2.2	20.2	4.49	3,834	4,879	76.9%	60.4%	99.1%
BQ273	2,901	5.45	0.3	1.9	21.1	4.41	8,639	9,583	33.6%	30.3%	99.0%
N6428	2,839	5.30	1.0	1.9	21.7	4.49	9,463	29,137	30.0%	9.7%	62.6%
H5608	2,724	5.22	0.6	2.1	20.3	4.46	9,837	10,702	27.7%	25.5%	98.8%
SVTM9025	2,592	5.57	0.7	1.0	22.0	4.30	3,365	6,930	77.0%	37.4%	34.5%
HM5511	2,582	5.90	0.4	4.0	21.0	4.45	5,174	7,329	49.9%	35.2%	83.5%

Total	91,244	5.58	0.8	1.7	21.1	4.43	49.6%	21.8%	50.6%	22.9%	63.6%
--------------	---------------	-------------	------------	------------	-------------	-------------	--------------	--------------	--------------	--------------	--------------

Kern

H5608	2,829	4.83	1.4	1.6	20.7	4.47	9,837	10,702	28.8%	26.4%	100.0%
BQ400	2,456	5.05	0.4	1.1	20.6	4.49	8,081	8,191	30.4%	30.0%	100.0%
BQ273	2,025	5.19	1.0	1.7	21.2	4.42	8,639	9,583	23.4%	21.1%	95.1%
BQ403	1,720	5.27	0.4	1.9	21.3	4.35	7,179	8,398	24.0%	20.5%	100.0%
BOS811	1,546	4.83	0.7	0.7	20.5	4.35	7,365	11,398	21.0%	13.6%	100.0%
SVTM9013	1,147	5.10	1.1	1.4	20.8	4.39	3,988	23,680	28.8%	4.8%	100.0%
CXD187	1,025	4.69	1.8	1.8	20.8	4.38	1,715	1,715	59.8%	59.8%	100.0%
H1662	906	4.81	0.9	1.7	22.5	4.41	6,281	15,928	14.4%	5.7%	75.3%
N6416	825	4.81	0.5	1.1	21.4	4.37	3,053	3,053	27.0%	27.0%	100.0%
HM7103	812	5.30	0.2	1.5	20.9	4.39	7,069	8,706	11.5%	9.3%	100.0%
HM5511	768	5.42	1.2	4.3	21.1	4.47	5,174	7,329	14.8%	10.5%	100.0%
N6366	634	5.15	0.5	3.1	20.7	4.45	1,879	2,668	33.7%	23.8%	100.0%
HM5522	575	5.59	0.7	1.0	21.0	4.36	14,621	22,895	3.9%	2.5%	100.0%
HM8163	526	5.60	1.0	1.1	20.8	4.41	4,873	7,263	10.8%	7.2%	100.0%
SVTM9014	505	5.22	1.4	1.5	20.9	4.41	2,970	9,061	17.0%	5.6%	100.0%

Total	21,877	5.09	0.9	1.6	21.1	4.42	11.9%	5.2%	14.7%	6.7%	94.5%
--------------	---------------	-------------	------------	------------	-------------	-------------	--------------	-------------	--------------	-------------	--------------

Kings

SVTM9016	6,363	5.15	4.4	0.5	21.4	4.43	8,606	22,370	73.9%	28.4%	2.8%
HM4521	5,624	5.76	1.4	0.7	21.0	4.38	7,252	9,333	77.6%	60.3%	46.3%
HM5522	5,466	6.23	0.5	1.1	20.0	4.40	14,621	22,895	37.4%	23.9%	75.2%
N6428	5,185	5.10	3.3	1.8	21.8	4.56	9,463	29,137	54.8%	17.8%	7.7%
H5608	4,284	5.29	0.8	1.2	20.1	4.43	9,837	10,702	43.5%	40.0%	97.0%
UG29814	3,792	5.35	3.1	1.3	20.8	4.50	3,792	3,792	100.0%	100.0%	-

2022 California Cannery Tomato

South Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 13-Aug
							Region	State	Region	State	

Kings

BOS811	3,762	5.28	1.7	0.8	20.4	4.42	7,365	11,398	51.1%	33.0%	21.5%
BQ273	3,183	5.36	0.3	1.9	21.5	4.40	8,639	9,583	36.8%	33.2%	100.0%
HM5511	1,824	5.65	0.8	4.7	21.1	4.50	5,174	7,329	35.3%	24.9%	100.0%
HM7103	1,723	5.37	0.2	2.0	21.2	4.41	7,069	8,706	24.4%	19.8%	100.0%
BQ400	1,519	5.23	0.2	1.5	20.4	4.49	8,081	8,191	18.8%	18.5%	100.0%
UG16112	1,519	5.02	2.2	0.3	20.4	4.44	2,904	3,415	52.3%	44.5%	-
H1776	1,439	5.49	0.9	0.9	20.7	4.43	3,258	4,592	44.2%	31.3%	21.5%
H1662	1,266	5.09	2.7	2.1	21.9	4.46	6,281	15,928	20.2%	7.9%	3.4%
H1996	1,148	5.10	3.5	1.0	20.6	4.50	2,510	9,711	45.7%	11.8%	-
Total	60,106	5.40	1.9	1.4	21.0	4.44	32.7%	14.4%	35.4%	17.4%	47.5%

Madera

N6428	1,172	4.73	3.9	1.9	22.1	4.55	9,463	29,137	12.4%	4.0%	-
H1662	1,095	5.09	6.1	1.8	22.0	4.49	6,281	15,928	17.4%	6.9%	-
H4707	778	5.03	1.5	0.7	22.3	4.45	3,341	8,419	23.3%	9.2%	-
N6434	707	5.00	1.0	2.3	23.5	4.54	2,557	4,506	27.6%	15.7%	-
H1776	446	5.02	1.3	0.6	20.8	4.44	3,258	4,592	13.7%	9.7%	22.0%
SVTM9008	398	4.54	3.9	0.4	20.8	4.37	2,214	3,450	18.0%	11.5%	-
HM58841	380	5.24	1.4	2.0	22.3	4.53	1,895	33,686	20.1%	1.1%	-
H1428	374	4.96	0.4	0.4	20.6	4.47	431	2,789	86.8%	13.4%	-
SVTM9013	282	5.48	2.0	1.5	20.9	4.45	3,988	23,680	7.1%	1.2%	-
SVTM9025	281	5.26	9.8	1.0	20.9	4.36	3,365	6,930	8.4%	4.1%	-
N6475	245	4.53	3.7	1.2	21.2	4.49	2,221	4,589	11.0%	5.3%	76.7%
H5508	179	4.73	2.9	0.8	21.0	4.37	368	1,177	48.6%	15.2%	-
HM5522	163	5.40	2.5	0.4	20.9	4.38	14,621	22,895	1.1%	0.7%	-
H1996	162	5.22	4.3	1.8	20.2	4.52	2,510	9,711	6.5%	1.7%	-
SVTM9016	162	5.22	5.0	0.7	21.5	4.41	8,606	22,370	1.9%	0.7%	-
Total	7,967	4.99	3.3	1.5	21.7	4.48	4.3%	1.9%	9.4%	3.3%	3.6%

Tulare

BQ403	972	5.09	0.5	3.7	21.5	4.40	7,179	8,398	13.5%	11.6%	100.0%
BQ273	530	4.57	1.6	3.0	21.4	4.39	8,639	9,583	6.1%	5.5%	100.0%
N6416	433	4.31	0.5	1.2	21.6	4.37	3,053	3,053	14.2%	14.2%	100.0%
BQ400	406	4.52	0.6	0.9	21.1	4.56	8,081	8,191	5.0%	5.0%	100.0%
N6366	334	4.52	1.7	5.0	21.7	4.43	1,879	2,668	17.8%	12.5%	100.0%
H4707	205	4.94	1.2	0.8	22.8	4.45	3,341	8,419	6.1%	2.4%	-
Total	2,880	5.27	1.4	1.6	21.6	4.44	1.6%	0.7%	9.0%	7.1%	92.9%
South	184,074	5.42	1.3	1.6	21.1	4.43	100.0%	43.9%	100.0%	44.2%	26.3%
Statewide	418,842	5.25	2.1	1.6	21.5	4.43	-	100.0%	-	100.0%	32.0%

2022 California Cannery Tomato

Central Region - Top 45

Final PTAB Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2021 Rank
1	SVTM9013	Inter	F3	11,774	5.13	2.1	1.7	20.90	4.46	5
2	HM58841	Inter	EFH	8,123	5.25	2.3	1.0	21.43	4.44	10
3	H1662	Thick	F3, Lv	6,298	5.13	1.7	1.8	22.27	4.45	2
4	SVTM1082	Thin	F3	5,332	5.76	1.3	1.9	21.69	4.36	9
5	HM5522	Inter	Fr	5,006	5.44	2.0	0.9	20.80	4.37	12
6	BP74	Thin	F3, EFH	4,786	5.45	2.8	1.6	20.82	4.48	16
7	N6428	Inter	F3, EFH	4,756	4.79	2.4	2.1	22.66	4.50	6
8	SVTM9014	Inter	F3	4,374	5.31	2.7	1.5	20.79	4.45	1
9	H4707	Thick	EFS™	3,835	4.66	2.3	1.0	23.04	4.51	3
10	SVTM9023	Thick	F3, EFH	2,840	5.18	2.0	1.4	21.65	4.42	18
11	SVTM9016	Thick	F3, EFH	2,776	5.33	1.3	0.7	22.06	4.38	23
12	BP43	Thin	F3	2,666	5.40	2.5	1.3	21.58	4.49	7
13	BOS811	Thick	EFH	2,451	4.84	1.4	0.7	20.69	4.38	27
14	SVTM9025	Thick	F3, Fr, EFH	2,206	5.39	1.3	1.0	21.66	4.31	26
15	SVTM9027	Early	F3, Lv	1,356	5.61	0.8	1.0	21.25	4.41	70
16	H1996	Thick	F3, EFS™	1,347	5.42	0.5	1.1	20.90	4.43	38
17	HM8163	Pear	-	1,278	5.84	2.8	1.8	20.68	4.49	24
18	SVTM9012	Thin	F3	1,250	5.47	2.6	1.5	21.57	4.41	13
19	SVTM9008	Thick	EFH	1,236	5.18	1.3	0.6	21.15	4.33	25
20	DRI319	Thin	-	1,147	5.52	3.8	2.4	22.36	4.44	4
21	N6402	Thin	-	1,045	5.42	0.7	1.4	20.77	4.43	29
22	HM8268	Inter	F3	1,025	5.42	2.6	2.2	20.62	4.45	-
23	SVTM9021	Inter	F3, Fr	1,006	5.38	1.8	1.2	20.90	4.40	15
24	H1428	Thick	EFS™	961	4.82	0.7	0.9	21.28	4.47	8
25	SVTM9011	Thin	F3	934	5.63	3.1	2.2	21.14	4.41	14
26	HM4521	Inter	EFH	930	5.00	2.1	1.2	21.87	4.43	22
27	HM7103	Early	EFH	861	5.59	0.1	1.6	21.00	4.39	42
28	SVTM9028	Thick	F3	834	5.20	1.0	1.5	20.69	4.44	56
29	SVTM9019	Thin	F3, EFH	821	5.24	2.6	2.0	22.87	4.31	47
30	H1776	Thick	EFS™	818	4.91	0.4	1.3	22.38	4.50	48
31	N6434	Inter	F3, EFH	782	4.99	2.1	1.7	23.47	4.46	45
32	HM5511	Thin	F3, Fr	778	5.72	1.1	4.7	21.86	4.51	44
33	BQ403	Early	-	726	5.23	0.5	2.4	21.63	4.34	28
34	H5508	Thick	EFS™	721	4.98	0.6	0.5	20.60	4.34	40
35	HM8237	Inter	F3, Fr, EFH	680	5.01	2.1	1.0	22.05	4.42	51
36	N6420	Pear	-	665	4.86	2.3	2.2	22.38	4.55	34
37	BOS6848	Thick	F3	598	4.92	1.6	0.8	19.90	4.43	-
38	AB0311	Thin	-	549	5.78	0.9	1.6	21.07	4.36	21
39	H2015	Thick	F3	542	4.80	1.1	1.0	19.61	4.45	79
40	N6475	Thick	F3, EFH	539	4.85	0.5	0.7	21.22	4.50	75
41	BP88	Pear	F3	536	4.91	2.6	2.6	21.48	4.52	71
42	UG16112	Thick	EFH	511	4.84	0.3	1.2	21.55	4.46	67
43	SVTM9018	Early	F3, Fr	491	5.45	0.5	1.5	22.43	4.37	39
44	H1991	Thick	F3	453	4.77	4.2	3.1	20.46	4.43	53
45	N6366	Thin	-	447	5.22	1.0	1.2	21.05	4.42	19
Total				194,972	5.24	1.9	1.5	21.47	4.43	

2022 California Cannery Tomato

Central Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 13-Aug
							Region	State	Region	State	

Contra Costa

HM5522	1,022	5.67	0.6	0.6	20.5	4.33	5,006	22,895	20.4%	4.5%	29.8%
N6402	948	5.38	0.6	1.4	20.8	4.43	1,045	4,879	90.7%	19.4%	68.7%
SVTM1082	760	5.26	1.0	1.7	22.1	4.34	5,332	10,382	14.3%	7.3%	13.2%
HM7103	541	5.42	0.1	1.5	21.1	4.38	861	8,706	62.8%	6.2%	90.2%
BQ403	509	5.21	0.2	2.1	21.9	4.33	726	8,398	70.1%	6.1%	100.0%
N6366	447	5.22	1.0	1.2	21.1	4.42	447	2,668	100.0%	16.8%	53.5%
AB0311	431	5.68	0.9	1.7	20.8	4.35	549	739	78.5%	58.3%	52.0%
BP74	400	5.26	2.5	1.0	20.9	4.45	4,786	7,223	8.4%	5.5%	-
DRI319	311	5.44	2.1	2.2	22.1	4.43	1,147	1,691	27.1%	18.4%	-
SVTM9032	232	5.29	0.1	1.1	22.4	4.30	328	2,794	70.7%	8.3%	100.0%
HM8163	224	5.87	1.3	1.1	20.1	4.42	1,278	7,263	17.5%	3.1%	36.6%
SVTM9012	155	5.92	1.2	2.0	21.1	4.44	1,250	2,675	12.4%	5.8%	0.6%
SVTM9027	129	5.60	0.2	0.3	21.3	4.33	1,356	8,508	9.5%	1.5%	100.0%
SVTM9011	97	5.85	0.4	1.4	20.5	4.41	934	3,632	10.4%	2.7%	27.8%
SVTM9019	81	5.41	0.5	1.6	23.1	4.24	821	2,725	9.9%	3.0%	25.9%
Total	6,414	5.44	0.8	1.4	21.2	4.38	6.6%	1.5%	16.6%	5.0%	47.2%

Merced

SVTM9013	6,774	5.26	1.5	1.5	20.8	4.45	11,774	23,680	57.5%	28.6%	10.5%
H1662	4,731	5.17	1.4	2.0	22.4	4.46	6,298	15,928	75.1%	29.7%	-
H4707	3,835	4.66	2.3	1.0	23.0	4.51	3,835	8,419	100.0%	45.6%	-
N6428	3,176	4.82	2.1	2.3	22.9	4.51	4,756	29,137	66.8%	10.9%	0.2%
SVTM1082	3,093	6.00	1.1	2.0	21.5	4.36	5,332	10,382	58.0%	29.8%	7.8%
SVTM9014	2,055	5.57	1.3	1.7	20.9	4.46	4,374	9,061	47.0%	22.7%	0.1%
HM58841	1,927	5.45	1.0	1.3	21.7	4.44	8,123	33,686	23.7%	5.7%	-
SVTM9016	1,789	5.51	1.1	0.8	22.0	4.38	2,776	22,370	64.4%	8.0%	5.9%
SVTM9025	1,405	5.55	1.2	1.1	21.7	4.29	2,206	6,930	63.7%	20.3%	3.6%
H1996	1,152	5.51	0.4	0.9	20.7	4.41	1,347	9,711	85.5%	11.9%	28.4%
SVTM9027	1,151	5.58	0.9	1.0	21.2	4.42	1,356	8,508	84.9%	13.5%	34.2%
SVTM9023	1,105	5.41	1.2	1.6	21.6	4.42	2,840	8,944	38.9%	12.4%	-
SVTM9008	874	5.22	1.6	0.7	21.2	4.34	1,236	3,450	70.7%	25.3%	-
H1776	818	4.91	0.4	1.3	22.4	4.50	818	4,592	100.0%	17.8%	-
SVTM9028	732	5.20	0.9	1.4	20.6	4.42	834	1,374	87.8%	53.3%	-
Total	43,646	5.27	1.4	1.6	21.6	4.44	44.8%	10.4%	48.1%	13.1%	6.5%

2022 California Cannery Tomato

Central Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 13-Aug
							Region	State	Region	State	

San Joaquin

HM58841	3,891	5.06	3.2	0.8	21.7	4.43	8,123	33,686	47.9%	11.6%	-
SVTM9013	3,400	4.96	3.0	1.7	21.2	4.48	11,774	23,680	28.9%	14.4%	-
HM5522	2,475	5.38	2.9	0.9	20.8	4.36	5,006	22,895	49.4%	10.8%	-
BP43	2,255	5.38	2.6	1.1	21.4	4.47	2,666	4,927	84.6%	45.8%	6.9%
BP74	2,243	5.41	3.5	1.1	21.0	4.49	4,786	7,223	46.9%	31.1%	-
BOS811	1,793	4.78	1.5	0.6	20.7	4.38	2,451	11,398	73.2%	15.7%	4.5%
N6428	1,379	4.74	3.2	1.8	22.4	4.49	4,756	29,137	29.0%	4.7%	-
H1662	1,278	5.02	3.2	1.1	21.8	4.40	6,298	15,928	20.3%	8.0%	-
SVTM9023	1,215	5.08	3.0	1.4	21.8	4.43	2,840	8,944	42.8%	13.6%	-
SVTM9012	1,032	5.35	2.9	1.4	21.7	4.40	1,250	2,675	82.6%	38.6%	-
SVTM9014	944	5.20	4.6	1.3	20.6	4.44	4,374	9,061	21.6%	10.4%	-
SVTM9016	679	4.80	2.1	0.5	22.2	4.35	2,776	22,370	24.5%	3.0%	-
SVTM9025	669	5.08	1.7	0.5	21.2	4.31	2,206	6,930	30.3%	9.7%	-
N6420	616	4.81	2.3	2.0	22.4	4.54	665	1,631	92.6%	37.8%	-
SVTM9011	612	5.55	3.0	1.4	20.9	4.37	934	3,632	65.5%	16.9%	-

Total	31,755	5.14	2.9	1.3	21.4	4.44	32.6%	7.6%	36.6%	9.6%	1.4%
--------------	---------------	-------------	------------	------------	-------------	-------------	--------------	-------------	--------------	-------------	-------------

Stanislaus

HM58841	2,305	5.40	1.8	1.0	20.8	4.44	8,123	33,686	28.4%	6.8%	-
BP74	1,706	5.48	2.4	2.3	20.6	4.49	4,786	7,223	35.6%	23.6%	-
SVTM9013	1,587	4.95	3.1	2.1	20.9	4.46	11,774	23,680	13.5%	6.7%	-
SVTM9014	1,375	4.99	3.4	1.3	20.8	4.44	4,374	9,061	31.4%	15.2%	-
HM5522	1,091	5.34	1.5	1.3	21.0	4.41	5,006	22,895	21.8%	4.8%	-
SVTM1082	970	5.52	0.6	1.9	21.8	4.35	5,332	10,382	18.2%	9.3%	10.1%
SVTM9021	602	5.08	1.1	1.3	20.9	4.40	1,006	4,739	59.8%	12.7%	-
SVTM9023	520	4.90	1.3	0.8	21.5	4.39	2,840	8,944	18.3%	5.8%	-
HM4521	503	5.04	2.7	1.1	21.6	4.43	930	9,333	54.1%	5.4%	-
HM8163	365	5.74	3.7	1.0	20.6	4.50	1,278	7,263	28.6%	5.0%	-
SVTM9008	362	5.10	0.6	0.5	21.0	4.29	1,236	3,450	29.3%	10.5%	-
DRI319	353	5.57	7.5	2.8	22.6	4.50	1,147	1,691	30.8%	20.9%	-
H1428	343	4.83	1.0	0.7	20.8	4.46	961	2,789	35.7%	12.3%	-
HM7103	320	5.86	0.2	1.7	20.8	4.41	861	8,706	37.2%	3.7%	3.1%
SVTM9016	308	5.45	1.0	0.9	21.8	4.40	2,776	22,370	11.1%	1.4%	-

Total	15,671	5.25	2.0	1.6	21.2	4.43	16.1%	3.7%	22.6%	5.3%	3.0%
--------------	---------------	-------------	------------	------------	-------------	-------------	--------------	-------------	--------------	-------------	-------------

Central	97,486	5.24	1.9	1.5	21.5	4.43	100.0%	23.3%	100.0%	25.2%	1.6%
----------------	---------------	-------------	------------	------------	-------------	-------------	---------------	--------------	---------------	--------------	-------------

Statewide	418,842	5.25	2.1	1.6	21.5	4.43	-	100.0%	-	100.0%	32.0%
------------------	----------------	-------------	------------	------------	-------------	-------------	----------	---------------	----------	---------------	--------------

2022 California Cannery Tomato

North Region - Top 45

Final PTAB Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2021 Rank
1	HM58841	Inter	EFH	23,411	5.16	4.7	0.9	22.01	4.45	2
2	N6428	Inter	F3, EFH	14,847	4.77	4.7	2.5	22.78	4.47	1
3	SVTM9016	Thick	F3, EFH	10,988	4.90	4.8	0.8	22.45	4.40	5
4	SVTM9013	Inter	F3	7,387	5.04	1.5	2.2	21.65	4.42	7
5	H1996	Thick	F3, EFS™	5,854	4.93	2.6	1.4	21.65	4.44	39
6	H2015	Thick	F3	5,070	4.42	6.3	1.8	20.54	4.48	75
7	SVTM9021	Inter	F3, Fr	3,502	4.99	1.0	1.4	21.81	4.38	25
8	HM5235	Inter	F3	3,453	5.14	1.2	2.3	21.10	4.43	8
9	H1662	Thick	F3, Lv	3,349	4.99	6.0	2.0	22.48	4.45	3
10	HM5522	Inter	Fr	3,268	5.43	1.8	0.8	21.75	4.38	27
11	SVTM9027	Early	F3, Lv	2,683	5.23	0.5	0.7	21.86	4.34	67
12	BP13	Early	F3	2,504	4.92	0.5	2.0	21.86	4.37	4
13	HM4909	Inter	Fr	2,045	5.70	1.4	1.0	22.83	4.28	9
14	SVTM9023	Thick	F3, EFH	2,037	5.03	4.0	2.2	22.81	4.45	12
15	HM8268	Inter	F3	2,015	5.30	1.4	2.1	21.28	4.43	-
16	N6475	Thick	F3, EFH	1,829	4.61	3.4	1.2	21.95	4.51	59
17	BP74	Thin	F3, EFH	1,751	5.34	2.9	1.2	21.50	4.44	34
18	SVTM1082	Thin	F3	1,706	5.20	1.1	1.4	22.09	4.31	28
19	SVTM9014	Inter	F3	1,553	5.03	2.1	2.3	21.75	4.46	26
20	HM8237	Inter	F3, Fr, EFH	1,534	5.00	2.5	0.9	22.06	4.40	43
21	SVTM9032	Early	F3, Fr, Lv	1,498	5.21	0.3	1.3	22.63	4.30	68
22	H1428	Thick	EFS™	1,397	4.57	6.0	1.5	21.85	4.50	17
23	H1015	Early	EFS™	1,390	5.00	0.7	1.9	21.76	4.46	15
24	HM5511	Thin	F3, Fr	1,377	5.30	1.4	2.6	22.18	4.44	65
25	SVTM9011	Thin	F3	1,372	5.52	1.8	2.2	21.01	4.39	14
26	SVTM9025	Thick	F3, Fr, EFH	1,359	5.13	2.0	0.9	22.77	4.32	10
27	H4707	Thick	EFS™	1,243	4.53	6.2	1.4	23.36	4.43	13
28	N6434	Inter	F3, EFH	1,167	4.72	3.7	3.0	23.17	4.46	11
29	BOS811	Thick	EFH	1,144	4.79	3.2	1.2	21.44	4.36	29
30	HM8163	Pear	-	1,112	5.61	2.3	1.6	21.18	4.48	32
31	HM4521	Inter	EFH	1,074	5.13	5.3	0.7	22.13	4.41	30
32	H2010	Inter	F3, EFS™	1,059	4.64	9.9	2.2	21.19	4.49	71
33	Misc	Misc	-	1,054	4.92	1.5	1.0	22.50	4.37	53
34	BP43	Thin	F3	954	5.16	2.7	1.1	21.17	4.44	16
35	H2012	Inter	F3, EFS™	930	5.06	0.6	2.6	22.91	4.50	86
36	H2016	Thick	F3	875	4.59	1.2	1.9	21.32	4.41	76
37	H5608	Thick	-	865	4.63	3.2	1.0	21.22	4.48	46
38	SVTM9019	Thin	F3, EFH	855	5.30	1.3	1.5	23.32	4.26	47
39	HM7103	Early	EFH	736	5.39	0.5	1.3	22.30	4.35	42
40	HM58811	Thick	EFH	703	5.16	5.2	1.6	22.46	4.47	23
41	N6474	Thin	F3, EFH	660	5.15	2.8	1.2	22.09	4.45	58
42	H1310	Thick	F3, EFS™	599	4.40	8.9	2.0	22.42	4.53	19
43	BP88	Pear	F3	583	4.82	2.9	2.0	21.43	4.52	82
44	BP51	Early	F3, EFH	561	5.23	0.5	2.4	23.46	4.34	36
45	BQ403	Early	-	493	5.40	0.3	1.6	23.13	4.35	21
Total				131,925	5.02	3.4	1.6	22.04	4.43	

2022 California Cannery Tomato

North Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 13-Aug
							Region	State	Region	State	

Butte

H1996	633	4.80	4.1	1.6	21.0	4.51	5,854	9,711	10.8%	6.5%	-
N6428	522	4.29	6.4	3.0	23.7	4.56	14,847	29,137	3.5%	1.8%	-
SVTM9016	311	4.83	1.8	0.6	22.5	4.38	10,988	22,370	2.8%	1.4%	-
SVTM9023	193	5.03	2.7	3.4	22.5	4.49	2,037	8,944	9.5%	2.2%	-
HM58811	139	4.71	9.9	1.0	22.2	4.45	703	703	19.8%	19.8%	-
H2015	91	4.71	2.3	1.2	19.6	4.54	5,070	5,670	1.8%	1.6%	-
Total	1,889	4.68	4.5	1.9	22.2	4.50	1.4%	0.5%	4.8%	2.5%	0.0%

Colusa

N6428	6,412	4.75	3.8	2.9	22.8	4.46	14,847	29,137	43.2%	22.0%	2.4%
SVTM9013	2,558	4.99	1.8	2.6	21.8	4.41	7,387	23,680	34.6%	10.8%	21.2%
H2015	2,233	4.36	7.2	2.0	20.5	4.51	5,070	5,670	44.0%	39.4%	-
H1996	2,091	4.80	3.2	1.1	21.4	4.44	5,854	9,711	35.7%	21.5%	3.4%
H1662	1,235	4.95	3.1	2.7	22.1	4.47	3,349	15,928	36.9%	7.8%	-
SVTM9016	1,177	4.96	3.4	0.9	22.5	4.37	10,988	22,370	10.7%	5.3%	5.3%
HM58841	1,081	5.31	2.1	1.2	22.4	4.45	23,411	33,686	4.6%	3.2%	5.8%
SVTM9027	1,022	5.48	0.5	0.7	21.4	4.36	2,683	8,508	38.1%	12.0%	100.0%
BP13	993	4.91	0.6	2.3	21.6	4.37	2,504	2,504	39.7%	39.7%	71.9%
H1015	991	5.00	0.7	2.1	21.8	4.46	1,390	1,390	71.3%	71.3%	56.2%
H1310	599	4.40	8.9	2.0	22.4	4.53	599	599	100.0%	100.0%	-
N6475	585	4.40	2.7	1.5	22.3	4.54	1,829	4,589	32.0%	12.7%	-
H1428	574	4.78	7.2	2.0	21.9	4.50	1,397	2,789	41.1%	20.6%	-
H2010	486	4.50	7.9	2.3	21.2	4.48	1,059	1,504	45.9%	32.3%	-
H2016	452	4.47	1.4	1.4	20.8	4.42	875	2,014	51.7%	22.4%	-
Total	25,997	4.86	3.4	2.1	22.0	4.44	19.7%	6.2%	25.5%	10.4%	17.4%

Glenn

N6428	809	4.50	14.3	0.9	22.6	4.51	14,847	29,137	5.4%	2.8%	-
SVTM9023	181	4.36	16.9	1.2	23.1	4.45	2,037	8,944	8.9%	2.0%	-
H2401	172	5.16	0.5	1.6	21.9	4.32	259	603	66.4%	28.5%	-
N6475	155	4.18	0.9	0.6	22.1	4.49	1,829	4,589	8.5%	3.4%	-
H1015	107	4.76	0.5	2.3	23.1	4.45	1,390	1,390	7.7%	7.7%	-
SVTM9037	23	4.42	12.3	1.4	22.1	4.40	189	388	12.2%	5.9%	-
SVTM9038	13	4.17	8.9	0.9	22.6	4.40	91	296	14.3%	4.4%	-
Misc	12	4.09	11.6	0.7	22.2	4.44	1,054	1,783	1.1%	0.7%	-
Total	1,472	4.53	10.5	1.1	22.6	4.47	1.1%	0.4%	6.8%	3.1%	0.0%

Sacramento

N6428	672	5.06	3.6	1.3	21.9	4.41	14,847	29,137	4.5%	2.3%	-
H1662	538	5.31	1.0	1.2	22.4	4.36	3,349	15,928	16.1%	3.4%	-
H1996	485	4.99	1.0	0.6	21.2	4.40	5,854	9,711	8.3%	5.0%	-

2022 California Cannery Tomato

North Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 13-Aug
							Region	State	Region	State	

Sacramento

N6475	479	4.89	4.1	0.7	21.1	4.51	1,829	4,589	26.2%	10.4%	-
SVTM9013	429	5.57	1.4	1.3	21.1	4.38	7,387	23,680	5.8%	1.8%	-
BP74	360	5.85	3.5	1.4	21.5	4.46	1,751	7,223	20.6%	5.0%	-
HM5522	346	5.47	2.5	0.7	20.8	4.34	3,268	22,895	10.6%	1.5%	-
HM58841	290	5.18	3.9	1.0	21.2	4.45	23,411	33,686	1.2%	0.9%	-
H4707	252	4.27	1.2	0.3	23.2	4.39	1,243	8,419	20.3%	3.0%	-
SVTM9016	238	4.91	2.4	0.7	21.9	4.36	10,988	22,370	2.2%	1.1%	-
HM3887	205	5.39	2.5	1.4	22.1	4.37	280	2,260	73.2%	9.1%	-
BP43	174	5.98	3.4	0.9	20.8	4.45	954	4,927	18.2%	3.5%	-
HM8237	105	4.94	1.9	0.7	21.5	4.40	1,534	3,149	6.8%	3.3%	-
H2015	99	4.85	2.3	1.0	19.6	4.43	5,070	5,670	2.0%	1.7%	-
HM8163	67	6.51	2.3	2.8	21.3	4.54	1,112	7,263	6.0%	0.9%	-
Total	5,216	5.26	2.5	1.1	21.5	4.41	4.0%	1.2%	5.7%	2.3%	0.0%

Solano

HM58841	6,403	5.05	7.3	0.8	21.9	4.49	23,411	33,686	27.4%	19.0%	-
HM5522	1,503	5.25	2.0	0.8	22.0	4.41	3,268	22,895	46.0%	6.6%	-
HM4909	1,178	5.91	1.5	0.7	22.9	4.27	2,045	2,045	57.6%	57.6%	35.9%
Misc	902	4.92	0.9	0.8	22.6	4.36	1,054	1,783	85.6%	50.6%	-
BOS811	896	4.76	3.6	1.2	21.5	4.37	1,144	11,398	78.3%	7.9%	-
SVTM9025	862	5.19	2.5	0.6	22.3	4.32	1,359	6,930	63.4%	12.4%	7.0%
SVTM9013	831	5.13	1.4	3.0	21.8	4.45	7,387	23,680	11.2%	3.5%	-
HM4521	524	4.98	4.9	0.6	22.1	4.38	1,074	9,333	48.8%	5.6%	-
N6428	478	4.97	4.3	1.0	22.2	4.43	14,847	29,137	3.2%	1.6%	-
HM58811	463	5.23	4.4	1.3	22.5	4.47	703	703	65.9%	65.9%	-
H1996	453	4.87	0.3	2.9	23.4	4.37	5,854	9,711	7.7%	4.7%	-
H2015	331	4.33	0.9	1.1	21.0	4.42	5,070	5,670	6.5%	5.8%	-
BP74	322	5.59	3.0	1.0	21.6	4.42	1,751	7,223	18.4%	4.5%	-
HM8268	314	5.56	1.0	2.0	21.1	4.45	2,015	3,996	15.6%	7.9%	-
HM8237	289	5.26	3.8	0.5	22.2	4.43	1,534	3,149	18.8%	9.2%	-
Total	18,382	5.17	4.0	1.1	22.1	4.43	13.9%	4.4%	16.9%	5.8%	4.9%

Sutter

SVTM9016	3,295	5.09	3.4	1.1	22.5	4.41	10,988	22,370	30.0%	14.7%	-
N6428	2,873	4.82	4.9	2.5	23.1	4.49	14,847	29,137	19.4%	9.9%	1.5%
H1996	1,130	5.09	3.7	1.3	21.3	4.45	5,854	9,711	19.3%	11.6%	-
H2015	959	4.74	5.8	2.4	20.7	4.49	5,070	5,670	18.9%	16.9%	-
H1662	946	4.90	11.6	1.8	22.8	4.48	3,349	15,928	28.2%	5.9%	-
HM58841	667	5.04	2.2	3.3	22.9	4.49	23,411	33,686	2.8%	2.0%	-
SVTM9013	632	5.20	1.1	1.7	21.6	4.46	7,387	23,680	8.6%	2.7%	18.0%

2022 California Cannery Tomato

North Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 13-Aug
							Region	State	Region	State	

Sutter

SVTM9023	615	5.06	3.8	2.5	22.7	4.43	2,037	8,944	30.2%	6.9%	-
BP13	575	5.19	0.7	2.0	22.4	4.37	2,504	2,504	23.0%	23.0%	36.9%
H4707	563	4.53	9.6	2.0	23.9	4.46	1,243	8,419	45.3%	6.7%	-
SVTM9014	538	5.27	3.1	2.0	21.5	4.48	1,553	9,061	34.6%	5.9%	45.5%
N6434	431	4.68	4.0	4.9	23.4	4.49	1,167	4,506	36.9%	9.6%	-
N6475	300	4.68	3.5	1.7	22.2	4.57	1,829	4,589	16.4%	6.5%	-
H1428	246	4.48	4.2	1.0	22.0	4.43	1,397	2,789	17.6%	8.8%	-
H1015	229	5.10	0.7	0.9	21.1	4.44	1,390	1,390	16.5%	16.5%	100.0%
Total	15,990	4.97	4.4	1.9	22.4	4.45	12.1%	3.8%	15.2%	6.6%	8.9%

Tehama

HM8268	166	5.75	1.6	3.0	20.9	4.39	2,015	3,996	8.2%	4.2%	-
SVTM9023	122	5.70	1.6	2.2	22.7	4.39	2,037	8,944	6.0%	1.4%	-
HM4521	47	6.16	1.4	1.6	22.4	4.34	1,074	9,333	4.4%	0.5%	-
HM58841	45	6.60	2.2	3.3	21.8	4.42	23,411	33,686	0.2%	0.1%	-
HM58811	42	5.92	2.2	7.5	23.5	4.50	703	703	6.0%	6.0%	-
BOS811	25	5.92	2.0	1.8	21.1	4.36	1,144	11,398	2.2%	0.2%	-
SVTM9019	10	6.07	1.4	3.0	22.6	4.26	855	2,725	1.2%	0.4%	-
Total	457	5.90	1.72	3.04	21.92	4.40	0.3%	0.1%	0.4%	0.2%	0.0%

Yolo

HM58841	14,925	5.20	3.9	0.9	22.0	4.44	23,411	33,686	63.8%	44.3%	5.7%
SVTM9016	5,942	4.79	6.1	0.7	22.4	4.39	10,988	22,370	54.1%	26.6%	-
HM5235	3,453	5.14	1.2	2.3	21.1	4.43	3,453	3,723	100.0%	92.7%	40.5%
SVTM9021	3,348	4.99	0.9	1.3	21.8	4.38	3,502	4,739	95.6%	70.6%	19.0%
N6428	3,081	4.86	3.8	2.4	22.5	4.46	14,847	29,137	20.8%	10.6%	11.5%
SVTM9013	2,937	4.95	1.3	1.9	21.6	4.42	7,387	23,680	39.8%	12.4%	20.9%
SVTM1082	1,625	5.19	1.1	1.4	22.1	4.31	1,706	10,382	95.3%	15.7%	14.5%
SVTM9027	1,420	5.01	0.5	0.6	22.2	4.33	2,683	8,508	52.9%	16.7%	95.8%
HM5522	1,419	5.61	1.5	0.9	21.7	4.36	3,268	22,895	43.4%	6.2%	1.3%
H2015	1,357	4.26	6.9	1.3	20.5	4.45	5,070	5,670	26.8%	23.9%	-
HM5511	1,308	5.29	1.2	2.4	22.1	4.44	1,377	7,329	95.0%	17.8%	6.3%
HM8268	1,245	5.22	1.3	2.1	21.2	4.42	2,015	3,996	61.8%	31.2%	-
BP74	1,069	5.09	2.6	1.2	21.5	4.44	1,751	7,223	61.1%	14.8%	-
H1996	1,062	5.10	1.3	1.9	22.4	4.44	5,854	9,711	18.1%	10.9%	-
SVTM9011	1,051	5.43	1.8	2.4	20.8	4.40	1,372	3,632	76.6%	28.9%	42.7%
Total	62,522	5.04	2.9	1.4	22.0	4.41	47.4%	14.9%	47.9%	16.4%	16.5%
North	131,925	5.02	3.4	1.6	22.0	4.43	100.0%	31.5%	100.0%	34.1%	4.1%
Statewide	418,842	5.25	2.1	1.6	21.5	4.43	-	100.0%	-	100.0%	32.0%