

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,274	0.0	5.1	2.1	2.0	24.3	1.0	4.47	4.42
COLUSA	2401, HEINZ	122	0.0	6.3	6.8	3.7	28.3	0.2	4.49	4.32	4,239	0.0	3.6	2.6	1.7	25.9	0.9	4.48	4.32
COLUSA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,108	0.0	1.3	1.5	1.7	25.3	2.4	4.92	4.44
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,129	0.0	0.6	2.7	1.3	24.1	1.2	5.08	4.46
COLUSA	5508, HZ	422	0.0	1.1	3.6	1.4	26.7	0.2	4.17	4.34	1,899	0.0	1.2	2.6	1.8	26.3	0.5	4.22	4.35
COLUSA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,783	0.0	1.7	1.6	1.6	25.1	1.4	5.00	4.41
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,737	0.0	0.6	2.1	0.8	26.0	2.6	4.77	4.37
COLUSA	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,404	0.0	0.9	1.9	1.4	25.4	0.6	4.71	4.36
COLUSA	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,131	0.0	2.5	2.5	1.9	25.6	0.6	4.55	4.34
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,063	0.0	1.2	1.2	0.8	24.9	1.3	4.82	4.47
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	679	0.0	0.9	2.2	1.1	24.3	3.8	5.18	4.49
COLUSA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	658	0.0	2.8	3.4	1.0	24.7	5.9	4.86	4.42
COLUSA	1175, HEINZ	130	0.0	5.8	3.3	2.4	26.2	0.2	4.33	4.48	567	0.0	3.3	2.5	2.9	24.6	0.3	4.55	4.48
COLUSA	3402, HEINZ	170	0.0	3.4	4.6	2.9	26.0	0.3	4.53	4.49	561	0.0	2.6	3.7	2.0	25.4	0.6	4.57	4.48
COLUSA	8504, HEINZ	87	0.0	4.6	5.4	2.2	28.7	0.3	4.47	4.35	455	0.0	4.5	3.0	3.7	25.9	0.6	4.64	4.34
COLUSA	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	424	0.0	1.0	4.7	1.3	28.2	3.9	4.89	4.39
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	0.2	1.4	0.5	27.0	2.6	5.09	4.29
COLUSA	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	391	0.0	1.1	5.7	1.1	24.6	0.3	4.78	4.37
COLUSA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	375	0.0	3.3	0.9	0.1	26.0	1.5	5.19	4.37
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	365	0.0	1.7	1.3	0.6	25.7	2.1	4.91	4.43
COLUSA	1170, HEINZ	154	0.0	4.8	1.6	4.0	27.2	0.4	4.51	4.46	327	0.0	2.9	1.4	1.9	26.6	0.8	4.57	4.44
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	300	0.0	1.0	2.6	1.7	27.7	1.6	4.56	4.41
COLUSA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	4.8	0.9	0.4	23.6	1.7	4.92	4.43
COLUSA	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	220	0.0	3.2	2.0	1.6	26.2	0.8	4.36	4.36
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.3	2.0	0.8	24.7	2.0	4.86	4.40
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.5	2.0	0.3	25.7	1.0	4.81	4.34
COLUSA	816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
COLUSA	9905, HARRIS MORAN	11	0.0	2.4	1.1	0.2	26.0	1.2	4.81	4.49	156	0.0	2.2	1.2	0.5	26.6	0.6	4.75	4.51
COLUSA	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	1.6	0.7	0.6	24.5	3.5	5.24	4.49
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	123	0.0	5.0	4.9	1.8	26.7	1.8	4.85	4.43
COLUSA	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.1	2.0	1.9	26.5	0.9	4.96	4.48
COLUSA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	4.0	0.2	0.1	24.1	1.4	4.71	4.46
COLUSA	9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45
COLUSA	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	5.5	1.5	0.1	26.1	1.8	4.84	4.32
COLUSA	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	3.0	1.6	0.9	25.3	2.0	5.27	4.35
COLUSA	0299, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	6.0	0.8	0.1	24.4	3.4	4.96	4.42
COLUSA	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.2	1.9	0.2	26.6	1.0	5.53	4.36
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	5.1	2.7	2.9	26.6	0.7	4.44	4.36
COLUSA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	1.5	0.5	26.3	1.3	4.96	4.29
COLUSA	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	1.1	4.5	1.1	26.1	1.8	5.00	4.34
COLUSA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	6.9	1.4	0.1	29.5	1.1	4.73	4.49
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.3	0.4	1.1	23.5	3.0	5.15	4.43
COLUSA	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.2	1.5	1.0	0.2	29.7	0.2	5.17	4.50
COLUSA	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.3	1.8	0.0	29.5	1.0	5.15	4.47
COLUSA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	1.3	0.0	29.0	0.3	4.65	4.35
COLUSA	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.5	0.8	0.0	26.0	1.8	4.85	4.30
COLUSA	9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.5	1.0	0.0	24.5	0.3	5.15	4.47
COLUSA	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56
COLUSA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	2.5	0.0	29.0	1.0	4.70	4.32
COLUSA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	23.0	0.5	6.00	4.46
COLUSA		1,096	0.0	3.4	3.9	2.4	26.9	0.3	4.36	4.40	30,379	0.0	2.4	2.2	1.5	25.3	1.5	4.71	4.40
CONTRA COSTA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,389	0.0	0.9	1.1	0.1	22.5	0.9	5.65	4.30
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,189	0.0	0.1	0.7	0.2	23.4	0.9	5.97	4.31
CONTRA COSTA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,066	0.0	0.9	1.3	0.3	24.2	1.6	5.39	4.32
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	540	0.0	0.1	0.6	0.2	23.3	1.2	5.47	4.30
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	378	0.0	0.8	0.3	0.3	23.4	0.8	5.37	4.39
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.1	0.7	0.1	23.3	1.4	6.11	4.24
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.2	0.8	0.1	22.0	0.6	5.21	4.38
CONTRA COSTA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	214	0.0	0.2	0.8	0.3	22.7	1.0	5.18	4.26
CONTRA COSTA	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	0.5	1.4	3.9	26.1	1.6	4.44	4.26
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.3	0.9	0.2	22.4	1.0	5.02	4.31
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	5.30	4.27
CONTRA COSTA	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.5	23.0	1.0	5.80	4.34
CONTRA COSTA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	21.0	1.0	5.30	4.48
CONTRA COSTA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	23.0	0.5	5.40	4.34
CONTRA COSTA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,460	0.0	0.5	0.9	0.3	23.3	1.1	5.60	4.31
FRESNO	6366, SUN	109	0.0	1.4	4.4	1.0	24.5	1.1	5.42	4.32	18,521	0.0	0.6	1.6	0.6	23.4	2.0	5.77	4.38
FRESNO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18,378	0.0	2.0	2.8	0.8	23.0	1.3	5.19	4.39
FRESNO	2401, HEINZ	912	0.0	0.9	3.0	0.7	25.0	0.5	4.99	4.26	10,139	0.0	1.8	2.6	0.5	24.9	0.9	5.11	4.30
FRESNO	8504, HEINZ	1,031	0.0	2.1	3.3	0.2	24.8	0.6	5.21	4.28	9,934	0.0	1.6	2.6	0.4	24.2	0.8	5.15	4.31
FRESNO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9,806	0.0	1.4	1.2	0.3	23.7	1.8	5.95	4.38
FRESNO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8,151	0.0	1.4	2.0	0.7	23.7	2.2	5.47	4.43
FRESNO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,580	0.0	1.4	2.0	0.7	22.6	1.8	6.00	4.35
FRESNO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,432	0.0	0.7	1.0	0.9	22.9	1.8	5.76	4.41
FRESNO	4707, HEINZ	86	0.0	2.0	3.5	0.6	26.4	0.2	4.96	4.33	5,870	0.0	1.5	3.0	0.6	25.7	0.7	5.17	4.38
FRESNO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,520	0.0	0.3	1.3	0.4	23.0	0.7	5.30	4.42
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,945	0.0	0.4	2.0	0.9	23.2	1.1	5.45	4.39
FRESNO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,810	0.0	0.7	2.0	1.2	23.0	2.5	5.61	4.44

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,419	0.0	0.6	0.6	0.3	23.9	0.7	5.00	4.54
FRESNO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,715	0.0	1.4	1.8	0.5	22.9	0.8	5.76	4.31
FRESNO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,500	0.0	1.1	2.1	0.9	23.3	1.6	5.47	4.43
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,458	0.0	1.2	1.4	0.5	22.2	2.0	5.51	4.47
FRESNO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,616	0.0	1.0	0.9	0.3	23.7	1.9	5.82	4.33
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,493	0.0	0.4	1.3	0.4	24.1	2.3	4.84	4.37
FRESNO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,201	0.0	1.1	1.5	0.5	23.7	1.9	5.73	4.31
FRESNO	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,156	0.0	0.4	0.9	0.3	23.6	3.5	5.23	4.36
FRESNO	3402, HEINZ	139	0.0	0.9	4.1	1.4	24.4	0.5	5.11	4.39	1,943	0.0	0.3	2.6	0.9	23.9	0.8	5.38	4.41
FRESNO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,931	0.0	4.5	4.1	0.3	23.6	1.9	4.98	4.41
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,906	0.0	1.0	2.7	1.4	24.0	4.2	5.29	4.38
FRESNO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,904	0.0	2.0	0.5	0.3	23.2	1.4	5.35	4.37
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,872	0.0	0.3	1.3	0.4	23.3	2.7	5.27	4.40
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,870	0.0	0.4	1.9	0.4	23.6	3.9	6.20	4.35
FRESNO	1175, HEINZ	106	0.0	1.7	2.9	0.6	23.4	0.2	5.19	4.45	1,512	0.0	1.1	1.9	0.4	23.7	0.7	5.07	4.46
FRESNO	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,461	0.0	1.3	1.2	0.3	24.2	1.8	5.40	4.34
FRESNO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,329	0.0	1.0	1.7	0.3	24.4	1.6	5.87	4.36
FRESNO	1170, HEINZ	307	0.0	1.2	1.7	0.5	25.5	0.6	5.08	4.36	1,297	0.0	1.0	1.8	0.5	24.8	0.7	5.50	4.36
FRESNO	5508, HZ	190	0.0	0.9	3.3	0.2	25.3	0.1	4.69	4.29	1,269	0.0	0.8	2.3	0.6	24.7	0.5	4.97	4.31
FRESNO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,210	0.0	3.0	3.7	0.6	24.7	0.9	5.17	4.41
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,165	0.0	0.2	2.0	0.9	24.1	1.6	5.26	4.32
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,016	0.0	0.4	1.6	0.2	23.3	1.5	5.11	4.31
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
FRESNO	18806, UG	47	0.0	1.7	3.0	0.5	24.7	1.8	4.94	4.30	996	0.0	1.3	1.4	0.3	25.7	1.3	4.96	4.35
FRESNO	6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	943	0.0	2.6	0.6	0.3	22.7	1.1	5.57	4.40
FRESNO	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	901	0.0	0.6	1.1	0.4	23.9	1.6	5.10	4.44
FRESNO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	900	0.0	0.7	1.7	0.5	23.6	2.4	6.40	4.35
FRESNO	8004, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	789	0.0	1.8	2.4	0.2	22.9	1.2	5.15	4.43
FRESNO	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	745	0.0	1.6	1.3	0.3	23.3	1.6	4.71	4.44
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	741	0.0	0.2	1.5	0.3	24.2	1.5	5.43	4.30
FRESNO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	668	0.0	0.9	1.5	0.5	23.0	0.7	5.70	4.49
FRESNO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	613	0.0	1.7	13.6	0.8	28.8	8.4	5.16	4.36
FRESNO	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	462	0.0	1.0	1.9	0.4	25.0	3.9	4.92	4.45
FRESNO	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	462	0.0	2.3	1.1	0.4	22.8	3.6	5.17	4.42
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	461	0.0	0.1	0.7	0.2	25.4	1.1	5.40	4.37
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	452	0.0	0.6	2.3	0.3	22.8	3.5	5.48	4.39
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	421	0.0	0.1	1.4	0.5	24.8	1.1	5.03	4.32
FRESNO	9905, HARRIS MORAN	33	0.0	0.3	1.2	0.3	24.4	0.4	5.55	4.19	404	0.0	2.9	2.6	0.3	25.0	1.2	5.28	4.52
FRESNO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	1.4	1.2	0.2	25.6	2.5	5.40	4.47

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	364	0.0	1.6	1.2	0.4	24.6	1.1	5.53	4.36
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	1.2	2.0	0.9	24.8	1.0	5.74	4.37
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	0.6	0.8	0.3	23.0	1.8	5.62	4.33
FRESNO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	1.9	1.2	0.5	23.1	2.2	5.81	4.40
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	0.0	1.8	0.5	26.1	0.6	5.10	4.31
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	3.2	1.2	0.5	23.6	2.4	5.24	4.43
FRESNO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	232	0.0	0.4	2.9	1.6	24.6	2.5	5.56	4.44
FRESNO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.1	5.3	1.4	0.5	24.3	1.9	4.81	4.57
FRESNO	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.0	0.9	0.4	23.1	1.3	4.79	4.30
FRESNO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	1.2	1.3	0.2	24.5	1.3	5.25	4.45
FRESNO	002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
FRESNO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	2.4	2.3	0.3	23.2	1.9	5.23	4.40
FRESNO	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.0	1.1	0.3	24.0	1.7	5.14	4.31
FRESNO	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	1.4	2.1	0.5	22.2	2.5	5.73	4.38
FRESNO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	0.7	1.0	0.1	23.0	0.5	5.30	4.36
FRESNO	5705, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	1.4	2.5	2.2	24.0	3.2	4.97	4.59
FRESNO	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.2	0.3	0.1	24.2	3.3	5.52	4.40
FRESNO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	0.5	0.3	0.4	23.1	4.2	5.76	4.49
FRESNO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.4	3.5	1.2	26.2	0.7	5.52	4.40
FRESNO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.0	2.5	0.5	26.0	1.3	5.47	4.40
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	1.0	0.5	0.1	20.9	2.2	5.66	4.37
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40
FRESNO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.0	2.7	0.2	22.7	1.1	5.85	4.41
FRESNO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.0	0.9	0.2	24.5	0.3	5.28	4.27
FRESNO	1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.0	0.7	0.3	22.5	1.3	5.62	4.51
FRESNO	95, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	4.1	1.4	0.6	24.1	8.2	5.63	4.57
FRESNO	19210, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.1	3.1	2.2	0.3	24.7	2.1	5.41	4.39
FRESNO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.8	5.9	0.5	25.0	1.6	5.65	4.36
FRESNO	9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.4	0.5	23.5	1.1	5.63	4.44
FRESNO	18510, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.4	1.4	0.5	26.5	2.8	5.25	4.39
FRESNO	650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.2	0.2	0.8	25.0	1.2	5.07	4.44
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.8	22.7	2.7	6.57	4.46
FRESNO	7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.2	0.5	0.8	0.2	23.3	0.2	5.30	4.50
FRESNO	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	1.0	0.5	25.0	8.5	4.85	4.62
FRESNO	1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	3.5	0.8	0.8	23.5	1.8	5.65	4.62
FRESNO	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.8	0.3	22.5	2.3	5.20	4.50
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	1.5	1.0	24.0	3.0	5.90	4.60
FRESNO	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34
FRESNO		2,960	0.0	1.5	3.1	0.5	24.9	0.6	5.09	4.30	171,181	0.0	1.2	2.0	0.6	23.6	1.6	5.45	4.38

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
GLENN	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	506	0.0	2.3	8.1	2.5	26.4	0.3	4.77	4.28
GLENN	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	458	0.0	1.7	5.6	1.5	25.9	0.2	4.71	4.38
GLENN	5508, HZ	37	0.0	1.4	6.8	1.1	27.8	0.3	4.17	4.31	322	0.0	1.4	5.6	1.2	26.7	0.2	4.41	4.32
GLENN	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	176	0.0	2.7	5.4	1.2	24.6	0.1	5.01	4.38
GLENN	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	4.0	1.7	0.2	25.7	0.3	4.99	4.47
GLENN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	4.9	1.2	0.2	26.4	0.4	4.54	4.41
GLENN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	4.7	0.7	0.7	24.3	1.3	4.97	4.39
GLENN		37	0.0	1.4	6.8	1.1	27.8	0.3	4.17	4.31	1,595	0.0	2.2	6.0	1.6	26.1	0.2	4.71	4.34
KERN	8504, HEINZ	597	0.0	0.6	3.8	1.8	26.7	0.2	4.80	4.28	9,403	0.0	0.5	2.6	0.7	24.8	0.8	5.10	4.30
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,953	0.0	1.0	0.9	0.7	24.2	1.9	5.05	4.44
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,450	0.0	0.8	1.7	0.7	24.1	1.6	5.05	4.41
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,280	0.0	0.8	1.6	0.3	22.9	1.0	5.07	4.39
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,394	0.0	0.4	2.1	0.4	24.7	1.8	4.84	4.41
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,443	0.0	0.2	1.1	0.4	23.0	1.4	5.09	4.48
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	667	0.0	1.1	0.7	0.8	24.6	1.2	5.51	4.34
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.4	1.4	0.7	23.0	4.1	4.93	4.40
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	360	0.0	1.3	1.1	0.4	23.4	1.5	5.43	4.37
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	355	0.0	0.6	2.5	0.7	23.6	1.1	5.45	4.37
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	318	0.0	0.1	1.3	0.4	24.8	0.9	5.12	4.30
KERN	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	2.1	0.4	25.5	5.1	5.04	4.38
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	3.4	1.8	0.5	24.5	2.2	4.70	4.45
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	187	0.0	0.9	2.5	0.6	24.6	1.3	5.13	4.41
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.9	1.0	0.9	22.1	0.8	5.52	4.48
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	3.0	0.8	24.4	3.5	5.19	4.45
KERN	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	145	0.0	1.0	2.2	0.3	24.4	0.6	5.24	4.36
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.1	0.6	0.2	23.2	3.5	5.90	4.52
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.3	1.2	0.2	23.4	2.0	5.83	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.2	2.4	0.3	26.0	2.3	4.88	4.37
KERN	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	2.3	0.5	23.4	0.3	4.67	4.44
KERN	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	2.0	0.1	25.8	0.6	5.43	4.48
KERN	26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
KERN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	1.3	0.6	23.7	1.5	4.80	4.35
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.3	1.8	0.8	24.7	3.7	5.27	4.40
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.6	1.3	0.3	24.0	4.1	5.13	4.47
KERN	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.2	1.4	0.4	25.1	4.2	5.65	4.41
KERN	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.5	0.6	0.7	21.7	3.2	4.93	4.35
KERN	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	0.4	0.4	0.0	23.2	0.6	5.19	4.35
KERN	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.8	0.6	0.1	20.5	0.4	4.95	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.1	3.2	0.8	24.8	0.8	5.44	4.34

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.1	2.5	0.5	24.3	1.5	5.57	4.40
KERN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.8	3.4	0.2	20.9	2.7	5.17	4.43
KERN		597	0.0	0.6	3.8	1.8	26.7	0.2	4.80	4.28	29,344	0.0	0.7	1.8	0.6	24.2	1.4	5.08	4.38
KINGS	8504, HEINZ	3,125	0.0	1.0	4.0	0.6	25.3	0.5	4.54	4.30	32,303	0.0	0.5	3.4	0.5	24.4	0.7	5.03	4.29
KINGS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,356	0.0	1.6	2.1	0.6	23.7	1.0	5.28	4.38
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,382	0.0	0.5	1.3	0.5	24.1	1.4	5.75	4.38
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,888	0.0	0.2	2.5	0.5	24.4	2.3	4.94	4.42
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,386	0.0	0.5	3.1	1.5	23.5	1.5	5.38	4.40
KINGS	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,022	0.0	0.4	3.5	1.1	24.4	3.2	5.07	4.39
KINGS	2401, HEINZ	209	0.0	1.7	4.5	1.0	26.1	1.1	5.13	4.27	964	0.0	1.2	4.0	0.7	26.5	0.8	5.09	4.26
KINGS	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	961	0.0	3.8	1.3	0.4	23.6	2.1	5.54	4.43
KINGS	1170, HEINZ	32	0.0	0.7	7.2	0.2	27.1	0.4	4.56	4.32	875	0.0	1.6	2.3	0.5	26.3	0.9	5.37	4.37
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	848	0.0	0.4	1.0	0.3	22.3	1.0	5.55	4.45
KINGS	5508, HZ	308	0.0	1.1	2.1	0.2	24.7	0.4	4.70	4.23	801	0.0	1.9	2.0	0.3	25.3	0.4	4.73	4.28
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	752	0.0	0.9	2.0	0.2	23.1	1.5	6.22	4.35
KINGS	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	742	0.0	0.7	2.0	0.1	24.7	1.3	5.97	4.33
KINGS	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	735	0.0	2.8	1.2	0.4	23.8	1.3	5.68	4.38
KINGS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	617	0.0	2.8	0.7	0.4	24.6	2.1	5.22	4.34
KINGS	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	616	0.0	0.0	0.9	0.2	25.1	1.1	5.16	4.33
KINGS	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	513	0.0	1.3	0.7	0.3	23.5	2.5	5.00	4.46
KINGS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	464	0.0	1.9	2.6	0.8	28.3	0.8	4.97	4.37
KINGS	UNCODED	64	0.0	1.6	3.0	0.4	24.9	0.8	4.68	4.34	460	0.0	0.7	2.9	0.4	24.4	0.8	5.42	4.38
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	401	0.0	0.3	3.7	1.7	25.6	2.3	6.08	4.36
KINGS	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	386	0.0	0.5	2.3	0.5	23.3	2.5	6.01	4.31
KINGS	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	0.9	0.1	24.8	1.8	5.01	4.35
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	1.8	0.7	24.4	1.8	5.03	4.29
KINGS	1892, HMX	75	0.0	1.1	1.1	0.4	24.3	1.0	5.26	4.30	348	0.0	1.1	1.6	0.6	26.5	0.8	5.55	4.39
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	278	0.0	1.7	3.3	0.6	23.4	3.9	4.99	4.40
KINGS	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	0.1	1.4	1.1	22.1	0.8	5.68	4.40
KINGS	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	193	0.0	1.9	2.0	0.4	26.7	1.0	6.00	4.32
KINGS	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	1.2	3.6	0.6	26.1	0.5	5.10	4.35
KINGS	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	179	0.0	0.0	3.4	0.7	24.1	4.6	5.65	4.29
KINGS	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	167	0.0	0.5	2.2	0.5	23.3	0.7	5.89	4.44
KINGS	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.1	1.7	0.6	25.0	2.2	5.88	4.36
KINGS	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	4.5	1.2	0.4	21.6	2.6	5.68	4.42
KINGS	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	2.6	1.7	0.3	24.3	2.0	5.72	4.38
KINGS	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.4	1.2	1.7	25.9	1.0	5.87	4.28
KINGS	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.1	4.1	0.5	25.4	2.4	5.08	4.32
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	2.8	1.9	0.3	25.1	1.0	5.37	4.30

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.0	0.6	0.0	23.1	1.1	4.72	4.28
KINGS	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.1	1.8	0.2	22.0	1.2	6.85	4.29
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	0.2	0.2	23.0	2.6	5.67	4.29
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.5	0.8	0.6	22.6	2.1	5.25	4.49
KINGS	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	3.3	0.8	0.1	23.1	4.2	4.71	4.47
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	0.3	0.1	24.5	0.6	4.88	4.34
KINGS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	4.0	0.3	23.0	0.6	5.52	4.49
KINGS	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	2.8	1.1	0.5	25.0	2.2	5.86	4.44
KINGS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.4	1.1	0.5	23.4	1.8	5.68	4.31
KINGS	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.7	1.4	0.4	24.6	1.9	5.82	4.41
KINGS	9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	0.8	0.2	24.0	0.8	5.50	4.45
KINGS	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.6	1.4	1.1	26.0	3.1	5.70	4.34
KINGS	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.1	0.6	0.3	25.0	1.6	6.05	4.42
KINGS	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.7	0.8	0.3	26.0	3.7	5.17	4.51
KINGS		3,813	0.0	1.0	3.8	0.6	25.3	0.5	4.61	4.29	65,900	0.0	0.8	2.7	0.6	24.3	1.1	5.21	4.34
MADERA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,265	0.0	2.1	0.7	0.6	25.1	2.4	4.92	4.40
MADERA	8504, HEINZ	33	0.0	0.6	0.5	0.4	24.2	0.6	4.95	4.31	1,260	0.0	0.7	2.5	0.4	25.0	0.8	4.91	4.30
MADERA	6404, N	25	0.0	3.2	4.6	1.4	26.0	1.8	4.45	4.38	1,134	0.0	3.7	2.3	1.0	24.4	2.8	5.05	4.44
MADERA	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,089	0.0	1.1	3.5	1.3	26.3	0.6	4.52	4.34
MADERA	2401, HEINZ	93	0.0	0.6	1.9	0.5	24.4	0.7	4.64	4.27	923	0.0	1.0	2.7	0.4	25.7	0.9	4.80	4.28
MADERA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	888	0.0	3.2	1.0	0.7	25.4	1.7	5.33	4.40
MADERA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	878	0.0	3.1	2.5	0.6	24.8	1.7	4.95	4.47
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	1.2	2.2	0.6	24.5	1.9	4.73	4.44
MADERA	5608, HZ	169	0.0	2.3	4.1	2.2	26.3	1.8	4.20	4.37	668	0.0	1.4	3.4	1.9	24.7	1.6	4.62	4.38
MADERA	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	653	0.0	1.2	1.3	0.5	23.9	0.8	5.33	4.30
MADERA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	588	0.0	1.1	1.0	1.3	23.5	2.1	5.35	4.45
MADERA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	400	0.0	0.8	2.5	1.6	22.8	2.8	5.51	4.46
MADERA	5508, HZ	125	0.0	3.2	4.6	2.1	26.3	1.7	4.43	4.40	306	0.0	1.4	4.9	1.2	26.1	1.1	4.63	4.35
MADERA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	296	0.0	7.4	2.0	0.8	24.5	1.2	5.08	4.38
MADERA	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	0.4	1.9	1.5	23.7	0.8	4.78	4.34
MADERA	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	1.9	0.5	0.1	26.0	0.3	5.06	4.36
MADERA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	1.7	4.7	1.2	25.1	1.5	4.50	4.37
MADERA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	1.6	0.4	0.1	26.9	0.6	4.83	4.37
MADERA	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.4	2.3	0.1	25.2	1.4	5.32	4.46
MADERA	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.1	1.4	0.6	23.5	2.5	4.93	4.50
MADERA	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.4	1.3	0.0	24.3	1.3	4.93	4.36
MADERA	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	2.5	0.3	24.5	1.8	4.90	4.40
MADERA	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	1.0	0.3	23.5	2.5	5.45	4.42
MADERA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	1.0	24.0	1.0	5.60	4.46

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MADERA		445	0.0	2.1	3.5	1.6	25.7	1.5	4.43	4.35	11,480	0.0	1.9	2.2	0.8	24.9	1.6	4.95	4.38
MERCED	8504, HEINZ	1,767	0.0	1.0	3.2	0.6	25.1	0.8	4.94	4.26	6,714	0.0	1.0	3.0	1.2	24.8	1.0	5.04	4.27
MERCED	2401, HEINZ	547	0.0	1.8	2.7	0.7	25.5	1.3	4.77	4.28	6,184	0.0	0.9	2.3	0.9	25.8	1.0	4.91	4.27
MERCED	5608, HZ	26	0.0	3.2	0.3	1.3	22.0	4.0	5.27	4.49	5,742	0.0	1.4	2.7	1.5	23.4	2.0	4.98	4.38
MERCED	19406, UG	51	0.0	1.8	4.0	0.4	26.6	0.7	4.76	4.26	3,784	0.0	1.1	2.4	0.5	24.5	0.9	5.41	4.29
MERCED	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,695	0.0	0.7	2.6	0.5	24.5	2.0	5.44	4.37
MERCED	6404, N	1	0.0	4.5	1.0	1.5	25.0	0.0	4.90	4.44	2,927	0.0	1.5	3.7	1.8	25.0	2.7	5.26	4.40
MERCED	4707, HEINZ	228	0.0	1.8	5.1	3.9	27.4	0.7	4.46	4.32	2,406	0.0	0.8	3.0	1.1	25.5	1.3	5.00	4.31
MERCED	1892, HMX	22	0.0	1.5	1.1	0.3	21.5	1.9	5.64	4.45	1,287	0.0	0.9	2.4	1.1	24.2	1.5	5.40	4.37
MERCED	3402, HEINZ	112	0.0	0.8	3.5	0.3	24.4	0.4	4.98	4.41	1,241	0.0	0.3	2.7	1.7	24.6	1.0	4.94	4.43
MERCED	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	862	0.0	0.3	3.4	2.0	24.7	0.6	5.01	4.36
MERCED	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	738	0.0	1.0	1.5	1.2	24.2	1.7	5.49	4.39
MERCED	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	695	0.0	0.2	3.2	0.7	23.3	0.7	5.42	4.39
MERCED	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	617	0.0	1.3	1.7	0.4	25.0	1.8	5.70	4.31
MERCED	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	564	0.0	1.5	2.6	1.6	25.1	1.6	5.01	4.35
MERCED	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	499	0.0	1.4	1.0	0.4	26.3	3.6	5.16	4.37
MERCED	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	477	0.0	0.5	3.4	2.0	26.5	0.7	4.46	4.28
MERCED	5508, HZ	137	0.0	0.9	2.7	3.6	23.4	0.8	5.22	4.23	468	0.0	3.3	3.5	1.6	23.7	0.6	4.83	4.34
MERCED	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	4.6	5.0	0.4	25.4	2.0	5.04	4.40
MERCED	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	392	0.0	1.2	1.1	0.4	23.5	0.7	4.77	4.48
MERCED	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	361	0.0	3.6	5.2	0.3	24.3	1.5	5.44	4.33
MERCED	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	328	0.0	1.0	1.3	0.4	25.3	1.6	5.92	4.30
MERCED	6407, N	97	0.0	3.0	2.1	0.4	23.2	1.2	5.09	4.37	293	0.0	1.3	1.6	0.4	25.4	0.8	5.33	4.27
MERCED	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	4.6	5.2	0.5	26.8	2.3	4.77	4.40
MERCED	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	3.8	1.9	0.5	22.6	3.9	5.45	4.60
MERCED	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	217	0.0	1.2	18.0	2.6	31.6	8.3	5.13	4.33
MERCED	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	160	0.0	2.3	0.6	0.3	22.2	2.0	5.25	4.52
MERCED	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	155	0.0	0.6	1.0	0.7	23.8	1.1	5.25	4.48
MERCED	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	1.7	0.1	0.0	26.3	0.4	5.01	4.50
MERCED	8004, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	1.0	0.7	0.3	22.4	0.5	5.46	4.37
MERCED	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	1.0	2.2	0.5	26.0	0.8	5.63	4.42
MERCED	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	3.5	2.0	0.2	27.3	2.4	5.03	4.43
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	95	0.0	0.6	0.8	0.4	25.9	1.7	4.90	4.36
MERCED	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	0.8	1.3	0.2	23.1	1.0	5.97	4.30
MERCED	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	0.6	1.8	0.8	25.2	2.1	5.42	4.49
MERCED	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	1.6	4.4	0.3	25.4	3.0	4.66	4.35
MERCED	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.0	1.1	0.2	23.6	0.6	5.11	4.22
MERCED	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	1.1	0.1	0.1	24.4	0.4	5.45	4.34
MERCED	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.3	0.5	24.5	1.1	5.20	4.41

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.0	1.5	0.4	23.6	1.0	5.66	4.22
MERCED	3155,BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.1	1.7	0.4	25.1	3.5	5.74	4.47
MERCED	31060, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.6	2.0	0.2	23.9	2.0	5.70	4.38
MERCED	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	6.2	4.4	0.3	27.8	0.9	4.88	4.41
MERCED	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.2	0.6	0.3	24.0	0.3	5.41	4.23
MERCED	19306, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	2.8	1.2	0.2	21.4	1.2	5.28	4.51
MERCED	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.6	1.1	1.2	23.4	2.5	5.34	4.41
MERCED	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.1	0.5	0.2	21.9	1.3	6.07	4.55
MERCED	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	1.0	0.4	0.2	24.9	2.0	5.16	4.34
MERCED	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	1.3	1.8	0.5	24.9	1.9	5.67	4.46
MERCED	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	5.0	1.5	0.2	24.7	2.4	4.93	4.41
MERCED	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	0.9	0.0	25.8	1.1	5.40	4.25
MERCED	CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
MERCED	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.4	1.8	26.3	1.8	5.43	4.23
MERCED	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.8	0.3	25.3	0.7	5.53	4.29
MERCED	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.0	0.3	22.3	2.7	5.50	4.33
MERCED	9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.3	0.5	22.0	0.2	5.60	4.29
MERCED	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.8	0.5	23.0	0.8	5.80	4.26
MERCED	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	1.0	0.5	21.5	1.0	5.55	4.46
MERCED	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.5	0.3	22.5	0.8	6.30	4.36
MERCED	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	0.5	27.0	2.5	5.10	4.35
MERCED	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	26.0	0.5	5.60	4.35
MERCED	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	27.0	1.0	5.90	4.32
MERCED		2,988	0.0	1.3	3.1	1.0	25.2	0.9	4.89	4.28	43,031	0.0	1.2	2.8	1.1	24.8	1.5	5.14	4.34
MONTEREY	6404, N	1	0.0	2.5	0.5	3.0	21.0	0.5	4.90	4.44	120	0.0	0.8	1.6	1.0	22.1	2.6	5.04	4.41
MONTEREY	3402, HEINZ	9	0.0	0.2	0.8	0.6	21.8	0.9	4.94	4.46	82	0.0	0.4	1.2	0.4	21.6	1.9	4.93	4.42
MONTEREY		10	0.0	0.4	0.7	0.8	21.7	0.8	4.94	4.46	202	0.0	0.6	1.4	0.7	21.9	2.3	4.99	4.42
SACRAMENTO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	673	0.0	0.9	1.7	0.6	26.3	0.7	4.36	4.28
SACRAMENTO	0319, DRI	69	0.0	2.0	2.1	1.1	24.8	1.7	5.36	4.34	484	0.0	0.8	0.8	0.7	24.3	1.8	5.52	4.29
SACRAMENTO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	471	0.0	1.2	0.8	0.4	23.9	2.2	5.46	4.30
SACRAMENTO	6407, N	39	0.0	0.8	1.4	0.6	24.7	0.9	5.28	4.29	431	0.0	1.0	0.8	1.0	25.0	0.7	5.15	4.31
SACRAMENTO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	2.0	1.2	0.7	23.2	0.8	5.94	4.27
SACRAMENTO	206, BQ	19	0.0	0.9	0.5	0.6	25.2	0.8	5.33	4.23	357	0.0	0.8	0.7	0.7	24.9	0.9	5.18	4.26
SACRAMENTO	8504, HEINZ	45	0.0	0.5	6.9	2.9	27.4	0.5	5.36	4.20	325	0.0	1.9	2.7	1.6	25.2	1.0	5.04	4.23
SACRAMENTO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	288	0.0	1.9	1.5	0.3	24.0	1.0	5.10	4.37
SACRAMENTO	6402, N	53	0.0	1.1	1.7	0.6	25.8	0.3	5.02	4.32	285	0.0	1.1	0.9	0.8	25.3	1.3	5.03	4.33
SACRAMENTO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	196	0.0	0.5	0.7	0.6	24.7	1.8	5.67	4.30
SACRAMENTO	849, HYPEEL	60	0.0	1.1	0.5	0.5	25.0	1.0	4.52	4.29	166	0.0	3.4	0.7	0.3	25.1	0.8	4.55	4.33
SACRAMENTO	1015, HEINZ	165	0.0	0.8	1.5	1.4	23.6	0.9	5.24	4.32	165	0.0	0.8	1.5	1.4	23.6	0.9	5.24	4.32

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SACRAMENTO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	148	0.0	0.9	0.6	0.3	23.2	1.1	5.34	4.36
SACRAMENTO	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.0	1.0	3.1	1.7	24.5	0.9	4.98	4.35
SACRAMENTO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	1.6	2.5	0.4	27.2	1.1	4.93	4.34
SACRAMENTO	1175, HEINZ	66	0.0	1.2	4.5	0.8	22.2	0.6	4.90	4.38	99	0.0	1.1	4.0	0.7	23.3	0.6	4.74	4.38
SACRAMENTO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	1.1	0.4	1.3	24.5	1.7	4.90	4.26
SACRAMENTO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	0.3	0.9	23.5	0.4	5.80	4.25
SACRAMENTO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.7	0.3	23.3	0.8	5.70	4.24
SACRAMENTO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.8	25.0	0.8	5.80	4.22
SACRAMENTO	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	24.5	1.8	5.85	4.34
SACRAMENTO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	0.5	5.20	4.49
SACRAMENTO		516	0.0	1.1	2.3	1.1	24.4	0.9	5.12	4.31	4,768	0.0	1.2	1.3	0.7	24.7	1.1	5.15	4.30
SAN BENITO	6366, SUN	206	0.0	0.3	0.8	0.2	22.2	4.8	5.23	4.34	1,060	0.0	0.5	0.8	0.7	23.8	4.5	4.96	4.28
SAN BENITO	2, AB	54	0.0	0.6	1.0	0.3	22.8	4.8	4.85	4.29	361	0.0	0.9	1.1	0.6	24.1	3.2	4.85	4.28
SAN BENITO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	1.6	1.5	0.4	26.0	0.5	4.92	4.41
SAN BENITO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.4	2.1	1.2	24.3	2.4	5.22	4.23
SAN BENITO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	1.3	0.6	0.5	21.9	3.8	5.39	4.37
SAN BENITO	206, BQ	46	0.0	0.7	1.4	0.3	22.8	3.6	5.64	4.31	46	0.0	0.7	1.4	0.3	22.8	3.6	5.64	4.31
SAN BENITO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	0.7	0.3	0.1	24.2	6.8	5.03	4.36
SAN BENITO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.0	0.2	0.2	23.8	5.3	4.83	4.38
SAN BENITO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	1.1	0.3	23.8	4.0	5.73	4.36
SAN BENITO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.8	0.7	0.7	21.7	2.2	5.40	4.40
SAN BENITO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	23.0	2.0	5.50	4.45
SAN BENITO	9663, HEINZ	1	0.0	1.0	2.0	0.5	22.0	0.0	5.10	4.23	1	0.0	1.0	2.0	0.5	22.0	0.0	5.10	4.23
SAN BENITO		307	0.0	0.4	1.0	0.3	22.4	4.6	5.22	4.32	1,724	0.0	0.6	0.9	0.6	23.9	4.0	4.98	4.29
SAN JOAQUIN	8504, HEINZ	1,207	0.0	1.5	2.6	1.8	25.4	1.0	4.61	4.24	5,265	0.0	0.9	2.2	1.7	25.1	1.1	4.89	4.25
SAN JOAQUIN	0319, DRI	168	0.0	4.0	1.3	0.1	24.4	1.6	4.81	4.34	5,014	0.0	1.3	0.9	0.4	24.9	2.4	5.36	4.34
SAN JOAQUIN	5508, HZ	1,680	0.0	0.7	1.8	1.3	25.1	0.4	4.42	4.27	4,515	0.0	0.5	1.9	1.4	25.0	0.6	4.44	4.28
SAN JOAQUIN	19406, UG	412	0.0	1.3	1.0	0.5	24.1	0.8	5.06	4.25	3,924	0.0	1.4	1.3	0.7	24.5	0.8	5.27	4.27
SAN JOAQUIN	9780, HEINZ	173	0.0	3.3	0.8	1.5	24.6	1.4	5.07	4.26	3,513	0.0	1.2	1.4	1.7	24.6	2.1	5.04	4.31
SAN JOAQUIN	5608, HZ	42	0.0	3.6	1.8	3.7	24.4	1.5	4.22	4.32	3,312	0.0	1.5	1.6	0.7	24.0	1.4	4.61	4.37
SAN JOAQUIN	1892, HMX	213	0.0	1.9	0.6	0.2	23.2	0.8	5.21	4.36	3,173	0.0	0.9	1.4	1.0	24.4	1.2	5.13	4.35
SAN JOAQUIN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,258	0.0	1.2	1.2	1.2	24.5	2.0	4.95	4.35
SAN JOAQUIN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,218	0.0	2.0	0.9	0.4	23.5	1.6	5.44	4.31
SAN JOAQUIN	6407, N	528	0.0	1.4	0.9	0.8	25.1	0.8	4.66	4.33	1,756	0.0	1.0	0.9	0.9	25.7	0.8	4.91	4.31
SAN JOAQUIN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,355	0.0	1.8	1.1	0.4	25.1	2.2	4.94	4.31
SAN JOAQUIN	206, BQ	144	0.0	1.6	0.6	0.7	24.6	1.4	4.65	4.30	1,281	0.0	1.5	1.2	0.5	24.9	1.7	5.19	4.34
SAN JOAQUIN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,234	0.0	0.9	1.1	1.0	23.7	1.7	5.29	4.35
SAN JOAQUIN	6402, N	43	0.0	2.7	1.5	0.2	25.3	0.7	4.80	4.34	1,116	0.0	1.1	0.5	0.3	23.8	0.8	5.07	4.34
SAN JOAQUIN	3402, HEINZ	321	0.0	0.7	3.9	2.8	24.4	0.9	4.59	4.35	1,044	0.0	0.6	3.1	2.6	24.4	0.9	4.84	4.36

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	2401, HEINZ	259	0.0	2.0	2.5	0.3	25.1	0.7	4.72	4.27	1,007	0.0	0.9	2.1	0.3	26.6	0.9	4.59	4.27
SAN JOAQUIN	650, PS	93	0.0	2.1	0.7	0.6	24.3	2.0	5.15	4.38	783	0.0	1.1	0.6	0.5	24.3	1.9	5.52	4.39
SAN JOAQUIN	1292, HZ	108	0.0	2.3	0.4	0.1	22.4	2.8	4.68	4.39	775	0.0	1.1	1.1	0.4	22.6	2.3	5.10	4.39
SAN JOAQUIN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	697	0.0	2.3	2.3	1.3	25.3	2.0	4.26	4.35
SAN JOAQUIN	9905, HARRIS MORAN	261	0.0	2.5	1.1	0.6	23.4	0.5	5.12	4.37	674	0.0	1.4	1.3	1.6	24.2	0.6	5.09	4.37
SAN JOAQUIN	1175, HEINZ	163	0.0	0.6	4.1	5.7	23.8	0.6	4.74	4.37	661	0.0	0.7	3.1	2.1	23.4	0.5	4.72	4.41
SAN JOAQUIN	849, HYPEEL	152	0.0	1.9	1.0	0.6	25.6	0.7	4.47	4.32	659	0.0	3.4	0.8	0.8	24.9	1.0	4.81	4.38
SAN JOAQUIN	2601, HEINZ	39	0.0	1.2	1.0	0.3	24.5	1.3	4.60	4.30	516	0.0	1.0	1.5	0.4	24.6	2.0	4.68	4.34
SAN JOAQUIN	1161, HEINZ	83	0.0	2.6	0.4	0.2	24.1	2.4	4.83	4.29	485	0.0	1.3	0.7	0.3	24.7	1.8	5.28	4.28
SAN JOAQUIN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	474	0.0	0.8	2.4	0.6	25.5	1.3	4.54	4.32
SAN JOAQUIN	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	0.9	1.0	0.3	26.8	1.7	4.93	4.37
SAN JOAQUIN	1015, HEINZ	35	0.0	2.3	1.0	0.6	22.3	1.7	4.66	4.43	366	0.0	0.8	2.7	1.5	23.1	1.0	4.94	4.33
SAN JOAQUIN	6410, N	66	0.0	1.5	0.5	0.3	23.8	0.7	4.96	4.30	338	0.0	1.4	1.0	0.1	24.9	1.1	5.05	4.35
SAN JOAQUIN	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	257	0.0	1.2	4.3	0.8	25.8	1.4	5.40	4.31
SAN JOAQUIN	9665, HEINZ	188	0.0	1.0	1.3	0.5	24.0	0.4	5.22	4.27	242	0.0	1.0	1.2	0.5	23.7	0.4	5.25	4.26
SAN JOAQUIN	19306, UG	38	0.0	12.4	1.5	1.2	24.9	0.8	4.72	4.37	217	0.0	7.1	1.5	0.7	23.8	0.4	5.01	4.39
SAN JOAQUIN	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.6	1.1	1.4	24.2	1.3	5.05	4.31
SAN JOAQUIN	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	163	0.0	1.6	0.7	0.4	22.8	1.2	5.54	4.46
SAN JOAQUIN	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	153	0.0	1.5	0.4	0.2	24.5	1.8	5.57	4.32
SAN JOAQUIN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.6	1.9	0.7	24.9	0.5	4.50	4.33
SAN JOAQUIN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.3	0.6	0.2	23.6	0.7	4.79	4.28
SAN JOAQUIN	MIX	5	0.0	1.1	1.1	0.2	23.8	0.3	4.98	4.31	118	0.0	3.1	1.2	0.4	23.7	1.9	5.39	4.41
SAN JOAQUIN	1170, HEINZ	114	0.0	3.0	0.4	0.7	22.0	1.0	5.56	4.29	114	0.0	3.0	0.4	0.7	22.0	1.0	5.56	4.29
SAN JOAQUIN	5705, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	1.4	2.1	1.4	23.1	2.1	4.39	4.38
SAN JOAQUIN	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	3.1	2.6	0.4	24.2	1.6	5.03	4.51
SAN JOAQUIN	8004, HEINZ	93	0.0	0.8	2.3	0.7	25.9	0.7	4.77	4.29	93	0.0	0.8	2.3	0.7	25.9	0.7	4.77	4.29
SAN JOAQUIN	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	3.0	1.3	0.3	24.5	0.9	4.51	4.46
SAN JOAQUIN	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	1.0	0.6	0.6	25.0	1.5	5.45	4.34
SAN JOAQUIN	6412, N	6	0.0	5.4	0.3	1.8	22.3	7.8	5.02	4.45	64	0.0	0.9	0.4	0.4	23.6	3.2	4.92	4.40
SAN JOAQUIN	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.1	0.5	1.2	0.3	23.8	0.6	4.81	4.28
SAN JOAQUIN	1285, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.2	0.5	0.5	23.4	0.2	5.59	4.26
SAN JOAQUIN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.2	1.6	0.0	24.5	0.3	5.43	4.27
SAN JOAQUIN	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	1.2	1.1	0.5	25.8	1.0	5.08	4.33
SAN JOAQUIN	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	1.6	1.7	0.2	25.3	3.1	5.66	4.34
SAN JOAQUIN	322, C	14	0.0	2.8	0.1	0.4	21.9	1.1	5.01	4.36	38	0.0	1.4	0.4	0.3	23.1	0.5	4.95	4.28
SAN JOAQUIN	1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.3	1.2	0.3	22.5	0.0	4.35	4.35
SAN JOAQUIN	6415, N	18	0.0	3.9	1.3	0.4	26.3	0.3	4.43	4.26	18	0.0	3.9	1.3	0.4	26.3	0.3	4.43	4.26
SAN JOAQUIN	0299, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.5	0.4	0.1	22.9	4.6	4.58	4.49
SAN JOAQUIN	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.9	0.5	0.2	22.8	1.3	5.41	4.47

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	1.7	0.5	0.2	22.9	1.4	5.47	4.47
SAN JOAQUIN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	7.3	1.9	0.3	22.1	2.0	5.56	4.43
SAN JOAQUIN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.7	2.2	0.2	25.1	3.1	5.31	4.35
SAN JOAQUIN	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.9	1.1	0.1	27.9	0.1	4.76	4.36
SAN JOAQUIN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	0.4	0.0	25.8	0.3	5.40	4.28
SAN JOAQUIN	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.3	0.4	22.5	2.0	4.68	4.51
SAN JOAQUIN	1425, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	1.8	0.2	23.7	5.0	4.67	4.51
SAN JOAQUIN	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	2.3	0.5	23.0	0.5	5.30	4.38
SAN JOAQUIN	7040, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.5	0.0	24.5	0.3	5.25	4.35
SAN JOAQUIN	CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	1.5	5.20	4.36
SAN JOAQUIN	1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	23.0	3.0	5.30	4.26
SAN JOAQUIN	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.0	26.0	1.0	4.80	4.29
SAN JOAQUIN	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	25.0	3.5	4.70	4.44
SAN JOAQUIN		6,666	0.0	1.5	1.7	1.2	24.7	0.8	4.70	4.29	51,390	0.0	1.2	1.5	1.0	24.6	1.4	4.99	4.32
SANTA CLARA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,316	0.0	0.3	1.3	2.3	24.5	2.4	4.90	4.34
SANTA CLARA	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	222	0.0	0.4	0.6	0.3	24.7	1.9	5.10	4.29
SANTA CLARA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	178	0.0	0.9	0.4	0.1	23.3	1.7	5.20	4.33
SANTA CLARA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,716	0.0	0.4	1.1	1.8	24.4	2.3	4.96	4.33
SOLANO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,938	0.0	1.2	0.4	0.5	24.5	2.3	5.52	4.34
SOLANO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,814	0.0	1.2	1.3	1.8	24.2	2.5	5.00	4.41
SOLANO	9905, HARRIS MORAN	3	0.0	1.2	2.5	3.3	24.3	0.5	4.73	4.38	1,544	0.0	0.7	1.8	2.7	23.9	1.1	4.93	4.41
SOLANO	849, HYPEEL	109	0.0	2.9	0.1	0.3	23.5	1.4	4.42	4.39	1,360	0.0	1.7	0.4	0.4	23.7	1.1	4.80	4.36
SOLANO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,304	0.0	1.1	0.6	0.4	24.6	1.5	5.54	4.33
SOLANO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,134	0.0	1.5	0.8	1.2	23.3	1.3	4.62	4.38
SOLANO	19406, UG	9	0.0	3.3	0.1	0.4	23.8	2.2	4.93	4.36	988	0.0	0.9	0.6	0.6	24.0	0.7	5.23	4.25
SOLANO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	861	0.0	1.0	0.6	0.2	25.2	1.1	5.16	4.33
SOLANO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	655	0.0	0.7	0.4	0.6	24.7	0.4	4.39	4.31
SOLANO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	650	0.0	0.8	0.8	0.5	24.7	1.2	5.25	4.38
SOLANO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	517	0.0	0.7	0.3	0.5	24.5	2.4	5.12	4.32
SOLANO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	442	0.0	0.7	0.8	0.4	25.2	1.7	5.63	4.37
SOLANO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	418	0.0	0.6	0.3	0.5	24.5	1.7	5.44	4.30
SOLANO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	359	0.0	0.8	0.5	0.5	24.6	1.6	5.43	4.32
SOLANO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	325	0.0	0.6	0.9	0.3	26.1	2.9	5.12	4.36
SOLANO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	310	0.0	1.5	0.2	0.5	24.8	2.2	5.38	4.32
SOLANO	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	284	0.0	0.8	0.7	0.5	24.8	1.8	5.04	4.34
SOLANO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	268	0.0	0.6	0.6	0.3	25.6	3.3	5.48	4.33
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.4	0.4	0.1	27.4	0.6	4.91	4.33
SOLANO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	193	0.0	0.8	1.3	0.7	23.2	1.8	5.57	4.43
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.4	0.8	0.4	24.4	1.3	5.64	4.43

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	1175, HEINZ	102	0.0	1.4	0.7	2.6	21.9	0.7	4.72	4.41	164	0.0	1.4	0.9	2.3	22.2	0.7	4.67	4.38
SOLANO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	0.8	4.0	4.4	24.1	0.7	5.65	4.27
SOLANO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	2.1	0.2	0.5	24.8	1.1	5.10	4.45
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.3	1.5	0.3	26.7	3.0	5.36	4.23
SOLANO	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	0.2	1.3	5.8	25.0	0.8	4.78	4.39
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.4	1.1	0.2	25.8	1.0	4.72	4.31
SOLANO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.5	1.2	0.1	24.7	1.5	5.86	4.29
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	1.0	0.8	0.2	24.5	4.2	5.13	4.45
SOLANO	322, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.8	0.6	0.4	22.9	0.7	5.00	4.37
SOLANO	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	1.0	0.3	1.0	24.7	2.4	4.72	4.51
SOLANO	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.4	1.1	5.7	25.3	1.2	4.88	4.27
SOLANO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.6	0.9	0.3	23.2	1.9	4.43	4.42
SOLANO	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.5	0.8	0.2	25.8	1.0	5.02	4.40
SOLANO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.6	0.4	0.8	25.1	0.9	5.27	4.40
SOLANO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.8	1.1	0.7	24.9	1.6	5.14	4.44
SOLANO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	1.5	0.3	23.8	0.8	5.32	4.36
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	1.2	2.6	22.5	1.3	5.67	4.45
SOLANO	9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.8	0.3	0.1	24.2	0.3	4.85	4.40
SOLANO	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	0.2	0.5	23.4	4.2	5.30	4.37
SOLANO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.5	2.3	0.3	25.4	0.6	5.04	4.42
SOLANO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.8	0.3	0.6	24.3	2.9	5.10	4.34
SOLANO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.5	0.4	24.5	3.9	5.38	4.42
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.0	0.1	28.0	2.0	5.25	4.41
SOLANO	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.2	0.3	22.3	2.5	4.67	4.48
SOLANO	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.5	3.7	0.5	25.3	1.5	4.93	4.45
SOLANO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	1.3	1.5	24.0	1.0	5.70	4.33
SOLANO	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	1.0	5.60	4.40
SOLANO	7040, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	23.0	0.5	5.80	4.44
SOLANO		223	0.0	2.2	0.4	1.4	22.8	1.1	4.58	4.40	16,767	0.0	1.0	0.8	0.9	24.4	1.6	5.14	4.35
STANISLAUS	8504, HEINZ	713	0.0	2.2	2.7	0.2	24.9	0.6	4.82	4.30	2,101	0.0	1.2	2.5	0.5	24.9	0.7	4.95	4.27
STANISLAUS	0311, AB	1	0.0	9.0	0.5	0.0	23.0	0.0	4.60	4.31	1,531	0.0	1.8	2.0	0.1	23.3	1.8	5.67	4.32
STANISLAUS	19406, UG	541	0.0	3.3	3.0	0.1	24.2	0.6	5.49	4.28	1,495	0.0	2.3	2.5	0.4	24.6	0.7	5.38	4.29
STANISLAUS	0319, DRI	2	0.0	0.3	0.5	2.3	24.0	1.0	5.80	4.25	1,350	0.0	1.0	1.2	0.1	23.8	1.9	5.87	4.35
STANISLAUS	1892, HMX	177	0.0	3.2	2.3	0.7	25.1	0.6	4.74	4.36	700	0.0	1.9	1.7	0.5	24.8	0.9	5.05	4.37
STANISLAUS	6407, N	92	0.0	3.8	1.9	0.2	26.8	0.7	4.90	4.34	696	0.0	1.5	0.9	0.2	25.2	0.7	5.33	4.32
STANISLAUS	6404, N	27	0.0	5.5	17.1	1.2	28.4	1.3	4.27	4.37	691	0.0	3.0	4.2	1.3	25.7	1.9	4.67	4.36
STANISLAUS	2401, HEINZ	33	0.0	1.9	1.5	0.4	24.6	0.8	4.88	4.24	669	0.0	0.8	3.7	0.2	26.3	0.9	4.92	4.27
STANISLAUS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	625	0.0	1.2	0.7	0.1	23.1	1.1	5.64	4.36
STANISLAUS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	602	0.0	1.1	1.7	0.2	23.4	1.8	5.82	4.40

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STANISLAUS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	547	0.0	1.0	0.9	0.2	23.9	1.9	5.35	4.32
STANISLAUS	5508, HZ	190	0.0	0.5	2.4	0.6	26.4	0.2	4.78	4.28	536	0.0	0.6	2.2	2.1	25.3	0.5	4.99	4.28
STANISLAUS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	433	0.0	1.6	2.3	0.1	23.9	1.6	4.94	4.41
STANISLAUS	9780, HEINZ	69	0.0	3.8	3.5	0.3	24.6	2.5	4.96	4.38	433	0.0	1.3	3.0	2.0	24.9	1.3	5.25	4.30
STANISLAUS	7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	305	0.0	1.1	0.7	0.1	24.4	1.2	4.95	4.49
STANISLAUS	3402, HEINZ	71	0.0	0.5	2.0	1.7	23.6	0.3	5.14	4.31	267	0.0	0.3	2.3	2.5	23.2	0.6	5.32	4.32
STANISLAUS	163, BQ	15	0.2	2.4	0.5	0.1	21.9	1.5	5.93	4.25	246	0.0	1.1	0.4	0.1	22.4	3.7	5.60	4.38
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.3	3.6	0.1	22.5	2.5	5.52	4.30
STANISLAUS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	169	0.0	1.5	3.6	0.1	26.1	1.8	4.99	4.41
STANISLAUS	7885, HMX	18	0.0	3.8	0.6	0.2	24.1	0.8	4.71	4.37	164	0.0	0.7	1.4	0.5	24.2	0.5	4.99	4.42
STANISLAUS	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	0.1	2.4	0.0	26.2	0.7	4.99	4.34
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.3	4.6	0.1	24.1	0.8	5.07	4.30
STANISLAUS	10, P	12	0.0	6.8	3.8	1.5	26.5	0.7	4.01	4.42	103	0.0	5.8	2.2	1.8	26.3	2.0	4.11	4.39
STANISLAUS	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	2.5	1.1	0.5	23.0	2.3	4.91	4.34
STANISLAUS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	2.1	1.6	0.3	23.6	1.0	5.53	4.52
STANISLAUS	1175, HEINZ	64	0.0	0.9	1.5	2.8	23.3	0.3	5.35	4.31	84	0.0	0.9	1.3	2.1	23.0	0.6	5.44	4.35
STANISLAUS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	1.2	0.5	0.2	25.3	3.0	5.13	4.49
STANISLAUS	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	2.3	6.0	0.1	26.4	1.5	5.52	4.39
STANISLAUS	849, HYPEEL	73	0.2	7.2	0.9	0.3	24.1	0.9	4.63	4.38	73	0.2	7.2	0.9	0.3	24.1	0.9	4.63	4.38
STANISLAUS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.2	1.1	0.5	23.2	2.9	4.90	4.43
STANISLAUS	MIX	60	0.1	7.2	0.9	0.4	23.6	1.0	4.73	4.37	64	0.0	6.8	0.9	0.3	23.5	1.1	4.79	4.37
STANISLAUS	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.2	0.5	0.1	26.2	1.6	5.42	4.28
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.1	0.9	0.1	23.0	0.7	6.08	4.49
STANISLAUS	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	3.9	4.3	0.2	25.8	1.5	4.80	4.41
STANISLAUS	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	1.5	0.2	0.1	24.4	3.8	5.02	4.38
STANISLAUS	2, AB	18	0.0	16.6	1.5	0.2	23.1	1.2	4.76	4.32	29	0.0	12.7	1.2	0.2	23.3	1.7	4.80	4.30
STANISLAUS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.5	1.5	3.5	21.8	0.8	5.47	4.32
STANISLAUS	650, PS	21	0.0	1.2	0.5	0.4	23.2	0.5	5.25	4.33	26	0.0	1.0	0.4	0.3	23.3	0.5	5.25	4.34
STANISLAUS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	1.5	0.5	0.1	24.9	2.1	5.76	4.40
STANISLAUS	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.6	6.8	0.0	25.6	1.0	4.63	4.31
STANISLAUS	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	1.6	1.1	0.1	25.5	0.9	4.71	4.28
STANISLAUS	HEINZ TRIAL	5	0.0	0.3	0.9	1.1	24.8	0.7	5.68	4.25	6	0.0	0.3	0.8	1.0	24.7	0.8	5.47	4.29
STANISLAUS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	5.3	0.0	0.0	22.3	1.7	5.27	4.37
STANISLAUS	1308, HZ	2	0.0	0.5	0.5	1.0	22.5	1.5	4.85	4.37	2	0.0	0.5	0.5	1.0	22.5	1.5	4.85	4.37
STANISLAUS	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	3.5	6.00	4.45
STANISLAUS	1425, HZ	1	0.0	0.0	1.0	1.0	24.0	1.0	5.40	4.31	1	0.0	0.0	1.0	1.0	24.0	1.0	5.40	4.31
STANISLAUS	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	1.5	0.5	24.0	0.0	5.40	4.34
STANISLAUS	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	1.0	0.0	24.0	1.5	5.70	4.47
STANISLAUS		2,205	0.0	2.9	2.7	0.4	24.8	0.7	5.00	4.31	15,075	0.0	1.5	2.1	0.5	24.4	1.3	5.28	4.33

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,838	0.0	2.4	1.5	1.2	23.7	1.3	4.98	4.40
SUTTER	2401, HEINZ	233	0.0	5.2	3.9	3.0	25.4	0.5	4.17	4.29	1,690	0.0	2.6	3.2	2.4	25.2	0.6	4.70	4.29
SUTTER	1175, HEINZ	129	0.0	5.3	5.1	2.0	24.9	0.3	4.30	4.48	1,598	0.0	2.6	3.9	1.7	24.2	0.3	4.56	4.43
SUTTER	282, CXD	216	0.0	3.0	2.8	2.0	23.7	0.6	5.03	4.33	1,498	0.0	2.5	2.0	1.4	24.1	1.3	5.01	4.34
SUTTER	5508, HZ	77	0.0	3.0	2.5	1.4	24.5	0.4	4.13	4.36	1,462	0.0	1.2	2.4	1.5	24.5	0.5	4.61	4.31
SUTTER	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,238	0.0	1.7	1.2	0.3	24.3	1.8	5.99	4.35
SUTTER	8504, HEINZ	124	0.0	1.2	5.4	1.1	23.6	0.2	5.02	4.29	1,072	0.0	3.4	3.6	2.1	25.7	0.4	4.81	4.31
SUTTER	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	930	0.0	3.4	3.9	1.2	25.7	0.6	4.77	4.35
SUTTER	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	909	0.0	1.4	3.0	2.4	24.5	0.7	5.07	4.35
SUTTER	3402, HEINZ	536	0.0	1.4	5.1	2.8	25.1	0.2	4.96	4.39	711	0.0	1.7	4.6	2.8	24.8	0.3	4.97	4.41
SUTTER	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	475	0.0	2.1	0.7	0.2	23.2	0.9	5.66	4.32
SUTTER	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	405	0.0	1.6	1.0	0.3	24.9	1.2	5.46	4.36
SUTTER	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	397	0.0	2.1	2.5	1.6	23.8	0.6	4.91	4.38
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	281	0.0	0.8	2.0	2.0	24.6	0.8	5.00	4.42
SUTTER	1170, HEINZ	173	0.0	1.7	2.8	2.5	24.5	0.3	4.99	4.31	213	0.0	1.7	2.7	2.1	24.6	0.4	5.02	4.31
SUTTER	206, BQ	39	0.0	4.0	1.1	0.0	23.3	2.4	5.09	4.34	203	0.0	3.0	1.5	0.2	24.5	1.6	5.48	4.30
SUTTER	9905, HARRIS MORAN	58	0.0	1.5	1.8	0.4	24.1	0.7	4.92	4.38	177	0.0	1.5	1.1	0.4	22.9	0.5	5.20	4.42
SUTTER	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	156	0.0	1.8	2.0	2.1	22.6	0.8	5.22	4.31
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	0.8	0.2	0.2	23.7	2.0	5.39	4.49
SUTTER	1304, HZ	26	0.0	2.5	3.6	2.2	23.4	3.4	5.92	4.37	117	0.0	2.2	1.7	1.0	24.4	5.3	5.47	4.41
SUTTER	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.8	2.6	1.2	24.5	4.7	5.35	4.47
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.5	0.5	0.2	25.2	3.8	5.28	4.29
SUTTER	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	1.3	0.9	0.3	24.6	2.0	4.96	4.47
SUTTER	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	0.9	1.3	0.1	23.6	0.9	6.54	4.30
SUTTER	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	1.6	0.4	0.2	23.3	4.1	5.41	4.37
SUTTER	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	1.1	0.4	0.2	23.3	1.2	5.53	4.53
SUTTER	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	1.8	1.1	0.2	24.1	1.5	6.13	4.33
SUTTER	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	1.1	1.7	1.8	24.7	1.3	5.39	4.42
SUTTER	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	2.9	4.0	1.1	25.6	1.3	4.60	4.36
SUTTER	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	3.6	2.0	0.9	24.4	2.8	5.83	4.39
SUTTER	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	2.0	1.4	0.5	23.9	2.6	5.14	4.42
SUTTER	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	2.9	3.2	2.3	24.3	2.4	5.06	4.41
SUTTER	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.1	0.5	25.3	3.2	5.61	4.30
SUTTER	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	3.4	3.2	0.6	26.6	1.2	5.14	4.39
SUTTER	66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
SUTTER	142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	2.3	0.5	23.3	5.5	4.77	4.45
SUTTER	1427, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	1.3	0.0	22.7	3.7	5.37	4.40
SUTTER	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	3.8	0.5	27.0	0.0	5.75	4.36
SUTTER	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.5	0.0	25.0	0.0	5.70	4.26

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	1425, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	1.5	0.0	25.0	3.0	5.00	4.43
SUTTER		1,611	0.0	2.6	4.0	2.3	24.6	0.5	4.79	4.36	17,524	0.0	2.2	2.4	1.5	24.4	1.0	5.01	4.36
TULARE	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	228	0.0	4.7	3.1	0.9	23.9	1.1	5.10	4.37
TULARE	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	4.1	7.4	2.9	25.4	1.8	5.14	4.44
TULARE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.4	2.6	0.6	24.8	4.0	5.04	4.50
TULARE	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.1	2.7	5.8	0.3	26.6	1.9	5.41	4.36
TULARE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	4.2	4.0	1.3	24.4	1.7	5.11	4.40
YOLO	5608, HZ	45	0.0	7.6	0.8	3.8	23.9	1.2	4.12	4.42	9,638	0.0	1.3	0.8	0.8	23.4	0.7	4.57	4.36
YOLO	5508, HZ	272	0.0	0.7	0.8	0.7	24.0	0.2	4.14	4.26	5,589	0.0	0.5	1.0	0.5	25.5	0.5	4.31	4.30
YOLO	9905, HARRIS MORAN	1,143	0.0	0.7	3.1	2.7	25.7	0.4	4.53	4.36	5,498	0.0	0.6	1.6	1.5	24.7	0.7	4.83	4.39
YOLO	6404, N	49	0.0	2.9	1.9	0.5	25.0	0.6	4.65	4.37	4,575	0.0	1.5	1.8	1.9	24.9	1.9	4.82	4.40
YOLO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,662	0.0	1.3	0.7	0.5	24.4	1.8	5.50	4.31
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,431	0.0	0.7	0.8	0.5	23.4	1.7	5.15	4.43
YOLO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,531	0.0	0.9	0.9	0.7	24.4	2.0	5.12	4.38
YOLO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,232	0.0	1.1	0.9	0.6	25.2	1.4	4.91	4.34
YOLO	0311, AB	11	0.1	3.5	1.6	0.4	26.7	0.2	4.52	4.23	1,983	0.0	1.5	1.0	0.3	23.6	1.1	5.42	4.33
YOLO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,931	0.0	0.7	0.8	0.9	24.0	1.4	5.05	4.39
YOLO	1175, HEINZ	95	0.0	1.8	3.1	3.8	24.4	0.1	3.95	4.37	1,771	0.0	0.8	1.6	1.2	23.3	0.3	4.59	4.38
YOLO	8504, HEINZ	330	0.0	1.3	7.8	2.3	26.7	0.7	4.55	4.24	1,709	0.0	1.1	3.2	1.8	25.5	0.8	4.70	4.25
YOLO	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,659	0.0	2.9	1.0	0.8	24.1	1.0	4.64	4.36
YOLO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,534	0.0	1.1	0.5	0.3	25.5	0.8	5.06	4.34
YOLO	19406, UG	206	0.0	5.7	1.9	2.7	26.4	0.5	4.13	4.29	1,442	0.0	1.9	2.2	1.5	24.7	0.6	4.66	4.25
YOLO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,326	0.0	0.5	1.4	1.2	24.3	1.0	5.12	4.34
YOLO	2401, HEINZ	167	0.0	1.5	8.3	3.0	28.5	0.1	3.92	4.24	1,236	0.0	0.9	3.3	1.6	26.2	0.6	4.28	4.28
YOLO	1015, HEINZ	48	0.0	0.4	2.6	1.7	26.8	0.4	4.67	4.33	1,220	0.0	0.6	1.3	1.0	24.5	1.3	5.01	4.42
YOLO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,101	0.0	2.2	1.3	1.7	24.5	0.8	4.68	4.37
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,057	0.0	0.5	1.1	0.5	24.7	2.8	5.44	4.27
YOLO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	964	0.0	0.9	2.4	3.0	24.7	0.6	4.66	4.30
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	931	0.0	0.3	0.8	0.7	24.1	3.0	5.07	4.40
YOLO	849, HYPEEL	15	0.0	1.7	2.4	0.9	28.4	0.8	4.38	4.32	860	0.0	1.3	0.6	0.6	24.7	1.1	4.80	4.31
YOLO	206, BQ	105	0.0	1.2	1.4	0.7	27.4	1.5	5.14	4.25	818	0.0	1.2	0.6	0.4	25.6	2.3	4.94	4.28
YOLO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	753	0.0	0.6	3.1	3.4	23.1	0.4	4.78	4.36
YOLO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	679	0.0	1.1	0.8	0.7	24.8	1.9	5.28	4.30
YOLO	6410, N	49	0.0	1.1	4.3	0.3	22.2	1.7	5.35	4.23	567	0.0	1.4	1.2	0.7	24.2	1.7	5.16	4.35
YOLO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	492	0.0	0.5	0.6	0.2	25.2	2.6	4.92	4.30
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	474	0.0	0.3	0.7	0.4	26.8	1.2	5.30	4.35
YOLO	6412, N	19	0.0	1.4	5.2	1.4	28.1	0.3	4.78	4.30	471	0.0	1.5	1.9	1.6	23.6	2.1	5.41	4.38
YOLO	3402, HEINZ	202	0.0	0.1	5.6	2.7	29.4	0.0	4.62	4.31	403	0.0	0.7	4.5	2.6	26.6	0.5	4.92	4.37
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.3	0.9	0.5	24.4	1.0	5.15	4.33

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.3	0.8	1.3	22.5	5.2	5.09	4.48
YOLO	1170, HEINZ	74	0.0	1.8	5.1	3.5	24.7	0.4	4.78	4.31	286	0.0	0.7	1.8	1.3	23.2	0.2	4.75	4.38
YOLO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	280	0.0	0.6	0.5	0.3	25.0	2.0	4.63	4.31
YOLO	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	267	0.0	1.1	0.6	0.3	26.2	1.5	4.43	4.37
YOLO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	249	0.0	1.3	0.7	0.7	23.6	1.5	5.20	4.39
YOLO	650, PS	14	0.0	2.1	0.6	0.2	24.1	0.1	5.02	4.36	204	0.0	1.3	0.2	0.2	25.2	0.5	4.79	4.33
YOLO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	148	0.0	0.3	0.5	0.3	25.1	2.5	5.36	4.33
YOLO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	2.0	0.3	0.2	25.4	0.8	4.43	4.41
YOLO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	2.0	1.4	0.7	24.0	2.6	5.42	4.33
YOLO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	0.9	1.6	4.5	24.1	0.8	4.83	4.35
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	90	0.0	0.8	2.3	2.1	24.7	1.6	5.02	4.35
YOLO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
YOLO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	0.8	1.3	0.4	26.0	1.7	5.45	4.35
YOLO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.7	2.7	0.9	24.0	0.9	5.55	4.49
YOLO	322, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.9	1.2	0.6	24.9	1.1	4.88	4.35
YOLO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	1.9	2.1	0.8	24.8	3.4	5.41	4.33
YOLO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.5	1.0	0.5	26.9	1.8	5.13	4.45
YOLO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	1.3	1.5	0.3	24.9	1.3	5.17	4.31
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.9	1.3	0.3	25.7	1.3	4.57	4.33
YOLO	1285, HZ	9	0.1	0.9	1.2	0.3	23.7	0.4	4.54	4.32	30	0.0	0.3	1.1	0.4	25.6	0.4	4.87	4.24
YOLO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.4	0.5	26.5	0.5	4.97	4.37
YOLO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	2.6	0.7	0.3	24.3	2.8	5.24	4.32
YOLO	9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.4	0.4	0.1	24.9	0.7	4.81	4.40
YOLO	1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
YOLO	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	2.9	2.4	3.5	23.5	2.2	6.46	4.35
YOLO	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	2.4	2.4	2.2	23.9	0.8	5.64	4.34
YOLO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.7	4.4	2.8	27.5	0.2	5.31	4.32
YOLO	10, P	4	0.0	7.1	0.3	1.5	25.3	3.6	3.48	4.45	14	0.0	3.5	0.5	1.4	26.7	2.2	3.49	4.38
YOLO	1304, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.5	2.0	3.1	23.8	2.1	5.88	4.39
YOLO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.2	0.2	0.0	26.1	0.2	5.19	4.31
YOLO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	1.0	3.0	0.5	25.6	1.0	5.46	4.38
YOLO	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.6	1.6	0.2	23.2	2.9	5.53	4.44
YOLO	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.0	0.7	0.2	25.1	1.4	5.09	4.29
YOLO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.2	0.5	0.3	25.6	5.1	4.70	4.36
YOLO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.4	1.2	0.3	23.8	3.8	5.32	4.38
YOLO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.3	2.7	0.4	27.6	0.4	4.32	4.34
YOLO	142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	3.6	3.2	0.3	25.8	3.0	4.60	4.44
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.1	24.8	1.4	4.82	4.34
YOLO	1425, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	2.1	0.2	23.0	1.6	4.90	4.54

2014 Processing Tomato Season
PTAB Analysis (10/11/14) - County by Variety



County	Variety Name	Week Ending 10/11/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	1427, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.5	1.4	0.1	22.8	2.3	4.75	4.50
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.8	0.0	25.3	0.3	4.50	4.33
YOLO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	3.0	0.2	23.0	4.3	5.53	4.37
YOLO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	0.0	0.0	24.0	2.8	5.85	4.40
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.5	26.0	3.5	4.90	4.46
YOLO	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49
YOLO		2,857	0.0	1.4	3.8	2.4	26.1	0.5	4.46	4.31	65,804	0.0	1.1	1.2	1.0	24.5	1.2	4.86	4.35