

2014 Processing Tomato Season
PTAB Analysis (7/19/14) - County by Variety



County	Variety Name	Week Ending 7/19/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	410, APT	1,030	0.0	0.5	1.9	0.7	26.6	2.5	4.65	4.36	1,170	0.0	0.5	1.8	0.7	26.4	2.7	4.75	4.36
COLUSA	109, CXD (SHASTA)	213	0.0	0.3	1.6	0.6	27.0	2.3	5.10	4.29	395	0.0	0.2	1.4	0.5	27.0	2.6	5.09	4.29
COLUSA	6366, SUN	299	0.0	0.3	1.4	0.6	26.2	1.5	5.15	4.37	300	0.0	0.3	1.4	0.6	26.2	1.5	5.15	4.37
COLUSA	1015, HEINZ	148	0.0	0.1	1.8	0.5	24.7	1.1	5.04	4.41	148	0.0	0.1	1.8	0.5	24.7	1.1	5.04	4.41
COLUSA	5003, HEINZ	129	0.0	0.3	1.1	1.6	22.7	4.5	6.09	4.48	129	0.0	0.3	1.1	1.6	22.7	4.5	6.09	4.48
COLUSA	6416, N	86	0.0	0.2	1.1	0.2	26.1	0.9	4.78	4.34	86	0.0	0.2	1.1	0.2	26.1	0.9	4.78	4.34
COLUSA	6402, N	27	0.0	0.4	2.4	2.1	26.0	1.4	5.29	4.32	27	0.0	0.4	2.4	2.1	26.0	1.4	5.29	4.32
COLUSA	0599, SV	14	0.0	0.1	0.3	0.0	31.6	0.8	4.93	4.27	14	0.0	0.1	0.3	0.0	31.6	0.8	4.93	4.27
COLUSA	66509, BOS	14	0.0	0.5	1.4	0.1	26.6	0.8	4.74	4.37	14	0.0	0.5	1.4	0.1	26.6	0.8	4.74	4.37
COLUSA	1, BP	10	0.0	0.3	0.4	1.1	23.5	3.0	5.15	4.43	10	0.0	0.3	0.4	1.1	23.5	3.0	5.15	4.43
COLUSA	205, BQ	2	0.0	0.0	17.5	1.3	36.0	1.5	4.95	4.26	2	0.0	0.0	17.5	1.3	36.0	1.5	4.95	4.26
COLUSA	1893, HMX	2	0.0	0.0	1.5	0.3	27.0	1.8	5.00	4.14	2	0.0	0.0	1.5	0.3	27.0	1.8	5.00	4.14
COLUSA	6397, N	2	0.0	0.5	0.3	0.5	25.0	0.5	5.15	4.35	2	0.0	0.5	0.3	0.5	25.0	0.5	5.15	4.35
COLUSA	1301, HZ	1	0.0	0.0	5.5	5.0	31.0	1.0	5.10	4.43	1	0.0	0.0	5.5	5.0	31.0	1.0	5.10	4.43
COLUSA		1,977	0.0	0.4	1.7	0.7	26.2	2.3	4.92	4.36	2,300	0.0	0.4	1.6	0.7	26.2	2.4	4.96	4.36
CONTRA COSTA	6366, SUN	466	0.0	0.1	0.8	0.3	23.4	1.1	6.08	4.31	628	0.0	0.1	0.7	0.2	23.6	1.0	6.08	4.31
CONTRA COSTA	410, APT	219	0.0	0.1	0.5	0.2	22.9	2.0	5.37	4.31	518	0.0	0.1	0.6	0.2	23.4	1.2	5.49	4.30
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.1	0.7	0.1	23.3	1.4	6.11	4.24
CONTRA COSTA		685	0.0	0.1	0.7	0.2	23.3	1.3	5.85	4.31	1,469	0.0	0.1	0.7	0.2	23.4	1.2	5.88	4.29
FRESNO	6366, SUN	3,125	0.0	0.3	1.6	1.0	24.1	1.9	5.82	4.38	5,435	0.0	0.3	1.7	0.8	24.4	1.9	5.87	4.39
FRESNO	187, CXD	616	0.0	0.3	0.9	0.4	23.6	2.5	5.06	4.38	2,105	0.0	0.3	1.1	0.4	24.1	2.2	4.87	4.37
FRESNO	6397, N	1,961	0.0	0.2	2.2	0.8	23.9	1.2	5.56	4.38	2,064	0.0	0.2	2.2	0.8	24.0	1.2	5.56	4.39
FRESNO	410, APT	570	0.0	0.4	1.3	0.5	23.8	4.2	5.24	4.43	1,858	0.0	0.3	1.3	0.4	23.3	2.7	5.27	4.40
FRESNO	1015, HEINZ	1,644	0.0	0.2	1.3	0.4	23.0	0.5	5.35	4.42	1,793	0.0	0.2	1.3	0.4	23.0	0.5	5.38	4.42
FRESNO	6117, SUN	1,211	0.0	0.3	0.7	0.2	23.5	3.4	5.26	4.37	1,737	0.0	0.3	0.9	0.3	23.8	3.1	5.17	4.36
FRESNO	6402, N	1,232	0.0	0.5	0.8	0.8	23.2	1.8	5.77	4.42	1,521	0.0	0.5	0.9	0.8	23.5	1.7	5.72	4.41
FRESNO	66509, BOS	1,001	0.0	0.8	2.1	1.2	24.2	4.1	5.28	4.38	1,241	0.0	0.7	2.3	1.0	24.0	4.0	5.39	4.38
FRESNO	6416, N	620	0.0	0.3	1.8	1.3	23.9	2.0	5.28	4.33	1,009	0.0	0.2	1.8	0.9	24.1	1.8	5.27	4.33
FRESNO	373, U	447	0.0	0.4	1.0	0.5	24.5	4.0	5.04	4.33	710	0.0	0.3	1.0	0.4	24.4	3.9	5.17	4.34
FRESNO	3402, HEINZ	506	0.0	0.1	3.4	0.6	24.6	0.5	5.50	4.36	506	0.0	0.1	3.4	0.6	24.6	0.5	5.50	4.36
FRESNO	163, BQ	412	0.0	0.2	1.7	0.4	23.6	2.2	6.31	4.32	487	0.0	0.2	1.8	0.3	24.2	2.9	6.14	4.33
FRESNO	2, AB	485	0.0	0.5	0.3	0.3	24.4	1.5	5.66	4.30	485	0.0	0.5	0.3	0.3	24.4	1.5	5.66	4.30
FRESNO	6394, N	295	0.0	0.2	0.9	0.4	23.4	2.4	5.70	4.44	449	0.0	0.2	1.1	0.5	23.8	2.4	5.72	4.44
FRESNO	1292, HZ	342	0.0	0.8	0.8	0.3	22.0	1.1	5.70	4.49	428	0.0	0.7	0.9	0.3	22.2	0.9	5.71	4.50
FRESNO	0599, SV	261	0.0	0.1	0.4	0.2	25.9	0.9	5.13	4.38	427	0.0	0.1	0.7	0.3	25.4	1.0	5.45	4.37
FRESNO	2770, KW	41	0.0	0.1	0.3	0.5	24.0	1.7	5.33	4.39	420	0.0	0.1	1.4	0.5	24.8	1.1	5.03	4.32
FRESNO	273, BQ	303	0.0	0.2	1.9	0.3	24.0	2.3	5.75	4.31	356	0.0	0.2	1.9	0.3	24.1	2.1	5.73	4.31

2014 Processing Tomato Season
PTAB Analysis (7/19/14) - County by Variety



County	Variety Name	Week Ending 7/19/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	0319, DRI	328	0.0	0.3	0.4	0.3	23.8	1.5	6.51	4.35	350	0.0	0.3	0.5	0.3	23.7	1.5	6.46	4.35
FRESNO	9491, HEINZ	342	0.0	0.4	1.5	0.2	24.2	2.0	5.05	4.29	342	0.0	0.4	1.5	0.2	24.2	2.0	5.05	4.29
FRESNO	602, BOS	165	0.0	1.0	1.5	0.1	23.9	3.6	5.12	4.39	311	0.0	0.5	2.9	0.4	22.9	3.7	5.66	4.40
FRESNO	2601, HEINZ	254	0.0	0.4	0.6	0.2	24.2	0.9	5.30	4.43	254	0.0	0.4	0.6	0.2	24.2	0.9	5.30	4.43
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	0.0	1.8	0.5	26.1	0.6	5.10	4.31
FRESNO	0311, DRI	214	0.0	0.3	1.3	0.6	23.5	1.9	6.38	4.33	214	0.0	0.3	1.3	0.6	23.5	1.9	6.38	4.33
FRESNO	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.0	0.9	0.4	23.1	1.3	4.79	4.30
FRESNO	5608, HZ	179	0.0	0.1	4.7	0.3	24.7	0.4	4.95	4.29	179	0.0	0.1	4.7	0.3	24.7	0.4	4.95	4.29
FRESNO	UNCODED	75	0.0	1.3	13.1	0.3	30.7	8.5	5.20	4.34	133	0.0	1.2	11.1	0.3	30.0	8.9	5.17	4.35
FRESNO	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.0	1.1	0.3	24.0	1.7	5.14	4.31
FRESNO	205, BQ	95	0.0	0.3	1.1	0.8	25.0	1.5	5.94	4.37	121	0.0	0.3	1.0	0.6	24.9	1.4	5.93	4.37
FRESNO	1293, HZ	116	0.0	0.4	1.5	0.7	23.5	0.2	5.86	4.53	121	0.0	0.4	1.5	0.7	23.6	0.2	5.86	4.53
FRESNO	16609, UG	87	0.0	0.3	0.3	0.4	24.4	2.7	5.53	4.33	87	0.0	0.3	0.3	0.4	24.4	2.7	5.53	4.33
FRESNO	7885, HMX	83	0.0	0.2	0.3	0.4	24.3	0.1	5.09	4.49	83	0.0	0.2	0.3	0.4	24.3	0.1	5.09	4.49
FRESNO	1161, HEINZ	45	0.0	0.4	1.2	0.1	23.6	1.8	6.45	4.31	45	0.0	0.4	1.2	0.1	23.6	1.8	6.45	4.31
FRESNO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.0	2.5	0.5	26.0	1.3	5.47	4.40
FRESNO	312, BQ	1	0.0	0.0	0.0	0.0	22.0	2.5	5.80	4.64	19	0.0	0.0	2.7	0.2	22.7	1.1	5.85	4.41
FRESNO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.0	0.9	0.2	24.5	0.3	5.28	4.27
FRESNO	1291, HZ	14	0.0	0.9	0.6	0.3	22.6	1.2	5.69	4.51	14	0.0	0.9	0.6	0.3	22.6	1.2	5.69	4.51
FRESNO	002, PX	1	0.0	1.0	0.5	0.0	23.0	3.0	4.90	4.29	7	0.0	0.1	3.9	0.8	21.4	4.6	5.80	4.39
FRESNO	39663, BOS	4	0.0	0.5	1.3	0.6	21.8	2.5	6.68	4.30	4	0.0	0.5	1.3	0.6	21.8	2.5	6.68	4.30
FRESNO	3, AB	3	0.0	0.5	0.3	0.2	25.3	0.7	5.43	4.27	3	0.0	0.5	0.3	0.2	25.3	0.7	5.43	4.27
FRESNO	1892, HMX	3	0.0	0.3	0.5	0.8	25.7	0.3	5.47	4.47	3	0.0	0.3	0.5	0.8	25.7	0.3	5.47	4.47
FRESNO	HEINZ TRIAL	2	0.3	0.5	0.8	0.3	24.0	0.3	5.35	4.49	2	0.3	0.5	0.8	0.3	24.0	0.3	5.35	4.49
FRESNO	8504, HEINZ	2	0.0	0.0	0.5	0.8	23.5	0.0	5.05	4.48	2	0.0	0.0	0.5	0.8	23.5	0.0	5.05	4.48
FRESNO	206, BQ	1	0.0	0.0	2.5	1.5	24.0	1.5	6.30	4.40	1	0.0	0.0	2.5	1.5	24.0	1.5	6.30	4.40
FRESNO	0250, SV	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
FRESNO	316, C	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
FRESNO	2009, CYEL	1	0.0	0.0	0.0	0.0	22.0	0.5	5.20	4.48	1	0.0	0.0	0.0	0.0	22.0	0.5	5.20	4.48
FRESNO	6404, N	1	0.0	0.0	25.0	10.5	37.0	1.0	6.50	4.30	1	0.0	0.0	25.0	10.5	37.0	1.0	6.50	4.30
FRESNO	6420, N	1	0.0	0.0	0.5	0.0	24.0	3.0	5.50	4.37	1	0.0	0.0	0.5	0.0	24.0	3.0	5.50	4.37
FRESNO	9382, HZ	1	0.0	1.0	0.5	0.0	28.0	0.5	5.30	4.41	1	0.0	1.0	0.5	0.0	28.0	0.5	5.30	4.41
FRESNO	39664, BOS	1	0.0	2.0	0.5	0.5	25.0	3.0	5.20	4.38	1	0.0	2.0	0.5	0.5	25.0	3.0	5.20	4.38
FRESNO		17,093	0.0	0.3	1.5	0.7	23.9	2.0	5.54	4.38	25,968	0.0	0.3	1.5	0.6	24.0	2.0	5.49	4.38
KERN	6366, SUN	791	0.0	1.3	0.9	0.7	24.5	2.1	4.85	4.43	3,545	0.0	0.7	1.1	0.6	24.4	1.8	5.14	4.44
KERN	6397, N	1,361	0.0	0.7	1.8	0.9	24.0	1.4	5.09	4.38	3,082	0.0	0.6	1.7	0.7	24.2	1.6	5.07	4.41
KERN	187, CXD	261	0.0	0.1	3.1	0.7	26.2	2.8	5.01	4.44	2,394	0.0	0.4	2.1	0.4	24.7	1.8	4.84	4.41

2014 Processing Tomato Season
PTAB Analysis (7/19/14) - County by Variety



County	Variety Name	Week Ending 7/19/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	1015, HEINZ	595	0.0	0.2	0.6	0.3	23.1	2.1	4.98	4.50	1,379	0.0	0.2	1.1	0.4	23.0	1.5	5.11	4.49
KERN	5608, HZ	858	0.0	0.5	1.2	0.4	22.9	1.0	5.11	4.39	1,294	0.0	0.4	1.4	0.4	23.4	1.0	5.14	4.40
KERN	8504, HEINZ	410	0.0	0.1	2.2	0.4	24.7	1.2	4.82	4.33	559	0.0	0.1	2.1	0.4	24.9	1.1	4.80	4.32
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.4	1.4	0.7	23.0	4.1	4.93	4.40
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	317	0.0	0.1	1.3	0.4	24.8	0.9	5.12	4.30
KERN	0319, DRI	307	0.0	1.1	0.8	0.7	25.2	1.3	5.33	4.35	307	0.0	1.1	0.8	0.7	25.2	1.3	5.33	4.35
KERN	6117, SUN	84	0.0	0.3	1.4	0.4	25.8	5.8	4.93	4.39	301	0.0	0.2	2.1	0.4	25.5	5.1	5.04	4.38
KERN	0311, DRI	208	0.0	1.4	0.7	0.5	24.0	1.0	5.35	4.37	221	0.0	1.4	0.7	0.6	24.0	0.9	5.34	4.37
KERN	2, AB	11	0.0	0.3	2.3	1.0	22.6	6.5	5.18	4.48	181	0.0	0.7	3.0	0.8	24.4	3.5	5.19	4.45
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.1	0.6	0.2	23.2	3.5	5.90	4.52
KERN	UNCODED	33	0.0	0.3	2.2	0.2	24.0	1.1	5.65	4.31	99	0.0	0.2	2.5	0.3	25.7	1.1	5.20	4.39
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.2	2.4	0.3	26.0	2.3	4.88	4.37
KERN	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	2.3	0.5	23.4	0.3	4.67	4.44
KERN	1293, HZ	44	0.0	0.4	1.8	0.1	25.4	0.7	5.47	4.46	70	0.0	0.4	2.0	0.1	25.8	0.6	5.43	4.48
KERN	26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
KERN	1292, HZ	66	0.0	0.6	1.3	1.1	22.3	0.7	5.62	4.48	66	0.0	0.6	1.3	1.1	22.3	0.7	5.62	4.48
KERN	9491, HEINZ	26	0.0	0.4	1.9	1.4	23.0	1.8	5.48	4.34	66	0.0	0.4	1.3	0.6	23.7	1.5	4.80	4.35
KERN	273, BQ	11	0.0	0.1	2.1	3.0	23.1	0.8	5.76	4.32	64	0.0	0.3	1.8	0.8	24.7	3.7	5.27	4.40
KERN	6407, N	63	0.0	0.2	1.4	0.4	25.1	4.2	5.65	4.41	63	0.0	0.2	1.4	0.4	25.1	4.2	5.65	4.41
KERN	1161, HEINZ	26	0.0	0.3	0.2	0.2	23.7	3.3	5.65	4.35	62	0.0	0.2	1.8	0.2	24.3	1.9	5.72	4.32
KERN	602, BOS	53	0.0	0.6	0.6	0.8	21.7	3.3	4.93	4.35	60	0.0	0.5	0.6	0.7	21.7	3.2	4.93	4.35
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.1	3.2	0.8	24.8	0.8	5.44	4.34
KERN	312, BQ	7	0.0	1.0	1.9	0.2	20.4	3.3	5.23	4.46	9	0.0	0.8	3.4	0.2	20.9	2.7	5.17	4.43
KERN	2772, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	22.0	1.0	5.60	4.37
KERN		5,215	0.0	0.7	1.4	0.6	24.0	1.7	5.07	4.40	15,013	0.0	0.5	1.5	0.5	24.2	1.8	5.07	4.42
KINGS	187, CXD	1,104	0.0	0.4	3.0	0.5	24.5	2.3	5.05	4.39	3,888	0.0	0.2	2.5	0.5	24.4	2.3	4.94	4.42
KINGS	6366, SUN	2,189	0.0	0.3	1.4	0.7	25.3	1.4	5.87	4.37	2,581	0.0	0.3	1.6	0.8	25.1	1.6	5.92	4.38
KINGS	66509, BOS	345	0.0	1.1	2.7	0.7	24.8	3.4	4.64	4.43	2,022	0.0	0.4	3.5	1.1	24.4	3.2	5.07	4.39
KINGS	6397, N	1,044	0.0	0.4	3.4	1.8	23.3	1.5	5.51	4.40	1,428	0.0	0.3	3.7	1.7	23.7	1.5	5.49	4.40
KINGS	5608, HZ	855	0.0	0.4	1.2	0.5	24.8	1.0	5.37	4.39	970	0.0	0.3	1.4	0.5	25.1	0.9	5.36	4.38
KINGS	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	616	0.0	0.0	0.9	0.2	25.1	1.1	5.16	4.33
KINGS	1015, HEINZ	427	0.0	0.2	1.2	0.3	22.0	1.2	5.84	4.45	583	0.0	0.2	1.2	0.2	22.1	1.3	5.77	4.46
KINGS	6117, SUN	19	0.0	0.2	0.5	0.1	23.2	3.7	5.16	4.38	383	0.0	0.1	0.9	0.1	24.8	1.8	5.01	4.35
KINGS	6416, N	83	0.0	0.4	4.9	2.6	24.8	2.7	5.02	4.29	378	0.0	0.1	1.8	0.6	24.4	1.8	5.02	4.29
KINGS	6402, N	333	0.0	0.3	4.1	1.9	26.1	2.5	5.99	4.36	355	0.0	0.3	4.1	1.8	26.2	2.5	5.98	4.36
KINGS	1161, HEINZ	200	0.0	0.1	2.4	0.1	25.7	1.0	6.35	4.29	290	0.0	0.1	2.1	0.1	25.6	1.0	6.34	4.29
KINGS	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	178	0.0	0.0	3.4	0.7	24.1	4.6	5.65	4.29

2014 Processing Tomato Season
PTAB Analysis (7/19/14) - County by Variety



County	Variety Name	Week Ending 7/19/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	0311, DRI	159	0.0	0.3	1.4	0.1	23.0	1.3	6.47	4.32	159	0.0	0.3	1.4	0.1	23.0	1.3	6.47	4.32
KINGS	9491, HEINZ	95	0.0	0.3	1.9	0.6	23.7	8.4	4.83	4.44	130	0.0	0.2	2.5	0.5	23.7	6.5	5.04	4.41
KINGS	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.1	1.7	0.6	25.0	2.2	5.88	4.36
KINGS	UNCODED	42	0.0	0.1	3.8	0.1	26.6	0.5	5.94	4.36	102	0.0	0.1	3.7	0.5	26.0	0.9	5.41	4.38
KINGS	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.1	4.1	0.5	25.4	2.3	5.08	4.32
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.0	0.6	0.0	23.1	1.1	4.72	4.28
KINGS	163, BQ	75	0.0	0.1	1.8	0.2	22.0	1.2	6.85	4.29	75	0.0	0.1	1.8	0.2	22.0	1.2	6.85	4.29
KINGS	1292, HZ	25	0.0	2.3	0.9	0.3	22.8	0.5	5.26	4.53	26	0.0	2.3	1.0	0.3	22.8	0.5	5.27	4.52
KINGS	0319, DRI	22	0.0	0.0	3.7	0.3	25.2	0.3	6.41	4.25	22	0.0	0.0	3.7	0.3	25.2	0.3	6.41	4.25
KINGS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	4.0	0.3	23.0	0.6	5.52	4.49
KINGS	1893, HMX	19	0.0	0.5	0.3	0.4	23.1	2.2	5.62	4.26	19	0.0	0.5	0.3	0.4	23.1	2.2	5.62	4.26
KINGS	273, BQ	18	0.0	0.9	0.3	0.1	24.5	0.6	4.89	4.33	18	0.0	0.9	0.3	0.1	24.5	0.6	4.89	4.33
KINGS	6385, N	5	0.0	0.0	1.6	0.5	21.4	1.1	5.72	4.33	5	0.0	0.0	1.6	0.5	21.4	1.1	5.72	4.33
KINGS		7,059	0.0	0.4	2.2	0.8	24.5	1.7	5.58	4.38	14,539	0.0	0.3	2.4	0.7	24.5	2.0	5.37	4.39
MADERA	6397, N	28	0.0	0.7	1.0	0.6	25.1	1.9	5.13	4.37	28	0.0	0.7	1.0	0.6	25.1	1.9	5.13	4.37
MADERA	6394, N	5	0.0	0.4	5.4	0.3	28.2	0.9	4.60	4.31	5	0.0	0.4	5.4	0.3	28.2	0.9	4.60	4.31
MADERA	6402, N	4	0.0	0.4	7.8	4.1	30.3	0.6	4.88	4.33	4	0.0	0.4	7.8	4.1	30.3	0.6	4.88	4.33
MADERA	5608, HZ	2	0.0	0.3	7.0	1.8	26.0	0.3	5.20	4.37	2	0.0	0.3	7.0	1.8	26.0	0.3	5.20	4.37
MADERA		39	0.0	0.6	2.6	1.0	26.1	1.5	5.04	4.36	39	0.0	0.6	2.6	1.0	26.1	1.5	5.04	4.36
MERCED	UNCODED	45	0.0	1.0	24.7	1.8	32.3	7.4	5.24	4.30	50	0.0	1.0	25.2	1.7	32.3	7.3	5.26	4.30
MERCED	6402, N	15	0.0	0.2	3.5	5.0	27.7	1.3	5.07	4.33	15	0.0	0.2	3.5	5.0	27.7	1.3	5.07	4.33
MERCED		60	0.0	0.8	19.4	2.6	31.1	5.9	5.20	4.31	65	0.0	0.8	20.2	2.5	31.2	5.9	5.21	4.31
SOLANO	109, CXD (SHASTA)	66	0.0	0.3	1.5	0.2	26.5	2.4	5.44	4.23	82	0.0	0.3	1.5	0.3	27.3	2.7	5.41	4.22
SOLANO	0599, SV	9	0.0	0.3	0.7	0.6	30.2	0.1	5.02	4.28	9	0.0	0.3	0.7	0.6	30.2	0.1	5.02	4.28
SOLANO	205, BQ	8	0.0	0.1	1.4	0.9	27.4	1.4	4.91	4.30	8	0.0	0.1	1.4	0.9	27.4	1.4	4.91	4.30
SOLANO	6397, N	7	0.0	0.2	0.4	0.3	25.0	0.9	5.70	4.42	7	0.0	0.2	0.4	0.3	25.0	0.9	5.70	4.42
SOLANO		90	0.0	0.3	1.3	0.3	26.8	2.0	5.37	4.26	106	0.0	0.3	1.4	0.4	27.4	2.2	5.36	4.25
STANISLAUS	410, APT	25	0.0	0.1	4.0	0.1	22.8	3.1	5.55	4.30	25	0.0	0.1	4.0	0.1	22.8	3.1	5.55	4.30
STANISLAUS		25	0.0	0.1	4.0	0.1	22.8	3.1	5.55	4.30	25	0.0	0.1	4.0	0.1	22.8	3.1	5.55	4.30
YOLO	109, CXD (SHASTA)	610	0.0	0.4	1.0	0.5	24.5	2.8	5.54	4.28	770	0.0	0.4	1.1	0.4	24.9	2.6	5.55	4.27
YOLO	1015, HEINZ	335	0.0	0.1	1.2	0.8	25.4	1.3	4.86	4.41	340	0.0	0.1	1.4	0.8	25.5	1.3	4.86	4.41
YOLO	410, APT	277	0.0	0.3	0.7	0.4	25.9	2.4	4.92	4.37	281	0.0	0.3	0.8	0.4	25.9	2.3	4.92	4.37
YOLO	6416, N	198	0.0	0.2	0.9	0.4	24.7	1.1	5.38	4.35	198	0.0	0.2	0.9	0.4	24.7	1.1	5.38	4.35
YOLO	6397, N	142	0.0	0.2	0.5	0.2	25.3	2.0	5.37	4.39	142	0.0	0.2	0.5	0.2	25.3	2.0	5.37	4.39
YOLO	0599, SV	90	0.0	0.1	0.7	0.3	28.5	0.6	5.18	4.29	90	0.0	0.1	0.7	0.3	28.5	0.6	5.18	4.29
YOLO	1893, HMX	65	0.0	0.1	0.7	0.3	27.8	1.2	5.15	4.27	65	0.0	0.1	0.7	0.3	27.8	1.2	5.15	4.27

2014 Processing Tomato Season
PTAB Analysis (7/19/14) - County by Variety



County	Variety Name	Week Ending 7/19/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	66509, BOS	42	0.0	0.5	1.0	0.5	27.0	1.9	5.13	4.45	42	0.0	0.5	1.0	0.5	27.0	1.9	5.13	4.45
YOLO	UNCODED	5	0.0	0.1	1.1	0.4	26.0	0.4	4.96	4.31	5	0.0	0.1	1.1	0.4	26.0	0.4	4.96	4.31
YOLO	1301, HZ	3	0.0	0.0	0.5	0.5	25.7	0.2	5.20	4.35	3	0.0	0.0	0.5	0.5	25.7	0.2	5.20	4.35
YOLO	4895, HMX	2	0.0	0.0	1.0	0.3	28.5	0.5	5.60	4.31	2	0.0	0.0	1.0	0.3	28.5	0.5	5.60	4.31
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	13.3	2.0	29.0	0.0	5.20	4.23
YOLO	5608, HZ	2	0.0	0.0	2.8	0.0	29.5	0.0	5.00	4.22	2	0.0	0.0	2.8	0.0	29.5	0.0	5.00	4.22
YOLO	MIX	1	0.0	1.0	0.5	1.0	30.0	2.5	5.50	4.27	1	0.0	1.0	0.5	1.0	30.0	2.5	5.50	4.27
YOLO	273, BQ	1	0.0	0.0	1.5	0.0	28.0	0.5	5.10	4.27	1	0.0	0.0	1.5	0.0	28.0	0.5	5.10	4.27
YOLO	312, BQ	1	0.0	0.0	2.0	0.5	26.0	0.5	5.80	4.30	1	0.0	0.0	2.0	0.5	26.0	0.5	5.80	4.30
YOLO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	27.5	0.0	42.0	0.0	4.60	4.26
YOLO	6402, N	1	0.0	0.0	7.0	0.5	31.0	0.5	5.30	4.25	1	0.0	0.0	7.0	0.5	31.0	0.5	5.30	4.25
YOLO	6404, N	1	0.0	0.0	5.0	0.0	36.0	0.0	5.10	4.25	1	0.0	0.0	5.0	0.0	36.0	0.0	5.10	4.25
YOLO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	13.0	0.0	30.0	0.0	4.10	4.26
YOLO		1,776	0.0	0.2	0.9	0.5	25.4	2.0	5.24	4.34	1,949	0.0	0.2	1.0	0.5	25.5	2.0	5.26	4.33