

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County	Variety Name	Week Ending 8/09/14									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
COLUSA	6366, SUN	1,317	0.0	1.5	1.0	2.2	25.3	2.9	4.83	4.44	2,964	0.0	1.2	1.5	1.6	25.4	2.4	4.91	4.44	
COLUSA	1015, HEINZ	274	0.0	1.2	4.0	1.4	24.3	1.9	5.43	4.47	1,937	0.0	0.6	2.7	1.2	24.2	1.3	5.08	4.46	
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,737	0.0	0.6	2.1	0.8	26.0	2.6	4.77	4.37	
COLUSA	6402, N	426	0.0	1.4	1.6	1.9	25.5	2.0	4.90	4.40	1,452	0.0	0.9	1.7	1.8	25.0	1.5	5.06	4.40	
COLUSA	6397, N	284	0.0	1.6	1.7	1.8	26.4	1.5	4.62	4.44	1,057	0.0	1.1	1.2	0.7	24.9	1.3	4.82	4.47	
COLUSA	5003, HEINZ	22	0.0	2.0	1.1	4.1	24.0	9.7	5.01	4.54	678	0.0	0.9	2.2	1.1	24.3	3.7	5.18	4.49	
COLUSA	205, BQ	258	0.0	1.1	5.6	1.4	29.1	3.1	4.83	4.38	414	0.0	1.0	4.7	1.3	28.3	3.9	4.89	4.39	
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	0.2	1.4	0.5	27.0	2.6	5.09	4.29	
COLUSA	0599, SV	19	0.0	2.6	6.1	2.4	25.6	1.6	5.91	4.40	304	0.0	0.9	2.5	1.7	27.4	1.6	4.61	4.41	
COLUSA	255, CXD	192	0.0	2.1	1.8	0.7	25.7	1.9	4.84	4.41	300	0.0	1.6	1.5	0.6	26.1	1.8	4.88	4.42	
COLUSA	6412, N	203	0.0	1.7	1.8	0.7	24.5	6.6	4.91	4.44	266	0.0	1.4	1.8	1.1	24.3	6.3	4.96	4.44	
COLUSA	163, BQ	53	0.0	0.4	1.1	0.6	25.3	2.8	5.05	4.43	164	0.0	0.3	2.0	0.8	24.7	2.0	4.86	4.40	
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.5	2.0	0.3	25.7	1.0	4.81	4.34	
COLUSA	0311, AB	46	0.0	1.9	1.1	0.6	23.1	2.3	4.83	4.53	160	0.0	1.2	1.0	0.6	23.5	1.6	4.96	4.46	
COLUSA	816, PS	127	0.0	0.7	1.9	0.8	27.1	8.1	5.48	4.40	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40	
COLUSA	1301, HZ	34	0.0	0.1	0.9	2.1	25.6	1.0	4.89	4.47	121	0.0	0.1	2.0	1.9	26.5	0.9	4.96	4.48	
COLUSA	5608, HZ	121	0.0	0.7	0.5	0.1	24.0	0.4	4.70	4.37	121	0.0	0.7	0.5	0.1	24.0	0.4	4.70	4.37	
COLUSA	282, CXD	96	0.0	3.3	1.6	2.3	26.6	0.8	4.41	4.35	96	0.0	3.3	1.6	2.3	26.6	0.8	4.41	4.35	
COLUSA	1170, HEINZ	22	0.0	0.6	0.8	0.0	26.5	1.3	4.47	4.43	76	0.0	0.4	0.6	0.1	26.9	1.4	4.68	4.42	
COLUSA	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.1	1.1	0.7	0.3	25.6	5.9	4.86	4.51	
COLUSA	UNCODED	45	0.0	5.5	4.0	2.0	27.2	1.8	4.87	4.42	53	0.0	4.9	3.9	1.9	26.7	1.8	4.85	4.42	
COLUSA	296, BQ	51	0.0	1.8	1.9	1.4	25.7	1.8	5.12	4.34	51	0.0	1.8	1.9	1.4	25.7	1.8	5.12	4.34	
COLUSA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	1.5	0.5	26.3	1.3	4.96	4.29	
COLUSA	4707, HEINZ	1	0.0	0.0	2.0	1.0	25.0	0.0	5.30	4.50	27	0.0	0.4	1.5	3.4	25.5	4.4	5.20	4.38	
COLUSA	313, BQ	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43	
COLUSA	16609, UG	13	0.0	1.7	5.6	1.7	25.2	1.9	4.97	4.37	21	0.0	1.1	4.5	1.1	26.1	1.8	5.00	4.34	
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.3	0.4	1.1	23.5	3.0	5.15	4.43	
COLUSA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.3	1.7	0.1	0.1	23.1	0.7	5.21	4.45	
COLUSA	0299, PX	2	0.0	3.3	0.5	0.5	25.5	3.8	4.80	4.49	2	0.0	3.3	0.5	0.5	25.5	3.8	4.80	4.49	
COLUSA		3,628	0.0	1.5	1.9	1.7	25.6	2.8	4.89	4.43	12,864	0.0	0.9	1.9	1.2	25.4	2.2	4.94	4.42	
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,189	0.0	0.1	0.7	0.2	23.4	0.9	5.97	4.31	
CONTRA COSTA	0311, AB	535	0.0	0.5	0.8	0.1	22.0	0.8	5.84	4.32	955	0.0	0.5	0.8	0.2	22.6	0.8	5.73	4.29	
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	540	0.0	0.1	0.6	0.2	23.3	1.2	5.47	4.30	
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.1	0.7	0.1	23.3	1.4	6.11	4.24	
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.2	0.8	0.1	22.0	0.6	5.21	4.38	
CONTRA COSTA	0319, DRI	177	0.0	0.5	1.4	0.2	24.0	0.9	5.89	4.31	217	0.0	0.5	1.2	0.2	24.0	0.8	5.76	4.31	
CONTRA COSTA	1893, HMX	55	0.0	0.2	1.0	0.3	22.2	0.8	5.43	4.31	214	0.0	0.2	0.8	0.3	22.7	1.0	5.18	4.26	
CONTRA COSTA	6402, N	29	0.0	0.3	0.0	0.1	22.9	0.4	5.20	4.44	214	0.0	0.4	0.3	0.1	23.4	0.6	5.40	4.38	
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.3	0.9	0.2	22.4	1.0	5.02	4.31	

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County	Variety Name	Week Ending 8/09/14									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	5.30	4.27	
CONTRA COSTA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	21.0	1.0	5.30	4.48	
CONTRA COSTA		796	0.0	0.4	0.9	0.2	22.5	0.8	5.80	4.32	3,898	0.0	0.2	0.7	0.2	23.1	1.0	5.72	4.31	
FRESNO	6366, SUN	1,686	0.0	0.5	1.8	0.4	23.5	1.5	5.61	4.40	16,538	0.0	0.5	1.6	0.6	23.4	1.9	5.78	4.38	
FRESNO	5608, HZ	5,024	0.0	1.7	2.3	0.7	22.6	1.2	5.21	4.39	9,372	0.0	1.2	2.3	0.7	22.6	1.1	5.21	4.37	
FRESNO	1015, HEINZ	603	0.0	0.3	0.7	0.5	22.9	0.7	5.11	4.41	5,062	0.0	0.3	1.2	0.4	22.9	0.6	5.32	4.42	
FRESNO	6402, N	666	0.0	1.1	0.6	0.2	22.8	2.7	5.44	4.46	5,054	0.0	0.6	1.2	1.1	23.0	1.8	5.70	4.41	
FRESNO	6397, N	59	0.0	0.6	4.5	1.1	22.9	0.9	5.50	4.44	4,596	0.0	0.3	1.9	0.9	23.2	1.1	5.47	4.39	
FRESNO	0311, AB	1,016	0.0	1.4	2.2	0.9	22.8	1.5	5.82	4.37	4,396	0.0	0.8	1.9	0.8	22.5	1.6	6.05	4.33	
FRESNO	6404, N	1,526	0.0	1.1	2.3	0.8	23.6	2.1	5.48	4.42	4,026	0.0	0.8	2.1	0.7	23.8	1.8	5.50	4.40	
FRESNO	6394, N	1,836	0.0	0.9	1.6	1.5	22.8	2.4	5.50	4.47	3,881	0.0	0.6	1.7	1.1	22.9	2.4	5.59	4.44	
FRESNO	0319, DRI	1,305	0.0	1.2	1.3	0.3	23.5	1.7	5.84	4.37	3,029	0.0	1.3	0.9	0.3	23.4	1.5	5.95	4.36	
FRESNO	187, CXD	30	0.0	1.2	11.7	0.3	24.0	2.0	4.95	4.36	2,493	0.0	0.4	1.3	0.4	24.1	2.3	4.84	4.37	
FRESNO	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,156	0.0	0.4	0.9	0.3	23.6	3.5	5.23	4.36	
FRESNO	2, AB	78	0.0	1.4	0.7	0.4	22.1	2.4	5.80	4.37	2,074	0.0	1.1	1.4	0.5	23.5	1.9	5.75	4.31	
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,906	0.0	1.0	2.7	1.4	24.0	4.2	5.29	4.38	
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,872	0.0	0.3	1.3	0.4	23.3	2.7	5.27	4.40	
FRESNO	1292, HZ	238	0.0	0.7	0.7	0.5	21.2	2.3	5.31	4.45	1,650	0.0	0.8	1.3	0.5	21.8	1.7	5.67	4.48	
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,631	0.0	0.2	1.6	0.4	23.6	3.8	6.30	4.35	
FRESNO	7885, HMX	582	0.0	0.4	0.5	0.3	23.4	0.7	5.18	4.54	1,535	0.0	0.5	0.4	0.2	23.5	0.4	5.14	4.53	
FRESNO	19406, UG	904	0.0	0.4	2.0	0.6	23.5	0.5	5.79	4.27	1,388	0.0	0.4	1.6	0.6	23.2	0.5	5.98	4.28	
FRESNO	3402, HEINZ	562	0.0	0.1	2.1	1.0	23.2	1.1	5.37	4.47	1,260	0.0	0.1	2.4	0.8	23.7	0.9	5.43	4.42	
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,164	0.0	0.2	2.0	0.9	24.1	1.6	5.26	4.32	
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33	
FRESNO	4707, HEINZ	886	0.0	1.1	3.0	0.4	25.2	1.2	5.28	4.38	999	0.0	1.1	3.0	0.4	25.2	1.1	5.27	4.37	
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	994	0.0	0.4	1.6	0.2	23.3	1.5	5.11	4.31	
FRESNO	205, BQ	302	0.0	0.4	0.4	0.4	22.7	1.8	5.82	4.36	968	0.0	0.5	0.8	0.3	23.4	1.7	5.78	4.32	
FRESNO	1161, HEINZ	160	0.0	0.3	1.5	0.3	23.4	2.7	6.53	4.39	898	0.0	0.6	1.7	0.5	23.6	2.4	6.40	4.35	
FRESNO	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	770	0.0	0.4	1.0	0.3	24.0	1.4	5.12	4.44	
FRESNO	273, BQ	58	0.0	0.1	1.5	0.3	24.7	1.7	5.30	4.29	741	0.0	0.2	1.5	0.3	24.2	1.5	5.43	4.30	
FRESNO	1293, HZ	290	0.0	1.2	1.4	0.3	22.5	0.5	5.67	4.49	604	0.0	0.8	1.4	0.4	22.8	0.5	5.71	4.49	
FRESNO	9663, HEINZ	338	0.0	5.0	2.3	0.7	23.7	1.9	4.80	4.38	568	0.0	3.2	2.9	0.6	23.1	1.7	5.05	4.36	
FRESNO	2401, HEINZ	171	0.0	2.4	2.8	0.4	24.1	0.8	5.00	4.33	562	0.0	2.3	2.4	0.4	23.3	0.7	5.14	4.29	
FRESNO	255, CXD	487	0.0	1.6	0.0	0.2	23.0	1.0	5.12	4.35	492	0.0	1.6	0.0	0.2	23.0	1.0	5.12	4.35	
FRESNO	3, AB	384	0.0	0.7	1.0	0.2	23.7	1.5	5.42	4.31	484	0.0	0.8	1.2	0.2	23.6	1.5	5.47	4.32	
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	461	0.0	0.1	0.7	0.2	25.4	1.1	5.40	4.37	
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	451	0.0	0.6	2.3	0.3	22.8	3.5	5.48	4.39	
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	421	0.0	0.1	1.4	0.5	24.8	1.1	5.03	4.32	
FRESNO	UNCODED	147	0.0	2.1	18.6	1.1	30.2	11.1	4.94	4.40	347	0.0	1.7	16.1	0.8	30.2	9.9	5.01	4.37	

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County	Variety Name	Week Ending 8/09/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	1175, HEINZ	95	0.0	0.5	1.7	0.2	24.2	0.9	4.57	4.44	263	0.0	0.4	1.7	0.2	24.1	0.8	4.70	4.43
FRESNO	16609, UG	24	0.0	0.4	0.8	0.2	21.9	0.8	5.70	4.26	247	0.0	0.4	0.5	0.3	23.1	1.8	5.65	4.32
FRESNO	5702, HZ	136	0.0	0.8	1.3	0.4	24.2	0.3	4.84	4.36	246	0.0	0.5	1.8	0.5	24.0	0.6	5.37	4.36
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	0.0	1.8	0.5	26.1	0.6	5.10	4.31
FRESNO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	221	0.0	0.2	1.3	0.3	24.2	0.6	4.92	4.30
FRESNO	6368, SUN	15	0.0	0.4	0.4	0.3	22.0	3.1	6.35	4.48	219	0.0	0.3	0.3	0.3	22.7	0.5	5.42	4.29
FRESNO	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.0	0.9	0.4	23.1	1.3	4.79	4.30
FRESNO	8504, HEINZ	30	0.0	1.4	7.9	0.4	24.9	2.5	4.81	4.41	186	0.0	0.4	4.0	0.1	23.5	1.3	5.69	4.32
FRESNO	67212, BOS	52	0.0	2.4	1.6	0.3	21.8	3.3	5.45	4.47	157	0.0	1.0	0.9	0.3	22.3	3.2	5.64	4.40
FRESNO	MIX	71	0.2	2.2	1.8	0.3	24.6	2.4	4.79	4.47	146	0.1	7.1	1.7	0.4	24.3	2.2	4.74	4.59
FRESNO	002, PX	129	0.0	0.9	0.2	0.1	22.7	3.2	5.32	4.39	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
FRESNO	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.0	1.1	0.3	24.0	1.7	5.14	4.31
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.3	2.9	1.7	23.2	1.0	5.93	4.35
FRESNO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	0.3	0.8	0.4	22.7	0.4	6.49	4.35
FRESNO	296, BQ	27	0.0	0.4	4.9	1.8	23.0	0.6	5.92	4.26	105	0.0	0.5	1.6	0.9	22.7	2.0	6.25	4.37
FRESNO	6420, N	11	0.0	1.2	1.2	0.2	24.7	0.5	5.05	4.43	69	0.0	0.7	0.7	0.1	24.1	0.5	5.23	4.43
FRESNO	6385, N	7	0.0	0.4	0.7	0.4	22.6	0.6	4.83	4.38	40	0.0	0.2	0.3	0.5	22.0	0.6	5.02	4.31
FRESNO	HEINZ TRIAL	31	0.0	3.8	2.4	0.4	22.0	2.5	5.23	4.42	35	0.0	3.4	2.2	0.4	22.1	2.2	5.23	4.42
FRESNO	7776, NDM	1	0.0	0.0	2.0	0.0	22.0	1.5	6.20	4.45	32	0.0	0.3	2.9	0.5	23.1	4.3	6.13	4.44
FRESNO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.0	2.5	0.5	26.0	1.3	5.47	4.40
FRESNO	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.6	0.4	0.4	23.0	0.7	5.19	4.35
FRESNO	268, BQ	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40
FRESNO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.0	2.7	0.2	22.7	1.1	5.85	4.41
FRESNO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.0	0.9	0.2	24.5	0.3	5.28	4.27
FRESNO	18806, UG	18	0.0	0.7	0.6	0.7	26.2	0.7	4.95	4.25	18	0.0	0.7	0.6	0.7	26.2	0.7	4.95	4.25
FRESNO	1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.9	0.6	0.3	22.4	1.3	5.66	4.51
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.8	22.7	2.7	6.57	4.46
FRESNO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.5	0.8	25.7	0.3	5.47	4.47
FRESNO	7883, HM	1	0.5	1.0	0.5	0.5	24.0	0.5	5.00	4.57	2	0.3	0.8	0.8	0.3	23.5	0.3	5.15	4.53
FRESNO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.5	1.5	24.0	1.5	6.30	4.40
FRESNO	0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
FRESNO	1570, RPT	1	0.0	3.0	1.0	0.0	22.0	0.5	4.70	4.51	1	0.0	3.0	1.0	0.0	22.0	0.5	4.70	4.51
FRESNO		20,009	0.0	1.2	1.9	0.6	23.2	1.6	5.42	4.40	88,946	0.0	0.7	1.7	0.6	23.3	1.8	5.53	4.38
KERN	6366, SUN	1	0.0	3.0	1.0	0.5	24.0	2.5	5.00	4.52	4,953	0.0	1.0	0.9	0.7	24.2	1.9	5.05	4.44
KERN	6397, N	86	0.0	2.4	1.3	0.8	23.6	1.7	5.06	4.47	3,450	0.0	0.8	1.7	0.7	24.1	1.6	5.05	4.41
KERN	5608, HZ	208	0.0	1.3	0.3	0.1	21.1	1.9	4.97	4.48	3,169	0.0	0.8	1.7	0.3	22.9	0.9	5.07	4.38
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,394	0.0	0.4	2.1	0.4	24.7	1.8	4.84	4.41
KERN	8504, HEINZ	812	0.0	0.3	2.8	0.4	25.1	0.6	4.90	4.24	2,240	0.0	0.3	2.3	0.4	24.7	0.9	5.01	4.28

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County	Variety Name	Week Ending 8/09/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,443	0.0	0.2	1.1	0.4	23.0	1.4	5.09	4.48
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	667	0.0	1.1	0.7	0.8	24.6	1.2	5.51	4.34
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.4	1.4	0.7	23.0	4.1	4.93	4.40
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	360	0.0	1.3	1.1	0.4	23.4	1.5	5.43	4.37
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	318	0.0	0.1	1.3	0.4	24.8	0.9	5.12	4.30
KERN	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	2.1	0.4	25.5	5.1	5.04	4.38
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	3.4	1.8	0.5	24.5	2.2	4.70	4.45
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.9	1.0	0.9	22.1	0.8	5.52	4.48
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	3.0	0.8	24.4	3.5	5.19	4.45
KERN	1170, HEINZ	51	0.0	0.1	0.5	0.0	22.3	1.3	5.37	4.41	171	0.0	0.5	0.8	0.1	22.5	0.6	5.47	4.34
KERN	UNCODED	4	0.0	0.6	0.1	0.0	21.5	1.0	4.98	4.49	128	0.0	0.2	2.3	0.3	25.1	1.2	5.19	4.39
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.1	0.6	0.2	23.2	3.5	5.90	4.52
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.3	1.2	0.2	23.4	2.0	5.83	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.2	2.4	0.3	26.0	2.3	4.88	4.37
KERN	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	2.3	0.5	23.4	0.3	4.67	4.44
KERN	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	2.0	0.1	25.8	0.6	5.43	4.48
KERN	26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
KERN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	1.3	0.6	23.7	1.5	4.80	4.35
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.3	1.8	0.8	24.7	3.7	5.27	4.40
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.6	1.3	0.3	24.0	4.1	5.13	4.47
KERN	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.2	1.4	0.4	25.1	4.2	5.65	4.41
KERN	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.5	0.6	0.7	21.7	3.2	4.93	4.35
KERN	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	0.4	0.4	0.0	23.2	0.6	5.19	4.35
KERN	1175, HEINZ	33	0.0	0.9	0.6	0.1	20.4	0.5	4.92	4.43	52	0.0	0.8	0.6	0.1	20.5	0.4	4.95	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.1	3.2	0.8	24.8	0.8	5.44	4.34
KERN	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.1	2.5	0.5	24.3	1.5	5.57	4.40
KERN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.8	3.4	0.2	20.9	2.7	5.17	4.43
KERN		1,195	0.0	0.7	2.1	0.4	24.0	1.0	4.95	4.31	21,682	0.0	0.7	1.5	0.5	24.0	1.6	5.07	4.40
KINGS	6366, SUN	47	0.0	3.5	1.4	0.1	23.6	3.1	4.86	4.45	5,384	0.0	0.5	1.3	0.5	24.1	1.4	5.75	4.38
KINGS	5608, HZ	702	0.0	1.8	2.1	0.9	23.2	1.0	5.23	4.36	5,035	0.0	1.1	1.9	0.6	23.4	0.9	5.34	4.37
KINGS	8504, HEINZ	2,834	0.0	0.5	3.1	0.4	24.3	0.7	4.90	4.27	4,750	0.1	0.4	3.8	0.6	24.6	0.7	4.99	4.26
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,888	0.0	0.2	2.5	0.5	24.4	2.3	4.94	4.42
KINGS	6397, N	4	0.0	2.8	0.6	0.5	24.5	1.4	4.63	4.44	2,386	0.0	0.5	3.1	1.5	23.5	1.5	5.38	4.40
KINGS	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,022	0.0	0.4	3.5	1.1	24.4	3.2	5.07	4.39
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	848	0.0	0.4	1.0	0.3	22.3	1.0	5.55	4.45
KINGS	1161, HEINZ	66	0.0	2.4	1.2	0.1	23.7	2.0	5.30	4.39	654	0.0	0.4	2.1	0.2	24.9	1.0	6.01	4.32
KINGS	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	616	0.0	0.0	0.9	0.2	25.1	1.1	5.16	4.33
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	573	0.0	0.4	2.0	0.1	22.5	1.2	6.43	4.33
KINGS	0319, DRI	315	0.0	3.2	0.8	0.4	23.5	1.5	5.63	4.39	536	0.0	2.3	1.1	0.3	23.5	1.2	5.74	4.37

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County	Variety Name	Week Ending 8/09/14									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
KINGS	205, BQ	254	0.0	2.3	0.4	0.4	23.5	2.0	5.48	4.36	451	0.0	1.7	0.6	0.3	24.6	1.7	5.21	4.33	
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	401	0.0	0.3	3.7	1.7	25.6	2.3	6.08	4.36	
KINGS	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	0.9	0.1	24.8	1.8	5.01	4.35	
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	1.8	0.7	24.4	1.8	5.03	4.29	
KINGS	9780, HEINZ	94	0.0	0.5	2.0	0.5	23.3	2.5	6.07	4.33	383	0.0	0.5	2.3	0.5	23.3	2.5	6.01	4.31	
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	278	0.0	1.7	3.3	0.6	23.4	3.9	4.99	4.40	
KINGS	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	0.1	1.4	1.1	22.1	0.8	5.68	4.40	
KINGS	6404, N	263	0.0	1.8	1.1	0.2	23.7	1.2	5.31	4.42	263	0.0	1.8	1.1	0.2	23.7	1.2	5.31	4.42	
KINGS	UNCODED	51	0.0	0.5	1.3	0.3	22.6	0.7	5.37	4.39	260	0.0	0.2	2.9	0.4	24.7	0.6	5.56	4.38	
KINGS	1170, HEINZ	130	0.0	0.5	1.1	0.2	25.3	0.7	5.70	4.33	217	0.0	0.5	1.5	0.2	24.8	0.8	5.71	4.32	
KINGS	6385, N	196	0.0	0.2	0.6	0.5	21.7	3.0	5.64	4.43	210	0.0	0.2	0.6	0.5	21.7	3.0	5.63	4.43	
KINGS	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	179	0.0	0.0	3.4	0.7	24.1	4.6	5.65	4.29	
KINGS	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.1	1.7	0.6	25.0	2.2	5.88	4.36	
KINGS	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.1	4.1	0.5	25.4	2.4	5.08	4.32	
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.0	0.6	0.0	23.1	1.1	4.72	4.28	
KINGS	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.1	1.8	0.2	22.0	1.2	6.85	4.29	
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	0.2	0.2	23.0	2.6	5.67	4.29	
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.5	0.8	0.6	22.6	2.1	5.25	4.49	
KINGS	16609, UG	43	0.0	1.2	1.3	0.1	20.8	2.7	5.90	4.35	44	0.0	1.2	1.3	0.1	20.9	2.7	5.90	4.35	
KINGS	10, P	27	0.0	3.3	0.8	0.1	23.1	4.2	4.71	4.47	27	0.0	3.3	0.8	0.1	23.1	4.2	4.71	4.47	
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	0.3	0.1	24.5	0.6	4.88	4.34	
KINGS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	4.0	0.3	23.0	0.6	5.52	4.49	
KINGS	255, CXD	12	0.0	2.8	2.0	0.3	25.0	2.3	5.87	4.35	12	0.0	2.8	2.0	0.3	25.0	2.3	5.87	4.35	
KINGS	116, BQ	2	0.0	3.5	1.0	0.0	25.0	1.5	5.35	4.36	3	0.0	2.3	3.3	0.2	24.3	1.0	5.37	4.33	
KINGS		5,040	0.0	1.1	2.3	0.5	23.9	1.1	5.13	4.32	30,998	0.0	0.6	2.3	0.6	24.0	1.5	5.36	4.36	
MADERA	6397, N	159	0.0	1.7	3.2	0.3	24.4	1.7	4.59	4.45	803	0.0	1.2	2.2	0.6	24.5	1.9	4.73	4.44	
MADERA	6366, SUN	453	0.0	2.0	0.5	0.4	25.1	2.2	4.80	4.38	794	0.0	1.6	0.7	0.5	25.3	2.6	4.85	4.38	
MADERA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	587	0.0	1.1	1.0	1.3	23.5	2.1	5.35	4.45	
MADERA	6394, N	275	0.0	0.9	2.5	1.6	22.9	2.6	5.45	4.46	407	0.0	0.8	2.6	1.5	22.9	2.8	5.50	4.46	
MADERA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	329	0.0	0.8	2.5	1.7	23.2	1.5	5.01	4.41	
MADERA	0319, DRI	2	0.0	0.3	0.8	0.0	22.0	1.8	6.00	4.31	298	0.0	1.7	0.5	0.3	25.4	1.2	5.31	4.32	
MADERA	6404, N	271	0.0	3.0	1.6	0.5	25.3	1.3	4.86	4.39	281	0.0	2.9	1.7	0.5	25.3	1.3	4.87	4.40	
MADERA	5508, HZ	143	0.0	0.1	4.5	0.5	25.9	0.5	4.78	4.32	162	0.0	0.1	4.8	0.5	25.9	0.6	4.81	4.32	
MADERA		1,303	0.0	1.7	1.9	0.7	24.7	1.9	4.92	4.40	3,661	0.0	1.3	1.7	0.8	24.4	2.0	5.03	4.41	
MERCED	6366, SUN	864	0.0	0.4	2.2	0.4	24.9	1.9	5.48	4.38	1,553	0.0	0.4	2.6	0.4	24.9	2.0	5.44	4.36	
MERCED	6404, N	755	0.0	1.0	5.1	1.9	25.1	3.3	5.25	4.44	967	0.0	0.9	5.3	2.5	25.0	3.2	5.44	4.43	
MERCED	1015, HEINZ	301	0.0	0.1	2.6	0.4	22.7	0.8	5.49	4.43	493	0.0	0.1	3.3	0.4	22.9	0.7	5.56	4.41	
MERCED	5608, HZ	186	0.0	0.8	3.2	1.0	23.2	0.6	5.08	4.30	189	0.0	0.8	3.3	1.2	23.2	0.6	5.08	4.30	
MERCED	UNCODED	29	0.0	0.9	10.7	2.3	33.1	7.4	5.34	4.34	182	0.0	1.1	15.8	1.8	32.1	8.6	5.17	4.31	

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County		Variety Name		Week Ending 8/09/14							Year to Date									
				Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids
MERCED	6402, N	16	0.0	1.5	0.3	0.1	22.1	1.0	5.93	4.41	149	0.0	0.3	2.4	3.0	26.9	1.4	5.16	4.37	
MERCED	6394, N	55	0.0	1.5	0.0	0.0	25.5	0.4	4.97	4.51	109	0.0	1.3	0.1	0.0	26.5	0.3	4.99	4.49	
MERCED	2401, HEINZ	62	0.0	0.1	2.2	0.5	25.8	0.6	5.82	4.24	62	0.0	0.1	2.2	0.5	25.8	0.6	5.82	4.24	
MERCED	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.0	1.1	0.2	23.6	0.6	5.11	4.22	
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.0	1.5	0.4	23.6	1.0	5.66	4.22	
MERCED	19406, UG	6	0.0	0.0	8.4	0.2	28.3	0.0	5.55	4.28	6	0.0	0.0	8.4	0.2	28.3	0.0	5.55	4.28	
MERCED	0311, AB	4	0.0	1.4	3.0	1.0	23.8	0.8	5.80	4.38	4	0.0	1.4	3.0	1.0	23.8	0.8	5.80	4.38	
MERCED	1892, HMX	2	0.0	0.0	7.8	1.3	28.0	0.8	4.75	4.37	2	0.0	0.0	7.8	1.3	28.0	0.8	4.75	4.37	
MERCED		2,280	0.0	0.6	3.4	0.9	24.7	2.1	5.37	4.40	3,812	0.0	0.5	3.9	1.1	25.0	2.3	5.40	4.38	
SAN JOAQUIN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.3	0.6	0.2	23.6	0.7	4.79	4.28	
SAN JOAQUIN		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.3	0.6	0.2	23.6	0.7	4.79	4.28	
SOLANO	1893, HMX	123	0.0	0.6	0.7	0.3	25.4	2.5	5.22	4.39	289	0.0	0.5	0.9	0.3	26.2	3.0	5.13	4.37	
SOLANO	6366, SUN	133	0.0	0.7	1.0	0.5	24.8	2.5	5.60	4.43	241	0.0	0.7	1.1	0.5	25.6	2.3	5.69	4.40	
SOLANO	16609, UG	20	0.0	0.7	0.2	0.1	25.3	2.4	5.12	4.44	240	0.0	0.6	0.6	0.3	25.8	3.3	5.42	4.33	
SOLANO	6404, N	224	0.0	0.8	3.1	3.5	25.5	2.3	5.26	4.40	224	0.0	0.8	3.1	3.5	25.5	2.3	5.26	4.40	
SOLANO	0311, AB	205	0.0	1.1	1.0	0.6	27.7	2.0	5.69	4.37	205	0.0	1.1	1.0	0.6	27.7	2.0	5.69	4.37	
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.4	0.4	0.1	27.4	0.6	4.91	4.33	
SOLANO	6397, N	21	0.0	0.7	0.6	0.3	24.3	1.8	4.97	4.46	186	0.0	0.4	0.8	0.4	24.4	1.3	5.64	4.43	
SOLANO	6402, N	88	0.0	1.0	1.3	0.9	25.6	1.2	5.25	4.47	140	0.0	0.9	1.7	0.8	26.1	1.6	5.47	4.45	
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.3	1.5	0.3	26.7	3.0	5.36	4.23	
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.4	1.1	0.2	25.8	1.0	4.72	4.31	
SOLANO	205, BQ	70	0.0	0.8	1.1	1.1	25.7	1.4	5.37	4.35	86	0.0	0.7	1.3	1.1	25.8	1.4	5.27	4.35	
SOLANO	1161, HEINZ	65	0.0	0.8	0.5	1.1	26.1	1.1	5.65	4.34	65	0.0	0.8	0.5	1.1	26.1	1.1	5.65	4.34	
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	1.0	0.8	0.2	24.5	4.2	5.13	4.45	
SOLANO	255, CXD	43	0.0	0.9	1.9	0.3	27.4	3.1	6.27	4.42	43	0.0	0.9	1.9	0.3	27.4	3.1	6.27	4.42	
SOLANO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.6	2.0	0.8	28.3	3.4	5.33	4.44	
SOLANO	10, P	24	0.0	1.0	0.3	1.0	24.7	2.4	4.72	4.51	24	0.0	1.0	0.3	1.0	24.7	2.4	4.72	4.51	
SOLANO	5608, HZ	5	0.0	1.2	3.2	0.8	21.8	0.2	5.84	4.36	6	0.0	1.0	2.8	0.7	22.3	0.5	5.72	4.37	
SOLANO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.5	0.4	24.5	3.9	5.38	4.42	
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.0	0.1	28.0	2.0	5.25	4.41	
SOLANO	19406, UG	3	0.0	1.0	2.5	0.8	25.3	0.2	5.23	4.21	3	0.0	1.0	2.5	0.8	25.3	0.2	5.23	4.21	
SOLANO		1,024	0.0	0.8	1.4	1.2	25.9	2.1	5.44	4.40	2,233	0.0	0.7	1.2	0.7	26.1	2.2	5.37	4.37	
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.3	3.6	0.1	22.5	2.5	5.52	4.30	
STANISLAUS	6366, SUN	59	0.0	0.8	1.4	0.4	23.1	3.8	6.27	4.40	129	0.0	0.8	2.9	0.3	24.0	2.1	5.85	4.36	
STANISLAUS	6416, N	33	0.0	0.6	6.6	0.1	24.5	1.0	4.77	4.38	121	0.0	0.3	4.6	0.1	24.1	0.8	5.07	4.30	
STANISLAUS	6394, N	111	0.0	1.5	3.7	0.0	26.2	2.1	4.95	4.43	111	0.0	1.5	3.7	0.0	26.2	2.1	4.95	4.43	
STANISLAUS	6397, N	29	0.0	1.2	0.7	0.1	22.8	0.9	6.02	4.50	40	0.0	1.1	0.9	0.1	23.1	0.7	6.10	4.48	
STANISLAUS	6402, N	26	0.0	1.2	0.9	0.5	23.2	0.9	5.70	4.40	26	0.0	1.2	0.9	0.5	23.2	0.9	5.70	4.40	
STANISLAUS		258	0.0	1.2	2.9	0.2	24.6	2.1	5.43	4.42	597	0.0	0.7	3.4	0.2	23.9	1.8	5.44	4.35	

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County	Variety Name	Week Ending 8/09/14									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
SUTTER	5608, HZ	273	0.0	0.8	0.7	0.3	24.2	1.1	5.11	4.42	335	0.0	0.7	0.7	0.3	24.1	1.3	5.17	4.41	
SUTTER	1015, HEINZ	281	0.0	0.8	2.0	2.0	24.6	0.8	5.00	4.42	281	0.0	0.8	2.0	2.0	24.6	0.8	5.00	4.42	
SUTTER	0311, AB	103	0.0	0.8	0.4	0.3	22.8	1.1	5.35	4.41	184	0.0	0.8	0.4	0.3	22.6	1.1	5.37	4.41	
SUTTER	282, CXD	166	0.0	0.9	1.0	3.9	24.4	3.6	5.07	4.43	166	0.0	0.9	1.0	3.9	24.4	3.6	5.07	4.43	
SUTTER	0319, DRI	158	0.0	1.3	0.6	0.5	24.8	2.0	5.85	4.44	166	0.0	1.2	0.7	0.5	24.8	2.0	5.86	4.44	
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.8	0.2	0.2	23.7	2.0	5.39	4.49	
SUTTER	6412, N	112	0.0	0.8	2.6	1.2	24.5	4.7	5.35	4.47	112	0.0	0.8	2.6	1.2	24.5	4.7	5.35	4.47	
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.5	0.5	0.2	25.2	3.8	5.28	4.29	
SUTTER	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	1.1	0.4	0.2	23.3	1.2	5.53	4.53	
SUTTER	6402, N	69	0.0	1.1	1.8	1.8	24.7	1.3	5.38	4.43	69	0.0	1.1	1.8	1.8	24.7	1.3	5.38	4.43	
SUTTER	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.1	0.5	25.3	3.2	5.61	4.30	
SUTTER	205, BQ	9	0.0	0.6	1.1	0.2	24.2	0.6	6.43	4.25	9	0.0	0.6	1.1	0.2	24.2	0.6	6.43	4.25	
SUTTER	66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37	
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	22.0	1.5	5.60	4.43	
SUTTER		1,171	0.0	0.9	1.2	1.4	24.3	1.8	5.25	4.43	1,673	0.0	0.8	1.0	1.1	24.2	2.0	5.30	4.42	
TULARE	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	152	0.0	3.5	0.4	0.3	23.6	0.8	5.01	4.35	
TULARE	6366, SUN	56	0.0	2.5	2.9	0.6	25.0	3.8	5.07	4.49	56	0.0	2.5	2.9	0.6	25.0	3.8	5.07	4.49	
TULARE	1161, HEINZ	2	0.3	1.5	4.0	0.0	27.0	1.8	5.60	4.31	2	0.3	1.5	4.0	0.0	27.0	1.8	5.60	4.31	
TULARE		58	0.0	2.5	3.0	0.5	25.1	3.7	5.09	4.48	210	0.0	3.2	1.1	0.4	24.0	1.6	5.03	4.39	
YOLO	6397, N	682	0.0	0.5	0.6	0.7	23.1	1.7	5.17	4.45	2,390	0.0	0.4	0.9	0.5	23.5	1.4	5.12	4.42	
YOLO	6366, SUN	512	0.0	0.7	0.6	0.6	24.3	2.6	5.23	4.41	1,915	0.0	0.7	1.0	0.6	24.6	2.0	5.10	4.38	
YOLO	5608, HZ	864	0.0	0.8	0.5	0.6	23.6	0.8	4.81	4.39	1,702	0.0	0.6	0.7	0.5	23.4	0.6	4.85	4.37	
YOLO	6402, N	313	0.0	0.7	0.4	0.8	23.8	1.5	4.95	4.42	1,396	0.0	0.5	0.9	0.9	23.9	1.2	5.08	4.38	
YOLO	6404, N	812	0.0	0.6	1.9	1.2	25.4	1.0	4.73	4.37	1,275	0.0	0.6	1.8	1.1	25.1	1.2	4.90	4.37	
YOLO	109, CXD (SHASTA)	38	0.0	0.5	1.4	0.4	24.0	4.9	4.97	4.37	1,057	0.0	0.5	1.1	0.5	24.7	2.8	5.44	4.27	
YOLO	1015, HEINZ	115	0.0	0.2	1.1	0.3	23.9	0.4	5.22	4.44	1,054	0.0	0.2	1.2	0.8	24.4	1.4	4.96	4.42	
YOLO	410, APT	12	0.0	0.3	0.4	0.4	20.1	2.0	5.74	4.53	854	0.0	0.3	0.8	0.7	24.1	3.1	5.06	4.40	
YOLO	0311, AB	323	0.0	1.0	1.5	0.3	22.9	1.2	5.67	4.39	679	0.0	0.8	1.0	0.3	23.7	1.1	5.48	4.35	
YOLO	0599, SV	91	0.0	0.3	0.6	0.4	25.5	1.0	5.22	4.38	430	0.0	0.3	0.7	0.4	26.7	1.3	5.34	4.35	
YOLO	1893, HMX	25	0.0	1.2	1.0	0.4	24.5	1.1	4.76	4.35	402	0.0	0.4	0.6	0.2	25.2	2.8	4.87	4.31	
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.3	0.9	0.5	24.4	1.0	5.15	4.33	
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.3	0.8	1.3	22.5	5.2	5.09	4.48	
YOLO	0319, DRI	268	0.0	0.7	0.5	0.4	24.2	1.5	5.96	4.35	333	0.0	0.6	0.6	0.3	24.2	1.7	5.96	4.34	
YOLO	255, CXD	276	0.0	0.6	0.3	0.3	25.1	1.2	4.80	4.38	306	0.0	0.5	0.4	0.3	25.2	1.6	4.86	4.38	
YOLO	6412, N	88	0.0	0.2	1.8	1.3	24.2	2.2	4.95	4.41	283	0.0	0.3	1.1	0.7	23.8	2.3	5.00	4.40	
YOLO	9905, HARRIS MORAN	244	0.0	0.3	0.5	0.1	25.4	0.6	4.84	4.44	244	0.0	0.3	0.5	0.1	25.4	0.6	4.84	4.44	
YOLO	2401, HEINZ	173	0.0	0.1	0.9	0.4	28.7	0.6	3.83	4.32	173	0.0	0.1	0.9	0.4	28.7	0.6	3.83	4.32	
YOLO	5508, HZ	142	0.0	0.4	0.7	0.2	26.0	0.6	4.70	4.32	142	0.0	0.4	0.7	0.2	26.0	0.6	4.70	4.32	
YOLO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	86	0.0	0.2	0.6	0.3	24.9	3.4	4.72	4.33	

2014 Processing Tomato Season
PTAB Analysis (8/09/14) - County by Variety



County	Variety Name	Week Ending 8/09/14									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
YOLO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37	
YOLO	205, BQ	81	0.0	0.9	1.4	0.5	26.4	0.9	5.55	4.35	81	0.0	0.9	1.4	0.5	26.4	0.9	5.55	4.35	
YOLO	1892, HMX	20	0.0	0.3	3.3	4.4	26.9	1.5	5.23	4.35	63	0.0	0.7	3.0	1.6	24.6	1.0	5.63	4.45	
YOLO	163, BQ	18	0.0	0.2	0.5	0.4	23.4	0.8	6.27	4.26	61	0.0	0.2	0.8	0.1	26.1	2.7	5.38	4.32	
YOLO	282, CXD	57	0.0	0.8	0.7	0.2	26.0	1.0	4.47	4.41	57	0.0	0.8	0.7	0.2	26.0	1.0	4.47	4.41	
YOLO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.5	1.0	0.5	26.9	1.8	5.13	4.45	
YOLO	296, BQ	27	0.0	0.6	1.9	0.3	24.1	1.6	5.83	4.39	44	0.0	0.5	2.4	0.6	23.8	1.7	5.83	4.32	
YOLO	1161, HEINZ	20	0.0	0.6	1.9	0.3	27.0	1.4	5.32	4.39	41	0.0	0.6	2.0	0.4	27.8	1.3	5.27	4.37	
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.2	1.6	0.9	23.4	1.8	4.82	4.39	
YOLO	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.2	1.8	0.3	21.8	0.2	5.56	4.40	
YOLO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.4	0.5	26.5	0.5	4.97	4.37	
YOLO	1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34	
YOLO	6410, N	17	0.0	0.5	0.4	0.8	26.5	0.4	4.52	4.37	17	0.0	0.5	0.4	0.8	26.5	0.4	4.52	4.37	
YOLO	19406, UG	14	0.0	0.9	2.0	0.6	27.4	0.6	5.48	4.37	14	0.0	0.9	2.0	0.6	27.4	0.6	5.48	4.37	
YOLO	6407, N	10	0.0	0.8	1.2	0.9	27.1	4.7	4.71	4.39	10	0.0	0.8	1.2	0.9	27.1	4.7	4.71	4.39	
YOLO	9995, HEINZ	10	0.0	0.2	0.7	0.1	26.1	0.5	4.75	4.39	10	0.0	0.2	0.7	0.1	26.1	0.5	4.75	4.39	
YOLO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.2	0.5	0.3	25.6	5.1	4.70	4.36	
YOLO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.4	1.2	0.3	23.8	3.8	5.32	4.38	
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.1	24.8	1.4	4.82	4.34	
YOLO	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	2.4	0.3	23.3	3.4	5.25	4.38	
YOLO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.8	1.1	0.1	24.3	1.9	6.00	4.35	
YOLO	MIX	2	0.0	0.8	0.3	0.0	24.0	2.0	5.35	4.42	3	0.0	0.8	0.3	0.3	26.0	2.2	5.40	4.37	
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.8	0.0	25.3	0.3	4.50	4.33	
YOLO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	3.0	0.2	23.0	4.3	5.53	4.37	
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.5	26.0	3.5	4.90	4.46	
YOLO	1293, HZ	1	0.0	1.0	0.0	0.0	23.0	4.0	6.00	4.47	1	0.0	1.0	0.0	0.0	23.0	4.0	6.00	4.47	
YOLO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.0	22.0	0.0	4.70	4.39	
YOLO		5,255	0.0	0.6	0.9	0.6	24.5	1.3	5.02	4.40	16,098	0.0	0.5	1.0	0.6	24.3	1.6	5.08	4.38	