

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	6366, SUN	130	0.0	3.0	0.8	3.2	23.2	4.0	5.29	4.50	3,094	0.0	1.3	1.5	1.7	25.4	2.4	4.92	4.44
COLUSA	1015, HEINZ	107	0.0	1.4	3.6	0.6	23.6	0.9	5.10	4.45	2,046	0.0	0.6	2.7	1.2	24.1	1.3	5.08	4.46
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,737	0.0	0.6	2.1	0.8	26.0	2.6	4.77	4.37
COLUSA	6402, N	55	0.0	2.5	1.7	3.4	25.6	1.6	4.87	4.44	1,507	0.0	1.0	1.7	1.8	25.0	1.5	5.05	4.40
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,057	0.0	1.1	1.2	0.8	24.9	1.3	4.82	4.47
COLUSA	2401, HEINZ	862	0.0	3.1	4.5	1.4	27.1	0.9	4.31	4.31	862	0.0	3.1	4.5	1.4	27.1	0.9	4.31	4.31
COLUSA	5608, HZ	723	0.0	2.9	2.4	2.6	24.1	0.8	4.60	4.39	844	0.0	2.6	2.1	2.3	24.1	0.7	4.61	4.39
COLUSA	5003, HEINZ	1	0.0	4.0	0.0	3.5	21.0	24.5	5.00	4.64	679	0.0	0.9	2.2	1.1	24.3	3.8	5.18	4.49
COLUSA	4707, HEINZ	476	0.0	0.6	1.2	1.4	24.4	0.6	4.87	4.36	503	0.0	0.6	1.2	1.5	24.5	0.8	4.89	4.36
COLUSA	205, BQ	9	0.0	2.9	3.8	0.7	26.2	3.4	4.81	4.41	423	0.0	1.0	4.7	1.3	28.2	3.9	4.89	4.39
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	0.2	1.4	0.5	27.0	2.6	5.09	4.29
COLUSA	255, CXD	65	0.0	1.7	0.4	0.5	24.2	3.6	5.06	4.49	365	0.0	1.7	1.3	0.6	25.7	2.1	4.91	4.43
COLUSA	0599, SV	11	0.0	5.0	4.3	1.9	29.3	2.5	4.60	4.50	312	0.0	1.0	2.6	1.7	27.5	1.6	4.59	4.41
COLUSA	6412, N	15	0.0	2.5	1.8	0.7	24.4	3.6	4.85	4.45	281	0.0	1.5	1.8	1.1	24.3	6.2	4.95	4.44
COLUSA	0311, AB	74	0.0	8.8	1.0	0.1	23.9	1.8	4.87	4.39	234	0.0	3.6	1.0	0.4	23.6	1.7	4.93	4.44
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.3	2.0	0.8	24.7	2.0	4.86	4.40
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.5	2.0	0.3	25.7	1.0	4.81	4.34
COLUSA	816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
COLUSA	1170, HEINZ	52	0.0	4.0	0.5	0.0	25.2	1.7	4.71	4.41	128	0.0	1.8	0.6	0.1	26.2	1.5	4.69	4.42
COLUSA	UNCODED	72	0.0	5.0	5.6	1.7	26.6	1.8	4.84	4.43	125	0.0	5.0	4.9	1.7	26.6	1.8	4.85	4.43
COLUSA	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.1	2.0	1.9	26.5	0.9	4.96	4.48
COLUSA	5701, HZ	121	0.0	1.5	2.8	1.4	25.9	0.5	4.88	4.30	121	0.0	1.5	2.8	1.4	25.9	0.5	4.88	4.30
COLUSA	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	3.2	1.6	2.3	26.7	0.8	4.41	4.35
COLUSA	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.1	1.1	0.7	0.3	25.6	5.9	4.86	4.51
COLUSA	0319, DRI	68	0.1	6.4	0.9	0.1	24.5	2.3	5.40	4.41	68	0.1	6.4	0.9	0.1	24.5	2.3	5.40	4.41
COLUSA	296, BQ	13	0.0	5.1	0.5	0.0	24.2	2.2	5.59	4.37	64	0.0	2.5	1.6	1.1	25.4	1.9	5.21	4.35
COLUSA	0299, PX	50	0.0	6.2	0.9	0.1	24.4	3.2	4.96	4.41	52	0.0	6.1	0.8	0.1	24.4	3.2	4.96	4.41
COLUSA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	1.5	0.5	26.3	1.3	4.96	4.29
COLUSA	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	1.1	4.5	1.1	26.1	1.8	5.00	4.34
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.3	0.4	1.1	23.5	3.0	5.15	4.43
COLUSA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.3	1.7	0.1	0.1	23.1	0.7	5.21	4.45
COLUSA	299, PX	2	0.0	4.3	0.3	0.0	23.5	7.3	5.15	4.46	2	0.0	4.3	0.3	0.0	23.5	7.3	5.15	4.46
COLUSA		2,906	0.0	2.8	2.7	1.7	25.2	1.2	4.68	4.37	15,770	0.0	1.3	2.1	1.3	25.3	2.0	4.89	4.41
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,189	0.0	0.1	0.7	0.2	23.4	0.9	5.97	4.31
CONTRA COSTA	0311, AB	181	0.0	1.0	1.5	0.1	22.0	0.6	5.52	4.32	1,136	0.0	0.6	0.9	0.2	22.5	0.8	5.70	4.30
CONTRA COSTA	0319, DRI	378	0.0	0.7	1.4	0.3	24.2	2.1	5.19	4.33	595	0.0	0.6	1.3	0.2	24.2	1.7	5.40	4.32
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	540	0.0	0.1	0.6	0.2	23.3	1.2	5.47	4.30
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.1	0.7	0.1	23.3	1.4	6.11	4.24

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.2	0.8	0.1	22.0	0.6	5.21	4.38
CONTRA COSTA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	214	0.0	0.2	0.8	0.3	22.7	1.0	5.18	4.26
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	214	0.0	0.4	0.3	0.1	23.4	0.6	5.40	4.38
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.3	0.9	0.2	22.4	1.0	5.02	4.31
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	5.30	4.27
CONTRA COSTA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	21.0	1.0	5.30	4.48
CONTRA COSTA		559	0.0	0.8	1.4	0.2	23.5	1.6	5.30	4.32	4,457	0.0	0.3	0.8	0.2	23.2	1.0	5.67	4.31
FRESNO	6366, SUN	550	0.0	1.3	0.7	0.2	22.7	2.1	5.62	4.42	17,088	0.0	0.5	1.5	0.6	23.4	2.0	5.77	4.38
FRESNO	5608, HZ	2,821	0.0	3.0	3.3	0.5	22.9	1.2	5.22	4.39	12,194	0.0	1.6	2.5	0.6	22.7	1.1	5.22	4.38
FRESNO	6402, N	427	0.0	1.1	0.1	0.2	21.8	2.4	5.76	4.50	5,481	0.0	0.7	1.1	1.0	22.9	1.8	5.70	4.41
FRESNO	0311, AB	1,061	0.0	1.8	2.1	0.5	22.5	1.8	6.02	4.38	5,457	0.0	1.0	2.0	0.7	22.5	1.6	6.05	4.34
FRESNO	1015, HEINZ	280	0.0	0.1	1.2	0.5	23.4	0.8	5.11	4.41	5,342	0.0	0.3	1.2	0.4	22.9	0.7	5.31	4.42
FRESNO	6404, N	1,156	0.0	1.5	2.4	0.7	23.3	2.3	5.59	4.43	5,182	0.0	1.0	2.1	0.7	23.7	1.9	5.52	4.41
FRESNO	6397, N	258	0.0	0.8	4.0	1.0	23.6	1.2	5.25	4.44	4,854	0.0	0.4	2.0	0.9	23.2	1.1	5.46	4.39
FRESNO	0319, DRI	1,506	0.0	1.4	1.1	0.4	23.7	2.1	5.77	4.40	4,535	0.0	1.3	0.9	0.3	23.5	1.7	5.89	4.38
FRESNO	6394, N	550	0.0	0.7	4.3	2.0	23.7	3.1	5.60	4.41	4,431	0.0	0.6	2.1	1.2	23.0	2.5	5.59	4.44
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,493	0.0	0.4	1.3	0.4	24.1	2.3	4.84	4.37
FRESNO	1292, HZ	672	0.0	1.0	1.0	0.4	22.3	2.3	5.35	4.47	2,322	0.0	0.9	1.2	0.5	22.0	1.8	5.58	4.48
FRESNO	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,156	0.0	0.4	0.9	0.3	23.6	3.5	5.23	4.36
FRESNO	2, AB	62	0.0	0.7	2.4	0.8	23.5	2.1	5.70	4.28	2,136	0.0	1.1	1.5	0.5	23.5	1.9	5.75	4.31
FRESNO	7885, HMX	559	0.0	0.6	0.4	0.2	24.1	0.6	4.90	4.56	2,094	0.0	0.5	0.4	0.2	23.6	0.5	5.08	4.54
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,906	0.0	1.0	2.7	1.4	24.0	4.2	5.29	4.38
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,872	0.0	0.3	1.3	0.4	23.3	2.7	5.27	4.40
FRESNO	163, BQ	233	0.0	1.5	3.7	0.7	23.8	4.1	5.49	4.39	1,864	0.0	0.4	1.9	0.4	23.6	3.9	6.20	4.35
FRESNO	4707, HEINZ	697	0.0	2.0	3.7	0.2	25.6	0.5	4.96	4.38	1,696	0.0	1.4	3.3	0.3	25.3	0.8	5.14	4.38
FRESNO	19406, UG	283	0.0	1.5	2.4	0.8	23.4	0.8	5.55	4.29	1,671	0.0	0.6	1.7	0.6	23.3	0.6	5.91	4.28
FRESNO	2401, HEINZ	1,078	0.0	2.0	2.7	0.4	24.5	0.9	4.97	4.31	1,640	0.0	2.1	2.6	0.4	24.1	0.8	5.03	4.30
FRESNO	3402, HEINZ	172	0.0	0.1	3.0	1.9	23.1	0.7	5.81	4.38	1,432	0.0	0.1	2.5	0.9	23.6	0.9	5.48	4.42
FRESNO	205, BQ	367	0.0	1.1	0.8	0.2	23.9	1.5	5.71	4.32	1,335	0.0	0.6	0.8	0.3	23.6	1.6	5.76	4.32
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,164	0.0	0.2	2.0	0.9	24.1	1.6	5.26	4.32
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	994	0.0	0.4	1.6	0.2	23.3	1.5	5.11	4.31
FRESNO	9663, HEINZ	361	0.0	7.6	5.3	0.3	23.7	1.7	4.80	4.46	929	0.0	4.9	3.9	0.5	23.4	1.7	4.95	4.40
FRESNO	255, CXD	415	0.0	2.0	0.3	0.2	23.1	1.3	5.21	4.37	907	0.0	1.7	0.2	0.2	23.0	1.1	5.16	4.36
FRESNO	1161, HEINZ	1	0.0	3.0	2.5	1.0	22.0	0.0	5.50	4.31	899	0.0	0.7	1.7	0.5	23.6	2.4	6.40	4.35
FRESNO	3, AB	412	0.0	1.0	1.4	0.4	23.9	2.3	5.49	4.32	896	0.0	0.9	1.3	0.3	23.8	1.9	5.48	4.32
FRESNO	2601, HEINZ	31	0.0	0.9	1.2	0.4	24.0	0.7	5.20	4.41	801	0.0	0.4	1.0	0.3	24.0	1.4	5.12	4.44
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	741	0.0	0.2	1.5	0.3	24.2	1.5	5.43	4.30
FRESNO	1293, HZ	8	0.0	1.4	1.3	0.9	22.5	0.1	5.54	4.55	612	0.0	0.8	1.3	0.4	22.8	0.5	5.70	4.49

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	8504, HEINZ	298	0.0	0.5	3.2	0.2	24.1	0.4	5.13	4.28	484	0.0	0.4	3.5	0.2	23.9	0.8	5.35	4.30
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	461	0.0	0.1	0.7	0.2	25.4	1.1	5.40	4.37
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	451	0.0	0.6	2.3	0.3	22.8	3.5	5.48	4.39
FRESNO	UNCODED	99	0.0	1.4	16.9	0.7	25.8	6.9	5.54	4.38	445	0.0	1.6	16.3	0.8	29.2	9.3	5.12	4.37
FRESNO	6368, SUN	207	0.0	0.4	0.3	0.3	21.4	1.6	6.07	4.42	426	0.0	0.4	0.3	0.3	22.1	1.1	5.73	4.35
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	421	0.0	0.1	1.4	0.5	24.8	1.1	5.03	4.32
FRESNO	5702, HZ	133	0.0	11.1	4.4	0.5	24.6	0.5	4.78	4.49	379	0.0	4.2	2.7	0.5	24.2	0.6	5.16	4.41
FRESNO	67212, BOS	171	0.0	2.8	1.3	0.2	23.2	2.8	5.12	4.42	328	0.0	1.9	1.1	0.3	22.8	3.0	5.37	4.41
FRESNO	18806, UG	284	0.0	0.6	0.8	0.2	25.2	1.2	4.89	4.29	302	0.0	0.6	0.8	0.2	25.3	1.2	4.89	4.28
FRESNO	6385, N	240	0.0	0.6	1.5	0.3	22.8	1.1	4.81	4.43	280	0.0	0.6	1.3	0.4	22.7	1.0	4.84	4.41
FRESNO	16609, UG	18	0.0	1.4	0.8	0.5	22.4	1.6	5.21	4.37	265	0.0	0.4	0.6	0.3	23.0	1.8	5.62	4.32
FRESNO	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	263	0.0	0.4	1.7	0.2	24.1	0.8	4.70	4.43
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	0.0	1.8	0.5	26.1	0.6	5.10	4.31
FRESNO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	221	0.0	0.2	1.3	0.3	24.2	0.6	4.92	4.30
FRESNO	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.0	0.9	0.4	23.1	1.3	4.79	4.30
FRESNO	MIX	32	0.0	1.5	0.6	0.4	24.6	1.5	4.51	4.59	178	0.1	6.1	1.5	0.4	24.4	2.0	4.70	4.59
FRESNO	002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
FRESNO	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.0	1.1	0.3	24.0	1.7	5.14	4.31
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.3	2.9	1.7	23.2	1.0	5.93	4.35
FRESNO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	0.3	0.8	0.4	22.7	0.4	6.49	4.35
FRESNO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.5	1.6	0.9	22.7	2.0	6.25	4.37
FRESNO	1570, RPT	82	0.0	0.7	1.2	0.3	25.5	3.4	4.93	4.41	83	0.0	0.7	1.2	0.3	25.5	3.4	4.93	4.41
FRESNO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.7	0.7	0.1	24.1	0.5	5.23	4.43
FRESNO	9905, HARRIS MORAN	67	0.0	0.6	4.3	0.3	24.3	1.1	5.94	4.43	67	0.0	0.6	4.3	0.3	24.3	1.1	5.94	4.43
FRESNO	HEINZ TRIAL	21	0.0	1.3	4.4	0.2	23.5	1.0	5.04	4.40	56	0.0	2.6	3.0	0.3	22.6	1.8	5.16	4.42
FRESNO	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.3	2.9	0.5	23.1	4.3	6.13	4.44
FRESNO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.0	2.5	0.5	26.0	1.3	5.47	4.40
FRESNO	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.6	0.4	0.4	23.0	0.7	5.19	4.35
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40
FRESNO	6415, N	22	0.0	0.1	0.2	0.0	21.9	0.4	5.63	4.38	22	0.0	0.1	0.2	0.0	21.9	0.4	5.63	4.38
FRESNO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.0	2.7	0.2	22.7	1.1	5.85	4.41
FRESNO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.0	0.9	0.2	24.5	0.3	5.28	4.27
FRESNO	1892, HMX	15	0.0	1.8	1.3	0.2	26.5	0.7	5.11	4.37	18	0.0	1.5	1.2	0.3	26.4	0.6	5.17	4.38
FRESNO	1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.9	0.6	0.3	22.4	1.3	5.66	4.51
FRESNO	5701, HZ	13	0.0	0.3	9.5	0.3	25.5	1.1	5.97	4.29	13	0.0	0.3	9.5	0.3	25.5	1.1	5.97	4.29
FRESNO	2005, HZ	12	0.0	1.3	0.3	0.1	24.7	3.5	5.34	4.37	12	0.0	1.3	0.3	0.1	24.7	3.5	5.34	4.37
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.8	22.7	2.7	6.57	4.46
FRESNO	7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	0.8	0.8	0.3	23.5	0.3	5.15	4.53
FRESNO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.5	1.5	24.0	1.5	6.30	4.40

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
FRESNO	292, BQ	1	0.0	1.5	0.5	2.0	23.0	1.5	5.00	4.47	1	0.0	1.5	0.5	2.0	23.0	1.5	5.00	4.47
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
FRESNO	650, PS	1	0.0	1.5	0.5	0.5	25.0	1.5	4.20	4.67	1	0.0	1.5	0.5	0.5	25.0	1.5	4.20	4.67
FRESNO		15,676	0.0	1.8	2.3	0.5	23.4	1.6	5.38	4.40	104,622	0.0	0.8	1.8	0.6	23.3	1.7	5.51	4.38
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,953	0.0	1.0	0.9	0.7	24.2	1.9	5.05	4.44
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,450	0.0	0.8	1.7	0.7	24.1	1.6	5.05	4.41
KERN	5608, HZ	105	0.0	1.5	0.0	0.1	21.5	4.0	5.09	4.55	3,274	0.0	0.8	1.6	0.3	22.9	1.0	5.07	4.39
KERN	8504, HEINZ	1,023	0.0	0.4	1.6	0.4	24.6	0.5	5.15	4.27	3,263	0.0	0.3	2.1	0.4	24.7	0.8	5.06	4.27
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,394	0.0	0.4	2.1	0.4	24.7	1.8	4.84	4.41
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,443	0.0	0.2	1.1	0.4	23.0	1.4	5.09	4.48
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	667	0.0	1.1	0.7	0.8	24.6	1.2	5.51	4.34
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.4	1.4	0.7	23.0	4.1	4.93	4.40
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	360	0.0	1.3	1.1	0.4	23.4	1.5	5.43	4.37
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	318	0.0	0.1	1.3	0.4	24.8	0.9	5.12	4.30
KERN	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	2.1	0.4	25.5	5.1	5.04	4.38
KERN	1170, HEINZ	97	0.0	0.4	1.6	0.4	23.6	2.0	5.48	4.41	268	0.0	0.4	1.1	0.2	22.9	1.1	5.48	4.37
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	3.4	1.8	0.5	24.5	2.2	4.70	4.45
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.9	1.0	0.9	22.1	0.8	5.52	4.48
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	3.0	0.8	24.4	3.5	5.19	4.45
KERN	UNCODED	3	0.0	0.5	0.0	0.2	21.7	5.5	5.13	4.55	131	0.0	0.2	2.3	0.3	25.0	1.3	5.19	4.39
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.1	0.6	0.2	23.2	3.5	5.90	4.52
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.3	1.2	0.2	23.4	2.0	5.83	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.2	2.4	0.3	26.0	2.3	4.88	4.37
KERN	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	2.3	0.5	23.4	0.3	4.67	4.44
KERN	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	2.0	0.1	25.8	0.6	5.43	4.48
KERN	26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
KERN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	1.3	0.6	23.7	1.5	4.80	4.35
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.3	1.8	0.8	24.7	3.7	5.27	4.40
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.6	1.3	0.3	24.0	4.1	5.13	4.47
KERN	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.2	1.4	0.4	25.1	4.2	5.65	4.41
KERN	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.5	0.6	0.7	21.7	3.2	4.93	4.35
KERN	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	0.4	0.4	0.0	23.2	0.6	5.19	4.35
KERN	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.8	0.6	0.1	20.5	0.4	4.95	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.1	3.2	0.8	24.8	0.8	5.44	4.34
KERN	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.1	2.5	0.5	24.3	1.5	5.57	4.40
KERN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.8	3.4	0.2	20.9	2.7	5.17	4.43
KERN		1,228	0.0	0.5	1.5	0.4	24.2	1.0	5.17	4.30	22,910	0.0	0.7	1.5	0.5	24.0	1.6	5.07	4.39
KINGS	8504, HEINZ	3,121	0.0	0.4	2.9	0.4	24.8	0.8	4.99	4.30	7,871	0.0	0.4	3.5	0.5	24.7	0.7	4.99	4.28

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	5608, HZ	747	0.0	3.9	2.3	0.8	23.9	1.0	5.02	4.39	5,783	0.0	1.4	2.0	0.6	23.5	0.9	5.30	4.37
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,384	0.0	0.5	1.3	0.5	24.1	1.4	5.75	4.38
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,888	0.0	0.2	2.5	0.5	24.4	2.3	4.94	4.42
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,386	0.0	0.5	3.1	1.5	23.5	1.5	5.38	4.40
KINGS	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,022	0.0	0.4	3.5	1.1	24.4	3.2	5.07	4.39
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	848	0.0	0.4	1.0	0.3	22.3	1.0	5.55	4.45
KINGS	1161, HEINZ	84	0.0	2.2	1.0	0.1	23.2	3.9	5.65	4.44	740	0.0	0.7	2.0	0.1	24.7	1.3	5.97	4.33
KINGS	0311, AB	51	0.0	0.8	1.6	0.3	25.0	3.3	6.45	4.42	624	0.0	0.4	2.0	0.1	22.7	1.4	6.44	4.34
KINGS	205, BQ	167	0.0	5.9	1.2	0.5	24.8	3.1	5.26	4.39	617	0.0	2.8	0.7	0.4	24.6	2.1	5.22	4.34
KINGS	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	616	0.0	0.0	0.9	0.2	25.1	1.1	5.16	4.33
KINGS	0319, DRI	79	0.0	5.1	1.1	0.8	24.2	1.6	5.38	4.42	615	0.0	2.7	1.1	0.4	23.6	1.3	5.70	4.37
KINGS	6404, N	257	0.0	6.7	2.1	1.0	24.1	1.8	5.33	4.44	520	0.0	4.2	1.6	0.6	23.9	1.5	5.32	4.43
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	401	0.0	0.3	3.7	1.7	25.6	2.3	6.08	4.36
KINGS	9780, HEINZ	3	0.0	1.2	2.5	0.3	22.7	3.7	6.07	4.37	386	0.0	0.5	2.3	0.5	23.3	2.5	6.01	4.31
KINGS	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	0.9	0.1	24.8	1.8	5.01	4.35
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	1.8	0.7	24.4	1.8	5.03	4.29
KINGS	UNCODED	57	0.0	1.2	2.8	0.3	23.9	1.4	5.36	4.44	317	0.0	0.4	2.9	0.4	24.6	0.7	5.53	4.39
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	278	0.0	1.7	3.3	0.6	23.4	3.9	4.99	4.40
KINGS	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	0.1	1.4	1.1	22.1	0.8	5.68	4.40
KINGS	1170, HEINZ	6	0.0	0.6	1.8	0.3	24.0	1.6	5.08	4.40	224	0.0	0.5	1.5	0.2	24.8	0.8	5.69	4.32
KINGS	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	210	0.0	0.2	0.6	0.5	21.7	3.0	5.63	4.43
KINGS	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	179	0.0	0.0	3.4	0.7	24.1	4.6	5.65	4.29
KINGS	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.1	1.7	0.6	25.0	2.2	5.88	4.36
KINGS	255, CXD	100	0.0	2.5	1.7	0.4	24.2	2.0	5.70	4.38	111	0.0	2.6	1.7	0.3	24.3	2.0	5.72	4.38
KINGS	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.1	4.1	0.5	25.4	2.4	5.08	4.32
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.0	0.6	0.0	23.1	1.1	4.72	4.28
KINGS	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.1	1.8	0.2	22.0	1.2	6.85	4.29
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	0.2	0.2	23.0	2.6	5.67	4.29
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.5	0.8	0.6	22.6	2.1	5.25	4.49
KINGS	16609, UG	2	0.0	7.3	1.0	0.5	22.0	2.5	5.45	4.40	46	0.0	1.5	1.3	0.2	20.9	2.7	5.88	4.35
KINGS	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	3.3	0.8	0.1	23.1	4.2	4.71	4.47
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	0.3	0.1	24.5	0.6	4.88	4.34
KINGS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	4.0	0.3	23.0	0.6	5.52	4.49
KINGS	MIX	16	0.0	1.4	1.1	0.5	23.4	1.8	5.68	4.31	16	0.0	1.4	1.1	0.5	23.4	1.8	5.68	4.31
KINGS	6410, N	2	0.0	1.8	8.0	0.5	35.0	1.0	4.90	4.30	2	0.0	1.8	8.0	0.5	35.0	1.0	4.90	4.30
KINGS	116, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	8.0	0.5	23.0	0.0	5.40	4.27
KINGS		4,692	0.0	1.6	2.6	0.5	24.6	1.1	5.08	4.34	35,690	0.0	0.7	2.3	0.6	24.1	1.5	5.32	4.36
MADERA	6366, SUN	84	0.0	1.6	0.6	0.5	25.0	2.1	5.29	4.38	878	0.0	1.6	0.7	0.5	25.3	2.6	4.89	4.38
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	1.2	2.2	0.6	24.5	1.9	4.73	4.44

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MADERA	6402, N	1	0.0	2.5	2.5	0.5	26.0	3.5	5.10	4.40	588	0.0	1.1	1.0	1.3	23.5	2.1	5.35	4.45
MADERA	6404, N	204	0.0	3.2	0.8	0.4	24.8	3.0	5.09	4.43	491	0.0	3.0	1.4	0.4	25.1	2.0	4.96	4.41
MADERA	0319, DRI	161	0.0	1.9	0.8	0.4	23.7	1.8	5.25	4.44	459	0.0	1.7	0.6	0.3	24.8	1.4	5.29	4.36
MADERA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	400	0.0	0.8	2.5	1.6	22.8	2.8	5.51	4.46
MADERA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	329	0.0	0.8	2.5	1.7	23.2	1.5	5.01	4.41
MADERA	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	163	0.0	0.1	4.9	0.5	26.0	0.6	4.80	4.31
MADERA	1892, HMX	28	0.0	2.8	0.9	0.3	24.3	1.9	4.96	4.44	28	0.0	2.8	0.9	0.3	24.3	1.9	4.96	4.44
MADERA		478	0.0	2.4	0.8	0.4	24.4	2.4	5.17	4.43	4,139	0.0	1.4	1.6	0.8	24.4	2.0	5.04	4.41
MERCED	6366, SUN	692	0.0	0.7	2.6	0.3	25.0	1.2	5.49	4.35	2,248	0.0	0.5	2.6	0.4	24.9	1.7	5.45	4.36
MERCED	5608, HZ	1,185	0.0	0.7	2.4	2.2	23.1	3.1	5.16	4.39	1,374	0.0	0.7	2.5	2.1	23.1	2.8	5.15	4.38
MERCED	6404, N	279	0.0	1.5	3.7	1.7	25.1	3.4	5.23	4.44	1,246	0.0	1.0	4.9	2.3	25.0	3.3	5.40	4.44
MERCED	1015, HEINZ	77	0.0	0.3	2.7	0.8	24.1	0.6	4.94	4.35	567	0.0	0.1	3.3	0.4	23.1	0.7	5.48	4.40
MERCED	19406, UG	340	0.0	0.3	4.6	0.5	25.3	0.3	5.72	4.24	346	0.0	0.3	4.7	0.4	25.3	0.3	5.72	4.24
MERCED	2401, HEINZ	244	0.0	0.2	2.7	1.8	25.5	1.2	5.68	4.25	306	0.0	0.2	2.6	1.5	25.5	1.1	5.71	4.25
MERCED	4707, HEINZ	224	0.0	0.2	2.7	1.0	25.1	0.3	5.33	4.27	224	0.0	0.2	2.7	1.0	25.1	0.3	5.33	4.27
MERCED	UNCODED	26	0.1	1.6	39.3	9.0	31.8	8.7	4.79	4.43	208	0.0	1.1	18.7	2.7	32.0	8.6	5.12	4.33
MERCED	2, AB	178	0.0	1.0	0.9	0.3	27.2	4.0	5.17	4.36	178	0.0	1.0	0.9	0.3	27.2	4.0	5.17	4.36
MERCED	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	0.3	2.4	3.0	26.9	1.4	5.16	4.37
MERCED	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	1.3	0.1	0.0	26.5	0.3	4.99	4.49
MERCED	3402, HEINZ	107	0.0	0.1	2.2	1.1	23.4	1.4	5.37	4.44	107	0.0	0.1	2.2	1.1	23.4	1.4	5.37	4.44
MERCED	0311, AB	91	0.0	1.3	4.1	0.4	23.5	1.1	5.74	4.30	95	0.0	1.3	4.1	0.4	23.5	1.1	5.74	4.30
MERCED	1161, HEINZ	70	0.0	0.2	4.5	0.3	25.3	1.6	6.34	4.32	70	0.0	0.2	4.5	0.3	25.3	1.6	6.34	4.32
MERCED	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.0	1.1	0.2	23.6	0.6	5.11	4.22
MERCED	205, BQ	55	0.0	1.1	0.8	0.1	23.2	0.6	6.55	4.29	55	0.0	1.1	0.8	0.1	23.2	0.6	6.55	4.29
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.0	1.5	0.4	23.6	1.0	5.66	4.22
MERCED	31060, ISI	24	0.0	0.6	1.9	0.2	23.9	2.0	5.69	4.38	24	0.0	0.6	1.9	0.2	23.9	2.0	5.69	4.38
MERCED	1892, HMX	4	0.0	0.6	11.3	4.0	26.5	1.1	5.78	4.27	6	0.0	0.4	10.1	3.1	27.0	1.0	5.43	4.31
MERCED	8504, HEINZ	6	0.0	0.1	6.8	1.6	23.3	1.5	5.60	4.27	6	0.0	0.1	6.8	1.6	23.3	1.5	5.60	4.27
MERCED	163, BQ	5	0.0	0.2	0.3	0.3	23.0	1.6	6.12	4.26	5	0.0	0.2	0.3	0.3	23.0	1.6	6.12	4.26
MERCED	CAL MARZANO 2	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
MERCED	5701, HZ	3	0.0	0.0	10.5	0.8	31.3	0.0	4.23	4.22	3	0.0	0.0	10.5	0.8	31.3	0.0	4.23	4.22
MERCED	3, AB	2	0.0	1.0	0.8	0.0	28.5	4.0	5.15	4.35	2	0.0	1.0	0.8	0.0	28.5	4.0	5.15	4.35
MERCED	108, HYPEEL	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38
MERCED		3,617	0.0	0.7	3.1	1.3	24.5	2.1	5.39	4.35	7,429	0.0	0.6	3.5	1.2	24.7	2.2	5.40	4.36
SAN BENITO	1892, HMX	36	0.0	1.4	1.6	0.4	26.5	0.7	4.97	4.40	36	0.0	1.4	1.6	0.4	26.5	0.7	4.97	4.40
SAN BENITO	6404, N	8	0.0	0.4	1.1	0.3	23.8	4.0	5.73	4.36	8	0.0	0.4	1.1	0.3	23.8	4.0	5.73	4.36
SAN BENITO		44	0.0	1.2	1.5	0.4	26.0	1.3	5.10	4.40	44	0.0	1.2	1.5	0.4	26.0	1.3	5.10	4.40
SAN JOAQUIN	6404, N	301	0.0	0.7	3.5	2.8	25.9	1.4	5.50	4.23	301	0.0	0.7	3.5	2.8	25.9	1.4	5.50	4.23
SAN JOAQUIN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.3	0.6	0.2	23.6	0.7	4.79	4.28

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	6366, SUN	101	0.0	0.7	0.9	0.2	24.9	0.5	5.39	4.30	101	0.0	0.7	0.9	0.2	24.9	0.5	5.39	4.30
SAN JOAQUIN	5608, HZ	52	0.0	1.3	3.0	0.4	22.9	1.0	5.02	4.40	52	0.0	1.3	3.0	0.4	22.9	1.0	5.02	4.40
SAN JOAQUIN	1161, HEINZ	28	0.0	0.6	1.4	0.0	24.8	1.6	5.57	4.23	28	0.0	0.6	1.4	0.0	24.8	1.6	5.57	4.23
SAN JOAQUIN	6397, N	24	0.0	0.2	1.5	0.0	24.8	0.1	5.42	4.27	24	0.0	0.2	1.5	0.0	24.8	0.1	5.42	4.27
SAN JOAQUIN	0319, DRI	23	0.0	0.4	1.4	0.8	26.3	0.7	5.89	4.25	23	0.0	0.4	1.4	0.8	26.3	0.7	5.89	4.25
SAN JOAQUIN		529	0.0	0.7	2.6	1.7	25.3	1.1	5.45	4.27	653	0.0	0.7	2.2	1.4	25.0	1.0	5.32	4.27
SOLANO	0311, AB	410	0.0	1.0	0.9	0.5	25.0	1.0	5.69	4.34	615	0.0	1.0	0.9	0.5	25.9	1.3	5.69	4.35
SOLANO	6404, N	124	0.0	1.1	0.9	0.8	24.9	1.6	5.09	4.42	348	0.0	0.9	2.3	2.5	25.3	2.0	5.20	4.41
SOLANO	6366, SUN	87	0.0	0.5	0.3	0.3	23.6	1.4	5.85	4.38	328	0.0	0.6	0.9	0.4	25.1	2.1	5.73	4.39
SOLANO	1893, HMX	36	0.0	1.1	0.8	0.3	24.9	2.1	5.10	4.36	325	0.0	0.6	0.9	0.3	26.1	2.9	5.12	4.36
SOLANO	16609, UG	28	0.0	0.7	0.7	0.3	24.5	3.0	6.01	4.34	268	0.0	0.6	0.6	0.3	25.6	3.3	5.48	4.33
SOLANO	0319, DRI	265	0.0	1.0	0.6	0.5	25.0	1.3	5.42	4.34	265	0.0	1.0	0.6	0.5	25.0	1.3	5.42	4.34
SOLANO	6402, N	119	0.0	0.5	0.6	0.5	24.2	0.7	4.90	4.37	259	0.0	0.7	1.2	0.7	25.2	1.2	5.21	4.42
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.4	0.4	0.1	27.4	0.6	4.91	4.33
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.4	0.8	0.4	24.4	1.3	5.64	4.43
SOLANO	255, CXD	110	0.0	0.9	0.9	0.1	27.9	0.6	5.33	4.34	153	0.0	0.9	1.2	0.2	27.7	1.3	5.60	4.36
SOLANO	205, BQ	22	0.0	0.6	0.5	0.1	24.9	1.8	5.34	4.27	108	0.0	0.7	1.1	0.9	25.6	1.5	5.28	4.33
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.3	1.5	0.3	26.7	3.0	5.36	4.23
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.4	1.1	0.2	25.8	1.0	4.72	4.31
SOLANO	19406, UG	84	0.0	0.4	1.0	0.2	26.4	0.1	4.84	4.23	87	0.0	0.5	1.1	0.2	26.4	0.1	4.85	4.23
SOLANO	1161, HEINZ	17	0.0	0.7	0.6	0.9	25.5	0.9	5.79	4.34	82	0.0	0.8	0.5	1.0	26.0	1.1	5.68	4.34
SOLANO	1292, HZ	48	0.0	0.3	0.9	0.3	23.7	1.8	5.90	4.44	76	0.0	0.4	1.3	0.5	25.4	2.4	5.69	4.44
SOLANO	5508, HZ	69	0.0	0.4	0.3	0.1	24.9	0.4	4.38	4.29	69	0.0	0.4	0.3	0.1	24.9	0.4	4.38	4.29
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	1.0	0.8	0.2	24.5	4.2	5.13	4.45
SOLANO	5608, HZ	19	0.0	0.5	1.6	0.6	27.1	0.3	4.16	4.36	25	0.0	0.6	1.9	0.6	25.9	0.4	4.54	4.36
SOLANO	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	1.0	0.3	1.0	24.7	2.4	4.72	4.51
SOLANO	3888, HMX	5	0.0	0.5	0.3	0.4	24.8	0.2	5.34	4.43	5	0.0	0.5	0.3	0.4	24.8	0.2	5.34	4.43
SOLANO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.5	0.4	24.5	3.9	5.38	4.42
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.0	0.1	28.0	2.0	5.25	4.41
SOLANO	UNCODED	2	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.50	2	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.50
SOLANO	296, BQ	2	0.0	1.0	1.3	1.5	24.0	1.0	5.70	4.33	2	0.0	1.0	1.3	1.5	24.0	1.0	5.70	4.33
SOLANO	1570, RPT	2	0.0	0.5	2.3	0.0	27.0	0.3	5.00	4.27	2	0.0	0.5	2.3	0.0	27.0	0.3	5.00	4.27
SOLANO	MIX	1	0.0	0.0	0.5	0.0	25.0	1.5	6.50	4.65	1	0.0	0.0	0.5	0.0	25.0	1.5	6.50	4.65
SOLANO		1,450	0.0	0.8	0.8	0.4	25.1	1.1	5.37	4.35	3,683	0.0	0.7	1.0	0.6	25.7	1.7	5.37	4.36
STANISLAUS	6366, SUN	87	0.0	1.0	0.6	0.2	22.3	1.0	6.21	4.39	216	0.0	0.8	2.0	0.3	23.3	1.6	5.99	4.37
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.3	3.6	0.1	22.5	2.5	5.52	4.30
STANISLAUS	6394, N	58	0.0	1.7	3.4	0.1	25.9	1.2	5.06	4.36	169	0.0	1.5	3.6	0.1	26.1	1.8	4.99	4.41
STANISLAUS	0311, AB	131	0.0	0.7	4.3	0.2	23.7	1.5	6.24	4.32	131	0.0	0.7	4.3	0.2	23.7	1.5	6.24	4.32
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.3	4.6	0.1	24.1	0.8	5.07	4.30

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STANISLAUS	2401, HEINZ	69	0.0	0.0	5.7	0.1	27.4	0.5	4.98	4.26	69	0.0	0.0	5.7	0.1	27.4	0.5	4.98	4.26
STANISLAUS	6402, N	30	0.0	0.3	2.7	0.4	23.5	0.5	5.73	4.34	56	0.0	0.7	1.9	0.4	23.4	0.7	5.72	4.37
STANISLAUS	6397, N	3	0.0	1.7	1.2	0.0	22.0	0.8	5.80	4.53	43	0.0	1.1	0.9	0.1	23.0	0.7	6.08	4.49
STANISLAUS	0319, DRI	41	0.0	0.8	1.5	0.1	23.4	1.6	6.17	4.37	41	0.0	0.8	1.5	0.1	23.4	1.6	6.17	4.37
STANISLAUS	19406, UG	29	0.0	0.4	1.8	0.3	24.4	0.2	5.73	4.23	29	0.0	0.4	1.8	0.3	24.4	0.2	5.73	4.23
STANISLAUS	7776, NDM	24	0.0	0.6	6.8	0.0	25.6	1.0	4.63	4.31	24	0.0	0.6	6.8	0.0	25.6	1.0	4.63	4.31
STANISLAUS		472	0.0	0.7	3.3	0.2	24.4	1.0	5.75	4.33	1,069	0.0	0.7	3.4	0.2	24.1	1.5	5.58	4.34
SUTTER	5608, HZ	614	0.0	1.1	1.1	2.1	24.3	1.3	4.83	4.38	949	0.0	0.9	1.0	1.4	24.2	1.3	4.95	4.39
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	281	0.0	0.8	2.0	2.0	24.6	0.8	5.00	4.42
SUTTER	282, CXD	78	0.0	0.4	0.8	3.8	23.5	2.6	5.00	4.43	244	0.0	0.8	0.9	3.9	24.1	3.3	5.05	4.43
SUTTER	0319, DRI	52	0.0	1.5	0.0	0.5	24.2	3.5	5.34	4.47	218	0.0	1.3	0.5	0.5	24.6	2.4	5.74	4.45
SUTTER	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.8	0.4	0.3	22.6	1.1	5.37	4.41
SUTTER	4707, HEINZ	168	0.0	1.0	3.8	2.8	24.9	0.5	5.31	4.33	168	0.0	1.0	3.8	2.8	24.9	0.5	5.31	4.33
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.8	0.2	0.2	23.7	2.0	5.39	4.49
SUTTER	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.8	2.6	1.2	24.5	4.7	5.35	4.47
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.5	0.5	0.2	25.2	3.8	5.28	4.29
SUTTER	6407, N	105	0.0	2.7	0.7	0.4	25.1	2.3	5.46	4.47	105	0.0	2.7	0.7	0.4	25.1	2.3	5.46	4.47
SUTTER	5702, HZ	85	0.0	2.4	5.1	1.2	23.6	0.3	5.33	4.40	85	0.0	2.4	5.1	1.2	23.6	0.3	5.33	4.40
SUTTER	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	1.1	0.4	0.2	23.3	1.2	5.53	4.53
SUTTER	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	1.1	1.8	1.8	24.7	1.3	5.38	4.43
SUTTER	5701, HZ	59	0.0	1.7	5.9	1.1	25.4	0.7	5.26	4.37	59	0.0	1.7	5.9	1.1	25.4	0.7	5.26	4.37
SUTTER	205, BQ	41	0.0	0.4	1.7	0.2	23.7	0.5	6.51	4.28	50	0.0	0.4	1.6	0.2	23.8	0.5	6.50	4.27
SUTTER	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.1	0.5	25.3	3.2	5.61	4.30
SUTTER	255, CXD	13	0.0	3.1	2.2	0.7	25.1	2.5	5.69	4.38	13	0.0	3.1	2.2	0.7	25.1	2.5	5.69	4.38
SUTTER	66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
SUTTER	2401, HEINZ	5	0.0	0.2	2.1	6.5	26.0	1.2	5.08	4.31	5	0.0	0.2	2.1	6.5	26.0	1.2	5.08	4.31
SUTTER	296, BQ	1	0.0	1.0	3.5	2.5	25.0	0.5	5.70	4.34	1	0.0	1.0	3.5	2.5	25.0	0.5	5.70	4.34
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	22.0	1.5	5.60	4.43
SUTTER		1,221	0.0	1.3	1.9	1.9	24.4	1.3	5.11	4.38	2,894	0.0	1.0	1.4	1.4	24.3	1.7	5.22	4.41
TULARE	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	152	0.0	3.5	0.4	0.3	23.6	0.8	5.01	4.35
TULARE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.4	2.6	0.6	24.8	4.0	5.04	4.50
TULARE	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.1	2.7	5.8	0.3	26.6	1.9	5.41	4.36
TULARE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	210	0.0	3.2	1.1	0.4	24.0	1.6	5.03	4.39
YOLO	5608, HZ	2,712	0.0	1.0	0.8	1.0	23.6	0.8	4.61	4.36	4,411	0.0	0.9	0.7	0.8	23.5	0.7	4.70	4.36
YOLO	6397, N	386	0.0	1.0	1.0	0.4	23.0	2.0	5.26	4.44	2,776	0.0	0.5	0.9	0.5	23.4	1.5	5.14	4.42
YOLO	6366, SUN	152	0.0	2.0	0.5	0.4	23.9	1.5	4.55	4.42	2,067	0.0	0.8	1.0	0.6	24.6	1.9	5.06	4.38
YOLO	6404, N	486	0.0	0.9	1.9	1.4	25.2	1.3	4.73	4.38	1,761	0.0	0.6	1.8	1.2	25.1	1.3	4.85	4.37
YOLO	6402, N	299	0.0	1.2	0.5	0.9	23.4	2.0	5.00	4.43	1,695	0.0	0.6	0.8	0.9	23.8	1.4	5.06	4.39
YOLO	0311, AB	838	0.0	1.6	0.9	0.3	23.4	0.9	5.35	4.33	1,517	0.0	1.2	0.9	0.3	23.5	1.0	5.41	4.34

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,057	0.0	0.5	1.1	0.5	24.7	2.8	5.44	4.27
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,054	0.0	0.2	1.2	0.8	24.4	1.4	4.96	4.42
YOLO	410, APT	76	0.0	0.6	0.9	0.3	24.1	1.4	5.12	4.40	930	0.0	0.3	0.8	0.7	24.1	3.0	5.07	4.40
YOLO	0319, DRI	579	0.0	1.1	0.8	0.8	24.0	1.2	5.47	4.30	912	0.0	0.9	0.7	0.6	24.0	1.4	5.65	4.31
YOLO	2401, HEINZ	403	0.0	0.9	3.4	1.3	25.4	0.7	4.34	4.27	576	0.0	0.7	2.6	1.1	26.4	0.7	4.18	4.28
YOLO	255, CXD	216	0.0	0.7	1.1	0.3	25.9	1.3	4.95	4.36	522	0.0	0.6	0.7	0.3	25.5	1.5	4.90	4.37
YOLO	0599, SV	44	0.0	0.5	0.8	0.3	27.0	0.7	4.90	4.38	474	0.0	0.3	0.7	0.4	26.8	1.2	5.30	4.35
YOLO	1892, HMX	339	0.0	0.4	2.1	1.5	24.4	0.9	5.15	4.33	402	0.0	0.4	2.2	1.5	24.4	1.0	5.22	4.35
YOLO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	402	0.0	0.4	0.6	0.2	25.2	2.8	4.87	4.31
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.3	0.9	0.5	24.4	1.0	5.15	4.33
YOLO	9905, HARRIS MORAN	125	0.0	0.4	0.9	2.0	24.6	1.3	4.84	4.46	369	0.0	0.3	0.7	0.8	25.1	0.8	4.84	4.45
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.3	0.8	1.3	22.5	5.2	5.09	4.48
YOLO	6412, N	38	0.0	0.8	1.0	0.1	22.1	2.2	5.77	4.32	321	0.0	0.4	1.1	0.6	23.6	2.3	5.09	4.39
YOLO	282, CXD	207	0.0	1.1	0.9	0.1	24.9	1.1	4.53	4.33	264	0.0	1.0	0.9	0.1	25.1	1.0	4.52	4.35
YOLO	4707, HEINZ	219	0.0	5.6	2.2	2.2	25.3	1.4	4.94	4.39	219	0.0	5.6	2.2	2.2	25.3	1.4	4.94	4.39
YOLO	5701, HZ	208	0.0	0.6	4.4	1.1	26.1	0.6	4.68	4.28	208	0.0	0.6	4.4	1.1	26.1	0.6	4.68	4.28
YOLO	163, BQ	87	0.0	0.4	0.3	0.3	24.4	2.4	5.36	4.34	148	0.0	0.3	0.5	0.3	25.1	2.5	5.36	4.33
YOLO	5508, HZ	6	0.0	0.4	1.0	0.0	25.2	0.6	4.52	4.39	148	0.0	0.4	0.7	0.1	25.9	0.6	4.69	4.32
YOLO	206, BQ	133	0.0	0.4	0.2	0.1	24.8	2.4	4.83	4.26	133	0.0	0.4	0.2	0.1	24.8	2.4	4.83	4.26
YOLO	16609, UG	24	0.0	0.3	1.5	0.2	25.5	3.3	5.06	4.32	110	0.0	0.3	0.8	0.3	25.0	3.4	4.79	4.33
YOLO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
YOLO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.9	1.4	0.5	26.4	0.9	5.55	4.35
YOLO	6410, N	61	0.0	0.5	0.3	0.2	25.7	0.3	4.61	4.34	78	0.0	0.5	0.3	0.3	25.9	0.3	4.59	4.35
YOLO	6394, N	59	0.0	1.8	0.3	0.1	25.7	0.7	4.46	4.39	60	0.0	1.7	0.3	0.1	25.7	0.7	4.46	4.39
YOLO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.5	1.0	0.5	26.9	1.8	5.13	4.45
YOLO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	0.5	2.4	0.6	23.8	1.7	5.83	4.32
YOLO	1292, HZ	44	0.0	4.9	1.5	0.1	23.7	1.8	5.43	4.49	44	0.0	4.9	1.5	0.1	23.7	1.8	5.43	4.49
YOLO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.6	2.0	0.4	27.8	1.3	5.27	4.37
YOLO	2, AB	34	0.0	1.2	1.5	0.3	24.9	1.3	5.19	4.31	34	0.0	1.2	1.5	0.3	24.9	1.3	5.19	4.31
YOLO	UNCODED	1	0.0	2.0	0.0	0.0	26.0	3.0	4.70	4.40	29	0.0	0.3	1.6	0.8	23.4	1.8	4.82	4.39
YOLO	6407, N	16	0.0	0.6	0.9	0.6	26.0	1.7	4.48	4.37	29	0.0	0.8	1.0	0.7	26.4	3.0	4.61	4.37
YOLO	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.2	1.8	0.3	21.8	0.2	5.56	4.40
YOLO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.4	0.5	26.5	0.5	4.97	4.37
YOLO	1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
YOLO	19406, UG	2	0.0	0.5	0.8	0.0	25.0	0.5	4.80	4.32	16	0.0	0.8	1.8	0.5	27.1	0.6	5.39	4.37
YOLO	322, C	11	0.0	0.5	0.5	0.7	24.8	0.6	5.24	4.31	11	0.0	0.5	0.5	0.7	24.8	0.6	5.24	4.31
YOLO	HEINZ TRIAL	10	0.0	0.3	0.4	2.2	22.4	0.3	5.05	4.34	10	0.0	0.3	0.4	2.2	22.4	0.3	5.05	4.34
YOLO	9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	0.7	0.1	26.1	0.5	4.75	4.39
YOLO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.2	0.5	0.3	25.6	5.1	4.70	4.36

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - County by Variety



County	Variety Name	Week Ending 8/16/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	1056, CPL	7	0.0	0.4	0.1	0.6	22.7	0.4	4.36	4.41	7	0.0	0.4	0.1	0.6	22.7	0.4	4.36	4.41
YOLO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.4	1.2	0.3	23.8	3.8	5.32	4.38
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.1	24.8	1.4	4.82	4.34
YOLO	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	2.4	0.3	23.3	3.4	5.25	4.38
YOLO	MIX	1	0.0	0.0	0.5	0.0	24.0	0.5	5.20	4.35	4	0.0	0.6	0.4	0.3	25.5	1.8	5.35	4.36
YOLO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.8	1.1	0.1	24.3	1.9	6.00	4.35
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.8	0.0	25.3	0.3	4.50	4.33
YOLO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	3.0	0.2	23.0	4.3	5.53	4.37
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.5	26.0	3.5	4.90	4.46
YOLO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	23.0	4.0	6.00	4.47
YOLO		7,823	0.0	1.2	1.2	0.9	24.1	1.1	4.87	4.35	23,921	0.0	0.7	1.0	0.7	24.3	1.5	5.01	4.37