

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	5608, HZ	279	0.0	4.4	1.8	2.3	24.6	0.8	4.36	4.44	3,590	0.0	4.6	2.0	2.0	24.3	1.0	4.50	4.41
COLUSA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,109	0.0	1.3	1.5	1.7	25.3	2.4	4.92	4.44
COLUSA	2401, HEINZ	482	0.0	4.1	2.5	2.3	25.6	0.6	4.55	4.30	2,571	0.0	3.2	3.2	1.6	26.2	0.9	4.45	4.31
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,057	0.0	0.6	2.7	1.2	24.1	1.3	5.08	4.46
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,737	0.0	0.6	2.1	0.8	26.0	2.6	4.77	4.37
COLUSA	6402, N	130	0.0	4.4	0.5	0.1	25.0	0.7	4.53	4.43	1,637	0.0	1.3	1.6	1.7	25.0	1.4	5.01	4.40
COLUSA	4707, HEINZ	102	0.0	0.7	7.5	1.7	27.5	0.4	4.75	4.32	1,329	0.0	0.9	1.9	1.5	25.4	0.6	4.70	4.36
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,063	0.0	1.2	1.2	0.8	24.9	1.3	4.82	4.47
COLUSA	5701, HZ	393	0.0	1.5	3.4	1.8	25.5	0.4	4.47	4.31	946	0.0	2.9	2.6	2.1	25.9	0.6	4.55	4.34
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	679	0.0	0.9	2.2	1.1	24.3	3.8	5.18	4.49
COLUSA	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	423	0.0	1.0	4.7	1.3	28.2	3.9	4.89	4.39
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	0.2	1.4	0.5	27.0	2.6	5.09	4.29
COLUSA	0319, DRI	88	0.0	2.1	0.4	0.1	25.3	0.7	5.08	4.36	375	0.0	3.3	0.9	0.1	26.0	1.5	5.19	4.37
COLUSA	5508, HZ	217	0.0	1.9	1.6	2.0	28.0	0.6	4.04	4.39	373	0.0	2.1	1.5	2.5	27.8	0.7	4.04	4.40
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	365	0.0	1.7	1.3	0.6	25.7	2.1	4.91	4.43
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	1.0	2.6	1.7	27.7	1.6	4.57	4.41
COLUSA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	281	0.0	1.5	1.8	1.1	24.3	6.2	4.95	4.44
COLUSA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	4.8	0.9	0.4	23.6	1.7	4.92	4.43
COLUSA	5702, HZ	219	0.0	0.9	7.6	1.3	25.5	0.3	4.78	4.37	234	0.0	0.8	7.8	1.3	25.7	0.3	4.78	4.36
COLUSA	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	173	0.0	1.1	1.2	0.1	26.2	1.3	4.63	4.43
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.3	2.0	0.8	24.7	2.0	4.86	4.40
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.5	2.0	0.3	25.7	1.0	4.81	4.34
COLUSA	816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
COLUSA	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	1.6	0.7	0.6	24.5	3.5	5.24	4.49
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	5.0	4.9	1.7	26.6	1.8	4.85	4.43
COLUSA	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.1	2.0	1.9	26.5	0.9	4.96	4.48
COLUSA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	4.0	0.2	0.1	24.1	1.4	4.71	4.46
COLUSA	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	3.2	1.6	2.3	26.7	0.8	4.41	4.35
COLUSA	9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45
COLUSA	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	3.0	1.5	0.9	25.3	2.0	5.26	4.35
COLUSA	0299, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	6.0	0.8	0.1	24.4	3.4	4.96	4.42
COLUSA	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.2	1.9	0.2	26.6	1.0	5.53	4.36
COLUSA	HEINZ TRIAL	26	0.0	6.9	1.2	3.9	25.3	0.9	4.58	4.38	39	0.0	5.2	2.6	2.9	26.7	0.7	4.44	4.36
COLUSA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	1.5	0.5	26.3	1.3	4.96	4.29
COLUSA	8504, HEINZ	28	0.0	5.0	0.7	4.5	25.8	2.8	4.33	4.46	28	0.0	5.0	0.7	4.5	25.8	2.8	4.33	4.46
COLUSA	1161, HEINZ	25	0.0	3.7	0.5	0.1	26.3	1.6	4.79	4.32	25	0.0	3.7	0.5	0.1	26.3	1.6	4.79	4.32
COLUSA	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	1.1	4.5	1.1	26.1	1.8	5.00	4.34
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.3	0.4	1.1	23.5	3.0	5.15	4.43
COLUSA	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.2	1.5	1.0	0.2	29.7	0.2	5.17	4.50

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.3	1.8	0.0	29.5	1.0	5.15	4.47
COLUSA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	1.3	0.0	29.0	0.3	4.65	4.35
COLUSA	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.5	0.8	0.0	26.0	1.8	4.85	4.30
COLUSA	9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.5	1.0	0.0	24.5	0.3	5.15	4.47
COLUSA	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56
COLUSA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	2.5	0.0	29.0	1.0	4.70	4.32
COLUSA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	23.0	0.5	6.00	4.46
COLUSA		1,989	0.0	2.8	3.0	1.8	25.7	0.6	4.51	4.36	23,433	0.0	2.0	2.1	1.4	25.3	1.7	4.78	4.40
CONTRA COSTA	0311, AB	8	0.0	2.1	1.9	0.1	21.0	2.3	6.30	4.28	1,389	0.0	0.9	1.1	0.1	22.5	0.9	5.65	4.30
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,189	0.0	0.1	0.7	0.2	23.4	0.9	5.97	4.31
CONTRA COSTA	0319, DRI	51	0.0	1.7	2.4	0.3	24.1	2.2	4.87	4.34	981	0.0	0.9	1.2	0.2	24.2	1.6	5.37	4.32
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	540	0.0	0.1	0.6	0.2	23.3	1.2	5.47	4.30
CONTRA COSTA	6402, N	62	0.0	2.1	0.1	0.7	23.5	1.5	5.05	4.46	378	0.0	0.8	0.3	0.3	23.4	0.8	5.37	4.39
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.1	0.7	0.1	23.3	1.4	6.11	4.24
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.2	0.8	0.1	22.0	0.6	5.21	4.38
CONTRA COSTA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	214	0.0	0.2	0.8	0.3	22.7	1.0	5.18	4.26
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.3	0.9	0.2	22.4	1.0	5.02	4.31
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	5.30	4.27
CONTRA COSTA	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.5	23.0	1.0	5.80	4.34
CONTRA COSTA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	21.0	1.0	5.30	4.48
CONTRA COSTA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	23.0	0.5	5.40	4.34
CONTRA COSTA		121	0.0	1.9	1.2	0.5	23.6	1.9	5.05	4.40	5,262	0.0	0.5	0.9	0.2	23.2	1.1	5.62	4.31
FRESNO	6366, SUN	263	0.0	1.1	1.2	0.3	22.2	1.4	5.85	4.40	17,970	0.0	0.5	1.5	0.6	23.4	2.0	5.77	4.38
FRESNO	5608, HZ	1,393	0.0	2.6	3.1	1.3	23.1	1.9	5.23	4.41	17,617	0.0	2.0	2.8	0.8	22.9	1.3	5.19	4.39
FRESNO	0319, DRI	1,158	0.0	1.4	1.7	0.3	23.9	2.0	6.00	4.38	7,813	0.0	1.3	1.2	0.3	23.6	1.8	5.96	4.38
FRESNO	6404, N	674	0.0	1.7	3.1	1.4	23.3	3.5	5.44	4.46	7,453	0.0	1.3	2.0	0.7	23.5	2.3	5.49	4.43
FRESNO	0311, AB	275	0.0	2.0	2.3	0.2	22.1	1.9	6.07	4.39	7,136	0.0	1.3	1.9	0.7	22.5	1.7	6.03	4.35
FRESNO	6402, N	148	0.0	0.8	0.6	0.3	23.1	1.3	6.10	4.39	5,908	0.0	0.7	1.1	1.0	22.9	1.8	5.73	4.42
FRESNO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,414	0.0	0.3	1.2	0.4	23.0	0.7	5.30	4.42
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,945	0.0	0.4	2.0	0.9	23.2	1.1	5.45	4.39
FRESNO	2401, HEINZ	1,237	0.0	1.6	2.7	0.7	24.7	1.0	5.14	4.31	4,847	0.0	1.8	3.1	0.5	24.5	1.0	5.10	4.31
FRESNO	6394, N	151	0.0	2.8	0.4	0.7	23.0	2.6	5.29	4.52	4,794	0.0	0.7	2.0	1.2	23.0	2.5	5.61	4.44
FRESNO	7885, HMX	423	0.0	0.6	0.9	0.3	24.5	0.8	5.00	4.52	3,745	0.0	0.6	0.6	0.3	23.8	0.6	5.01	4.54
FRESNO	8504, HEINZ	1,124	0.0	1.2	2.5	0.9	23.8	1.0	5.15	4.32	3,540	0.0	1.5	3.3	0.5	23.6	0.9	5.22	4.31
FRESNO	1292, HZ	187	0.0	2.3	2.6	0.6	24.8	0.8	5.01	4.46	3,455	0.0	1.2	1.4	0.5	22.2	2.0	5.51	4.47
FRESNO	4707, HEINZ	342	0.0	1.9	3.6	0.8	26.0	0.6	5.36	4.39	3,344	0.0	1.5	3.3	0.4	25.3	0.8	5.22	4.38
FRESNO	19406, UG	558	0.0	2.6	1.9	0.4	22.4	1.3	5.76	4.36	2,684	0.0	1.1	1.8	0.5	23.1	0.8	5.83	4.31
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,493	0.0	0.4	1.3	0.4	24.1	2.3	4.84	4.37
FRESNO	205, BQ	286	0.0	0.9	1.0	0.2	23.2	2.3	6.31	4.32	2,313	0.0	0.9	0.9	0.3	23.6	1.8	5.84	4.33

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	1892, HMX	1,014	0.0	0.8	1.9	0.4	23.0	1.5	5.49	4.43	2,259	0.0	1.2	2.0	0.7	23.3	1.4	5.43	4.42
FRESNO	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,156	0.0	0.4	0.9	0.3	23.6	3.5	5.23	4.36
FRESNO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,136	0.0	1.1	1.5	0.5	23.5	1.9	5.75	4.31
FRESNO	9663, HEINZ	84	0.0	8.1	2.4	0.3	25.4	1.6	4.83	4.43	1,931	0.0	4.5	4.1	0.3	23.6	1.9	4.98	4.41
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,906	0.0	1.0	2.7	1.4	24.0	4.2	5.29	4.38
FRESNO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,904	0.0	2.0	0.5	0.3	23.2	1.4	5.35	4.37
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,872	0.0	0.3	1.3	0.4	23.3	2.7	5.27	4.40
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,870	0.0	0.4	1.9	0.4	23.6	3.9	6.20	4.35
FRESNO	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,432	0.0	0.1	2.5	0.9	23.6	0.9	5.48	4.42
FRESNO	3, AB	100	0.0	2.7	1.1	0.3	25.0	1.5	4.85	4.39	1,260	0.0	1.4	1.3	0.3	24.3	1.9	5.30	4.34
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,164	0.0	0.2	2.0	0.9	24.1	1.6	5.26	4.32
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	994	0.0	0.4	1.6	0.2	23.3	1.5	5.11	4.31
FRESNO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	900	0.0	0.7	1.7	0.5	23.6	2.4	6.40	4.35
FRESNO	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	899	0.0	0.6	1.1	0.4	23.9	1.6	5.09	4.44
FRESNO	5702, HZ	227	0.0	4.0	3.9	0.4	25.1	2.0	5.43	4.46	887	0.0	3.2	3.5	0.4	24.6	1.0	5.21	4.42
FRESNO	6368, SUN	10	0.0	2.7	3.6	0.4	24.1	0.1	4.66	4.43	844	0.0	2.4	0.4	0.3	22.5	1.1	5.68	4.39
FRESNO	6385, N	130	0.0	1.0	1.3	0.1	24.1	2.6	4.99	4.45	745	0.0	1.6	1.3	0.3	23.3	1.6	4.71	4.44
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	741	0.0	0.2	1.5	0.3	24.2	1.5	5.43	4.30
FRESNO	1175, HEINZ	91	0.0	2.3	3.0	0.4	24.4	0.7	4.50	4.51	707	0.0	1.0	1.7	0.3	23.5	0.8	4.79	4.46
FRESNO	18806, UG	15	0.0	0.6	3.3	0.2	26.7	0.8	5.01	4.37	682	0.0	0.7	1.0	0.2	25.3	1.3	4.88	4.31
FRESNO	1293, HZ	6	0.0	0.8	2.5	1.0	24.5	4.0	5.62	4.58	661	0.0	0.9	1.5	0.5	23.0	0.7	5.70	4.49
FRESNO	1170, HEINZ	19	0.0	0.9	3.2	0.8	26.6	0.4	5.60	4.36	583	0.0	0.8	1.4	0.5	24.1	0.7	5.74	4.38
FRESNO	UNCODED	8	0.0	4.5	2.1	1.2	24.8	10.2	5.51	4.54	518	0.0	1.8	14.6	0.8	28.7	8.8	5.15	4.38
FRESNO	67212, BOS	3	0.0	7.8	1.0	0.8	25.0	3.8	4.27	4.57	462	0.0	2.3	1.1	0.4	22.8	3.6	5.17	4.42
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	461	0.0	0.1	0.7	0.2	25.4	1.1	5.40	4.37
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	451	0.0	0.6	2.3	0.3	22.8	3.5	5.48	4.39
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	421	0.0	0.1	1.4	0.5	24.8	1.1	5.03	4.32
FRESNO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	382	0.0	0.3	2.8	0.7	24.4	0.6	4.84	4.28
FRESNO	1570, RPT	4	0.0	1.6	2.1	0.5	24.0	3.9	5.00	4.46	342	0.0	0.8	1.5	0.4	24.9	3.6	4.94	4.44
FRESNO	16609, UG	4	0.0	0.9	0.6	0.3	23.0	1.3	5.60	4.35	304	0.0	0.6	0.8	0.3	23.0	1.8	5.62	4.33
FRESNO	296, BQ	22	0.0	2.5	2.2	0.2	23.0	1.5	5.93	4.36	262	0.0	1.9	1.2	0.5	23.1	2.2	5.81	4.40
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	0.0	1.8	0.5	26.1	0.6	5.10	4.31
FRESNO	206, BQ	225	0.0	0.4	0.6	0.2	23.6	1.6	6.16	4.31	226	0.0	0.4	0.6	0.2	23.6	1.6	6.16	4.31
FRESNO	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.0	0.9	0.4	23.1	1.3	4.79	4.30
FRESNO	6407, N	76	0.0	2.2	1.5	0.2	24.9	1.0	5.74	4.40	205	0.0	1.0	2.3	1.1	23.8	1.0	5.86	4.36
FRESNO	MIX	1	0.0	1.0	1.0	1.0	22.0	1.0	5.30	4.33	186	0.1	5.9	1.6	0.5	24.1	2.0	4.81	4.57
FRESNO	292, BQ	38	0.0	2.8	1.1	0.6	23.3	3.1	5.00	4.45	180	0.0	2.9	0.8	0.5	23.1	2.1	5.25	4.43
FRESNO	6420, N	20	0.0	2.4	0.9	0.3	23.6	2.4	5.69	4.52	174	0.0	1.2	1.3	0.2	24.4	1.2	5.27	4.45

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	7776, NDM	118	0.0	1.9	2.1	0.5	22.0	1.9	5.61	4.37	150	0.0	1.5	2.2	0.5	22.2	2.4	5.72	4.38
FRESNO	002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
FRESNO	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.0	1.1	0.3	24.0	1.7	5.14	4.31
FRESNO	8004, HEINZ	111	0.0	0.9	3.5	0.2	24.3	1.4	5.14	4.39	111	0.0	0.9	3.5	0.2	24.3	1.4	5.14	4.39
FRESNO	6410, N	35	0.0	2.2	0.6	0.3	22.9	0.9	5.38	4.42	110	0.0	1.6	0.9	0.4	23.1	1.0	5.43	4.39
FRESNO	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	0.6	3.8	0.3	23.9	1.2	5.82	4.44
FRESNO	108, HYPEEL	100	0.0	0.9	0.3	0.2	24.9	2.6	5.68	4.48	100	0.0	0.9	0.3	0.2	24.9	2.6	5.68	4.48
FRESNO	HEINZ TRIAL	24	0.0	2.7	1.9	0.5	23.3	2.1	5.13	4.39	83	0.0	2.6	2.6	0.4	22.9	1.8	5.14	4.41
FRESNO	5701, HZ	6	0.0	0.7	1.4	3.4	23.8	2.3	5.78	4.38	80	0.0	0.5	6.4	0.6	24.8	1.0	5.90	4.36
FRESNO	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.2	0.3	0.1	24.2	3.3	5.52	4.40
FRESNO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	0.5	0.3	0.4	23.1	4.2	5.75	4.49
FRESNO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.4	3.5	1.2	26.2	0.7	5.52	4.40
FRESNO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.0	2.5	0.5	26.0	1.3	5.47	4.40
FRESNO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	0.2	0.6	0.1	22.3	0.5	5.55	4.37
FRESNO	1311, HZ	24	0.0	1.0	0.5	0.1	20.9	2.3	5.66	4.37	25	0.0	1.0	0.5	0.1	20.9	2.2	5.66	4.37
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40
FRESNO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.0	2.7	0.2	22.7	1.1	5.85	4.41
FRESNO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.0	0.9	0.2	24.5	0.3	5.28	4.27
FRESNO	1291, HZ	1	0.0	2.0	2.0	0.5	25.0	1.5	4.80	4.50	18	0.0	1.0	0.7	0.3	22.5	1.3	5.62	4.51
FRESNO	95, P	14	0.0	4.1	1.4	0.6	24.1	8.2	5.63	4.57	14	0.0	4.1	1.4	0.6	24.1	8.2	5.63	4.57
FRESNO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.8	5.9	0.5	25.0	1.6	5.65	4.36
FRESNO	9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.4	0.5	23.5	1.1	5.63	4.44
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.8	22.7	2.7	6.57	4.46
FRESNO	7883, HM	1	0.0	0.0	1.0	0.0	23.0	0.0	5.60	4.45	3	0.2	0.5	0.8	0.2	23.3	0.2	5.30	4.50
FRESNO	MISC EXP	2	0.0	4.0	1.0	0.5	25.0	8.5	4.85	4.62	2	0.0	4.0	1.0	0.5	25.0	8.5	4.85	4.62
FRESNO	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.8	0.3	22.5	2.3	5.20	4.50
FRESNO	129, BQ	1	0.0	3.5	3.0	1.5	27.0	0.0	4.80	4.47	1	0.0	3.5	3.0	1.5	27.0	0.0	4.80	4.47
FRESNO	0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
FRESNO	650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	25.0	1.5	4.20	4.67
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	1.5	1.0	24.0	3.0	5.90	4.60
FRESNO	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34
FRESNO	3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	0.0	25.0	2.0	5.80	4.38
FRESNO	7707, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	2.5	0.0	22.0	0.0	5.20	4.48
FRESNO		10,753	0.0	1.7	2.2	0.6	23.7	1.6	5.45	4.39	141,362	0.0	1.1	1.9	0.6	23.4	1.7	5.48	4.39
GLENN	9905, HARRIS MORAN	66	0.0	4.1	1.2	0.2	25.4	0.3	4.99	4.47	79	0.0	4.0	1.7	0.2	25.7	0.3	4.99	4.47
GLENN	5608, HZ	8	0.1	5.4	1.3	0.1	25.4	0.7	4.59	4.45	51	0.0	4.9	1.2	0.2	26.4	0.4	4.54	4.41
GLENN	1175, HEINZ	26	0.1	2.6	2.0	0.3	25.6	0.2	4.67	4.41	27	0.1	2.6	2.0	0.3	25.6	0.2	4.66	4.41
GLENN	MIX	3	0.0	4.7	0.7	0.7	24.3	1.3	4.97	4.39	3	0.0	4.7	0.7	0.7	24.3	1.3	4.97	4.39

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
GLENN		103	0.0	3.9	1.4	0.2	25.4	0.3	4.88	4.45	160	0.0	4.1	1.6	0.2	25.9	0.4	4.79	4.44
KERN	8504, HEINZ	887	0.0	0.6	2.4	0.8	24.2	1.0	5.09	4.34	6,250	0.0	0.5	2.0	0.6	24.6	1.0	5.07	4.30
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,953	0.0	1.0	0.9	0.7	24.2	1.9	5.05	4.44
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,450	0.0	0.8	1.7	0.7	24.1	1.6	5.05	4.41
KERN	5608, HZ	1	0.0	1.5	2.5	0.0	25.0	0.0	5.60	4.37	3,275	0.0	0.8	1.6	0.3	22.9	1.0	5.07	4.39
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,394	0.0	0.4	2.1	0.4	24.7	1.8	4.84	4.41
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,443	0.0	0.2	1.1	0.4	23.0	1.4	5.09	4.48
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	667	0.0	1.1	0.7	0.8	24.6	1.2	5.51	4.34
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.4	1.4	0.7	23.0	4.1	4.93	4.40
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	360	0.0	1.3	1.1	0.4	23.4	1.5	5.43	4.37
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	318	0.0	0.1	1.3	0.4	24.8	0.9	5.12	4.30
KERN	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	2.1	0.4	25.5	5.1	5.04	4.38
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	268	0.0	0.4	1.1	0.2	22.9	1.1	5.48	4.37
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	3.4	1.8	0.5	24.5	2.2	4.70	4.45
KERN	UNCODED	56	0.0	2.5	3.1	1.5	23.7	1.3	4.97	4.46	187	0.0	0.9	2.5	0.6	24.6	1.3	5.13	4.41
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.9	1.0	0.9	22.1	0.8	5.52	4.48
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	3.0	0.8	24.4	3.5	5.19	4.45
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.1	0.6	0.2	23.2	3.5	5.90	4.52
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.3	1.2	0.2	23.4	2.0	5.83	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.2	2.4	0.3	26.0	2.3	4.88	4.37
KERN	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	2.3	0.5	23.4	0.3	4.67	4.44
KERN	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	2.0	0.1	25.8	0.6	5.43	4.48
KERN	26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
KERN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	1.3	0.6	23.7	1.5	4.80	4.35
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.3	1.8	0.8	24.7	3.7	5.27	4.40
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.6	1.3	0.3	24.0	4.1	5.13	4.47
KERN	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.2	1.4	0.4	25.1	4.2	5.65	4.41
KERN	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.5	0.6	0.7	21.7	3.2	4.93	4.35
KERN	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	0.4	0.4	0.0	23.2	0.6	5.19	4.35
KERN	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.8	0.6	0.1	20.5	0.4	4.95	4.42
KERN	5508, HZ	39	0.0	0.9	2.0	0.2	24.5	0.4	5.27	4.35	39	0.0	0.9	2.0	0.2	24.5	0.4	5.27	4.35
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.1	3.2	0.8	24.8	0.8	5.44	4.34
KERN	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.1	2.5	0.5	24.3	1.5	5.57	4.40
KERN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.8	3.4	0.2	20.9	2.7	5.17	4.43
KERN		983	0.0	0.7	2.4	0.8	24.2	1.0	5.09	4.35	25,993	0.0	0.7	1.6	0.5	24.1	1.5	5.07	4.39
KINGS	8504, HEINZ	3,052	0.0	0.5	3.4	0.5	24.0	0.7	5.34	4.28	17,413	0.0	0.5	3.1	0.5	24.5	0.8	5.07	4.29
KINGS	5608, HZ	95	0.0	1.2	1.0	0.3	24.7	1.2	5.45	4.31	6,349	0.0	1.6	2.1	0.6	23.7	1.0	5.28	4.38
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,382	0.0	0.5	1.3	0.5	24.1	1.4	5.75	4.38
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,888	0.0	0.2	2.5	0.5	24.4	2.3	4.94	4.42

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,386	0.0	0.5	3.1	1.5	23.5	1.5	5.38	4.40
KINGS	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,022	0.0	0.4	3.5	1.1	24.4	3.2	5.07	4.39
KINGS	6404, N	111	0.0	3.0	1.8	0.2	24.9	2.4	5.81	4.40	961	0.0	3.8	1.3	0.4	23.6	2.1	5.54	4.43
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	848	0.0	0.4	1.0	0.3	22.3	1.0	5.55	4.45
KINGS	0319, DRI	65	0.0	2.7	2.0	1.1	25.2	0.8	5.52	4.36	821	0.0	2.6	1.2	0.4	23.9	1.3	5.72	4.38
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	752	0.0	0.9	2.0	0.2	23.1	1.5	6.22	4.35
KINGS	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	742	0.0	0.7	2.0	0.1	24.7	1.3	5.97	4.33
KINGS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	617	0.0	2.8	0.7	0.4	24.6	2.1	5.22	4.34
KINGS	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	616	0.0	0.0	0.9	0.2	25.1	1.1	5.16	4.33
KINGS	1170, HEINZ	192	0.0	1.7	3.5	0.6	26.7	0.7	5.33	4.38	451	0.0	1.1	2.5	0.4	25.8	0.8	5.45	4.35
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	401	0.0	0.3	3.7	1.7	25.6	2.3	6.08	4.36
KINGS	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	386	0.0	0.5	2.3	0.5	23.3	2.5	6.01	4.31
KINGS	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	0.9	0.1	24.8	1.8	5.01	4.35
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	1.8	0.7	24.4	1.8	5.03	4.29
KINGS	UNCODED	50	0.0	1.1	1.9	0.7	22.6	1.2	5.70	4.37	367	0.0	0.5	2.8	0.4	24.3	0.8	5.55	4.38
KINGS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	359	0.0	2.1	2.9	0.9	28.7	0.7	4.87	4.38
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	278	0.0	1.7	3.3	0.6	23.4	3.9	4.99	4.40
KINGS	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	0.1	1.4	1.1	22.1	0.8	5.68	4.40
KINGS	6385, N	24	0.0	1.9	0.9	0.6	24.1	2.9	4.63	4.53	234	0.0	0.4	0.7	0.5	21.9	3.0	5.53	4.44
KINGS	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	179	0.0	0.0	3.4	0.7	24.1	4.6	5.65	4.29
KINGS	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.1	1.7	0.6	25.0	2.2	5.88	4.36
KINGS	1892, HMX	2	0.0	0.5	1.5	0.0	25.5	2.0	6.30	4.46	121	0.0	1.0	2.6	0.6	28.4	0.9	5.48	4.38
KINGS	1175, HEINZ	5	0.0	0.2	9.1	2.0	27.4	0.5	5.98	4.32	115	0.0	0.3	1.6	0.3	23.2	0.7	5.79	4.43
KINGS	6407, N	113	0.0	2.1	2.8	0.4	27.4	0.8	5.82	4.30	113	0.0	2.1	2.8	0.4	27.4	0.8	5.82	4.30
KINGS	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	4.5	1.1	0.4	21.6	2.6	5.68	4.42
KINGS	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	2.6	1.7	0.3	24.3	2.0	5.72	4.38
KINGS	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.4	1.2	1.7	25.9	1.0	5.87	4.28
KINGS	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.1	4.1	0.5	25.4	2.4	5.08	4.32
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.0	0.6	0.0	23.1	1.1	4.72	4.28
KINGS	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.1	1.8	0.2	22.0	1.2	6.85	4.29
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	0.2	0.2	23.0	2.6	5.67	4.29
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.5	0.8	0.6	22.6	2.1	5.25	4.49
KINGS	2401, HEINZ	44	0.0	0.7	5.1	0.3	26.3	0.7	5.30	4.25	45	0.0	0.7	5.1	0.3	26.3	0.7	5.33	4.25
KINGS	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	3.3	0.8	0.1	23.1	4.2	4.71	4.47
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	0.3	0.1	24.5	0.6	4.88	4.34
KINGS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	4.0	0.3	23.0	0.6	5.52	4.49
KINGS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.4	1.1	0.5	23.4	1.8	5.68	4.31
KINGS	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	2.9	1.1	0.5	24.8	2.2	5.90	4.45
KINGS	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.7	1.4	0.4	24.6	1.9	5.82	4.41

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	0.8	0.2	24.0	0.8	5.50	4.45
KINGS	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.6	1.4	1.1	26.0	3.1	5.70	4.34
KINGS	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.1	0.6	0.3	25.0	1.6	6.05	4.42
KINGS	116, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	8.0	0.5	23.0	0.0	5.40	4.27
KINGS		3,753	0.0	0.7	3.2	0.5	24.4	0.8	5.38	4.29	47,832	0.0	0.8	2.4	0.6	24.2	1.3	5.29	4.35
MADERA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,265	0.0	2.1	0.7	0.6	25.1	2.4	4.92	4.40
MADERA	6404, N	18	0.0	6.2	4.3	1.9	24.1	5.2	5.43	4.51	1,109	0.0	3.7	2.2	1.0	24.4	2.8	5.07	4.44
MADERA	0319, DRI	55	0.0	5.8	1.0	1.4	25.9	1.1	5.11	4.40	888	0.0	3.2	1.0	0.7	25.4	1.7	5.33	4.40
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	1.2	2.2	0.6	24.5	1.9	4.73	4.44
MADERA	2401, HEINZ	510	0.0	1.4	2.7	0.3	25.7	0.9	4.75	4.29	710	0.0	1.1	2.7	0.3	25.7	0.8	4.80	4.28
MADERA	4707, HEINZ	431	0.0	1.2	2.9	1.2	26.3	0.7	4.45	4.35	699	0.0	1.1	3.9	1.5	26.5	0.6	4.43	4.33
MADERA	1892, HMX	273	0.0	3.1	3.0	0.7	25.1	1.9	4.89	4.47	669	0.0	3.2	2.8	0.7	24.6	2.0	5.00	4.47
MADERA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	588	0.0	1.1	1.0	1.3	23.5	2.1	5.35	4.45
MADERA	19406, UG	175	0.0	1.3	1.0	0.2	24.3	0.5	5.19	4.30	442	0.0	1.2	1.4	0.5	24.1	0.8	5.27	4.30
MADERA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	400	0.0	0.8	2.5	1.6	22.8	2.8	5.51	4.46
MADERA	5608, HZ	18	0.0	4.5	5.3	0.9	23.9	1.9	4.65	4.40	363	0.0	1.0	2.7	1.8	23.3	1.5	4.98	4.41
MADERA	0311, AB	178	0.0	6.1	1.8	1.0	24.7	1.1	5.06	4.35	296	0.0	7.4	2.0	0.8	24.5	1.2	5.08	4.38
MADERA	5508, HZ	13	0.0	1.0	6.5	0.7	26.3	1.2	4.48	4.33	181	0.0	0.2	5.1	0.5	26.0	0.6	4.76	4.32
MADERA	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	0.4	1.9	1.5	23.7	0.8	4.78	4.34
MADERA	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	1.9	0.5	0.1	26.0	0.3	5.06	4.36
MADERA	1015, HEINZ	35	0.0	1.9	4.4	1.3	24.9	1.7	4.56	4.39	51	0.0	1.7	4.7	1.2	25.1	1.5	4.50	4.37
MADERA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	1.6	0.4	0.1	26.9	0.6	4.83	4.37
MADERA	MIX	1	0.0	0.5	0.5	1.0	24.0	1.0	5.60	4.46	1	0.0	0.5	0.5	1.0	24.0	1.0	5.60	4.46
MADERA	3888, HMX	1	0.0	0.5	1.0	0.0	26.0	0.5	4.80	4.39	1	0.0	0.5	1.0	0.0	26.0	0.5	4.80	4.39
MADERA		1,708	0.0	2.3	2.6	0.8	25.5	1.1	4.79	4.35	8,727	0.0	2.1	2.0	0.9	24.8	1.8	5.00	4.40
MERCED	5608, HZ	626	0.0	1.4	2.0	2.7	23.7	1.8	4.93	4.38	3,770	0.0	1.2	2.5	1.7	23.5	2.2	4.97	4.39
MERCED	6366, SUN	471	0.0	0.8	2.3	0.7	23.9	1.6	5.52	4.36	3,241	0.0	0.6	2.6	0.5	24.7	1.9	5.46	4.36
MERCED	6404, N	13	0.0	2.3	0.4	0.0	25.9	0.0	5.15	4.47	2,406	0.0	1.3	3.9	1.7	25.0	2.7	5.31	4.40
MERCED	2401, HEINZ	629	0.0	0.5	1.9	1.0	25.8	1.0	4.84	4.26	1,944	0.0	0.4	2.4	1.1	25.9	0.9	5.01	4.25
MERCED	4707, HEINZ	637	0.0	1.2	2.3	0.4	25.3	2.8	4.89	4.33	1,755	0.0	0.7	2.9	0.8	25.6	1.5	5.03	4.31
MERCED	19406, UG	623	0.0	1.1	1.6	0.8	23.8	1.1	5.47	4.28	1,649	0.0	1.0	2.6	0.6	24.4	1.0	5.55	4.28
MERCED	8504, HEINZ	270	0.0	2.5	1.6	0.5	23.1	1.8	5.06	4.36	1,037	0.0	1.1	2.3	1.6	24.3	1.5	5.26	4.32
MERCED	3402, HEINZ	285	0.0	0.4	2.0	1.8	25.1	1.1	4.85	4.44	772	0.0	0.3	2.0	1.8	24.3	1.0	5.00	4.43
MERCED	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	585	0.0	0.1	3.2	0.4	23.1	0.7	5.45	4.40
MERCED	6402, N	138	0.0	1.2	0.9	0.6	23.7	1.4	5.56	4.39	567	0.0	1.1	1.4	1.2	24.3	1.8	5.57	4.39
MERCED	1892, HMX	332	0.0	0.6	1.2	1.1	23.8	1.6	5.71	4.36	547	0.0	1.0	2.1	1.6	24.3	1.8	5.38	4.39
MERCED	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	498	0.0	1.4	1.0	0.4	26.3	3.6	5.16	4.37
MERCED	1161, HEINZ	66	0.0	0.6	0.7	0.6	25.7	1.8	5.68	4.28	294	0.0	0.4	2.7	0.4	25.0	1.5	6.13	4.31
MERCED	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	4.6	5.2	0.5	26.8	2.3	4.77	4.40

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	9780, HEINZ	218	0.0	0.5	3.2	1.9	26.1	1.2	5.18	4.27	218	0.0	0.5	3.2	1.9	26.1	1.2	5.18	4.27
MERCED	5701, HZ	214	0.0	0.3	2.9	2.2	26.6	0.6	4.37	4.28	217	0.0	0.3	3.1	2.2	26.6	0.6	4.37	4.28
MERCED	UNCODED	3	0.0	0.3	1.0	0.5	22.7	2.2	5.57	4.37	211	0.0	1.1	18.5	2.7	31.9	8.5	5.13	4.33
MERCED	5702, HZ	143	0.0	0.3	4.7	0.4	26.0	0.5	4.82	4.33	162	0.0	0.3	5.1	0.5	26.0	0.5	4.76	4.33
MERCED	6394, N	26	0.0	3.6	0.1	0.0	24.0	0.4	5.37	4.56	149	0.0	1.7	0.1	0.0	26.3	0.4	5.01	4.50
MERCED	205, BQ	7	0.0	0.3	1.5	0.6	27.4	1.4	5.63	4.24	140	0.0	1.5	1.2	0.4	23.9	1.5	6.49	4.33
MERCED	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	1.1	3.5	0.5	24.0	1.1	5.73	4.29
MERCED	6397, N	42	0.0	0.5	0.4	0.4	25.4	2.2	4.81	4.36	95	0.0	0.6	0.8	0.4	25.9	1.7	4.90	4.36
MERCED	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	0.8	1.3	0.2	23.1	1.0	5.97	4.30
MERCED	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	0.6	1.8	0.8	25.2	2.1	5.41	4.49
MERCED	7885, HMX	55	0.0	1.1	1.1	0.9	23.5	1.6	5.37	4.52	78	0.0	1.1	1.2	0.9	23.6	1.6	5.41	4.52
MERCED	9905, HARRIS MORAN	67	0.0	0.6	1.2	0.2	23.9	1.4	5.10	4.48	67	0.0	0.6	1.2	0.2	23.9	1.4	5.10	4.48
MERCED	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.0	1.1	0.2	23.6	0.6	5.11	4.22
MERCED	1293, HZ	17	0.0	1.9	1.6	0.7	23.8	1.3	5.57	4.48	58	0.0	1.4	1.4	0.4	23.7	1.0	5.66	4.47
MERCED	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	1.1	0.1	0.1	24.4	0.4	5.45	4.34
MERCED	2601, HEINZ	34	0.0	0.4	1.3	0.5	24.4	1.1	5.19	4.42	40	0.0	0.3	1.3	0.5	24.5	1.1	5.20	4.41
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.0	1.5	0.4	23.6	1.0	5.66	4.22
MERCED	1175, HEINZ	33	0.0	0.5	0.7	0.5	22.5	0.7	5.08	4.52	33	0.0	0.5	0.7	0.5	22.5	0.7	5.08	4.52
MERCED	3155,BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.1	1.7	0.4	25.1	3.5	5.74	4.47
MERCED	31060, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.6	2.0	0.2	23.9	2.0	5.70	4.38
MERCED	6415, N	5	0.0	0.4	0.6	0.3	23.6	0.1	5.18	4.22	5	0.0	0.4	0.6	0.3	23.6	0.1	5.18	4.22
MERCED	CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
MERCED	3887, HMX	3	0.0	0.3	0.8	0.3	25.3	0.7	5.53	4.29	3	0.0	0.3	0.8	0.3	25.3	0.7	5.53	4.29
MERCED	8516, SV	3	0.0	0.2	0.0	0.3	22.3	2.7	5.50	4.33	3	0.0	0.2	0.0	0.3	22.3	2.7	5.50	4.33
MERCED	9916, SV	3	0.0	0.2	0.3	0.5	22.0	0.2	5.60	4.29	3	0.0	0.2	0.3	0.5	22.0	0.2	5.60	4.29
MERCED	0319, DRI	2	0.0	0.3	0.3	0.5	22.0	1.8	6.20	4.30	2	0.0	0.3	0.3	0.5	22.0	1.8	6.20	4.30
MERCED	1296, HZ	2	0.0	0.8	0.8	0.5	23.0	0.8	5.80	4.26	2	0.0	0.8	0.8	0.5	23.0	0.8	5.80	4.26
MERCED	1308, HZ	2	0.0	0.0	1.0	0.5	21.5	1.0	5.55	4.46	2	0.0	0.0	1.0	0.5	21.5	1.0	5.55	4.46
MERCED	3884, HMX	2	0.0	0.8	0.5	0.3	22.5	0.8	6.30	4.36	2	0.0	0.8	0.5	0.3	22.5	0.8	6.30	4.36
MERCED	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	1.0	26.0	3.0	5.50	4.51
MERCED	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38
MERCED	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	0.5	27.0	2.5	5.10	4.35
MERCED	3888, HMX	1	0.0	0.5	0.5	0.0	27.0	1.0	5.90	4.32	1	0.0	0.5	0.5	0.0	27.0	1.0	5.90	4.32
MERCED	6407, N	1	0.0	0.5	2.0	0.5	29.0	0.0	5.50	4.35	1	0.0	0.5	2.0	0.5	29.0	0.0	5.50	4.35
MERCED	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	1.0	22.0	1.0	6.20	4.38
MERCED		4,973	0.0	1.0	2.0	1.1	24.6	1.5	5.12	4.34	21,332	0.0	0.9	2.8	1.1	24.7	1.8	5.24	4.35
SACRAMENTO	205, BQ	30	0.0	0.5	1.0	1.2	28.1	0.5	5.23	4.27	174	0.0	0.5	0.6	0.6	24.5	1.9	5.73	4.30
SACRAMENTO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	173	0.0	0.5	1.0	0.3	23.8	1.5	5.83	4.28
SACRAMENTO	6366, SUN	97	0.0	1.1	0.6	0.4	23.6	0.7	4.96	4.39	124	0.0	1.0	0.6	0.3	23.4	1.0	5.11	4.38

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SACRAMENTO	255, CXD	20	0.0	1.0	2.2	0.7	29.3	0.7	5.20	4.31	21	0.0	1.0	2.1	0.6	29.0	0.8	5.21	4.31
SACRAMENTO	1892, HMX	20	0.0	1.1	0.8	0.1	24.4	1.0	5.04	4.36	21	0.0	1.1	0.8	0.1	24.4	0.9	5.03	4.36
SACRAMENTO	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	24.5	1.8	5.85	4.34
SACRAMENTO	2002, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.0	5.80	4.29
SACRAMENTO		167	0.0	1.0	0.9	0.5	25.2	0.7	5.05	4.35	516	0.0	0.7	0.8	0.4	24.2	1.5	5.56	4.32
SAN BENITO	2, AB	164	0.0	1.3	1.3	0.9	24.8	1.2	4.85	4.29	164	0.0	1.3	1.3	0.9	24.8	1.2	4.85	4.29
SAN BENITO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	1.6	1.5	0.4	26.0	0.5	4.92	4.41
SAN BENITO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	1.1	0.3	23.8	4.0	5.73	4.36
SAN BENITO		164	0.0	1.3	1.3	0.9	24.8	1.2	4.85	4.29	250	0.0	1.3	1.3	0.7	25.1	1.1	4.90	4.33
SAN JOAQUIN	5608, HZ	603	0.0	1.5	2.0	0.5	23.7	1.4	4.80	4.39	1,729	0.0	1.8	2.0	0.7	23.7	1.4	4.62	4.37
SAN JOAQUIN	0319, DRI	619	0.0	1.0	1.1	0.3	24.4	2.1	5.78	4.33	1,271	0.0	0.9	1.2	0.3	24.7	1.8	5.88	4.32
SAN JOAQUIN	6366, SUN	405	0.0	0.5	1.6	1.4	23.7	1.1	5.37	4.32	1,098	0.0	0.9	1.1	0.9	23.7	1.6	5.33	4.34
SAN JOAQUIN	1892, HMX	138	0.0	0.7	0.9	0.6	24.9	0.8	5.24	4.37	843	0.0	0.7	1.8	0.7	24.5	0.9	5.14	4.35
SAN JOAQUIN	0311, AB	301	0.0	1.5	0.8	0.2	22.8	1.5	5.74	4.32	584	0.0	1.5	1.0	0.2	23.0	1.5	5.69	4.31
SAN JOAQUIN	6402, N	383	0.0	1.2	0.4	0.2	23.4	0.9	5.11	4.37	556	0.0	1.2	0.4	0.3	23.8	0.9	5.08	4.37
SAN JOAQUIN	9780, HEINZ	479	0.0	0.5	1.1	2.3	24.3	2.4	5.09	4.31	479	0.0	0.5	1.1	2.3	24.3	2.4	5.09	4.31
SAN JOAQUIN	19406, UG	427	0.0	1.3	1.0	0.8	24.3	1.4	5.36	4.29	459	0.0	1.3	1.1	0.8	24.3	1.4	5.41	4.29
SAN JOAQUIN	2, AB	292	0.0	3.1	1.5	0.2	24.4	1.9	4.99	4.31	437	0.0	2.3	1.3	0.2	24.6	1.8	5.01	4.30
SAN JOAQUIN	1292, HZ	289	0.0	1.1	1.7	0.6	22.6	2.6	5.10	4.40	431	0.0	1.0	1.5	0.6	22.5	2.6	5.19	4.39
SAN JOAQUIN	6404, N	9	0.0	0.7	1.4	0.0	27.1	0.3	4.96	4.34	310	0.0	0.7	3.4	2.7	26.0	1.4	5.48	4.24
SAN JOAQUIN	206, BQ	204	0.0	2.7	2.3	0.3	24.2	2.7	5.07	4.45	260	0.0	2.3	2.1	0.2	24.3	2.6	5.11	4.43
SAN JOAQUIN	3402, HEINZ	258	0.0	0.7	2.1	0.6	23.3	1.1	4.93	4.41	258	0.0	0.7	2.1	0.6	23.3	1.1	4.93	4.41
SAN JOAQUIN	6407, N	186	0.0	0.5	0.6	0.5	24.6	0.8	5.87	4.26	186	0.0	0.5	0.6	0.5	24.6	0.8	5.87	4.26
SAN JOAQUIN	4707, HEINZ	107	0.0	0.4	3.6	0.4	25.3	0.3	4.45	4.30	178	0.0	0.5	3.6	0.5	25.3	0.3	4.44	4.29
SAN JOAQUIN	2601, HEINZ	102	0.0	0.9	1.2	0.3	24.5	2.9	4.49	4.37	165	0.0	1.0	1.3	0.2	24.5	2.8	4.52	4.37
SAN JOAQUIN	650, PS	103	0.0	1.2	0.9	0.3	24.0	2.1	5.87	4.40	145	0.0	1.0	1.1	0.3	24.0	1.8	5.87	4.40
SAN JOAQUIN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.6	1.0	0.4	23.9	1.8	5.75	4.26
SAN JOAQUIN	9663, HEINZ	116	0.0	1.9	1.5	0.5	23.5	1.1	5.18	4.31	126	0.0	1.9	1.6	0.5	23.6	1.1	5.18	4.31
SAN JOAQUIN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.6	1.9	0.7	24.9	0.5	4.50	4.33
SAN JOAQUIN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.3	0.6	0.2	23.6	0.7	4.79	4.28
SAN JOAQUIN	5705, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	1.4	2.1	1.4	23.1	2.1	4.39	4.38
SAN JOAQUIN	205, BQ	101	0.0	2.1	3.6	0.6	25.0	1.8	5.31	4.36	103	0.0	2.1	3.6	0.6	25.0	1.8	5.31	4.36
SAN JOAQUIN	6410, N	3	0.0	0.5	3.0	0.2	25.0	1.2	4.97	4.45	95	0.0	1.5	2.2	0.1	25.5	1.2	4.96	4.42
SAN JOAQUIN	1293, HZ	63	0.0	1.3	1.1	0.5	22.9	1.5	5.38	4.49	76	0.0	1.1	1.0	0.6	23.0	1.7	5.40	4.50
SAN JOAQUIN	3, AB	71	0.0	0.9	0.4	0.2	24.3	1.6	5.64	4.31	72	0.0	0.9	0.4	0.2	24.3	1.7	5.66	4.31
SAN JOAQUIN	5508, HZ	71	0.0	0.2	1.8	0.7	22.6	0.9	5.15	4.26	71	0.0	0.2	1.8	0.7	22.6	0.9	5.15	4.26
SAN JOAQUIN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.2	1.6	0.0	24.5	0.3	5.43	4.27
SAN JOAQUIN	18806, UG	37	0.0	1.6	1.8	0.2	25.0	3.2	5.64	4.34	40	0.0	1.6	1.7	0.2	25.3	3.1	5.66	4.34
SAN JOAQUIN	8504, HEINZ	32	0.0	0.4	1.0	1.2	24.2	1.4	4.58	4.23	32	0.0	0.4	1.0	1.2	24.2	1.4	4.58	4.23

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	108, HYPEEL	24	0.0	2.8	0.8	0.3	27.1	1.2	4.83	4.40	24	0.0	2.8	0.8	0.3	27.1	1.2	4.83	4.40
SAN JOAQUIN	5701, HZ	24	0.0	0.3	1.2	2.1	23.4	1.4	5.58	4.30	24	0.0	0.3	1.2	2.1	23.4	1.4	5.58	4.30
SAN JOAQUIN	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.6	0.3	0.0	23.9	2.3	5.94	4.37
SAN JOAQUIN	296, BQ	17	0.0	1.4	0.5	1.1	24.1	1.8	4.74	4.36	17	0.0	1.4	0.5	1.1	24.1	1.8	4.74	4.36
SAN JOAQUIN	0299, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.5	0.4	0.1	22.9	4.6	4.58	4.49
SAN JOAQUIN	2930, K	9	0.0	1.5	0.6	0.1	22.4	1.8	5.34	4.47	9	0.0	1.5	0.6	0.1	22.4	1.8	5.34	4.47
SAN JOAQUIN	2401, HEINZ	7	0.0	2.6	1.3	0.1	27.9	2.3	5.44	4.35	7	0.0	2.6	1.3	0.1	27.9	2.3	5.44	4.35
SAN JOAQUIN	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.9	1.1	0.1	27.9	0.1	4.76	4.36
SAN JOAQUIN	7885, HMX	4	0.0	2.6	0.9	0.1	23.3	1.5	5.00	4.47	6	0.0	2.2	0.8	0.3	24.0	1.6	5.12	4.44
SAN JOAQUIN	MIX	4	0.0	1.8	1.1	0.3	24.3	1.9	5.23	4.36	5	0.0	1.6	1.2	0.2	23.6	1.6	5.26	4.35
SAN JOAQUIN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	3.0	0.5	22.5	2.0	5.05	4.32
SAN JOAQUIN	292, BQ	1	0.0	0.0	2.5	0.0	24.0	0.0	5.20	4.35	2	0.0	0.8	2.3	0.5	23.0	0.5	5.30	4.38
SAN JOAQUIN	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	9.0	0.0	39.0	1.0	4.70	4.32
SAN JOAQUIN	1296, HZ	1	0.0	0.0	2.0	0.0	26.0	1.0	4.80	4.29	1	0.0	0.0	2.0	0.0	26.0	1.0	4.80	4.29
SAN JOAQUIN	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	25.0	3.5	4.70	4.44
SAN JOAQUIN	7040, BOS	1	0.0	0.0	0.5	0.0	23.0	0.0	6.10	4.35	1	0.0	0.0	0.5	0.0	23.0	0.0	6.10	4.35
SAN JOAQUIN		5,491	0.0	1.2	1.4	0.7	23.9	1.6	5.24	4.35	10,693	0.0	1.2	1.5	0.7	24.1	1.5	5.20	4.34
SANTA CLARA	6366, SUN	112	0.0	0.1	1.1	2.3	26.8	1.5	4.61	4.30	112	0.0	0.1	1.1	2.3	26.8	1.5	4.61	4.30
SANTA CLARA	206, BQ	95	0.0	0.3	1.0	0.7	25.9	2.1	4.99	4.26	95	0.0	0.3	1.0	0.7	25.9	2.1	4.99	4.26
SANTA CLARA		207	0.0	0.2	1.0	1.6	26.4	1.8	4.79	4.28	207	0.0	0.2	1.0	1.6	26.4	1.8	4.79	4.28
SOLANO	6404, N	539	0.0	1.0	0.7	2.4	23.1	2.8	4.90	4.41	1,481	0.0	1.1	1.5	2.0	24.3	2.5	4.98	4.41
SOLANO	0319, DRI	215	0.0	1.5	0.1	0.5	24.1	2.4	5.54	4.36	1,217	0.0	1.1	0.4	0.4	24.6	2.0	5.63	4.34
SOLANO	0311, AB	91	0.0	0.8	0.1	0.2	22.6	1.5	5.26	4.29	1,140	0.0	1.0	0.7	0.4	24.8	1.4	5.61	4.34
SOLANO	5608, HZ	444	0.0	1.5	0.5	1.5	22.9	1.7	4.60	4.40	929	0.0	1.4	0.6	1.2	23.3	1.2	4.62	4.38
SOLANO	255, CXD	147	0.0	0.7	0.4	0.3	24.0	1.1	5.17	4.34	725	0.0	1.0	0.7	0.3	25.3	1.0	5.23	4.34
SOLANO	6402, N	3	0.0	0.7	0.5	0.2	24.0	1.8	5.87	4.39	470	0.0	0.9	1.0	0.5	24.9	1.1	5.22	4.41
SOLANO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	442	0.0	0.7	0.8	0.4	25.2	1.7	5.63	4.37
SOLANO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	325	0.0	0.6	0.9	0.3	26.1	2.9	5.12	4.36
SOLANO	5508, HZ	120	0.0	0.4	0.2	0.2	22.9	0.4	4.49	4.35	303	0.0	0.5	0.3	0.1	23.9	0.3	4.45	4.32
SOLANO	205, BQ	84	0.0	0.9	0.2	0.5	24.2	1.8	5.30	4.33	285	0.0	0.9	0.5	0.6	24.8	1.9	5.36	4.34
SOLANO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	268	0.0	0.6	0.6	0.3	25.6	3.3	5.48	4.33
SOLANO	1161, HEINZ	74	0.0	1.9	0.1	0.3	24.2	2.0	5.19	4.31	267	0.0	1.4	0.2	0.6	24.9	2.2	5.42	4.33
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.4	0.4	0.1	27.4	0.6	4.91	4.33
SOLANO	6407, N	141	0.0	0.6	0.4	0.6	24.1	1.3	5.72	4.35	194	0.0	0.7	0.4	0.6	24.5	1.4	5.67	4.36
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.4	0.8	0.4	24.4	1.3	5.64	4.43
SOLANO	6410, N	93	0.0	0.4	0.6	0.3	25.3	1.2	5.01	4.30	173	0.0	0.7	0.8	0.3	25.5	1.1	5.29	4.32
SOLANO	206, BQ	143	0.0	0.8	0.1	0.2	24.0	2.0	5.22	4.35	143	0.0	0.8	0.1	0.2	24.0	2.0	5.22	4.35
SOLANO	19406, UG	8	0.0	0.3	0.2	2.1	24.6	1.1	5.60	4.22	136	0.0	0.6	1.4	0.4	25.4	0.3	5.08	4.25
SOLANO	9905, HARRIS MORAN	114	0.0	0.5	1.3	3.5	23.2	1.3	5.43	4.41	121	0.0	0.5	1.4	3.4	23.2	1.3	5.45	4.41

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	0.9	1.7	0.5	24.0	2.1	5.58	4.45
SOLANO	1892, HMX	24	0.0	2.0	0.1	0.3	25.0	1.5	5.05	4.46	108	0.0	2.1	0.2	0.5	24.8	1.1	5.10	4.45
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.3	1.5	0.3	26.7	3.0	5.36	4.23
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.4	1.1	0.2	25.8	1.0	4.72	4.31
SOLANO	849, HYPEEL	85	0.0	1.3	0.6	0.7	24.9	0.8	5.45	4.31	85	0.0	1.3	0.6	0.7	24.9	0.8	5.45	4.31
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	1.0	0.8	0.2	24.5	4.2	5.13	4.45
SOLANO	322, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.8	0.6	0.4	22.9	0.7	5.00	4.37
SOLANO	163, BQ	38	0.0	0.6	0.9	0.1	24.4	1.3	5.77	4.28	38	0.0	0.6	0.9	0.1	24.4	1.3	5.77	4.28
SOLANO	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	1.0	0.3	1.0	24.7	2.4	4.72	4.51
SOLANO	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.5	0.8	0.2	25.8	1.0	5.02	4.40
SOLANO	1015, HEINZ	6	0.0	0.7	1.2	2.6	22.5	1.3	5.67	4.45	6	0.0	0.7	1.2	2.6	22.5	1.3	5.67	4.45
SOLANO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.7	1.7	0.3	23.6	0.9	5.44	4.37
SOLANO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.8	1.7	0.5	23.4	0.9	5.22	4.48
SOLANO	2005, HZ	2	0.0	0.5	0.0	0.5	23.0	3.8	5.50	4.41	5	0.0	0.9	0.2	0.5	23.4	4.2	5.30	4.37
SOLANO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	0.3	0.4	24.8	0.2	5.34	4.43
SOLANO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.5	0.4	24.5	3.9	5.38	4.42
SOLANO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.8	2.8	0.3	25.8	0.6	4.83	4.46
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.0	0.1	28.0	2.0	5.25	4.41
SOLANO	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.5	3.7	0.5	25.3	1.5	4.93	4.45
SOLANO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	1.3	1.5	24.0	1.0	5.70	4.33
SOLANO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	0.0	0.5	24.0	4.3	5.30	4.40
SOLANO	3, AB	1	0.0	0.5	0.5	0.0	22.0	1.0	5.60	4.40	1	0.0	0.5	0.5	0.0	22.0	1.0	5.60	4.40
SOLANO	2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	21.0	1.5	5.70	4.57
SOLANO	7040, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	23.0	0.5	5.80	4.44
SOLANO		2,372	0.0	1.0	0.5	1.2	23.6	1.8	5.07	4.37	9,728	0.0	1.0	0.8	0.7	24.7	1.7	5.25	4.36
STANISLAUS	0311, AB	455	0.0	2.2	0.8	0.1	23.0	1.9	5.59	4.31	1,132	0.0	1.5	2.3	0.1	23.4	1.8	5.74	4.32
STANISLAUS	0319, DRI	283	0.0	0.8	2.2	0.1	24.3	2.0	5.63	4.34	577	0.0	0.6	1.7	0.1	23.9	1.7	6.05	4.34
STANISLAUS	6402, N	148	0.0	0.4	0.5	0.1	22.3	1.0	5.76	4.39	541	0.0	1.0	0.6	0.1	23.1	1.1	5.70	4.36
STANISLAUS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	427	0.0	0.9	1.5	0.2	22.9	1.4	5.97	4.39
STANISLAUS	5608, HZ	63	0.0	0.6	1.0	0.0	23.6	1.5	5.11	4.45	349	0.0	0.7	2.6	0.0	24.5	1.7	5.01	4.43
STANISLAUS	205, BQ	120	0.0	0.8	0.3	0.0	23.1	2.4	5.71	4.36	288	0.0	0.9	0.2	0.1	23.5	2.1	5.64	4.34
STANISLAUS	2401, HEINZ	35	0.0	0.4	5.4	0.1	27.1	1.0	4.64	4.23	192	0.0	0.3	4.8	0.1	26.6	0.7	4.89	4.25
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.3	3.6	0.1	22.5	2.5	5.52	4.30
STANISLAUS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	169	0.0	1.5	3.6	0.1	26.1	1.8	4.99	4.41
STANISLAUS	4707, HEINZ	100	0.0	0.1	2.1	0.0	25.8	0.7	4.98	4.34	140	0.0	0.1	2.4	0.0	26.2	0.7	4.99	4.34
STANISLAUS	6404, N	104	0.0	1.0	0.5	0.0	25.3	0.7	5.19	4.31	127	0.0	1.0	0.5	0.0	24.7	1.0	5.34	4.35
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.3	4.6	0.1	24.1	0.8	5.07	4.30
STANISLAUS	7883, HM	101	0.0	0.5	0.6	0.1	24.5	0.7	4.95	4.45	121	0.0	0.4	0.7	0.1	24.4	0.8	5.01	4.46
STANISLAUS	1892, HMX	33	0.0	1.5	0.2	0.1	25.5	1.2	5.52	4.40	105	0.0	1.8	0.4	0.0	25.8	1.2	5.51	4.41

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STANISLAUS	1292, HZ	69	0.0	0.2	1.1	0.5	23.2	2.9	4.90	4.43	69	0.0	0.2	1.1	0.5	23.2	2.9	4.90	4.43
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.1	0.9	0.1	23.0	0.7	6.08	4.49
STANISLAUS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.5	1.6	0.3	24.3	0.3	5.77	4.24
STANISLAUS	3, AB	1	0.0	2.5	1.5	0.0	24.0	0.5	5.10	4.32	40	0.0	4.0	4.4	0.2	25.9	1.2	4.79	4.40
STANISLAUS	206, BQ	37	0.0	0.1	0.6	0.1	26.5	1.3	5.44	4.29	37	0.0	0.1	0.6	0.1	26.5	1.3	5.44	4.29
STANISLAUS	6410, N	25	0.0	1.5	0.5	0.1	24.9	2.1	5.76	4.40	25	0.0	1.5	0.5	0.1	24.9	2.1	5.76	4.40
STANISLAUS	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.6	6.8	0.0	25.6	1.0	4.63	4.31
STANISLAUS	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.9	0.5	0.0	22.1	1.5	5.73	4.46
STANISLAUS	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	1.6	1.1	0.1	25.5	0.9	4.71	4.28
STANISLAUS	163, BQ	18	0.0	0.3	0.3	0.1	23.7	5.2	5.63	4.33	18	0.0	0.3	0.3	0.1	23.7	5.2	5.63	4.33
STANISLAUS	UNCODED	1	0.0	2.0	0.0	0.0	22.0	2.0	5.50	4.42	2	0.0	1.5	0.0	0.0	22.5	2.5	5.55	4.40
STANISLAUS	204, BQ	1	0.0	0.0	0.0	0.0	24.0	3.5	6.00	4.45	1	0.0	0.0	0.0	0.0	24.0	3.5	6.00	4.45
STANISLAUS	2005, CTAN	1	0.0	0.0	0.0	0.5	23.0	1.5	5.50	4.44	1	0.0	0.0	0.0	0.5	23.0	1.5	5.50	4.44
STANISLAUS		1,595	0.0	1.1	1.1	0.1	23.9	1.7	5.45	4.35	4,802	0.0	0.9	1.9	0.1	23.9	1.5	5.56	4.35
SUTTER	5608, HZ	476	0.0	3.1	1.8	1.0	23.2	1.3	4.85	4.41	2,639	0.0	2.5	1.5	1.2	23.8	1.3	4.95	4.40
SUTTER	5701, HZ	62	0.0	4.2	2.4	1.3	23.6	1.3	5.24	4.38	781	0.0	3.0	4.0	1.0	25.4	0.7	4.88	4.35
SUTTER	4707, HEINZ	324	0.0	1.7	4.2	2.5	24.3	0.6	4.96	4.34	707	0.0	1.4	3.3	2.3	24.6	0.7	5.09	4.34
SUTTER	0319, DRI	115	0.0	2.6	0.7	0.2	24.0	2.3	5.50	4.39	676	0.0	1.5	0.6	0.3	24.1	2.2	5.89	4.41
SUTTER	2401, HEINZ	344	0.0	2.0	3.2	1.1	25.1	0.6	4.61	4.27	533	0.0	2.1	2.7	1.6	24.7	0.8	4.85	4.30
SUTTER	282, CXD	146	0.0	5.8	1.7	0.4	24.5	1.5	4.91	4.38	450	0.0	2.7	1.3	2.3	24.5	2.4	5.05	4.40
SUTTER	5702, HZ	30	0.0	2.7	1.9	1.5	23.5	0.7	4.64	4.42	396	0.0	2.1	2.5	1.6	23.8	0.6	4.91	4.38
SUTTER	0311, AB	139	0.0	3.5	0.8	0.1	22.5	0.6	6.08	4.26	375	0.0	2.2	0.7	0.2	22.7	0.9	5.74	4.34
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	281	0.0	0.8	2.0	2.0	24.6	0.8	5.00	4.42
SUTTER	6407, N	164	0.0	1.1	1.0	0.2	24.1	0.9	5.55	4.31	274	0.0	1.7	0.9	0.3	24.5	1.4	5.51	4.37
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.8	0.2	0.2	23.7	2.0	5.39	4.49
SUTTER	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.8	2.6	1.2	24.5	4.7	5.35	4.47
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.5	0.5	0.2	25.2	3.8	5.28	4.29
SUTTER	5508, HZ	98	0.0	0.4	1.1	0.7	23.8	0.9	4.89	4.33	110	0.0	0.5	1.1	0.7	23.7	0.9	4.97	4.33
SUTTER	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	0.9	1.3	0.1	23.6	0.9	6.54	4.30
SUTTER	8232, SV	28	0.0	2.5	0.6	0.3	23.7	2.5	5.41	4.33	92	0.0	1.6	0.4	0.2	23.3	4.1	5.41	4.37
SUTTER	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	1.1	0.4	0.2	23.3	1.2	5.53	4.53
SUTTER	6402, N	1	0.0	0.5	0.5	0.0	24.0	0.0	6.00	4.22	70	0.0	1.1	1.7	1.8	24.7	1.3	5.39	4.42
SUTTER	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	3.6	2.0	0.9	24.4	2.9	5.84	4.39
SUTTER	2, BP	8	0.0	1.6	1.8	0.6	25.6	1.6	4.81	4.40	57	0.0	1.5	0.4	0.1	25.0	1.8	4.75	4.47
SUTTER	HEINZ TRIAL	39	0.0	2.5	2.4	0.4	25.5	1.5	4.74	4.34	39	0.0	2.5	2.4	0.4	25.5	1.5	4.74	4.34
SUTTER	1310, HZ	30	0.0	2.4	1.1	0.3	23.8	3.6	5.09	4.44	39	0.0	2.2	1.0	0.2	23.7	3.2	5.11	4.43
SUTTER	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.1	0.5	25.3	3.2	5.61	4.30
SUTTER	9663, HEINZ	21	0.0	2.3	2.9	1.6	22.7	0.9	5.26	4.29	21	0.0	2.3	2.9	1.6	22.7	0.9	5.26	4.29
SUTTER	6410, N	19	0.0	3.4	3.2	0.6	26.6	1.2	5.14	4.39	19	0.0	3.4	3.2	0.6	26.6	1.2	5.14	4.39

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
SUTTER	142, BQ	2	0.0	1.3	2.3	0.5	24.0	5.5	4.35	4.47	3	0.0	1.3	2.3	0.5	23.3	5.5	4.77	4.45
SUTTER	1427, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	1.3	0.0	22.7	3.7	5.37	4.40
SUTTER	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	2.5	0.0	26.0	0.5	4.90	4.36
SUTTER	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	2.5	25.0	0.5	5.70	4.34
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	22.0	1.5	5.60	4.43
SUTTER	1282, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	3.0	0.5	24.0	1.0	5.20	4.28
SUTTER	1425, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	1.5	0.0	25.0	3.0	5.00	4.43
SUTTER	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	25.0	3.0	4.90	4.49
SUTTER		2,046	0.0	2.6	2.2	1.0	24.0	1.1	5.03	4.34	8,189	0.0	2.1	1.9	1.2	24.2	1.4	5.15	4.38
TULARE	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	228	0.0	4.7	3.1	0.9	23.9	1.1	5.10	4.37
TULARE	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	4.1	7.4	2.9	25.4	1.8	5.14	4.44
TULARE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.4	2.6	0.6	24.8	4.0	5.04	4.50
TULARE	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.1	2.7	5.8	0.3	26.6	1.9	5.41	4.36
TULARE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	4.2	4.0	1.3	24.4	1.7	5.11	4.40
YOLO	5608, HZ	1,287	0.0	1.4	0.9	0.5	23.1	0.7	4.43	4.37	8,990	0.0	1.2	0.8	0.7	23.4	0.7	4.59	4.36
YOLO	6404, N	398	0.0	1.3	1.7	3.2	24.3	1.7	4.95	4.38	3,708	0.0	1.3	1.8	1.8	24.7	1.6	4.88	4.39
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,431	0.0	0.7	0.8	0.5	23.4	1.7	5.15	4.43
YOLO	0319, DRI	606	0.0	1.7	0.6	0.5	24.1	2.0	5.50	4.31	2,762	0.0	1.3	0.6	0.5	24.2	1.6	5.58	4.31
YOLO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,531	0.0	0.9	0.9	0.7	24.4	2.0	5.12	4.38
YOLO	0311, AB	32	0.0	1.8	0.9	0.5	23.5	1.2	5.48	4.31	1,972	0.0	1.4	1.0	0.3	23.6	1.1	5.43	4.33
YOLO	6402, N	117	0.0	1.7	0.8	0.6	25.4	1.7	4.86	4.39	1,931	0.0	0.7	0.8	0.9	24.0	1.4	5.05	4.39
YOLO	255, CXD	303	0.0	1.1	1.3	0.6	24.6	1.2	5.00	4.32	1,454	0.0	1.0	1.0	0.4	25.4	1.3	4.94	4.34
YOLO	282, CXD	339	0.0	4.6	0.7	0.2	24.0	0.8	4.27	4.38	1,313	0.0	3.2	0.8	0.2	24.4	1.1	4.39	4.37
YOLO	9905, HARRIS MORAN	498	0.0	0.5	1.1	0.2	24.0	0.6	5.05	4.41	1,145	0.0	0.4	1.2	0.9	24.7	0.8	4.97	4.42
YOLO	4707, HEINZ	334	0.0	0.7	0.6	2.0	23.6	1.0	4.78	4.39	1,079	0.0	2.3	1.3	1.8	24.5	0.8	4.68	4.37
YOLO	6407, N	240	0.0	1.0	0.2	0.2	24.9	0.6	4.92	4.36	1,071	0.0	1.0	0.3	0.3	25.9	0.7	4.92	4.36
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,057	0.0	0.5	1.1	0.5	24.7	2.8	5.44	4.27
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,055	0.0	0.2	1.2	0.8	24.4	1.4	4.96	4.42
YOLO	2401, HEINZ	186	0.0	0.9	1.8	1.5	24.7	0.6	4.49	4.27	973	0.0	0.7	2.7	1.4	26.0	0.7	4.35	4.28
YOLO	1892, HMX	274	0.0	0.5	1.8	2.6	24.6	1.2	4.91	4.34	944	0.0	0.4	1.7	1.4	24.3	1.0	5.19	4.34
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	930	0.0	0.3	0.8	0.7	24.1	3.0	5.07	4.40
YOLO	5508, HZ	263	0.0	0.5	0.5	1.3	25.2	0.8	4.32	4.37	712	0.0	0.4	0.6	0.6	25.3	0.6	4.43	4.33
YOLO	5701, HZ	260	0.0	0.6	1.5	2.7	23.8	0.4	4.73	4.30	662	0.0	0.8	2.6	2.2	25.0	0.7	4.71	4.30
YOLO	19406, UG	316	0.0	0.9	2.1	0.2	24.6	0.6	4.69	4.24	618	0.0	1.1	2.1	0.2	24.5	0.6	4.70	4.26
YOLO	205, BQ	76	0.0	0.4	1.0	0.4	26.5	1.9	4.88	4.26	536	0.0	1.2	0.8	0.8	24.9	1.3	5.31	4.30
YOLO	1893, HMX	15	0.0	0.5	0.9	0.6	25.3	3.4	4.91	4.30	492	0.0	0.5	0.6	0.2	25.2	2.6	4.92	4.30
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	474	0.0	0.3	0.7	0.4	26.8	1.2	5.30	4.35
YOLO	5702, HZ	201	0.0	0.7	2.1	2.0	22.3	0.4	4.65	4.37	473	0.0	0.6	3.8	3.3	22.8	0.3	4.79	4.34

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.3	0.9	0.5	24.4	1.0	5.15	4.33
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.3	0.8	1.3	22.5	5.2	5.09	4.48
YOLO	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	331	0.0	0.4	1.1	0.6	23.6	2.3	5.11	4.39
YOLO	206, BQ	26	0.0	1.2	0.3	1.0	25.1	1.3	5.20	4.25	323	0.0	1.0	0.4	0.2	25.6	2.0	4.85	4.28
YOLO	16609, UG	13	0.0	2.3	1.2	0.3	23.5	2.9	4.48	4.32	279	0.0	0.6	0.5	0.3	25.0	2.0	4.63	4.31
YOLO	1175, HEINZ	212	0.0	0.2	0.8	0.7	23.4	0.2	4.61	4.41	257	0.0	0.2	0.9	0.6	23.3	0.2	4.72	4.41
YOLO	8504, HEINZ	136	0.0	1.0	2.5	1.4	25.9	0.7	4.98	4.24	254	0.0	0.9	2.3	1.1	26.1	0.6	4.80	4.24
YOLO	6410, N	111	0.0	0.9	1.4	0.9	24.0	0.9	5.38	4.32	253	0.0	0.8	1.1	0.6	24.8	0.8	5.17	4.34
YOLO	849, HYPEEL	173	0.0	1.3	0.3	0.5	24.1	0.9	4.87	4.32	220	0.0	1.2	0.4	0.4	24.2	0.9	4.83	4.31
YOLO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	198	0.0	0.2	0.3	0.4	22.5	0.2	4.71	4.41
YOLO	650, PS	1	0.0	1.0	0.0	0.0	23.0	0.0	4.10	4.36	190	0.0	1.3	0.2	0.1	25.3	0.5	4.77	4.32
YOLO	1292, HZ	41	0.0	0.1	0.2	0.1	23.9	1.5	5.01	4.35	160	0.0	1.8	0.8	1.1	22.6	1.4	5.34	4.39
YOLO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	148	0.0	0.3	0.5	0.3	25.1	2.5	5.36	4.33
YOLO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	2.0	0.3	0.2	25.4	0.8	4.43	4.41
YOLO	HEINZ TRIAL	2	0.0	3.0	2.0	1.0	22.0	2.3	4.10	4.43	98	0.0	0.9	1.5	4.5	24.2	0.8	4.82	4.35
YOLO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	2.0	1.4	0.7	24.0	2.6	5.42	4.33
YOLO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.5	2.3	1.8	24.9	1.6	4.78	4.35
YOLO	1161, HEINZ	21	0.0	1.4	0.2	0.5	22.8	2.7	5.48	4.32	65	0.0	0.8	1.4	0.4	26.1	1.8	5.34	4.35
YOLO	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.1	2.1	0.5	27.1	1.0	5.13	4.30
YOLO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.7	2.7	0.9	24.0	0.9	5.55	4.49
YOLO	268, BQ	9	0.0	2.8	9.9	0.3	27.0	0.9	4.98	4.34	48	0.0	1.9	2.1	0.8	24.8	3.4	5.41	4.33
YOLO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.5	1.0	0.5	26.9	1.8	5.13	4.45
YOLO	2, AB	1	0.0	3.0	2.0	1.0	25.0	0.5	4.10	4.44	36	0.0	1.3	1.5	0.3	24.9	1.3	5.17	4.31
YOLO	322, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.5	2.0	0.6	25.6	0.7	5.17	4.30
YOLO	MIX	12	0.0	2.9	2.7	0.5	26.1	0.8	4.35	4.35	24	0.0	2.4	1.5	0.3	25.5	1.4	4.63	4.35
YOLO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.4	0.5	26.5	0.5	4.97	4.37
YOLO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	2.6	0.7	0.3	24.3	2.8	5.24	4.32
YOLO	1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
YOLO	9995, HEINZ	4	0.0	0.3	0.3	0.0	24.0	0.3	4.95	4.48	14	0.0	0.2	0.5	0.1	25.5	0.4	4.81	4.41
YOLO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.2	0.2	0.0	26.1	0.2	5.19	4.31
YOLO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	1.0	3.0	0.5	25.6	1.0	5.46	4.38
YOLO	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.6	1.6	0.2	23.2	2.9	5.53	4.44
YOLO	2005, HZ	3	0.0	0.5	1.3	0.3	27.7	1.8	4.90	4.32	8	0.0	1.0	0.7	0.2	25.1	1.4	5.09	4.29
YOLO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.2	0.5	0.3	25.6	5.1	4.70	4.36
YOLO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.4	1.2	0.3	23.8	3.8	5.32	4.38
YOLO	2, BP	1	0.0	2.5	1.0	1.0	28.0	0.0	4.10	4.43	5	0.0	1.3	2.7	0.4	27.6	0.4	4.32	4.34
YOLO	142, BQ	2	0.0	7.0	3.0	0.3	29.0	3.0	4.45	4.46	5	0.0	3.6	3.2	0.3	25.8	3.0	4.60	4.44
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.1	24.8	1.4	4.82	4.34

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - County by Variety



County	Variety Name	Week Ending 9/6/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	1.6	0.2	25.0	0.8	4.50	4.39
YOLO	1425, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	2.1	0.2	23.0	1.6	4.90	4.54
YOLO	1427, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.5	1.4	0.1	22.8	2.3	4.75	4.50
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.8	0.0	25.3	0.3	4.50	4.33
YOLO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	3.0	0.2	23.0	4.3	5.53	4.37
YOLO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	0.0	0.0	24.0	2.8	5.85	4.40
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.5	26.0	3.5	4.90	4.46
YOLO	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49
YOLO		6,513	0.0	1.2	1.1	1.0	24.1	1.0	4.79	4.35	44,649	0.0	1.0	1.1	0.8	24.2	1.3	4.94	4.36