

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - Statewide by Variety



Variety Name	Week Ending 8/16/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	1,883	0.0	1.2	1.4	0.5	23.9	1.7	5.47	4.39	37,715	0.0	0.7	1.4	0.7	24.0	1.9	5.53	4.39
5608, HZ	8,978	0.0	2.0	2.1	1.2	23.4	1.3	4.93	4.38	29,235	0.0	1.3	2.0	0.8	23.1	1.1	5.11	4.38
6397, N	671	0.0	0.9	2.1	0.6	23.3	1.6	5.27	4.43	15,886	0.0	0.6	1.8	0.8	23.7	1.4	5.23	4.41
8504, HEINZ	4,448	0.0	0.4	2.6	0.4	24.7	0.7	5.04	4.29	11,624	0.0	0.4	3.1	0.5	24.6	0.8	5.02	4.28
1015, HEINZ	464	0.0	0.5	2.0	0.6	23.5	0.8	5.08	4.41	11,581	0.0	0.3	1.6	0.6	23.3	1.0	5.23	4.44
0311, AB	2,837	0.0	1.7	1.7	0.4	23.3	1.3	5.72	4.35	10,505	0.0	1.0	1.6	0.5	22.9	1.4	5.84	4.34
6402, N	931	0.0	1.1	0.5	0.7	22.9	1.9	5.35	4.45	10,419	0.0	0.7	1.2	1.2	23.6	1.7	5.47	4.41
6404, N	2,815	0.0	1.9	2.4	1.1	24.4	2.1	5.32	4.40	10,077	0.0	1.2	2.4	1.1	24.3	1.9	5.32	4.40
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8,775	0.0	0.3	2.1	0.4	24.4	2.2	4.89	4.40
0319, DRI	3,152	0.0	1.5	1.0	0.5	24.0	1.9	5.57	4.37	8,398	0.0	1.4	0.9	0.4	23.9	1.6	5.73	4.36
410, APT	76	0.0	0.6	0.9	0.3	24.1	1.4	5.12	4.40	5,771	0.0	0.4	1.5	0.6	24.2	2.7	5.08	4.38
6394, N	667	0.0	0.9	3.9	1.7	24.0	2.7	5.45	4.40	5,233	0.0	0.7	2.1	1.2	23.2	2.4	5.53	4.44
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,048	0.0	0.7	3.1	1.3	24.2	3.7	5.17	4.39
2401, HEINZ	2,661	0.0	2.0	3.5	1.0	25.7	0.9	4.73	4.30	3,458	0.0	1.9	3.2	0.9	25.4	0.8	4.77	4.29
6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,840	0.0	0.3	1.0	0.3	24.0	3.4	5.18	4.36
4707, HEINZ	1,784	0.0	1.7	2.7	1.1	25.1	0.6	5.01	4.36	2,810	0.0	1.5	2.8	0.9	25.1	0.8	5.11	4.36
1292, HZ	764	0.0	1.2	1.0	0.4	22.5	2.2	5.39	4.47	2,680	0.0	1.0	1.2	0.5	22.1	1.8	5.57	4.48
205, BQ	661	0.0	2.3	1.0	0.3	24.1	1.8	5.69	4.33	2,669	0.0	1.2	1.4	0.5	24.7	2.0	5.50	4.34
2, AB	274	0.0	0.9	1.3	0.4	26.0	3.2	5.29	4.34	2,529	0.0	1.0	1.5	0.5	23.9	2.1	5.66	4.32
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,450	0.0	0.2	1.9	0.7	24.4	1.5	5.14	4.32
163, BQ	325	0.0	1.2	2.7	0.6	24.0	3.6	5.47	4.38	2,256	0.0	0.3	1.8	0.4	23.8	3.6	6.07	4.35
19406, UG	738	0.0	0.8	3.2	0.6	24.7	0.5	5.55	4.26	2,149	0.0	0.5	2.2	0.6	23.8	0.5	5.83	4.27
7885, HMX	559	0.0	0.6	0.4	0.2	24.1	0.6	4.90	4.56	2,094	0.0	0.5	0.4	0.2	23.6	0.5	5.08	4.54
255, CXD	919	0.0	1.6	0.8	0.2	24.6	1.5	5.21	4.37	2,071	0.0	1.4	0.7	0.3	24.6	1.5	5.12	4.38
1161, HEINZ	200	0.0	1.2	2.2	0.2	24.3	2.5	5.89	4.36	1,977	0.0	0.6	1.8	0.4	24.3	1.9	6.14	4.34
3402, HEINZ	279	0.0	0.1	2.7	1.6	23.2	1.0	5.64	4.41	1,895	0.0	0.1	2.3	0.9	23.4	0.9	5.47	4.42
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,880	0.0	0.3	1.1	0.4	25.0	2.6	5.48	4.27
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,462	0.0	0.6	1.8	0.3	23.3	1.9	5.04	4.32
0599, SV	55	0.0	1.4	1.5	0.6	27.4	1.1	4.84	4.40	1,441	0.0	0.4	1.1	0.6	26.6	1.2	5.13	4.37
UNCODED	260	0.0	2.4	12.5	1.7	26.1	4.4	5.22	4.41	1,257	0.0	1.4	10.4	1.0	27.7	5.3	5.20	4.38
1893, HMX	36	0.0	1.1	0.8	0.3	24.9	2.1	5.10	4.36	1,151	0.0	0.4	0.7	0.3	24.9	2.5	5.09	4.31
5003, HEINZ	1	0.0	4.0	0.0	3.5	21.0	24.5	5.00	4.64	1,022	0.0	0.7	1.7	1.2	23.7	4.2	5.15	4.49
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
9663, HEINZ	361	0.0	7.6	5.3	0.3	23.7	1.7	4.80	4.46	929	0.0	4.9	3.9	0.5	23.4	1.7	4.95	4.40
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	918	0.0	0.1	1.7	0.5	24.6	1.7	5.18	4.31

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - Statewide by Variety



Variety Name	Week Ending 8/16/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
3, AB	414	0.0	1.0	1.4	0.4	23.9	2.3	5.49	4.32	898	0.0	0.9	1.3	0.3	23.8	1.9	5.48	4.32
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	836	0.0	0.2	1.5	0.3	24.3	1.7	5.39	4.31
2601, HEINZ	31	0.0	0.9	1.2	0.4	24.0	0.7	5.20	4.41	801	0.0	0.4	1.0	0.3	24.0	1.4	5.12	4.44
16609, UG	72	0.0	0.9	1.0	0.3	24.3	2.8	5.48	4.34	777	0.0	0.5	0.9	0.3	24.3	2.6	5.44	4.33
204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	745	0.0	0.0	0.9	0.3	24.9	1.2	5.16	4.32
1170, HEINZ	155	0.0	1.6	1.3	0.3	24.2	1.9	5.21	4.41	733	0.0	0.7	1.1	0.2	24.0	1.0	5.56	4.36
6412, N	53	0.0	1.3	1.2	0.3	22.7	2.6	5.51	4.36	714	0.0	0.9	1.6	0.9	24.0	4.2	5.08	4.42
1293, HZ	8	0.0	1.4	1.3	0.9	22.5	0.1	5.54	4.55	683	0.0	0.8	1.4	0.4	23.1	0.5	5.68	4.49
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	640	0.0	0.5	2.0	0.4	23.1	3.2	5.51	4.38
1892, HMX	422	0.0	0.7	2.0	1.3	24.7	1.0	5.13	4.34	615	0.0	0.6	1.8	1.1	24.4	1.5	5.34	4.39
282, CXD	285	0.0	0.9	0.9	1.1	24.5	1.5	4.66	4.36	605	0.0	1.3	1.0	2.0	25.0	1.9	4.71	4.38
5508, HZ	75	0.0	0.4	0.4	0.1	24.9	0.4	4.39	4.29	601	0.0	0.2	2.0	0.3	25.2	0.5	4.77	4.31
6385, N	240	0.0	0.6	1.5	0.3	22.8	1.1	4.81	4.43	490	0.0	0.4	1.0	0.4	22.3	1.9	5.18	4.42
5702, HZ	218	0.0	7.7	4.7	0.8	24.2	0.4	4.99	4.46	464	0.0	3.9	3.2	0.6	24.1	0.5	5.19	4.41
9905, HARRIS MORAN	192	0.0	0.4	2.1	1.4	24.5	1.2	5.22	4.45	436	0.0	0.4	1.2	0.7	25.0	0.8	5.01	4.45
6368, SUN	207	0.0	0.4	0.3	0.3	21.4	1.6	6.07	4.42	426	0.0	0.4	0.3	0.3	22.1	1.1	5.73	4.35
9780, HEINZ	3	0.0	1.2	2.5	0.3	22.7	3.7	6.07	4.37	409	0.0	0.5	2.3	0.5	23.4	2.4	5.98	4.31
5701, HZ	404	0.0	1.0	4.3	1.2	26.0	0.6	4.86	4.30	404	0.0	1.0	4.3	1.2	26.0	0.6	4.86	4.30
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	353	0.0	0.0	0.9	0.3	23.2	1.1	4.83	4.28
1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	340	0.0	0.5	1.6	0.2	23.4	0.7	4.80	4.42
67212, BOS	171	0.0	2.8	1.3	0.2	23.2	2.8	5.12	4.42	328	0.0	1.9	1.1	0.3	22.8	3.0	5.37	4.41
2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.1	2.4	0.5	25.9	1.0	5.09	4.32
6407, N	121	0.0	2.4	0.7	0.4	25.2	2.2	5.33	4.46	326	0.0	1.1	1.7	0.9	24.5	2.2	5.61	4.40
18806, UG	284	0.0	0.6	0.8	0.2	25.2	1.2	4.89	4.29	302	0.0	0.6	0.8	0.2	25.3	1.2	4.89	4.28
296, BQ	16	0.0	4.3	0.8	0.4	24.3	1.9	5.61	4.36	216	0.0	1.1	1.8	0.9	23.8	1.9	5.85	4.35
MIX	50	0.0	1.4	0.8	0.5	24.2	1.6	4.93	4.50	200	0.1	5.6	1.4	0.4	24.3	2.0	4.80	4.56
1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	176	0.0	0.1	2.0	1.5	26.4	0.9	5.05	4.45
6410, N	63	0.0	0.6	0.5	0.2	26.0	0.3	4.62	4.34	168	0.0	0.5	0.4	0.2	24.6	0.5	4.91	4.35
816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
206, BQ	133	0.0	0.4	0.2	0.1	24.8	2.4	4.83	4.26	134	0.0	0.4	0.3	0.1	24.8	2.4	4.85	4.26
HEINZ TRIAL	31	0.0	1.0	3.1	0.8	23.2	0.8	5.05	4.38	86	0.0	1.7	3.0	0.5	22.7	1.3	5.23	4.42
1570, RPT	84	0.0	0.7	1.3	0.3	25.5	3.4	4.93	4.41	85	0.0	0.7	1.3	0.3	25.5	3.3	4.93	4.41
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.7	0.7	0.1	24.1	0.5	5.23	4.43

2014 Processing Tomato Season
PTAB Analysis (8/16/14) - Statewide by Variety



Variety Name	Week Ending 8/16/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
7776, NDM	24	0.0	0.6	6.8	0.0	25.6	1.0	4.63	4.31	56	0.0	0.4	4.6	0.3	24.2	2.9	5.49	4.38
0299, PX	50	0.0	6.2	0.9	0.1	24.4	3.2	4.96	4.41	52	0.0	6.1	0.8	0.1	24.4	3.2	4.96	4.41
10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.2	0.6	0.5	23.8	3.3	4.71	4.49
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.3	2.6	0.2	22.4	2.0	5.58	4.41
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.1	0.7	0.5	24.3	1.2	5.16	4.33
31060, ISI	24	0.0	0.6	1.9	0.2	23.9	2.0	5.69	4.38	24	0.0	0.6	1.9	0.2	23.9	2.0	5.69	4.38
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43
6415, N	22	0.0	0.1	0.2	0.0	21.9	0.4	5.63	4.38	22	0.0	0.1	0.2	0.0	21.9	0.4	5.63	4.38
1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.9	0.6	0.3	22.4	1.3	5.66	4.51
2005, HZ	12	0.0	1.3	0.3	0.1	24.7	3.5	5.34	4.37	12	0.0	1.3	0.3	0.1	24.7	3.5	5.34	4.37
4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.2	0.8	0.3	25.3	4.7	4.93	4.38
322, C	11	0.0	0.5	0.5	0.7	24.8	0.6	5.24	4.31	11	0.0	0.5	0.5	0.7	24.8	0.6	5.24	4.31
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	0.7	0.1	26.1	0.5	4.75	4.39
1056, CPL	7	0.0	0.4	0.1	0.6	22.7	0.4	4.36	4.41	7	0.0	0.4	0.1	0.6	22.7	0.4	4.36	4.41
1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.6	0.8	0.4	23.6	2.2	6.24	4.40
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.0	0.3	27.3	2.5	5.13	4.43
66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
3888, HMX	5	0.0	0.5	0.3	0.4	24.8	0.2	5.34	4.43	5	0.0	0.5	0.3	0.4	24.8	0.2	5.34	4.43
CAL MARZANO 2	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	2.4	0.3	23.3	3.4	5.25	4.38
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	3.0	0.2	23.0	4.3	5.53	4.37
299, PX	2	0.0	4.3	0.3	0.0	23.5	7.3	5.15	4.46	2	0.0	4.3	0.3	0.0	23.5	7.3	5.15	4.46
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	0.8	0.8	0.3	23.5	0.3	5.15	4.53
108, HYPEEL	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38
116, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	8.0	0.5	23.0	0.0	5.40	4.27
0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
292, BQ	1	0.0	1.5	0.5	2.0	23.0	1.5	5.00	4.47	1	0.0	1.5	0.5	2.0	23.0	1.5	5.00	4.47
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
650, PS	1	0.0	1.5	0.5	0.5	25.0	1.5	4.20	4.67	1	0.0	1.5	0.5	0.5	25.0	1.5	4.20	4.67
STATEWIDE	40,695	0.0	1.5	2.1	0.8	24.1	1.4	5.19	4.37	227,491	0.0	0.8	1.8	0.7	23.9	1.7	5.33	4.38