

2014 Processing Tomato Season
PTAB Analysis (8/23/14) - Statewide by Variety



Variety Name	Week Ending 8/23/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	1,664	0.0	1.2	1.1	0.8	24.0	2.2	5.39	4.38	39,382	0.0	0.7	1.4	0.7	24.0	1.9	5.52	4.39
5608, HZ	7,748	0.0	2.5	2.1	1.1	24.1	1.2	4.76	4.40	36,990	0.0	1.6	2.0	0.8	23.3	1.1	5.03	4.38
8504, HEINZ	5,379	0.0	0.9	2.4	0.5	24.6	1.0	4.99	4.32	17,004	0.0	0.5	2.9	0.5	24.6	0.8	5.01	4.29
6397, N	646	0.0	1.4	0.9	0.6	23.7	2.5	5.19	4.46	16,532	0.0	0.6	1.8	0.8	23.7	1.4	5.22	4.41
6404, N	3,200	0.0	2.2	2.0	1.1	24.2	2.4	5.23	4.42	13,277	0.0	1.4	2.3	1.1	24.3	2.1	5.30	4.41
0311, AB	2,336	0.0	2.3	1.8	0.5	23.2	1.8	5.75	4.37	12,857	0.0	1.3	1.6	0.5	23.0	1.5	5.83	4.35
1015, HEINZ	90	0.0	0.2	1.8	0.9	25.2	1.0	4.76	4.43	11,671	0.0	0.3	1.6	0.6	23.3	1.0	5.22	4.44
0319, DRI	3,412	0.0	1.6	0.9	0.4	24.5	1.8	5.71	4.36	11,647	0.0	1.4	0.9	0.4	24.0	1.6	5.73	4.36
6402, N	679	0.0	1.2	0.9	0.5	24.0	1.5	5.53	4.41	11,100	0.0	0.7	1.2	1.1	23.7	1.7	5.47	4.41
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8,775	0.0	0.3	2.1	0.4	24.4	2.2	4.89	4.40
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,771	0.0	0.4	1.5	0.6	24.2	2.7	5.08	4.38
2401, HEINZ	2,270	0.0	1.5	3.3	1.2	25.8	1.0	4.83	4.31	5,728	0.0	1.7	3.2	1.0	25.6	0.9	4.79	4.30
6394, N	280	0.0	1.4	1.6	1.2	23.4	2.7	5.85	4.42	5,513	0.0	0.7	2.1	1.2	23.2	2.4	5.55	4.44
4707, HEINZ	1,724	0.0	1.2	3.1	1.1	25.7	0.7	4.90	4.34	4,534	0.0	1.4	2.9	1.0	25.4	0.8	5.03	4.35
66509, BOS	60	0.0	2.3	0.8	1.0	23.1	0.6	5.72	4.48	4,108	0.0	0.7	3.0	1.3	24.2	3.7	5.18	4.39
1292, HZ	692	0.0	1.6	1.3	0.4	22.4	1.8	5.40	4.46	3,372	0.0	1.1	1.2	0.5	22.2	1.8	5.53	4.47
255, CXD	1,224	0.0	2.1	0.8	0.4	24.2	1.5	5.34	4.37	3,295	0.0	1.7	0.7	0.3	24.4	1.5	5.20	4.37
205, BQ	562	0.0	1.1	0.7	0.4	24.2	1.5	5.69	4.31	3,231	0.0	1.2	1.3	0.5	24.6	1.9	5.54	4.33
2, AB	388	0.0	1.0	1.1	0.4	25.0	2.3	5.51	4.32	2,917	0.0	1.0	1.5	0.5	24.0	2.2	5.64	4.32
6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,840	0.0	0.3	1.0	0.3	24.0	3.4	5.18	4.36
7885, HMX	711	0.0	0.8	0.8	0.4	24.0	0.8	4.85	4.57	2,826	0.0	0.6	0.5	0.3	23.7	0.6	5.02	4.55
19406, UG	583	0.0	0.9	3.0	0.7	24.2	1.2	5.64	4.29	2,732	0.0	0.6	2.4	0.6	23.9	0.7	5.79	4.28
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,450	0.0	0.2	1.9	0.7	24.4	1.5	5.14	4.32
163, BQ	95	0.0	0.8	1.3	0.1	23.1	1.0	5.94	4.30	2,351	0.0	0.4	1.8	0.4	23.7	3.5	6.06	4.35
3402, HEINZ	284	0.0	0.2	1.8	1.6	23.9	0.7	5.06	4.38	2,179	0.0	0.1	2.2	1.0	23.4	0.9	5.41	4.41
1161, HEINZ	186	0.0	0.7	2.4	0.4	24.4	1.8	5.91	4.30	2,163	0.0	0.6	1.9	0.4	24.3	1.9	6.12	4.34
1892, HMX	1,213	0.0	1.2	2.8	1.2	24.2	1.2	5.25	4.39	1,992	0.0	1.1	2.3	1.1	24.2	1.3	5.28	4.39
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,880	0.0	0.3	1.1	0.4	25.0	2.6	5.48	4.27
9663, HEINZ	800	0.0	3.5	4.3	0.2	23.5	2.2	5.07	4.41	1,729	0.0	4.2	4.0	0.3	23.4	1.9	5.01	4.40
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,462	0.0	0.6	1.8	0.3	23.3	1.9	5.04	4.32
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,441	0.0	0.4	1.1	0.6	26.6	1.2	5.13	4.37
UNCODED	97	0.0	1.8	1.4	1.3	23.6	1.4	4.98	4.40	1,353	0.0	1.4	9.7	1.0	27.4	5.0	5.18	4.38
3, AB	354	0.0	3.6	3.6	0.4	26.0	2.3	4.82	4.38	1,251	0.0	1.7	1.9	0.3	24.4	2.0	5.29	4.34
5701, HZ	815	0.0	2.7	3.2	1.5	25.9	0.8	4.75	4.35	1,219	0.0	2.1	3.6	1.4	26.0	0.7	4.79	4.33
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,151	0.0	0.4	0.7	0.3	24.9	2.5	5.09	4.31

2014 Processing Tomato Season
PTAB Analysis (8/23/14) - Statewide by Variety



Variety Name	Week Ending 8/23/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
282, CXD	465	0.0	2.5	0.9	0.2	23.8	1.4	4.42	4.38	1,070	0.0	1.8	0.9	1.2	24.5	1.7	4.58	4.38
5508, HZ	452	0.0	0.4	2.0	0.5	24.9	0.5	4.52	4.29	1,053	0.0	0.3	2.0	0.4	25.1	0.5	4.66	4.30
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,022	0.0	0.7	1.7	1.2	23.7	4.2	5.15	4.49
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
16609, UG	215	0.0	2.5	0.5	0.3	24.0	1.5	4.85	4.34	992	0.0	1.0	0.8	0.3	24.3	2.3	5.31	4.33
1170, HEINZ	255	0.0	0.5	0.8	0.3	23.4	0.3	4.72	4.41	968	0.0	0.5	1.0	0.3	23.9	0.8	5.35	4.37
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	918	0.0	0.1	1.7	0.5	24.6	1.7	5.18	4.31
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	836	0.0	0.2	1.5	0.3	24.3	1.7	5.39	4.31
2601, HEINZ	7	0.0	0.6	2.9	0.3	26.9	0.6	4.97	4.40	808	0.0	0.4	1.0	0.3	24.0	1.4	5.12	4.44
5702, HZ	290	0.0	1.4	2.8	2.3	24.4	0.9	4.95	4.37	754	0.0	2.9	3.0	1.3	24.2	0.7	5.10	4.39
204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	745	0.0	0.0	0.9	0.3	24.9	1.2	5.16	4.32
6412, N	12	0.0	0.9	1.0	0.3	23.0	2.7	5.50	4.46	726	0.0	0.9	1.6	0.9	24.0	4.2	5.09	4.42
1293, HZ	37	0.0	0.9	3.1	1.1	24.5	0.9	5.28	4.48	720	0.0	0.8	1.5	0.4	23.2	0.6	5.66	4.49
1175, HEINZ	352	0.0	0.8	1.2	0.4	22.5	1.0	5.18	4.47	692	0.0	0.6	1.4	0.3	22.9	0.8	5.00	4.45
6407, N	336	0.0	0.6	0.6	0.4	26.2	0.8	5.21	4.34	662	0.0	0.8	1.1	0.6	25.3	1.5	5.40	4.37
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	640	0.0	0.5	2.0	0.4	23.1	3.2	5.51	4.38
6385, N	149	0.0	1.3	1.6	0.2	23.7	1.3	4.76	4.41	639	0.0	0.6	1.2	0.4	22.6	1.8	5.08	4.42
9905, HARRIS MORAN	199	0.0	0.3	2.6	2.0	25.4	1.5	5.14	4.40	634	0.0	0.3	1.6	1.1	25.1	1.0	5.05	4.43
18806, UG	266	0.0	0.8	0.9	0.2	25.3	1.7	4.87	4.33	568	0.0	0.7	0.9	0.2	25.3	1.4	4.88	4.30
6368, SUN	61	0.0	2.6	0.4	0.1	24.0	1.2	5.75	4.38	487	0.0	0.6	0.3	0.3	22.3	1.1	5.74	4.36
9780, HEINZ	61	0.0	0.1	2.1	0.5	27.1	1.0	5.13	4.30	470	0.0	0.5	2.3	0.5	23.8	2.2	5.87	4.31
67212, BOS	114	0.0	3.0	0.9	0.6	22.7	5.3	4.75	4.43	442	0.0	2.2	1.1	0.4	22.7	3.6	5.21	4.42
296, BQ	171	0.0	3.2	0.7	0.3	23.6	2.6	5.39	4.42	387	0.0	2.0	1.3	0.6	23.7	2.2	5.65	4.38
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	353	0.0	0.0	0.9	0.3	23.2	1.1	4.83	4.28
2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.1	2.4	0.5	25.9	1.0	5.09	4.32
6410, N	143	0.0	1.7	2.0	0.6	26.4	1.1	5.21	4.38	311	0.0	1.1	1.2	0.4	25.4	0.8	5.05	4.36
1570, RPT	216	0.0	0.6	1.5	0.5	24.7	3.8	4.96	4.44	301	0.0	0.6	1.4	0.4	24.9	3.7	4.95	4.43
MIX	34	0.0	1.7	1.3	0.4	23.4	1.3	5.10	4.46	213	0.1	5.3	1.5	0.4	24.1	1.9	4.88	4.54
1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	176	0.0	0.1	2.0	1.5	26.4	0.9	5.05	4.45
816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
HEINZ TRIAL	59	0.0	0.7	2.9	6.7	25.8	1.0	4.79	4.34	145	0.0	1.3	3.0	3.0	24.0	1.2	5.05	4.39
206, BQ	6	0.0	3.3	0.6	0.0	28.2	0.6	5.08	4.29	140	0.0	0.5	0.3	0.1	25.0	2.3	4.86	4.26
002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
650, PS	131	0.0	1.5	0.2	0.1	25.4	0.5	4.82	4.33	132	0.0	1.5	0.2	0.1	25.4	0.5	4.81	4.34
6420, N	40	0.0	1.4	3.6	0.2	26.5	0.8	5.12	4.42	109	0.0	0.9	1.7	0.2	25.0	0.6	5.19	4.43

2014 Processing Tomato Season
PTAB Analysis (8/23/14) - Statewide by Variety



Variety Name	Week Ending 8/23/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
9494, HEINZ	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
0299, PX	17	0.0	3.5	0.4	0.1	22.9	4.6	4.58	4.49	71	0.0	5.4	0.7	0.1	24.1	3.7	4.87	4.43
26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
3888, HMX	55	0.0	1.2	2.7	0.9	26.0	1.1	5.61	4.42	60	0.0	1.1	2.5	0.9	25.9	1.1	5.59	4.42
7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	0.4	4.6	0.3	24.2	2.9	5.49	4.38
10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.2	0.6	0.5	23.8	3.3	4.71	4.49
2005, HZ	38	0.0	1.2	0.3	0.1	23.9	2.9	5.55	4.39	50	0.0	1.2	0.3	0.1	24.1	3.0	5.50	4.38
8232, SV	40	0.0	1.4	0.2	0.2	22.8	5.3	5.36	4.43	40	0.0	1.4	0.2	0.2	22.8	5.3	5.36	4.43
8516, SV	40	0.0	0.6	0.3	0.4	23.3	4.1	5.70	4.48	40	0.0	0.6	0.3	0.4	23.3	4.1	5.70	4.48
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.3	2.6	0.2	22.4	2.0	5.58	4.41
3155,BOS	33	0.0	1.1	1.7	0.4	25.1	3.5	5.74	4.47	33	0.0	1.1	1.7	0.4	25.1	3.5	5.74	4.47
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.1	0.7	0.5	24.3	1.2	5.16	4.33
6415, N	5	0.0	0.5	2.5	0.6	24.2	1.2	5.18	4.33	27	0.0	0.2	0.6	0.1	22.3	0.5	5.55	4.37
31060, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.6	1.9	0.2	23.9	2.0	5.69	4.38
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43
322, C	10	0.0	0.3	5.0	0.6	28.2	0.2	5.37	4.22	21	0.0	0.4	2.6	0.6	26.4	0.4	5.30	4.26
1296, HZ	14	0.0	2.7	0.6	0.4	24.4	3.2	5.05	4.32	21	0.0	2.0	0.7	0.4	24.1	2.9	5.45	4.34
1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.9	0.6	0.3	22.4	1.3	5.66	4.51
4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.2	0.8	0.3	25.3	4.7	4.93	4.38
3887, HMX	11	0.0	1.8	3.0	0.4	25.5	1.5	5.55	4.38	11	0.0	1.8	3.0	0.4	25.5	1.5	5.55	4.38
9916, SV	11	0.0	1.0	1.0	0.3	23.9	0.8	5.48	4.45	11	0.0	1.0	1.0	0.3	23.9	0.8	5.48	4.45
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	0.7	0.1	26.1	0.5	4.75	4.39
MISC EXP	5	0.0	0.5	1.0	0.2	23.2	2.6	5.76	4.49	9	0.0	0.6	1.6	0.2	23.2	2.9	5.53	4.44
292, BQ	7	0.0	2.0	0.7	0.3	22.6	1.9	5.74	4.35	8	0.0	1.9	0.7	0.5	22.6	1.8	5.65	4.37
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.0	0.3	27.3	2.5	5.13	4.43
66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
416, BQ	2	0.0	2.3	1.8	0.0	29.5	1.0	5.15	4.47	5	0.0	1.2	2.5	0.1	25.6	3.0	5.38	4.41
1310, HZ	5	0.0	0.9	1.6	0.2	25.0	0.8	4.50	4.39	5	0.0	0.9	1.6	0.2	25.0	0.8	4.50	4.39
1425, HZ	5	0.0	0.4	2.1	0.2	23.0	1.6	4.90	4.54	5	0.0	0.4	2.1	0.2	23.0	1.6	4.90	4.54
CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
2, BP	4	0.0	1.0	3.1	0.3	27.5	0.5	4.38	4.31	4	0.0	1.0	3.1	0.3	27.5	0.5	4.38	4.31
1311, HZ	4	0.0	2.8	0.5	0.1	23.8	3.5	5.55	4.41	4	0.0	2.8	0.5	0.1	23.8	3.5	5.55	4.41

2014 Processing Tomato Season
PTAB Analysis (8/23/14) - Statewide by Variety



Variety Name	Week Ending 8/23/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1427, HZ	4	0.0	0.5	1.4	0.1	22.8	2.3	4.75	4.50	4	0.0	0.5	1.4	0.1	22.8	2.3	4.75	4.50
3884, HMX	4	0.0	2.1	0.6	0.3	25.0	1.6	6.05	4.42	4	0.0	2.1	0.6	0.3	25.0	1.6	6.05	4.42
142, BQ	3	0.0	1.3	3.3	0.3	23.7	3.0	4.70	4.42	3	0.0	1.3	3.3	0.3	23.7	3.0	4.70	4.42
1308, HZ	2	0.0	0.5	2.8	0.3	22.5	2.3	5.20	4.50	2	0.0	0.5	2.8	0.3	22.5	2.3	5.20	4.50
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	0.8	0.8	0.3	23.5	0.3	5.15	4.53
31305, UG	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38
116, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	8.0	0.5	23.0	0.0	5.40	4.27
0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
1422, HZ	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49
2002, CYEL	1	0.0	0.5	0.5	0.0	24.0	2.0	5.80	4.29	1	0.0	0.5	0.5	0.0	24.0	2.0	5.80	4.29
2009, CYEL	1	0.0	0.0	1.0	0.0	21.0	1.5	5.70	4.57	1	0.0	0.0	1.0	0.0	21.0	1.5	5.70	4.57
3885, HMX	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34
7040, BOS	1	0.0	1.0	1.0	0.0	23.0	0.5	5.80	4.44	1	0.0	1.0	1.0	0.0	23.0	0.5	5.80	4.44
7707, SV	1	0.0	1.0	2.5	0.0	22.0	0.0	5.20	4.48	1	0.0	1.0	2.5	0.0	22.0	0.0	5.20	4.48
STATEWIDE	41,977	0.0	1.7	2.0	0.8	24.3	1.5	5.13	4.37	269,468	0.0	1.0	1.8	0.7	24.0	1.6	5.30	4.38