

2014 Processing Tomato Season
PTAB Analysis (8/30/14) - Statewide by Variety



Variety Name	Week Ending 8/30/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
5608, HZ	7,366	0.0	3.1	2.3	1.1	23.5	1.4	4.77	4.40	44,354	0.0	1.8	2.1	0.9	23.3	1.2	4.99	4.38
6366, SUN	1,285	0.0	1.8	1.4	0.9	23.1	2.1	5.53	4.41	40,667	0.0	0.7	1.4	0.7	24.0	1.9	5.52	4.39
8504, HEINZ	6,020	0.0	0.7	2.9	0.6	24.2	0.9	5.19	4.31	23,024	0.0	0.6	2.9	0.5	24.5	0.9	5.06	4.30
6397, N	177	0.0	0.9	0.6	0.3	24.2	1.5	5.11	4.40	16,710	0.0	0.6	1.8	0.8	23.7	1.4	5.22	4.41
6404, N	2,735	0.0	2.3	1.5	1.2	23.8	2.5	5.08	4.44	16,012	0.0	1.6	2.2	1.1	24.2	2.1	5.26	4.41
0319, DRI	3,222	0.0	1.5	1.4	0.5	24.1	1.7	5.93	4.36	14,877	0.0	1.4	1.0	0.4	24.1	1.7	5.77	4.36
0311, AB	1,429	0.0	2.5	1.6	0.3	23.3	1.6	5.62	4.32	14,280	0.0	1.4	1.6	0.5	23.0	1.5	5.80	4.34
6402, N	823	0.0	1.3	0.6	0.3	23.4	1.3	5.63	4.40	11,923	0.0	0.8	1.2	1.1	23.6	1.6	5.49	4.41
1015, HEINZ	16	0.0	1.3	5.3	0.9	25.6	1.2	4.36	4.33	11,699	0.0	0.3	1.6	0.6	23.3	1.0	5.22	4.44
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8,775	0.0	0.3	2.1	0.4	24.4	2.2	4.89	4.40
2401, HEINZ	2,620	0.0	1.8	2.9	0.8	24.9	1.1	4.97	4.30	8,348	0.0	1.8	3.1	0.9	25.4	0.9	4.85	4.30
4707, HEINZ	2,320	0.0	1.1	2.6	1.0	25.3	0.7	4.93	4.35	6,854	0.0	1.3	2.8	1.0	25.3	0.8	4.99	4.35
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,771	0.0	0.4	1.5	0.6	24.2	2.7	5.08	4.38
6394, N	11	0.0	1.7	1.2	0.9	24.7	1.5	5.55	4.48	5,521	0.0	0.7	2.0	1.2	23.2	2.4	5.55	4.44
205, BQ	1,041	0.0	1.5	0.8	0.5	23.9	1.9	5.73	4.34	4,272	0.0	1.3	1.2	0.5	24.5	1.9	5.58	4.33
255, CXD	874	0.0	1.4	0.9	0.3	24.7	1.2	5.18	4.33	4,169	0.0	1.6	0.8	0.3	24.5	1.4	5.20	4.36
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,108	0.0	0.7	3.0	1.3	24.2	3.7	5.18	4.39
1292, HZ	600	0.0	1.4	2.0	0.6	22.5	3.0	5.48	4.45	3,972	0.0	1.1	1.3	0.5	22.2	2.0	5.52	4.47
19406, UG	1,195	0.0	1.5	1.5	0.3	23.9	0.9	5.28	4.30	3,924	0.0	0.9	2.1	0.5	23.9	0.7	5.64	4.28
1892, HMX	1,719	0.0	1.6	1.6	0.7	24.3	1.3	5.24	4.41	3,711	0.0	1.3	2.0	0.9	24.2	1.3	5.26	4.40
7885, HMX	521	0.0	0.5	0.8	0.2	23.8	0.6	5.03	4.51	3,347	0.0	0.6	0.6	0.3	23.8	0.6	5.02	4.54
2, AB	251	0.0	1.3	0.9	0.4	25.3	2.7	5.02	4.32	3,168	0.0	1.1	1.4	0.5	24.1	2.2	5.59	4.32
6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,840	0.0	0.3	1.0	0.3	24.0	3.4	5.18	4.36
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,450	0.0	0.2	1.9	0.7	24.4	1.5	5.14	4.32
3402, HEINZ	236	0.0	0.4	2.2	2.3	23.9	1.0	4.81	4.43	2,415	0.0	0.1	2.2	1.2	23.5	0.9	5.36	4.41
1161, HEINZ	202	0.0	1.0	0.5	0.5	24.3	2.2	5.79	4.31	2,365	0.0	0.7	1.8	0.4	24.3	1.9	6.09	4.33
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,351	0.0	0.4	1.8	0.4	23.7	3.5	6.06	4.35
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,880	0.0	0.3	1.1	0.4	25.0	2.6	5.48	4.27
9663, HEINZ	128	0.0	6.0	6.5	0.3	25.0	1.7	4.82	4.41	1,857	0.0	4.4	4.2	0.3	23.5	1.9	4.99	4.40
5701, HZ	532	0.0	3.9	3.0	2.2	25.3	0.7	4.76	4.36	1,751	0.0	2.6	3.4	1.6	25.8	0.7	4.78	4.34
3, AB	210	0.0	3.3	2.8	0.3	26.5	1.9	4.80	4.40	1,462	0.0	1.9	2.1	0.3	24.7	2.0	5.22	4.35
1170, HEINZ	494	0.0	1.1	1.6	0.5	24.4	0.8	5.46	4.39	1,462	0.0	0.7	1.2	0.3	24.0	0.8	5.39	4.38
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,462	0.0	0.6	1.8	0.3	23.3	1.9	5.04	4.32
5702, HZ	702	0.0	1.0	4.1	1.7	24.0	0.4	4.83	4.35	1,456	0.0	2.0	3.5	1.5	24.1	0.6	4.97	4.37
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,430	0.0	0.4	1.1	0.6	26.6	1.2	5.13	4.37
282, CXD	305	0.0	4.3	1.0	0.3	25.5	0.9	4.58	4.36	1,375	0.0	2.4	1.0	1.0	24.7	1.5	4.58	4.38
UNCODED	48	0.0	2.1	6.4	1.9	27.9	6.3	4.82	4.34	1,370	0.0	1.4	9.8	1.1	27.5	5.1	5.19	4.38

2014 Processing Tomato Season
PTAB Analysis (8/30/14) - Statewide by Variety



Variety Name	Week Ending 8/30/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
5508, HZ	297	0.0	1.5	1.3	1.7	26.0	0.5	4.27	4.35	1,350	0.0	0.6	1.9	0.7	25.3	0.5	4.58	4.31
6407, N	681	0.0	1.4	0.3	0.2	26.1	0.6	4.91	4.36	1,343	0.0	1.1	0.7	0.4	25.7	1.0	5.15	4.37
1893, HMX	75	0.0	0.9	0.7	0.4	24.9	1.5	5.22	4.26	1,226	0.0	0.5	0.7	0.3	24.9	2.5	5.10	4.31
16609, UG	62	0.0	1.3	1.6	0.4	24.1	1.2	5.17	4.34	1,054	0.0	1.0	0.9	0.3	24.3	2.3	5.31	4.33
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,022	0.0	0.7	1.7	1.2	23.7	4.2	5.15	4.49
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
2601, HEINZ	163	0.0	1.6	1.4	0.4	24.0	3.1	4.75	4.44	971	0.0	0.6	1.1	0.3	24.0	1.7	5.06	4.44
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	918	0.0	0.1	1.7	0.5	24.6	1.7	5.18	4.31
6410, N	564	0.0	1.7	2.1	0.5	27.0	0.8	5.09	4.38	875	0.0	1.5	1.8	0.5	26.4	0.8	5.08	4.37
1175, HEINZ	152	0.0	1.0	1.3	0.2	23.7	0.3	5.07	4.42	844	0.0	0.7	1.4	0.3	23.1	0.7	5.01	4.44
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	836	0.0	0.2	1.5	0.3	24.3	1.7	5.39	4.31
1293, HZ	115	0.0	1.0	2.0	0.7	23.9	1.7	5.72	4.51	835	0.0	0.8	1.6	0.4	23.3	0.7	5.67	4.49
6368, SUN	347	0.0	4.9	0.6	0.2	22.8	1.2	5.63	4.43	834	0.0	2.4	0.4	0.3	22.5	1.1	5.69	4.39
6385, N	186	0.0	3.8	1.2	0.3	23.2	2.1	4.30	4.50	825	0.0	1.3	1.2	0.4	22.7	1.8	4.90	4.43
9905, HARRIS MORAN	137	0.0	0.6	2.0	1.7	25.0	0.7	4.98	4.39	771	0.0	0.4	1.7	1.2	25.1	1.0	5.04	4.42
204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	745	0.0	0.0	0.9	0.3	24.9	1.2	5.16	4.32
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	725	0.0	0.9	1.6	0.9	24.0	4.2	5.09	4.42
18806, UG	102	0.0	0.9	1.5	0.3	25.5	0.7	4.89	4.30	670	0.0	0.7	1.0	0.2	25.3	1.3	4.88	4.30
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	640	0.0	0.5	2.0	0.4	23.1	3.2	5.51	4.38
9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	470	0.0	0.5	2.3	0.5	23.8	2.2	5.87	4.31
67212, BOS	24	0.0	2.8	1.6	0.8	24.7	2.9	4.52	4.40	466	0.0	2.2	1.1	0.4	22.8	3.5	5.17	4.42
206, BQ	321	0.0	1.0	0.9	0.7	25.8	1.6	5.23	4.30	461	0.0	0.9	0.7	0.5	25.6	1.8	5.12	4.29
296, BQ	33	0.0	2.8	0.6	0.7	23.9	3.2	5.18	4.34	420	0.0	2.1	1.2	0.7	23.7	2.3	5.61	4.38
1570, RPT	52	0.0	1.5	1.8	0.3	24.9	2.6	4.92	4.44	353	0.0	0.8	1.5	0.4	24.9	3.5	4.95	4.43
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	353	0.0	0.0	0.9	0.3	23.2	1.1	4.83	4.28
2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.1	2.4	0.5	25.9	1.0	5.09	4.32
650, PS	100	0.0	0.7	0.8	0.2	24.7	0.8	5.19	4.34	232	0.0	1.2	0.4	0.2	25.1	0.7	4.98	4.34
MIX	9	0.0	1.3	1.4	0.6	24.2	2.2	5.24	4.40	222	0.1	5.2	1.5	0.5	24.1	1.9	4.90	4.54
HEINZ TRIAL	1	0.0	1.0	9.0	0.0	39.0	1.0	4.70	4.32	181	0.0	1.4	2.6	2.6	23.9	1.1	4.96	4.39
1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	176	0.0	0.1	2.0	1.5	26.4	0.9	5.05	4.45
6420, N	53	0.0	1.2	1.0	0.4	24.0	2.0	5.22	4.43	162	0.0	1.0	1.5	0.2	24.7	1.0	5.20	4.43
816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
292, BQ	137	0.0	3.0	0.7	0.5	23.1	1.8	5.29	4.43	145	0.0	2.9	0.7	0.5	23.1	1.8	5.31	4.43
002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
5705, HZ	108	0.0	1.4	2.1	1.4	23.1	2.1	4.39	4.38	108	0.0	1.4	2.1	1.4	23.1	2.1	4.39	4.38
9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45
268, BQ	62	0.0	1.3	0.3	0.6	24.1	3.4	5.67	4.34	84	0.0	1.3	0.2	0.5	23.8	2.9	5.61	4.36

2014 Processing Tomato Season
PTAB Analysis (8/30/14) - Statewide by Variety



Variety Name	Week Ending 8/30/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
322, C	53	0.0	0.8	0.6	0.4	23.0	0.8	4.97	4.37	74	0.0	0.7	1.1	0.5	23.9	0.7	5.06	4.34
0299, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	5.4	0.7	0.1	24.1	3.7	4.87	4.43
26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
8232, SV	24	0.0	0.9	0.5	0.2	23.7	4.0	5.51	4.32	64	0.0	1.2	0.3	0.2	23.1	4.8	5.41	4.39
3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	1.1	2.5	0.9	25.9	1.1	5.59	4.42
7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	0.4	4.6	0.3	24.2	2.9	5.49	4.38
2, BP	49	0.0	1.5	0.1	0.1	24.9	1.8	4.74	4.48	53	0.0	1.5	0.4	0.1	25.1	1.7	4.71	4.47
2005, HZ	3	0.0	1.2	0.3	0.5	23.7	4.5	5.17	4.35	53	0.0	1.2	0.3	0.1	24.1	3.1	5.48	4.38
10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.2	0.6	0.5	23.8	3.3	4.71	4.49
849, HYPEEL	47	0.0	0.8	0.7	0.2	24.4	0.7	4.69	4.29	47	0.0	0.8	0.7	0.2	24.4	0.7	4.69	4.29
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.6	0.3	0.4	23.3	4.1	5.70	4.48
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.3	2.6	0.2	22.4	2.0	5.58	4.41
3155,BOS	1	0.0	0.5	0.5	1.0	23.0	4.0	5.60	4.49	34	0.0	1.1	1.6	0.4	25.1	3.5	5.74	4.47
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.1	0.7	0.5	24.3	1.2	5.16	4.33
6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	0.2	0.6	0.1	22.3	0.5	5.55	4.37
1296, HZ	5	0.0	3.8	0.4	0.5	24.0	2.4	5.18	4.30	26	0.0	2.3	0.6	0.4	24.1	2.8	5.40	4.34
3887, HMX	13	0.0	1.2	0.2	0.0	26.1	0.2	5.19	4.31	24	0.0	1.5	1.5	0.2	25.8	0.8	5.35	4.34
31060, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.6	1.9	0.2	23.9	2.0	5.69	4.38
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43
7883, HM	20	0.0	0.2	1.6	0.2	23.9	1.1	5.36	4.52	22	0.0	0.3	1.5	0.2	23.8	1.0	5.34	4.52
1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.9	0.6	0.3	22.4	1.3	5.66	4.51
1310, HZ	9	0.0	1.7	0.5	0.2	23.6	1.8	5.14	4.41	14	0.0	1.4	0.9	0.2	24.1	1.5	4.91	4.41
4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.2	0.8	0.3	25.3	4.7	4.93	4.38
9916, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	1.0	1.0	0.3	23.9	0.8	5.48	4.45
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	0.7	0.1	26.1	0.5	4.75	4.39
MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.6	1.6	0.2	23.2	2.9	5.53	4.44
1427, HZ	3	0.0	1.3	1.3	0.0	22.7	3.7	5.37	4.40	7	0.0	0.9	1.4	0.1	22.7	2.9	5.01	4.46
1425, HZ	1	0.0	2.0	1.5	0.0	25.0	3.0	5.00	4.43	6	0.0	0.7	2.0	0.2	23.3	1.8	4.92	4.52
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.0	0.3	27.3	2.5	5.13	4.43
66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	2.5	0.1	25.6	3.0	5.38	4.41
1311, HZ	1	0.0	1.5	0.0	0.5	22.0	1.0	5.70	4.31	5	0.0	2.5	0.4	0.2	23.4	3.0	5.58	4.39
CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
142, BQ	1	0.0	1.5	2.5	0.5	22.0	5.5	5.60	4.42	4	0.0	1.4	3.1	0.4	23.3	3.6	4.93	4.42
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.1	0.6	0.3	25.0	1.6	6.05	4.42

2014 Processing Tomato Season
PTAB Analysis (8/30/14) - Statewide by Variety



Variety Name	Week Ending 8/30/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.8	0.3	22.5	2.3	5.20	4.50
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38
116, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	8.0	0.5	23.0	0.0	5.40	4.27
0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
1282, HZ	1	0.0	2.0	3.0	0.5	24.0	1.0	5.20	4.28	1	0.0	2.0	3.0	0.5	24.0	1.0	5.20	4.28
1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49
2002, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.0	5.80	4.29
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	21.0	1.5	5.70	4.57
2930, K	1	0.0	1.5	1.5	1.0	24.0	3.0	5.90	4.60	1	0.0	1.5	1.5	1.0	24.0	3.0	5.90	4.60
3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34
3907, HMX	1	0.0	2.0	0.5	0.0	25.0	2.0	5.80	4.38	1	0.0	2.0	0.5	0.0	25.0	2.0	5.80	4.38
7040, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	23.0	0.5	5.80	4.44
7707, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	2.5	0.0	22.0	0.0	5.20	4.48
STATEWIDE	41,096	0.0	1.8	2.0	0.8	24.2	1.4	5.16	4.37	310,564	0.0	1.1	1.9	0.7	24.0	1.6	5.28	4.38