

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - Statewide by Variety



Variety Name	Week Ending 9/6/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
5608, HZ	5,293	0.0	2.1	1.8	1.2	23.4	1.4	4.82	4.39	49,651	0.0	1.9	2.0	0.9	23.3	1.2	4.97	4.39
6366, SUN	1,348	0.0	0.7	1.7	0.9	23.7	1.3	5.42	4.35	42,012	0.0	0.7	1.4	0.7	24.0	1.9	5.52	4.39
8504, HEINZ	5,529	0.0	0.8	2.9	0.7	24.0	0.9	5.23	4.30	28,554	0.0	0.6	2.9	0.6	24.4	0.9	5.09	4.30
0319, DRI	3,257	0.0	1.5	1.3	0.4	24.2	2.0	5.72	4.35	18,131	0.0	1.4	1.1	0.4	24.1	1.7	5.76	4.36
6404, N	1,866	0.0	1.5	1.9	1.9	23.7	2.7	5.19	4.42	17,879	0.0	1.6	2.1	1.2	24.2	2.2	5.26	4.41
6397, N	42	0.0	0.5	0.4	0.4	25.4	2.2	4.81	4.36	16,752	0.0	0.6	1.8	0.8	23.7	1.4	5.22	4.41
0311, AB	1,479	0.0	2.5	1.2	0.3	22.9	1.6	5.67	4.33	15,758	0.0	1.5	1.6	0.5	23.0	1.5	5.79	4.34
6402, N	1,130	0.0	1.5	0.5	0.3	23.7	1.1	5.29	4.39	13,047	0.0	0.8	1.1	1.0	23.6	1.6	5.47	4.40
2401, HEINZ	3,474	0.0	1.7	2.6	1.0	25.2	0.9	4.86	4.29	11,822	0.0	1.7	3.0	1.0	25.3	0.9	4.85	4.30
1015, HEINZ	41	0.0	1.7	3.9	1.5	24.6	1.6	4.72	4.40	11,740	0.0	0.3	1.6	0.6	23.3	1.0	5.22	4.44
4707, HEINZ	2,377	0.0	1.2	2.9	1.2	25.3	1.2	4.85	4.35	9,231	0.0	1.2	2.8	1.0	25.3	0.9	4.96	4.35
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8,775	0.0	0.3	2.1	0.4	24.4	2.2	4.89	4.40
19406, UG	2,107	0.0	1.5	1.6	0.6	23.7	1.1	5.38	4.30	6,031	0.0	1.1	1.9	0.5	23.8	0.9	5.55	4.29
1892, HMX	2,110	0.0	1.0	1.8	0.8	23.8	1.5	5.35	4.41	5,821	0.0	1.2	1.9	0.9	24.1	1.4	5.29	4.40
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,771	0.0	0.4	1.5	0.6	24.2	2.7	5.08	4.38
6394, N	177	0.0	2.9	0.3	0.6	23.1	2.3	5.30	4.53	5,698	0.0	0.8	2.0	1.2	23.2	2.4	5.54	4.44
205, BQ	704	0.0	1.0	1.1	0.3	24.2	2.1	5.74	4.33	4,976	0.0	1.2	1.2	0.5	24.4	1.9	5.60	4.33
255, CXD	470	0.0	1.0	1.1	0.5	24.6	1.1	5.06	4.33	4,639	0.0	1.5	0.8	0.3	24.5	1.4	5.18	4.36
1292, HZ	586	0.0	1.3	1.8	0.6	23.5	2.0	5.04	4.42	4,558	0.0	1.2	1.4	0.5	22.4	2.0	5.46	4.46
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,108	0.0	0.7	3.0	1.3	24.2	3.7	5.18	4.39
7885, HMX	482	0.0	0.7	0.9	0.4	24.3	0.9	5.04	4.52	3,829	0.0	0.6	0.6	0.3	23.8	0.6	5.02	4.54
2, AB	457	0.0	2.4	1.4	0.4	24.5	1.7	4.94	4.31	3,625	0.0	1.2	1.4	0.5	24.2	2.1	5.51	4.32
3402, HEINZ	543	0.0	0.5	2.1	1.2	24.2	1.1	4.89	4.42	2,958	0.0	0.2	2.2	1.2	23.6	0.9	5.27	4.42
6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,840	0.0	0.3	1.0	0.3	24.0	3.4	5.18	4.36
5701, HZ	959	0.0	1.1	2.6	2.1	25.1	0.5	4.60	4.31	2,710	0.0	2.1	3.2	1.8	25.5	0.7	4.72	4.33
1161, HEINZ	186	0.0	1.6	0.3	0.4	24.8	2.0	5.34	4.30	2,553	0.0	0.7	1.7	0.4	24.3	1.9	6.04	4.33
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,450	0.0	0.2	1.9	0.7	24.4	1.5	5.14	4.32
163, BQ	56	0.0	0.5	0.7	0.1	24.2	2.5	5.72	4.29	2,407	0.0	0.4	1.7	0.4	23.7	3.4	6.06	4.35
5702, HZ	820	0.0	1.7	4.5	1.1	24.6	0.9	4.93	4.39	2,276	0.0	1.9	3.9	1.3	24.3	0.7	4.96	4.38
6407, N	921	0.0	1.1	0.9	0.4	24.9	0.8	5.52	4.33	2,256	0.0	1.1	0.8	0.4	25.4	1.0	5.30	4.35
5508, HZ	821	0.0	0.8	1.1	1.2	25.2	0.7	4.46	4.36	2,171	0.0	0.7	1.6	0.9	25.3	0.6	4.53	4.33
9663, HEINZ	221	0.0	4.3	2.0	0.5	24.2	1.2	5.06	4.36	2,078	0.0	4.3	4.0	0.4	23.6	1.8	5.00	4.40
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,880	0.0	0.3	1.1	0.4	25.0	2.6	5.48	4.27
282, CXD	485	0.0	5.0	1.0	0.3	24.1	1.0	4.46	4.38	1,860	0.0	3.1	1.0	0.8	24.5	1.4	4.55	4.38
1170, HEINZ	211	0.0	1.6	3.5	0.6	26.7	0.7	5.35	4.38	1,673	0.0	0.8	1.5	0.4	24.4	0.8	5.38	4.38

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - Statewide by Variety



Variety Name	Week Ending 9/6/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
3, AB	173	0.0	1.9	0.8	0.2	24.7	1.6	5.18	4.36	1,635	0.0	1.9	1.9	0.3	24.7	1.9	5.22	4.35
9905, HARRIS MORAN	745	0.0	0.8	1.2	0.7	24.0	0.8	5.11	4.42	1,516	0.0	0.6	1.4	1.0	24.6	0.9	5.07	4.42
UNCODED	118	0.0	2.0	2.4	1.1	23.3	1.9	5.33	4.42	1,488	0.0	1.5	9.2	1.1	27.2	4.9	5.20	4.38
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,462	0.0	0.6	1.8	0.3	23.3	1.9	5.04	4.32
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,430	0.0	0.4	1.1	0.6	26.6	1.2	5.13	4.37
1893, HMX	15	0.0	0.5	0.9	0.6	25.3	3.4	4.91	4.30	1,241	0.0	0.5	0.7	0.3	24.9	2.5	5.09	4.31
1175, HEINZ	367	0.0	0.9	1.5	0.6	23.8	0.4	4.65	4.44	1,211	0.0	0.8	1.4	0.4	23.3	0.6	4.90	4.44
206, BQ	730	0.0	1.1	1.0	0.3	24.4	2.0	5.45	4.35	1,191	0.0	1.0	0.9	0.4	24.8	2.0	5.32	4.32
9780, HEINZ	697	0.0	0.5	1.7	2.2	24.9	2.0	5.12	4.30	1,167	0.0	0.5	2.0	1.5	24.4	2.1	5.42	4.31
6410, N	286	0.0	1.1	1.1	0.5	24.6	1.1	5.27	4.34	1,161	0.0	1.4	1.6	0.5	26.0	0.9	5.12	4.36
2601, HEINZ	136	0.0	0.8	1.2	0.3	24.4	2.4	4.67	4.38	1,107	0.0	0.6	1.1	0.3	24.1	1.8	5.01	4.43
16609, UG	17	0.0	2.0	1.1	0.3	23.4	2.5	4.75	4.33	1,071	0.0	1.0	0.9	0.3	24.2	2.3	5.30	4.33
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,022	0.0	0.7	1.7	1.2	23.7	4.2	5.15	4.49
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
6385, N	154	0.0	1.2	1.2	0.2	24.1	2.6	4.93	4.46	979	0.0	1.3	1.2	0.3	23.0	2.0	4.91	4.44
1293, HZ	86	0.0	1.4	1.3	0.6	23.2	1.6	5.44	4.50	922	0.0	0.9	1.5	0.5	23.3	0.8	5.64	4.49
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	918	0.0	0.1	1.7	0.5	24.6	1.7	5.18	4.31
6368, SUN	10	0.0	2.7	3.6	0.4	24.1	0.1	4.66	4.43	844	0.0	2.4	0.4	0.3	22.5	1.1	5.68	4.39
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	836	0.0	0.2	1.5	0.3	24.3	1.7	5.39	4.31
204, BQ	1	0.0	0.0	0.0	0.0	24.0	3.5	6.00	4.45	746	0.0	0.0	0.9	0.3	24.9	1.2	5.16	4.32
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	725	0.0	0.9	1.6	0.9	24.0	4.2	5.09	4.42
18806, UG	52	0.0	1.3	2.2	0.2	25.5	2.5	5.46	4.35	722	0.0	0.8	1.0	0.2	25.3	1.4	4.92	4.31
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	640	0.0	0.5	2.0	0.4	23.1	3.2	5.51	4.38
67212, BOS	3	0.0	7.8	1.0	0.8	25.0	3.8	4.27	4.57	469	0.0	2.3	1.1	0.4	22.9	3.5	5.17	4.42
296, BQ	39	0.0	2.0	1.5	0.6	23.5	1.6	5.41	4.36	459	0.0	2.1	1.3	0.6	23.7	2.2	5.59	4.38
1570, RPT	4	0.0	1.6	2.1	0.5	24.0	3.9	5.00	4.46	356	0.0	0.8	1.5	0.4	24.9	3.5	4.94	4.43
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	353	0.0	0.0	0.9	0.3	23.2	1.1	4.83	4.28
650, PS	104	0.0	1.2	0.9	0.3	23.9	2.0	5.85	4.40	336	0.0	1.2	0.6	0.2	24.7	1.1	5.25	4.36
2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.1	2.4	0.5	25.9	1.0	5.09	4.32
849, HYPEEL	258	0.0	1.3	0.4	0.5	24.4	0.9	5.06	4.32	305	0.0	1.2	0.5	0.5	24.4	0.8	5.00	4.31
HEINZ TRIAL	91	0.0	3.8	1.9	1.5	24.8	1.5	4.78	4.37	280	0.0	2.2	2.3	2.2	24.3	1.2	4.90	4.38
MIX	21	0.0	2.7	1.9	0.5	25.2	1.1	4.71	4.36	243	0.1	5.0	1.5	0.5	24.2	1.9	4.88	4.52
6420, N	20	0.0	2.4	0.9	0.3	23.6	2.4	5.69	4.52	189	0.0	1.2	1.4	0.2	24.5	1.2	5.27	4.44
292, BQ	39	0.0	2.7	1.1	0.6	23.3	3.0	5.00	4.45	182	0.0	2.8	0.8	0.5	23.1	2.1	5.25	4.43
1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	176	0.0	0.1	2.0	1.5	26.4	0.9	5.05	4.45

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - Statewide by Variety



Variety Name	Week Ending 9/6/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
7776, NDM	118	0.0	1.9	2.1	0.5	22.0	1.9	5.61	4.37	174	0.0	1.4	2.9	0.4	22.7	2.2	5.57	4.37
816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
108, HYPEEL	124	0.0	1.3	0.4	0.2	25.4	2.3	5.52	4.46	125	0.0	1.3	0.4	0.2	25.4	2.3	5.51	4.46
7883, HM	102	0.0	0.5	0.6	0.1	24.4	0.7	4.95	4.45	124	0.0	0.4	0.7	0.1	24.3	0.8	5.02	4.46
8004, HEINZ	111	0.0	0.9	3.5	0.2	24.3	1.4	5.14	4.39	111	0.0	0.9	3.5	0.2	24.3	1.4	5.14	4.39
5705, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	1.4	2.1	1.4	23.1	2.1	4.39	4.38
268, BQ	9	0.0	2.8	9.9	0.3	27.0	0.9	4.98	4.34	93	0.0	1.4	1.2	0.5	24.1	2.7	5.55	4.35
8232, SV	28	0.0	2.5	0.6	0.3	23.7	2.5	5.41	4.33	92	0.0	1.6	0.4	0.2	23.3	4.1	5.41	4.37
9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
322, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.0	0.7	1.1	0.5	23.9	0.7	5.06	4.34
0299, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	5.4	0.7	0.1	24.1	3.7	4.87	4.43
26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
2, BP	9	0.0	1.7	1.7	0.6	25.9	1.4	4.73	4.40	62	0.0	1.5	0.6	0.2	25.2	1.7	4.72	4.46
3888, HMX	2	0.0	0.5	0.8	0.0	26.5	0.8	5.35	4.36	62	0.0	1.1	2.4	0.8	25.9	1.0	5.58	4.42
2005, HZ	5	0.0	0.5	0.8	0.4	25.8	2.6	5.14	4.35	58	0.0	1.1	0.4	0.2	24.2	3.1	5.45	4.38
10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.2	0.6	0.5	23.8	3.3	4.71	4.49
1310, HZ	30	0.0	2.4	1.1	0.3	23.8	3.6	5.09	4.44	44	0.0	2.1	1.1	0.2	23.9	2.9	5.04	4.43
8516, SV	3	0.0	0.2	0.0	0.3	22.3	2.7	5.50	4.33	43	0.0	0.6	0.3	0.4	23.2	4.0	5.69	4.47
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.3	2.6	0.2	22.4	2.0	5.58	4.41
3155,BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.1	1.7	0.4	25.1	3.5	5.74	4.47
6415, N	5	0.0	0.4	0.6	0.3	23.6	0.1	5.18	4.22	32	0.0	0.2	0.6	0.2	22.5	0.5	5.49	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.1	0.7	0.5	24.3	1.2	5.16	4.33
1296, HZ	3	0.0	0.5	1.2	0.3	24.0	0.8	5.47	4.27	29	0.0	2.2	0.7	0.4	24.1	2.6	5.40	4.33
1311, HZ	24	0.0	1.0	0.5	0.1	20.9	2.3	5.66	4.37	29	0.0	1.3	0.4	0.1	21.3	2.4	5.65	4.38
3887, HMX	3	0.0	0.3	0.8	0.3	25.3	0.7	5.53	4.29	27	0.0	1.3	1.4	0.2	25.8	0.8	5.37	4.34
31060, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.6	2.0	0.2	23.9	2.0	5.70	4.38
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43
1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
1291, HZ	1	0.0	2.0	2.0	0.5	25.0	1.5	4.80	4.50	18	0.0	1.0	0.7	0.3	22.5	1.3	5.62	4.51
95, P	14	0.0	4.1	1.4	0.6	24.1	8.2	5.63	4.57	14	0.0	4.1	1.4	0.6	24.1	8.2	5.63	4.57
9916, SV	3	0.0	0.2	0.3	0.5	22.0	0.2	5.60	4.29	14	0.0	0.9	0.9	0.3	23.5	0.7	5.51	4.42
9995, HEINZ	4	0.0	0.3	0.3	0.0	24.0	0.3	4.95	4.48	14	0.0	0.2	0.5	0.1	25.5	0.4	4.81	4.41
4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.2	0.8	0.3	25.3	4.7	4.93	4.38

2014 Processing Tomato Season
PTAB Analysis (9/6/14) - Statewide by Variety



Variety Name	Week Ending 9/6/14									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MISC EXP	2	0.0	4.0	1.0	0.5	25.0	8.5	4.85	4.62	11	0.0	1.2	1.5	0.3	23.5	4.0	5.41	4.47
2930, K	9	0.0	1.5	0.6	0.1	22.4	1.8	5.34	4.47	10	0.0	1.5	0.7	0.2	22.6	1.9	5.40	4.48
142, BQ	4	0.0	4.1	2.6	0.4	26.5	4.3	4.40	4.46	8	0.0	2.8	2.9	0.4	24.9	3.9	4.66	4.44
1427, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.9	1.4	0.1	22.7	2.9	5.01	4.46
1425, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	2.0	0.2	23.3	1.8	4.92	4.52
3884, HMX	2	0.0	0.8	0.5	0.3	22.5	0.8	6.30	4.36	6	0.0	1.7	0.6	0.3	24.2	1.3	6.13	4.40
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.0	0.3	27.3	2.5	5.13	4.43
66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	2.5	0.1	25.6	3.0	5.38	4.41
CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
1308, HZ	2	0.0	0.0	1.0	0.5	21.5	1.0	5.55	4.46	4	0.0	0.3	1.9	0.4	22.0	1.6	5.38	4.48
7040, BOS	1	0.0	0.0	0.5	0.0	23.0	0.0	6.10	4.35	2	0.0	0.5	0.8	0.0	23.0	0.3	5.95	4.40
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56
116, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	8.0	0.5	23.0	0.0	5.40	4.27
129, BQ	1	0.0	3.5	3.0	1.5	27.0	0.0	4.80	4.47	1	0.0	3.5	3.0	1.5	27.0	0.0	4.80	4.47
0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
1282, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	3.0	0.5	24.0	1.0	5.20	4.28
1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49
2002, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.0	5.80	4.29
2005, CTAN	1	0.0	0.0	0.0	0.5	23.0	1.5	5.50	4.44	1	0.0	0.0	0.0	0.5	23.0	1.5	5.50	4.44
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	21.0	1.5	5.70	4.57
3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	0.0	25.0	2.0	5.80	4.38
7707, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	2.5	0.0	22.0	0.0	5.20	4.48
STATEWIDE	42,938	0.0	1.4	1.9	0.8	24.2	1.3	5.15	4.35	353,502	0.0	1.1	1.9	0.7	24.0	1.6	5.26	4.37