

**2014 Processing Tomato Season**  
PTAB Analysis (9/27/14) - Statewide by Variety



| Variety Name       | Week Ending 9/27/14 |      |      |       |     |       |     |        |      | Year to Date |      |      |       |     |       |     |        |      |
|--------------------|---------------------|------|------|-------|-----|-------|-----|--------|------|--------------|------|------|-------|-----|-------|-----|--------|------|
|                    | #Loads              | Worm | Mold | Green | MOT | Color | LU  | Solids | pH   | #Loads       | Worm | Mold | Green | MOT | Color | LU  | Solids | pH   |
| 5608, HZ           | 777                 | 0.0  | 3.2  | 2.1   | 2.1 | 23.2  | 1.5 | 4.64   | 4.37 | 55,216       | 0.0  | 1.9  | 2.1   | 0.9 | 23.4  | 1.2 | 4.95   | 4.39 |
| 8504, HEINZ        | 7,865               | 0.0  | 0.9  | 3.2   | 0.8 | 24.7  | 0.8 | 5.07   | 4.28 | 52,760       | 0.0  | 0.8  | 2.9   | 0.7 | 24.5  | 0.8 | 5.10   | 4.30 |
| 6366, SUN          | 714                 | 0.0  | 0.8  | 1.7   | 0.8 | 24.6  | 3.2 | 4.99   | 4.32 | 45,210       | 0.0  | 0.7  | 1.4   | 0.7 | 24.0  | 2.0 | 5.49   | 4.39 |
| 0319, DRI          | 1,847               | 0.0  | 1.4  | 1.0   | 0.5 | 24.9  | 2.5 | 5.32   | 4.33 | 26,596       | 0.0  | 1.4  | 1.1   | 0.4 | 24.3  | 1.9 | 5.68   | 4.35 |
| 2401, HEINZ        | 3,257               | 0.0  | 2.0  | 2.0   | 0.9 | 25.7  | 1.0 | 4.94   | 4.29 | 22,332       | 0.0  | 1.7  | 2.6   | 0.9 | 25.5  | 0.9 | 4.89   | 4.30 |
| 6404, N            | 877                 | 0.0  | 2.2  | 1.9   | 1.8 | 25.1  | 2.3 | 4.75   | 4.37 | 22,250       | 0.0  | 1.7  | 2.0   | 1.2 | 24.3  | 2.2 | 5.19   | 4.41 |
| 0311, AB           | 669                 | 0.0  | 1.6  | 1.0   | 0.6 | 23.6  | 1.9 | 5.44   | 4.30 | 18,737       | 0.0  | 1.7  | 1.6   | 0.5 | 23.2  | 1.5 | 5.72   | 4.34 |
| 6397, N            | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 16,752       | 0.0  | 0.6  | 1.8   | 0.8 | 23.7  | 1.4 | 5.22   | 4.41 |
| 6402, N            | 572                 | 0.0  | 1.2  | 0.7   | 0.6 | 24.5  | 1.7 | 5.18   | 4.33 | 14,672       | 0.0  | 0.9  | 1.1   | 0.9 | 23.7  | 1.6 | 5.47   | 4.40 |
| 4707, HEINZ        | 823                 | 0.0  | 1.2  | 2.2   | 0.5 | 25.7  | 0.4 | 4.96   | 4.32 | 12,999       | 0.0  | 1.3  | 2.7   | 1.0 | 25.5  | 0.8 | 4.97   | 4.36 |
| 19406, UG          | 2,285               | 0.0  | 1.4  | 1.6   | 0.6 | 24.6  | 0.8 | 5.34   | 4.28 | 12,491       | 0.0  | 1.2  | 1.7   | 0.6 | 23.9  | 0.9 | 5.47   | 4.29 |
| 1015, HEINZ        | 178                 | 0.0  | 0.4  | 2.6   | 1.3 | 24.3  | 0.9 | 5.14   | 4.36 | 12,161       | 0.0  | 0.4  | 1.6   | 0.7 | 23.3  | 1.0 | 5.22   | 4.43 |
| 5508, HZ           | 3,242               | 0.0  | 0.9  | 1.5   | 1.1 | 25.3  | 0.6 | 4.48   | 4.30 | 11,637       | 0.0  | 0.8  | 1.7   | 1.0 | 25.3  | 0.6 | 4.49   | 4.31 |
| 1892, HMX          | 1,122               | 0.0  | 1.0  | 1.9   | 0.9 | 24.9  | 1.1 | 5.13   | 4.37 | 10,319       | 0.0  | 1.1  | 1.8   | 0.9 | 24.1  | 1.4 | 5.29   | 4.40 |
| 187, CXD           | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 8,775        | 0.0  | 0.3  | 2.1   | 0.4 | 24.4  | 2.2 | 4.89   | 4.40 |
| 205, BQ            | 332                 | 0.0  | 1.4  | 1.9   | 0.4 | 25.4  | 1.6 | 5.23   | 4.29 | 6,117        | 0.0  | 1.2  | 1.3   | 0.5 | 24.5  | 2.0 | 5.57   | 4.33 |
| 410, APT           | 5                   | 0.0  | 0.4  | 0.4   | 0.0 | 25.8  | 0.3 | 5.40   | 4.28 | 5,776        | 0.0  | 0.4  | 1.5   | 0.6 | 24.2  | 2.7 | 5.08   | 4.38 |
| 6394, N            | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 5,714        | 0.0  | 0.8  | 2.0   | 1.2 | 23.2  | 2.4 | 5.54   | 4.44 |
| 255, CXD           | 175                 | 0.0  | 1.3  | 0.7   | 1.0 | 24.7  | 1.7 | 4.68   | 4.32 | 5,574        | 0.0  | 1.5  | 0.8   | 0.4 | 24.6  | 1.4 | 5.13   | 4.36 |
| 9905, HARRIS MORAN | 1,483               | 0.0  | 0.9  | 1.8   | 1.6 | 24.5  | 0.9 | 4.94   | 4.41 | 5,327        | 0.0  | 0.8  | 1.4   | 1.3 | 24.5  | 0.9 | 4.99   | 4.41 |
| 1292, HZ           | 184                 | 0.0  | 0.7  | 0.5   | 0.3 | 22.3  | 1.5 | 5.28   | 4.39 | 4,979        | 0.0  | 1.1  | 1.3   | 0.5 | 22.4  | 2.0 | 5.44   | 4.46 |
| 2, AB              | 374                 | 0.0  | 1.5  | 0.9   | 0.6 | 24.9  | 2.8 | 4.69   | 4.31 | 4,945        | 0.0  | 1.3  | 1.3   | 0.5 | 24.5  | 2.3 | 5.37   | 4.32 |
| 7885, HMX          | 169                 | 0.0  | 0.9  | 1.2   | 0.5 | 24.8  | 0.9 | 4.81   | 4.45 | 4,810        | 0.0  | 0.7  | 0.7   | 0.3 | 23.9  | 0.7 | 5.02   | 4.53 |
| 3402, HEINZ        | 885                 | 0.0  | 0.9  | 3.2   | 2.7 | 24.9  | 0.8 | 4.89   | 4.40 | 4,574        | 0.0  | 0.4  | 2.5   | 1.6 | 24.1  | 0.9 | 5.15   | 4.41 |
| 1175, HEINZ        | 1,688               | 0.0  | 1.6  | 2.9   | 1.5 | 24.1  | 0.3 | 4.77   | 4.43 | 4,519        | 0.0  | 1.2  | 2.2   | 1.1 | 23.6  | 0.5 | 4.84   | 4.44 |
| 9780, HEINZ        | 975                 | 0.0  | 1.1  | 2.1   | 1.5 | 25.1  | 1.6 | 5.03   | 4.29 | 4,477        | 0.0  | 1.1  | 1.7   | 1.6 | 24.8  | 2.0 | 5.08   | 4.32 |
| 6407, N            | 740                 | 0.0  | 0.6  | 0.8   | 0.4 | 25.9  | 0.7 | 5.16   | 4.28 | 4,349        | 0.0  | 1.0  | 0.8   | 0.4 | 25.4  | 0.9 | 5.34   | 4.33 |
| 66509, BOS         | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 4,108        | 0.0  | 0.7  | 3.0   | 1.3 | 24.2  | 3.7 | 5.18   | 4.39 |
| 5701, HZ           | 291                 | 0.0  | 0.9  | 3.6   | 1.8 | 26.5  | 0.8 | 4.45   | 4.29 | 3,829        | 0.0  | 1.9  | 2.9   | 1.9 | 25.4  | 0.8 | 4.71   | 4.33 |
| 206, BQ            | 1,034               | 0.0  | 1.0  | 1.6   | 0.4 | 24.6  | 1.7 | 5.59   | 4.35 | 3,714        | 0.0  | 0.9  | 1.0   | 0.4 | 24.9  | 1.8 | 5.39   | 4.33 |
| 5702, HZ           | 102                 | 0.0  | 1.0  | 2.0   | 0.6 | 24.6  | 0.3 | 5.12   | 4.35 | 3,706        | 0.0  | 1.5  | 3.5   | 1.7 | 24.3  | 0.6 | 4.96   | 4.38 |
| 1161, HEINZ        | 111                 | 0.0  | 1.2  | 0.3   | 0.6 | 24.4  | 1.9 | 5.26   | 4.30 | 3,227        | 0.0  | 1.0  | 1.5   | 0.4 | 24.5  | 1.9 | 5.87   | 4.33 |
| 6117, SUN          | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 2,840        | 0.0  | 0.3  | 1.0   | 0.3 | 24.0  | 3.4 | 5.18   | 4.36 |
| 282, CXD           | 240                 | 0.0  | 2.4  | 1.6   | 1.7 | 23.2  | 0.9 | 5.17   | 4.31 | 2,832        | 0.0  | 2.8  | 1.2   | 1.1 | 24.2  | 1.2 | 4.75   | 4.36 |
| 9663, HEINZ        | 521                 | 0.0  | 2.4  | 2.4   | 1.5 | 25.7  | 2.2 | 4.05   | 4.36 | 2,784        | 0.0  | 3.8  | 3.6   | 0.7 | 24.0  | 1.8 | 4.82   | 4.39 |

**2014 Processing Tomato Season**  
PTAB Analysis (9/27/14) - Statewide by Variety



| Variety Name      | Week Ending 9/27/14 |      |      |       |     |       |      |        |      | Year to Date |      |      |       |     |       |     |        |      |
|-------------------|---------------------|------|------|-------|-----|-------|------|--------|------|--------------|------|------|-------|-----|-------|-----|--------|------|
|                   | #Loads              | Worm | Mold | Green | MOT | Color | LU   | Solids | pH   | #Loads       | Worm | Mold | Green | MOT | Color | LU  | Solids | pH   |
| 1170, HEINZ       | 132                 | 0.0  | 1.2  | 1.6   | 2.1 | 24.1  | 0.9  | 5.48   | 4.32 | 2,766        | 0.0  | 1.1  | 1.9   | 0.7 | 24.8  | 0.9 | 5.39   | 4.38 |
| 163, BQ           | 62                  | 0.0  | 1.4  | 0.4   | 0.1 | 22.0  | 2.4  | 5.55   | 4.44 | 2,677        | 0.0  | 0.4  | 1.6   | 0.4 | 23.6  | 3.4 | 6.01   | 4.35 |
| 6416, N           | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 2,451        | 0.0  | 0.2  | 1.9   | 0.7 | 24.4  | 1.5 | 5.14   | 4.32 |
| 6410, N           | 284                 | 0.0  | 1.8  | 1.1   | 0.6 | 25.6  | 1.8  | 5.03   | 4.38 | 1,997        | 0.0  | 1.5  | 1.3   | 0.5 | 25.6  | 1.3 | 5.16   | 4.36 |
| 849, HYPEEL       | 583                 | 0.0  | 2.2  | 0.5   | 0.4 | 24.4  | 1.0  | 4.79   | 4.33 | 1,970        | 0.0  | 1.5  | 0.6   | 0.4 | 24.3  | 1.0 | 4.93   | 4.33 |
| 3, AB             | 1                   | 0.0  | 0.5  | 2.0   | 0.5 | 25.0  | 13.5 | 5.30   | 4.53 | 1,919        | 0.0  | 1.8  | 1.8   | 0.3 | 24.6  | 1.9 | 5.31   | 4.35 |
| 109, CXD (SHASTA) | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 1,880        | 0.0  | 0.3  | 1.1   | 0.4 | 25.0  | 2.6 | 5.48   | 4.27 |
| UNCODED           | 42                  | 0.0  | 1.8  | 3.7   | 2.2 | 24.6  | 1.8  | 5.02   | 4.38 | 1,693        | 0.0  | 1.5  | 8.8   | 1.1 | 27.1  | 4.8 | 5.21   | 4.37 |
| 9491, HEINZ       | 22                  | 0.0  | 0.4  | 3.3   | 0.5 | 22.6  | 1.2  | 5.28   | 4.32 | 1,484        | 0.0  | 0.6  | 1.9   | 0.3 | 23.3  | 1.9 | 5.05   | 4.32 |
| 0599, SV          | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 1,430        | 0.0  | 0.4  | 1.1   | 0.6 | 26.6  | 1.2 | 5.13   | 4.37 |
| 2601, HEINZ       | 19                  | 0.0  | 1.0  | 0.2   | 0.2 | 24.4  | 2.3  | 4.55   | 4.30 | 1,347        | 0.0  | 0.7  | 1.3   | 0.4 | 24.2  | 1.8 | 4.99   | 4.41 |
| 6412, N           | 139                 | 0.0  | 3.9  | 3.4   | 3.8 | 22.9  | 1.9  | 6.12   | 4.35 | 1,302        | 0.0  | 2.1  | 2.6   | 1.2 | 24.2  | 4.3 | 5.10   | 4.41 |
| 6385, N           | 67                  | 0.0  | 1.8  | 0.5   | 0.1 | 26.7  | 1.4  | 4.44   | 4.41 | 1,258        | 0.0  | 1.5  | 1.1   | 0.3 | 23.4  | 2.0 | 4.83   | 4.45 |
| 1893, HMX         | 1                   | 0.0  | 0.0  | 1.0   | 0.5 | 26.0  | 0.5  | 5.60   | 4.35 | 1,242        | 0.0  | 0.5  | 0.7   | 0.3 | 24.9  | 2.5 | 5.09   | 4.31 |
| 1293, HZ          | 84                  | 0.0  | 1.0  | 1.8   | 0.5 | 25.6  | 1.2  | 5.68   | 4.43 | 1,105        | 0.0  | 1.0  | 1.5   | 0.4 | 23.5  | 0.8 | 5.66   | 4.48 |
| 16609, UG         | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 1,073        | 0.0  | 1.0  | 0.9   | 0.3 | 24.2  | 2.3 | 5.30   | 4.33 |
| 5003, HEINZ       | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 1,022        | 0.0  | 0.7  | 1.7   | 1.2 | 23.7  | 4.2 | 5.15   | 4.49 |
| 373, U            | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 1,006        | 0.0  | 0.5  | 1.1   | 0.4 | 24.4  | 3.3 | 5.09   | 4.33 |
| 6368, SUN         | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 943          | 0.0  | 2.6  | 0.6   | 0.3 | 22.7  | 1.1 | 5.57   | 4.40 |
| 18806, UG         | 133                 | 0.0  | 3.4  | 2.3   | 0.5 | 28.0  | 0.8  | 5.04   | 4.46 | 943          | 0.0  | 1.2  | 1.3   | 0.3 | 25.7  | 1.4 | 4.98   | 4.34 |
| 108, HYPEEL       | 409                 | 0.0  | 1.5  | 1.2   | 0.2 | 26.7  | 2.5  | 4.92   | 4.41 | 928          | 0.0  | 1.3  | 1.1   | 0.2 | 26.1  | 2.4 | 5.15   | 4.42 |
| 2770, KW          | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 918          | 0.0  | 0.1  | 1.7   | 0.5 | 24.6  | 1.7 | 5.18   | 4.31 |
| 273, BQ           | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 836          | 0.0  | 0.2  | 1.5   | 0.3 | 24.3  | 1.7 | 5.39   | 4.31 |
| 8004, HEINZ       | 529                 | 0.0  | 2.1  | 2.0   | 0.3 | 22.6  | 1.1  | 5.17   | 4.43 | 827          | 0.0  | 1.7  | 2.1   | 0.2 | 23.0  | 1.1 | 5.22   | 4.41 |
| 204, BQ           | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 746          | 0.0  | 0.0  | 0.9   | 0.3 | 24.9  | 1.2 | 5.16   | 4.32 |
| 650, PS           | 123                 | 0.0  | 0.8  | 0.4   | 0.6 | 23.5  | 1.7  | 5.66   | 4.41 | 683          | 0.0  | 1.0  | 0.5   | 0.4 | 24.3  | 1.5 | 5.46   | 4.38 |
| 602, BOS          | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 641          | 0.0  | 0.5  | 2.0   | 0.4 | 23.1  | 3.2 | 5.51   | 4.38 |
| 296, BQ           | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 483          | 0.0  | 2.0  | 1.3   | 0.6 | 23.9  | 2.1 | 5.58   | 4.37 |
| 1570, RPT         | 6                   | 0.0  | 1.9  | 0.8   | 0.5 | 25.8  | 2.9  | 5.10   | 4.49 | 476          | 0.0  | 1.0  | 1.9   | 0.4 | 25.0  | 3.8 | 4.93   | 4.44 |
| 67212, BOS        | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 469          | 0.0  | 2.3  | 1.1   | 0.4 | 22.9  | 3.5 | 5.17   | 4.42 |
| MIX               | 32                  | 0.0  | 1.6  | 1.5   | 0.2 | 25.1  | 3.4  | 4.88   | 4.41 | 370          | 0.1  | 3.9  | 1.4   | 0.5 | 24.3  | 1.8 | 5.05   | 4.48 |
| HEINZ TRIAL       | 53                  | 0.0  | 2.1  | 1.8   | 0.4 | 24.0  | 1.8  | 5.19   | 4.38 | 357          | 0.0  | 2.1  | 2.2   | 1.8 | 24.2  | 1.3 | 4.94   | 4.38 |
| 29805, ISI        | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 353          | 0.0  | 0.0  | 0.9   | 0.3 | 23.2  | 1.1 | 4.83   | 4.28 |
| 2769, K           | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 326          | 0.0  | 0.1  | 2.4   | 0.5 | 25.9  | 1.0 | 5.09   | 4.32 |
| 7883, HM          | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0  | 0.00   | 0.00 | 308          | 0.0  | 1.1  | 0.7   | 0.1 | 24.4  | 1.2 | 4.95   | 4.49 |

**2014 Processing Tomato Season**  
PTAB Analysis (9/27/14) - Statewide by Variety



| Variety Name | Week Ending 9/27/14 |      |      |       |     |       |     |        |      | Year to Date |      |      |       |     |       |     |        |      |
|--------------|---------------------|------|------|-------|-----|-------|-----|--------|------|--------------|------|------|-------|-----|-------|-----|--------|------|
|              | #Loads              | Worm | Mold | Green | MOT | Color | LU  | Solids | pH   | #Loads       | Worm | Mold | Green | MOT | Color | LU  | Solids | pH   |
| 6420, N      | 31                  | 0.0  | 2.6  | 1.3   | 0.3 | 24.4  | 0.7 | 4.70   | 4.45 | 268          | 0.0  | 1.7  | 1.4   | 0.2 | 24.6  | 1.2 | 5.13   | 4.45 |
| 292, BQ      | 33                  | 0.0  | 4.7  | 3.1   | 0.4 | 25.1  | 3.7 | 5.26   | 4.45 | 239          | 0.0  | 3.2  | 1.2   | 0.5 | 23.6  | 2.4 | 5.24   | 4.43 |
| 7776, NDM    | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 227          | 0.0  | 1.4  | 3.4   | 0.4 | 23.6  | 2.5 | 5.25   | 4.36 |
| 268, BQ      | 69                  | 0.0  | 1.7  | 3.7   | 0.6 | 26.2  | 1.0 | 5.15   | 4.33 | 194          | 0.0  | 1.4  | 1.9   | 0.5 | 24.6  | 2.0 | 5.53   | 4.36 |
| 1301, HZ     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 176          | 0.0  | 0.1  | 2.0   | 1.5 | 26.4  | 0.9 | 5.05   | 4.45 |
| 5705, HZ     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 166          | 0.0  | 1.4  | 2.2   | 1.7 | 23.4  | 2.5 | 4.59   | 4.45 |
| 816, PS      | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 159          | 0.0  | 0.7  | 2.7   | 0.9 | 26.7  | 7.3 | 5.43   | 4.40 |
| 002, PX      | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 137          | 0.0  | 0.8  | 0.4   | 0.1 | 22.6  | 3.2 | 5.34   | 4.39 |
| 322, C       | 24                  | 0.0  | 0.6  | 0.6   | 0.2 | 23.8  | 0.2 | 4.92   | 4.24 | 119          | 0.0  | 0.8  | 0.8   | 0.4 | 23.9  | 0.8 | 4.93   | 4.33 |
| 8232, SV     | 3                   | 0.0  | 2.3  | 1.8   | 1.7 | 22.3  | 2.2 | 6.40   | 4.39 | 112          | 0.0  | 1.8  | 0.8   | 0.8 | 23.3  | 3.8 | 5.60   | 4.37 |
| 2, BP        | 13                  | 0.0  | 2.2  | 2.2   | 0.8 | 25.8  | 1.1 | 4.94   | 4.48 | 105          | 0.0  | 1.3  | 0.9   | 0.3 | 24.7  | 1.9 | 4.94   | 4.46 |
| 1304, HZ     | 60                  | 0.0  | 1.1  | 1.3   | 0.8 | 24.0  | 4.3 | 5.63   | 4.35 | 104          | 0.0  | 2.0  | 1.2   | 1.0 | 24.6  | 5.4 | 5.41   | 4.42 |
| 6415, N      | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 97           | 0.0  | 0.6  | 1.0   | 0.1 | 23.3  | 0.5 | 5.31   | 4.33 |
| 3888, HMX    | 19                  | 0.0  | 0.7  | 3.4   | 2.6 | 27.2  | 0.5 | 5.27   | 4.33 | 89           | 0.0  | 1.0  | 2.6   | 1.2 | 26.2  | 0.9 | 5.51   | 4.40 |
| 9494, HEINZ  | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 87           | 0.0  | 3.2  | 3.7   | 1.6 | 25.1  | 2.1 | 5.06   | 4.45 |
| 9280, HEINZ  | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 82           | 0.0  | 0.7  | 3.0   | 0.5 | 27.0  | 1.9 | 4.46   | 4.37 |
| 1310, HZ     | 16                  | 0.0  | 2.6  | 3.1   | 3.0 | 24.3  | 0.8 | 5.77   | 4.31 | 72           | 0.0  | 2.1  | 1.6   | 0.9 | 23.9  | 2.1 | 5.27   | 4.40 |
| 0299, PX     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 71           | 0.0  | 5.4  | 0.7   | 0.1 | 24.1  | 3.7 | 4.87   | 4.43 |
| 26761, ISI   | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 68           | 0.0  | 0.1  | 4.9   | 0.7 | 26.5  | 2.6 | 5.61   | 4.41 |
| 2005, HZ     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 63           | 0.0  | 1.1  | 0.4   | 0.3 | 24.4  | 2.9 | 5.45   | 4.37 |
| 19306, UG    | 33                  | 0.0  | 4.0  | 1.9   | 0.4 | 23.4  | 0.3 | 5.21   | 4.39 | 54           | 0.0  | 3.6  | 1.7   | 0.3 | 22.6  | 0.6 | 5.24   | 4.44 |
| 10, P        | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 51           | 0.0  | 2.2  | 0.6   | 0.5 | 23.8  | 3.3 | 4.71   | 4.49 |
| 8516, SV     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 44           | 0.0  | 0.6  | 0.4   | 0.4 | 23.2  | 3.9 | 5.68   | 4.47 |
| 312, BQ      | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 41           | 0.0  | 1.1  | 2.5   | 0.2 | 22.8  | 2.0 | 5.47   | 4.41 |
| 3155,BOS     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 33           | 0.0  | 1.1  | 1.7   | 0.4 | 25.1  | 3.5 | 5.74   | 4.47 |
| 1, BP        | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 31           | 0.0  | 0.1  | 0.7   | 0.5 | 24.3  | 1.2 | 5.16   | 4.33 |
| 1311, HZ     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 31           | 0.0  | 1.3  | 0.5   | 0.1 | 21.5  | 2.4 | 5.60   | 4.37 |
| 1296, HZ     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 29           | 0.0  | 2.2  | 0.7   | 0.4 | 24.1  | 2.6 | 5.40   | 4.33 |
| 3887, HMX    | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 27           | 0.0  | 1.3  | 1.4   | 0.2 | 25.8  | 0.8 | 5.37   | 4.34 |
| 9995, HEINZ  | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 27           | 0.0  | 0.4  | 0.4   | 0.1 | 24.7  | 0.6 | 4.82   | 4.40 |
| 31060, ISI   | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 25           | 0.0  | 0.6  | 2.0   | 0.2 | 23.9  | 2.0 | 5.70   | 4.38 |
| MISC EXP     | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 22           | 0.0  | 1.1  | 0.9   | 0.3 | 24.2  | 3.0 | 5.29   | 4.41 |
| 313, BQ      | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 22           | 0.0  | 1.3  | 0.9   | 4.0 | 24.1  | 3.1 | 4.97   | 4.43 |
| 1181, USAT   | 0                   | 0.0  | 0.0  | 0.0   | 0.0 | 0.0   | 0.0 | 0.00   | 0.00 | 22           | 0.0  | 0.7  | 0.6   | 0.6 | 24.5  | 2.4 | 5.37   | 4.37 |
| 1285, HZ     | 21                  | 0.0  | 0.1  | 1.0   | 0.4 | 26.5  | 0.4 | 5.01   | 4.21 | 21           | 0.0  | 0.1  | 1.0   | 0.4 | 26.5  | 0.4 | 5.01   | 4.21 |

**2014 Processing Tomato Season**  
*PTAB Analysis (9/27/14) - Statewide by Variety*



| Variety Name     | Week Ending 9/27/14 |            |            |            |            |             |            |             |             | Year to Date   |            |            |            |            |             |            |             |             |
|------------------|---------------------|------------|------------|------------|------------|-------------|------------|-------------|-------------|----------------|------------|------------|------------|------------|-------------|------------|-------------|-------------|
|                  | #Loads              | Worm       | Mold       | Green      | MOT        | Color       | LU         | Solids      | pH          | #Loads         | Worm       | Mold       | Green      | MOT        | Color       | LU         | Solids      | pH          |
| 1291, HZ         | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 19             | 0.0        | 0.9        | 0.7        | 0.3        | 22.5        | 1.4        | 5.60        | 4.50        |
| 1308, HZ         | 4                   | 0.0        | 0.3        | 1.3        | 0.4        | 22.5        | 2.0        | 4.68        | 4.51        | 18             | 0.0        | 1.1        | 1.2        | 0.4        | 23.2        | 2.4        | 4.97        | 4.50        |
| 95, P            | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 14             | 0.0        | 4.1        | 1.4        | 0.6        | 24.1        | 8.2        | 5.63        | 4.57        |
| 2930, K          | 1                   | 0.0        | 2.0        | 1.0        | 0.0        | 24.0        | 1.5        | 5.70        | 4.47        | 14             | 0.0        | 1.7        | 0.6        | 0.3        | 23.1        | 1.5        | 5.51        | 4.48        |
| 9916, SV         | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 14             | 0.0        | 0.9        | 0.9        | 0.3        | 23.5        | 0.7        | 5.51        | 4.42        |
| 4895, HMX        | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 12             | 0.0        | 0.2        | 0.8        | 0.3        | 25.3        | 4.7        | 4.93        | 4.38        |
| 19210, UG        | 10                  | 0.1        | 3.1        | 2.2        | 0.3        | 24.7        | 2.1        | 5.41        | 4.39        | 10             | 0.1        | 3.1        | 2.2        | 0.3        | 24.7        | 2.1        | 5.41        | 4.39        |
| 1425, HZ         | 3                   | 0.0        | 0.7        | 1.8        | 0.2        | 23.7        | 5.0        | 4.67        | 4.51        | 9              | 0.0        | 0.7        | 1.9        | 0.2        | 23.4        | 2.9        | 4.83        | 4.52        |
| 142, BQ          | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 8              | 0.0        | 2.8        | 2.9        | 0.4        | 24.9        | 3.9        | 4.66        | 4.44        |
| 1427, HZ         | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 7              | 0.0        | 0.9        | 1.4        | 0.1        | 22.7        | 2.9        | 5.01        | 4.46        |
| 3884, HMX        | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 6              | 0.0        | 1.7        | 0.6        | 0.3        | 24.2        | 1.3        | 6.13        | 4.40        |
| 10109, UG        | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 6              | 0.0        | 0.3        | 1.0        | 0.3        | 27.3        | 2.5        | 5.13        | 4.43        |
| 66508, BOS       | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 6              | 0.1        | 0.2        | 0.5        | 0.3        | 23.8        | 3.7        | 5.33        | 4.37        |
| CAL MARZANO 2    | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 5              | 0.0        | 1.2        | 0.6        | 0.2        | 27.0        | 3.8        | 5.26        | 4.35        |
| 416, BQ          | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 5              | 0.0        | 1.2        | 2.5        | 0.1        | 25.6        | 3.0        | 5.38        | 4.41        |
| 3885, HMX        | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 3              | 0.0        | 0.7        | 2.3        | 0.3        | 24.7        | 1.5        | 5.00        | 4.38        |
| 7040, BOS        | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 3              | 0.0        | 0.3        | 0.7        | 0.0        | 24.0        | 0.3        | 5.43        | 4.38        |
| 18510, UG        | 3                   | 0.0        | 1.5        | 1.7        | 0.5        | 27.7        | 1.8        | 5.23        | 4.36        | 3              | 0.0        | 1.5        | 1.7        | 0.5        | 27.7        | 1.8        | 5.23        | 4.36        |
| 31305, UG        | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 2              | 0.0        | 5.5        | 0.8        | 0.3        | 24.5        | 2.5        | 4.65        | 4.56        |
| 316, C           | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 1              | 0.0        | 1.0        | 0.5        | 0.5        | 23.0        | 0.5        | 6.50        | 4.30        |
| 1422, HZ         | 0                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0         | 0.0        | 0.00        | 0.00        | 1              | 0.0        | 0.0        | 0.0        | 1.0        | 25.0        | 1.5        | 5.70        | 4.49        |
| <b>STATEWIDE</b> | <b>36,601</b>       | <b>0.0</b> | <b>1.3</b> | <b>2.1</b> | <b>1.0</b> | <b>24.8</b> | <b>1.1</b> | <b>5.00</b> | <b>4.33</b> | <b>474,618</b> | <b>0.0</b> | <b>1.2</b> | <b>1.9</b> | <b>0.8</b> | <b>24.2</b> | <b>1.5</b> | <b>5.21</b> | <b>4.36</b> |