

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
BUTTE	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	250	0.0	1.6	6.1	3.9	24.1	0.5	4.91	4.41
BUTTE	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	233	0.0	2.2	3.8	1.9	25.2	0.6	5.17	4.30
BUTTE	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	202	0.0	2.5	5.7	2.4	24.9	0.5	5.16	4.29
BUTTE	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	197	0.0	5.0	2.3	0.9	26.7	2.5	4.95	4.55
BUTTE	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	4.9	2.9	1.3	26.7	0.9	5.10	4.46
BUTTE	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	167	0.0	2.7	2.0	0.7	25.7	0.6	5.40	4.42
BUTTE	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	2.5	3.7	8.1	24.4	1.2	5.44	4.39
BUTTE	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	1.6	4.9	4.4	24.9	0.5	5.54	4.34
BUTTE	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	3.8	2.1	1.3	26.2	0.6	5.14	4.48
BUTTE	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	9.0	5.5	4.0	26.0	1.0	5.20	4.51
BUTTE	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	1.5	1.0	25.0	0.5	5.20	4.43
BUTTE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,314	0.0	3.0	3.9	2.3	25.4	0.9	5.12	4.40
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,885	0.0	0.4	2.0	1.3	25.3	0.7	5.07	4.40
COLUSA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,277	0.0	1.3	1.3	1.9	26.9	1.7	5.16	4.42
COLUSA	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,933	0.0	1.6	2.9	1.8	25.8	0.8	4.76	4.30
COLUSA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,689	0.0	2.1	2.3	1.2	23.9	0.9	4.73	4.40
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,635	0.0	0.8	2.0	1.2	27.4	2.0	4.81	4.38
COLUSA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,586	0.0	3.9	7.4	0.9	27.5	1.1	5.09	4.43
COLUSA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,514	0.0	0.9	1.2	1.9	26.1	1.7	5.16	4.42
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,452	0.0	0.6	1.5	1.5	26.3	0.9	4.99	4.41
COLUSA	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,362	0.0	0.6	2.4	1.9	26.7	0.6	4.64	4.37
COLUSA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,292	0.0	1.3	2.3	0.7	24.4	0.9	5.42	4.32
COLUSA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,207	0.0	1.5	1.9	0.9	25.6	2.6	5.47	4.37
COLUSA	2, BP	8	0.0	3.6	4.3	0.7	27.4	1.1	4.56	4.52	1,199	0.0	3.3	5.1	1.5	26.6	2.0	4.84	4.50
COLUSA	8504, HEINZ	70	0.0	0.7	3.1	5.5	33.2	0.4	3.98	4.29	1,082	0.0	1.1	4.4	2.3	27.2	0.7	4.59	4.30
COLUSA	9905, HARRIS MORAN	74	0.0	1.0	5.4	1.9	26.7	1.1	4.82	4.48	1,071	0.0	1.7	3.4	2.2	27.0	1.4	4.88	4.50
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	748	0.0	0.7	1.4	0.6	26.4	1.2	4.88	4.33
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	695	0.0	0.9	2.4	1.0	30.9	0.9	4.54	4.36
COLUSA	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	610	0.0	0.8	4.1	1.6	23.8	0.6	5.01	4.37
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	469	0.0	0.3	0.6	0.5	27.8	4.1	4.74	4.29
COLUSA	3402, HEINZ	230	0.0	1.5	5.0	3.3	26.2	0.7	4.48	4.45	448	0.0	1.5	6.1	3.2	26.9	0.6	4.55	4.44
COLUSA	9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	376	0.0	2.2	4.5	1.6	24.8	1.5	4.54	4.41
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	1.0	1.9	1.9	26.1	2.3	4.91	4.40
COLUSA	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	337	0.0	0.5	2.9	1.1	23.7	0.3	4.90	4.43
COLUSA	4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	332	0.0	3.4	2.3	1.7	24.7	6.8	4.78	4.44
COLUSA	1170, HEINZ	51	0.0	1.1	2.0	1.3	25.9	0.7	4.69	4.36	323	0.0	0.9	1.7	1.6	25.4	0.8	4.88	4.33
COLUSA	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	299	0.0	1.0	4.1	0.9	24.7	0.4	4.86	4.36
COLUSA	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	0.7	3.1	1.4	27.1	1.2	5.57	4.30
COLUSA	142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	282	0.0	2.1	3.0	1.4	24.3	5.2	5.09	4.42
COLUSA	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	2.5	1.0	27.3	2.1	4.89	4.33
COLUSA	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.7	2.6	2.3	25.5	0.6	4.77	4.33

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	206, BQ	52	0.0	2.5	3.0	3.3	25.9	1.9	4.72	4.39	175	0.0	1.5	1.6	1.7	25.6	2.0	5.04	4.37
COLUSA	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	173	0.0	4.1	2.7	1.6	26.6	2.5	5.15	4.35
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	153	0.0	0.8	1.9	0.8	27.2	0.9	5.14	4.33
COLUSA	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	1.7	1.9	1.1	25.1	1.4	5.31	4.37
COLUSA	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	128	0.0	2.3	3.9	1.7	24.7	5.8	4.73	4.44
COLUSA	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	1.1	4.7	1.3	27.8	0.9	5.40	4.41
COLUSA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	120	0.0	2.2	3.2	0.8	25.7	1.7	4.71	4.41
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.9	1.3	0.4	27.9	0.8	4.74	4.30
COLUSA	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.9	2.0	2.2	27.8	0.7	4.74	4.34
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41
COLUSA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	1.2	1.7	0.8	28.2	1.9	5.14	4.50
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	2.3	4.8	1.4	25.8	2.1	4.83	4.43
COLUSA	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	2.7	2.1	1.9	23.5	5.5	5.08	4.40
COLUSA	6424, N	11	0.0	1.7	3.7	0.7	26.4	1.5	4.21	4.52	34	0.0	1.7	3.1	0.7	25.9	1.5	4.34	4.49
COLUSA	18806, UG	16	0.0	1.2	2.5	2.3	26.6	0.8	4.69	4.33	31	0.0	1.0	1.8	2.6	26.1	1.2	4.77	4.33
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.0	2.3	1.1	25.0	1.2	5.24	4.35
COLUSA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.7	2.8	2.2	30.6	2.4	4.73	4.34
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.5	1.7	2.0	28.7	0.9	4.56	4.28
COLUSA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	0.4	0.0	26.5	1.3	4.40	4.35
COLUSA	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.2	0.2	0.0	22.7	2.5	5.27	4.39
COLUSA	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.3	0.0	25.5	0.8	5.50	4.23
COLUSA	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	25.0	1.5	5.50	4.35
COLUSA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	26.0	1.0	4.60	4.38
COLUSA		512	0.0	1.4	4.2	3.1	27.2	0.9	4.51	4.42	29,810	0.0	1.4	2.7	1.5	26.2	1.4	4.95	4.39
CONTRA COSTA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,408	0.0	1.7	1.6	0.2	23.1	1.7	5.70	4.31
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,263	0.0	0.3	0.6	0.3	24.7	1.6	5.57	4.34
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	391	0.0	0.2	0.7	0.1	24.0	0.7	5.28	4.36
CONTRA COSTA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	352	0.0	2.1	1.1	0.1	23.9	2.0	5.67	4.30
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.2	0.5	0.1	27.1	2.5	4.60	4.30
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	280	0.0	0.2	0.8	0.3	24.3	1.5	4.89	4.30
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	0.0	0.6	0.1	26.2	2.7	5.13	4.23
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	239	0.0	1.5	1.3	0.1	24.0	0.7	5.55	4.41
CONTRA COSTA	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.7	0.8	1.0	26.6	0.9	4.27	4.29
CONTRA COSTA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.2	0.7	0.2	25.3	1.1	5.00	4.25
CONTRA COSTA	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.3	0.6	0.8	28.6	0.6	4.55	4.29
CONTRA COSTA	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	0.4	1.6	0.7	25.4	0.7	5.39	4.32
CONTRA COSTA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.6	1.3	0.8	28.0	1.2	4.50	4.34
CONTRA COSTA	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	0.5	0.3	26.5	1.9	5.84	4.35
CONTRA COSTA	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.8	2.0	0.4	25.2	1.6	5.11	4.33
CONTRA COSTA	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.8	0.0	24.0	1.5	5.45	4.25
CONTRA COSTA	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	5.5	2.0	1.0	22.5	3.0	5.80	4.35

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
CONTRA COSTA	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	7.5	0.0	0.0	21.0	1.0	5.40	4.50
CONTRA COSTA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,243	0.0	0.9	1.0	0.3	24.4	1.6	5.44	4.32
FRESNO	6366, SUN	55	0.0	1.6	1.1	1.0	25.8	1.8	5.24	4.34	20,418	0.0	0.6	1.3	0.6	24.3	1.7	5.65	4.38
FRESNO	0311, AB	27	0.0	3.1	1.2	0.7	23.4	2.3	5.21	4.31	12,830	0.0	1.8	2.8	0.6	23.2	1.6	5.95	4.35
FRESNO	0319, DRI	13	0.0	4.2	1.5	0.2	24.8	2.6	5.15	4.39	11,661	0.0	1.4	1.6	0.4	24.7	2.0	6.01	4.37
FRESNO	2401, HEINZ	712	0.0	3.2	1.3	0.4	24.0	1.3	5.15	4.36	8,181	0.0	1.4	2.1	0.4	24.0	1.5	5.23	4.36
FRESNO	6416, N	4	0.0	1.4	0.5	0.1	26.5	0.9	5.15	4.32	8,053	0.0	0.3	1.5	0.6	25.1	1.0	5.00	4.31
FRESNO	1892, HMX	172	0.0	2.9	0.4	0.4	25.0	1.5	5.32	4.46	7,921	0.0	1.1	2.1	1.1	24.9	1.1	5.50	4.42
FRESNO	8504, HEINZ	1,109	0.0	2.1	1.6	0.4	24.0	1.1	5.14	4.32	7,903	0.0	1.5	2.0	0.3	24.3	1.4	5.24	4.35
FRESNO	6404, N	6	0.0	0.9	2.7	1.3	25.7	2.5	4.83	4.35	7,714	0.0	1.1	2.3	0.9	24.3	1.8	5.56	4.42
FRESNO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,995	0.0	0.9	1.8	1.1	24.0	1.0	5.78	4.39
FRESNO	19406, UG	696	0.0	3.6	1.6	0.6	24.1	1.1	5.27	4.33	5,878	0.0	1.6	2.0	0.6	24.2	1.3	5.62	4.34
FRESNO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,327	0.0	2.0	2.4	0.4	23.4	1.3	5.08	4.41
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,290	0.0	0.5	1.7	0.8	23.8	0.9	5.36	4.41
FRESNO	4707, HEINZ	345	0.0	2.5	1.8	0.5	24.1	0.6	5.22	4.39	4,970	0.0	0.8	2.8	0.7	24.6	0.9	5.20	4.39
FRESNO	5508, HZ	877	0.0	0.9	1.3	0.3	24.5	0.5	4.73	4.34	4,736	0.0	0.7	1.5	0.3	24.5	0.5	4.81	4.35
FRESNO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,996	0.0	0.4	0.7	0.3	23.7	0.7	5.40	4.43
FRESNO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,155	0.0	1.0	2.7	0.7	24.8	2.8	5.87	4.35
FRESNO	3887, HMX	9	0.0	1.1	2.7	1.2	25.4	0.5	5.60	4.21	3,106	0.0	2.5	3.7	0.7	25.1	1.5	5.68	4.39
FRESNO	7885, HMX	1	0.0	1.0	4.0	1.5	25.0	1.0	5.00	4.50	2,975	0.0	0.7	1.1	0.2	25.6	0.7	4.94	4.51
FRESNO	18806, UG	198	0.0	2.0	2.1	0.8	25.8	1.5	5.11	4.34	2,873	0.0	1.8	1.9	0.5	25.6	2.1	5.33	4.39
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,746	0.0	1.0	1.7	0.5	23.0	1.9	5.64	4.48
FRESNO	1293, HZ	34	0.0	2.1	3.7	1.3	26.2	1.6	5.00	4.45	2,721	0.0	1.4	1.9	0.5	23.9	1.3	5.52	4.46
FRESNO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,685	0.0	1.2	1.8	0.5	24.0	2.4	5.62	4.44
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,338	0.0	0.5	1.9	0.7	24.6	1.2	5.35	4.31
FRESNO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,324	0.0	3.9	3.3	0.4	22.6	2.9	5.02	4.45
FRESNO	6410, N	118	0.0	1.2	2.6	0.8	26.2	0.7	5.44	4.20	2,124	0.0	1.2	2.8	1.0	25.4	1.2	5.66	4.36
FRESNO	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,891	0.0	1.1	3.1	0.7	22.6	3.0	5.47	4.52
FRESNO	5702, HZ	105	0.0	2.3	2.1	0.5	24.1	0.5	4.91	4.41	1,875	0.0	1.4	3.1	0.8	24.0	1.0	5.08	4.42
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,825	0.0	0.6	1.1	0.4	25.6	1.2	4.56	4.35
FRESNO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,535	0.0	2.7	0.8	0.2	24.1	2.1	5.24	4.43
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,317	0.0	0.6	2.5	0.3	23.4	1.5	5.61	4.35
FRESNO	206, BQ	116	0.0	1.8	0.4	0.2	24.6	2.2	5.87	4.34	964	0.0	1.8	1.0	0.3	25.3	2.0	5.81	4.32
FRESNO	6415, N	132	0.0	1.5	1.1	0.1	27.2	0.6	5.05	4.28	946	0.0	1.3	1.8	0.3	24.7	0.9	5.17	4.38
FRESNO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	930	0.0	0.7	0.6	0.3	24.0	1.4	5.87	4.31
FRESNO	205, BQ	12	0.0	3.1	0.6	0.0	25.7	1.0	6.06	4.39	914	0.0	1.5	0.7	0.2	23.7	1.9	5.75	4.36
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	702	0.0	0.8	0.9	0.6	24.9	2.1	5.13	4.32
FRESNO	3888, HMX	53	0.0	2.8	1.4	0.4	28.7	2.3	5.20	4.44	692	0.0	2.8	2.7	0.5	27.8	1.3	5.48	4.46
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	661	0.0	1.1	2.6	0.4	23.7	1.8	5.01	4.40
FRESNO	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	650	0.0	2.1	1.4	0.5	23.1	4.1	4.95	4.44
FRESNO	303, HYPEEL	61	0.0	4.5	2.4	0.9	25.3	2.0	4.86	4.42	635	0.0	4.0	3.5	0.7	24.2	2.5	5.10	4.45

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	620	0.0	1.7	1.2	0.6	23.4	2.1	5.09	4.41
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	604	0.0	0.3	0.5	0.3	26.0	1.1	5.12	4.31
FRESNO	6385, N	151	0.0	3.3	0.7	0.4	27.8	1.3	4.33	4.41	514	0.0	2.3	1.2	0.3	27.4	1.3	4.45	4.41
FRESNO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	472	0.0	0.9	1.3	0.3	25.3	1.1	5.71	4.38
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	465	0.0	0.6	0.7	0.4	24.4	3.2	5.16	4.38
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
FRESNO	6420, N	35	0.0	2.9	2.6	0.6	25.5	2.1	5.15	4.55	426	0.0	3.1	1.8	0.8	25.4	1.6	4.92	4.49
FRESNO	8004, HEINZ	1	0.0	2.5	2.0	0.5	23.0	0.5	5.60	4.40	414	0.0	1.8	2.4	0.3	24.2	1.3	5.43	4.41
FRESNO	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	414	0.0	5.1	0.6	0.3	24.9	3.4	5.04	4.49
FRESNO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	409	0.0	1.4	1.0	0.3	24.0	1.7	5.52	4.37
FRESNO	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.5	1.3	0.2	24.3	1.0	5.31	4.38
FRESNO	002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	312	0.0	3.4	1.8	0.5	25.8	2.4	4.92	4.33
FRESNO	6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	303	0.0	1.0	0.5	0.3	24.6	0.5	5.83	4.36
FRESNO	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	286	0.0	0.8	0.8	0.2	25.0	2.2	5.56	4.30
FRESNO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	1.1	1.4	0.2	25.7	2.8	5.23	4.47
FRESNO	9905, HARRIS MORAN	36	0.0	0.6	1.9	1.1	27.0	1.1	4.68	4.39	250	0.0	0.7	5.4	3.7	27.7	1.8	4.82	4.47
FRESNO	9780, HEINZ	145	0.0	1.5	1.9	1.4	25.0	2.7	5.85	4.37	249	0.0	1.6	2.1	1.2	25.3	2.5	5.80	4.38
FRESNO	2601, HEINZ	1	0.0	0.5	1.0	1.0	29.0	0.0	5.60	4.22	231	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41
FRESNO	6407, N	209	0.0	1.1	1.2	0.4	28.6	0.5	5.27	4.26	219	0.0	1.1	1.2	0.4	28.6	0.5	5.27	4.26
FRESNO	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	196	0.0	2.7	1.6	0.2	27.1	3.5	4.67	4.45
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	180	0.0	0.3	0.3	0.1	24.8	1.2	5.35	4.27
FRESNO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	177	0.0	2.8	1.9	0.5	24.0	2.5	5.57	4.35
FRESNO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.3	3.2	0.9	24.8	1.0	4.89	4.31
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.0	1.0	1.8	26.1	0.7	5.07	4.21
FRESNO	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	128	0.0	1.8	0.7	0.1	25.0	2.8	5.80	4.39
FRESNO	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	1.2	1.5	0.6	24.2	5.2	4.98	4.40
FRESNO	257, BQ	14	0.0	6.2	1.6	0.7	26.1	0.8	4.99	4.45	111	0.0	2.5	1.6	0.4	24.6	1.0	5.14	4.47
FRESNO	UNCODED	10	0.0	6.1	2.0	0.5	27.9	2.8	5.03	4.39	97	0.0	2.3	2.0	0.6	26.5	3.1	5.45	4.38
FRESNO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	83	0.0	2.7	3.7	0.7	23.4	1.6	5.40	4.43
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	2.1	1.5	0.2	24.0	1.7	5.28	4.34
FRESNO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	2.0	1.1	0.5	23.3	1.3	5.53	4.35
FRESNO	9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	0.6	2.1	0.2	23.8	1.3	4.62	4.37
FRESNO	1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
FRESNO	30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.8	0.8	0.2	25.7	3.9	4.88	4.48
FRESNO	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.1	0.6	0.0	25.9	0.3	4.70	4.37
FRESNO	9436, UG	18	0.0	7.5	1.8	0.8	24.2	2.8	5.26	4.45	31	0.0	5.4	1.3	1.1	23.9	4.0	5.11	4.50
FRESNO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.4	1.6	0.3	25.5	2.3	5.11	4.38
FRESNO	19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.3	0.3	0.2	25.1	1.5	5.10	4.50
FRESNO	327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.8	1.5	0.3	22.6	1.1	5.71	4.33
FRESNO	4886, HMX	11	0.0	5.8	1.3	0.4	28.2	3.5	5.86	4.40	21	0.0	3.8	1.2	0.4	26.2	3.7	6.19	4.42

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	2.2	0.9	0.2	22.9	3.2	5.01	4.44
FRESNO	39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
FRESNO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	4.0	0.5	0.5	24.9	1.6	5.50	4.48
FRESNO	9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.2	0.1	0.0	24.0	0.8	4.96	4.31
FRESNO	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.1	0.4	0.1	26.4	2.9	5.34	4.30
FRESNO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.6	23.4	3.1	5.93	4.26
FRESNO	7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58
FRESNO	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.2	2.7	0.4	27.7	1.0	4.98	4.40
FRESNO	1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	1.0	0.3	24.8	1.0	5.38	4.41
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.7	0.4	0.6	23.4	1.2	5.74	4.42
FRESNO	4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	1.6	0.2	29.6	0.8	5.58	4.26
FRESNO	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.5	0.6	0.3	26.0	1.5	5.60	4.39
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	3.3	1.0	0.3	23.5	2.5	5.95	4.46
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
FRESNO	1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	1.5	0.8	22.5	1.8	5.75	4.36
FRESNO	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	1.3	26.0	1.3	4.95	4.36
FRESNO	140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
FRESNO	385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
FRESNO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
FRESNO	1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39
FRESNO	2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
FRESNO	2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
FRESNO	3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
FRESNO	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	26.0	0.0	5.20	4.26
FRESNO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	0.0	6.20	4.31
FRESNO	52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
FRESNO		5,486	0.0	2.3	1.5	0.5	24.8	1.1	5.12	4.35	173,698	0.0	1.2	1.9	0.6	24.3	1.5	5.47	4.38
GLENN	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	216	0.0	2.2	5.5	2.1	23.9	0.7	4.97	4.52
GLENN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	4.2	10.3	3.8	24.8	0.5	4.94	4.29
GLENN	1170, HEINZ	208	0.0	1.2	3.6	1.5	29.7	0.6	4.63	4.37	209	0.0	1.2	3.6	1.5	29.7	0.6	4.64	4.37
GLENN	3402, HEINZ	208	0.0	1.2	4.9	0.9	27.0	0.4	4.66	4.45	208	0.0	1.2	4.9	0.9	27.0	0.4	4.66	4.45
GLENN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	2.2	5.3	3.0	24.0	0.5	4.98	4.48
GLENN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	174	0.0	1.3	7.4	1.9	25.0	0.3	4.71	4.31
GLENN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	1.9	2.4	2.1	27.2	1.0	4.88	4.40
GLENN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	10.2	11.6	3.3	23.5	0.5	5.03	4.38
GLENN		416	0.0	1.2	4.2	1.2	28.3	0.5	4.65	4.41	1,371	0.0	2.2	5.8	2.2	25.9	0.6	4.83	4.40
KERN	8504, HEINZ	128	0.0	1.9	1.3	0.4	24.6	0.6	5.47	4.33	5,941	0.0	1.9	2.6	0.7	25.7	0.8	5.31	4.36
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,722	0.0	1.4	0.8	0.5	25.8	2.1	5.05	4.45

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,394	0.0	2.0	1.0	0.6	24.6	0.8	5.01	4.41
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,881	0.0	0.8	2.7	1.4	24.9	1.3	4.97	4.40
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,700	0.0	0.7	1.2	0.7	26.3	1.2	4.59	4.40
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,346	0.0	0.3	0.8	0.3	25.2	0.5	4.86	4.44
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,200	0.0	0.4	2.1	0.7	26.8	1.1	4.61	4.36
KERN	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,137	0.0	0.6	2.3	2.5	24.4	2.8	4.96	4.40
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	995	0.0	2.0	1.4	0.9	25.9	1.6	5.35	4.36
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.6	1.3	0.4	25.3	0.7	5.45	4.37
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	392	0.0	1.2	1.1	0.9	25.5	1.0	5.28	4.43
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	3.1	1.7	0.5	24.9	2.0	4.88	4.36
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	337	0.0	0.5	1.0	0.3	26.9	0.8	5.09	4.32
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	324	0.0	0.2	1.1	0.7	26.4	0.8	4.96	4.25
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	322	0.0	1.9	1.3	0.5	24.4	3.3	5.43	4.38
KERN	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	2.5	1.5	0.6	23.1	1.2	5.35	4.48
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	286	0.0	0.2	1.8	1.0	26.5	0.8	5.20	4.40
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	255	0.0	0.8	0.8	0.5	23.4	2.3	5.53	4.43
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	240	0.0	1.4	0.6	0.8	23.9	3.1	5.28	4.55
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.5	1.0	0.2	29.6	1.8	4.52	4.30
KERN	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	126	0.0	1.5	3.7	1.0	23.6	0.3	5.21	4.45
KERN	UNCODED	8	0.0	2.8	1.1	0.8	25.5	0.5	5.63	4.33	124	0.0	1.4	2.6	0.8	25.6	0.8	5.60	4.39
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	1.8	1.3	0.3	23.2	3.3	5.64	4.56
KERN	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	0.7	0.4	0.3	23.4	1.1	5.14	4.44
KERN	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	1.0	0.5	0.3	26.9	0.7	5.40	4.38
KERN	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	72	0.0	0.6	3.9	0.7	24.4	1.9	5.08	4.35
KERN	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	1.5	2.9	0.9	26.3	1.1	5.94	4.48
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	5.0	0.8	0.4	25.6	1.6	5.20	4.41
KERN	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	1.0	0.8	0.6	24.7	1.3	4.60	4.43
KERN	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.8	0.8	0.8	26.1	0.9	4.28	4.42
KERN	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.1	0.1	0.6	28.6	1.0	4.83	4.30
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	4.8	1.8	0.6	29.4	0.5	5.24	4.32
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	4.0	1.0	24.0	0.5	5.00	4.48
KERN		136	0.0	2.0	1.3	0.4	24.6	0.6	5.48	4.33	26,555	0.0	1.4	1.7	0.8	25.4	1.3	5.07	4.40
KINGS	8504, HEINZ	574	0.0	1.1	1.9	0.7	24.2	0.6	5.19	4.34	16,546	0.0	0.9	2.8	0.6	24.6	0.7	5.11	4.33
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,710	0.0	0.8	1.1	0.3	24.7	2.1	5.57	4.41
KINGS	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,992	0.0	1.0	3.6	0.4	24.3	1.1	6.23	4.34
KINGS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,648	0.0	1.7	3.1	0.6	24.1	0.8	5.26	4.39
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,442	0.0	0.2	2.5	0.6	25.5	1.0	4.87	4.31
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,162	0.0	0.5	1.2	0.7	26.0	1.3	4.38	4.40
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,813	0.0	1.9	2.5	0.4	25.9	0.8	5.18	4.30
KINGS	1892, HMX	24	0.0	0.1	4.1	0.7	27.5	0.2	6.22	4.28	1,268	0.0	1.4	1.6	0.6	25.9	1.0	5.43	4.42
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	980	0.0	0.3	1.8	0.7	24.9	0.7	5.15	4.38

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	861	0.0	1.1	1.5	0.4	24.2	0.8	5.11	4.45
KINGS	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	722	0.0	0.6	3.1	0.7	25.9	1.6	5.67	4.31
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	588	0.0	4.8	1.0	1.2	23.5	1.5	5.65	4.37
KINGS	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	582	0.0	1.0	2.2	0.6	24.8	1.1	4.92	4.50
KINGS	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	575	0.0	1.1	2.8	0.4	25.4	1.0	5.79	4.38
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	514	0.0	0.7	1.2	0.5	24.1	1.3	6.08	4.41
KINGS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	445	0.0	2.2	1.1	0.2	26.3	1.7	5.35	4.31
KINGS	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	379	0.0	1.2	1.6	0.7	24.0	1.7	5.87	4.42
KINGS	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	0.8	3.0	0.4	24.2	1.1	5.19	4.49
KINGS	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	340	0.0	0.8	2.4	0.3	24.6	1.2	5.37	4.34
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	327	0.0	1.2	2.6	0.6	26.4	1.0	5.09	4.35
KINGS	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	320	0.0	2.6	2.5	0.6	27.1	1.4	5.49	4.49
KINGS	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	306	0.0	0.7	1.9	0.2	27.3	0.9	5.26	4.38
KINGS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	303	0.0	1.3	2.6	0.5	24.7	0.8	5.37	4.37
KINGS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	209	0.0	1.0	0.3	0.3	26.8	2.2	5.38	4.50
KINGS	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.6	8.6	1.6	24.4	1.2	5.72	4.29
KINGS	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.5	0.9	0.5	23.8	2.3	5.57	4.40
KINGS	6410, N	19	0.0	0.0	4.4	0.6	26.4	0.2	6.19	4.26	168	0.0	1.4	1.5	0.5	26.8	0.9	5.43	4.38
KINGS	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	7.1	2.3	1.1	23.1	3.1	4.98	4.55
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	4.9	2.2	0.9	23.1	2.2	4.93	4.50
KINGS	5508, HZ	77	0.0	0.5	5.0	0.3	30.1	0.4	4.37	4.28	105	0.0	0.4	4.4	0.3	29.8	0.3	4.61	4.27
KINGS	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	95	0.0	0.5	2.0	0.2	27.8	0.8	4.80	4.30
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.3	0.4	0.4	24.6	1.2	5.93	4.29
KINGS	6415, N	22	0.0	0.0	2.9	0.4	30.3	0.4	5.95	4.23	92	0.0	1.1	1.3	0.4	26.1	0.6	5.58	4.34
KINGS	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.1	1.2	0.7	24.2	0.5	5.51	4.36
KINGS	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.3	0.6	0.1	23.4	2.6	5.35	4.42
KINGS	19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	0.4	0.3	0.2	25.8	1.6	5.07	4.43
KINGS	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.6	0.0	0.0	25.0	0.7	5.19	4.34
KINGS	6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.1	0.4	0.1	26.0	0.2	6.01	4.24
KINGS	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.1	0.6	0.0	25.3	1.9	5.64	4.39
KINGS	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.3	0.2	0.3	23.0	1.8	5.28	4.53
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
KINGS	4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.3	0.5	0.5	27.0	2.5	5.80	4.45
KINGS	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.3	0.5	0.0	23.5	0.0	5.00	4.45
KINGS		716	0.0	0.9	2.4	0.6	25.2	0.6	5.18	4.33	53,751	0.0	1.0	2.4	0.5	24.8	1.1	5.31	4.36
MADERA	8504, HEINZ	462	0.0	0.9	1.9	0.3	26.0	0.7	4.89	4.30	1,988	0.0	1.0	2.2	0.4	26.0	0.7	4.78	4.30
MADERA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,550	0.0	1.6	3.1	1.2	25.6	1.9	5.04	4.46
MADERA	2401, HEINZ	125	0.0	3.3	1.8	0.4	26.5	0.9	4.56	4.34	1,328	0.0	1.8	2.6	0.4	26.5	1.0	4.80	4.30
MADERA	19406, UG	68	0.0	1.2	2.5	0.4	24.7	0.9	5.27	4.28	1,212	0.0	2.0	1.1	0.4	25.3	1.0	5.10	4.36
MADERA	6404, N	40	0.0	2.5	3.2	1.9	24.9	1.8	5.34	4.36	783	0.0	1.5	3.4	0.6	27.4	1.8	4.75	4.42
MADERA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	694	0.0	0.3	5.1	1.2	26.7	1.2	4.66	4.29

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MADERA	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	615	0.0	0.4	2.2	0.3	26.3	0.3	4.56	4.34
MADERA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	572	0.0	3.4	5.1	2.1	26.1	2.6	5.42	4.42
MADERA	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	533	0.0	1.4	4.2	1.2	25.5	1.5	4.97	4.37
MADERA	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	527	0.0	0.8	2.6	0.7	25.5	0.6	5.06	4.32
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	486	0.0	0.4	3.1	2.2	25.0	1.3	4.96	4.41
MADERA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	482	0.0	3.6	1.8	0.3	24.3	1.6	5.06	4.44
MADERA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	469	0.0	2.0	4.3	1.5	24.0	2.2	5.72	4.39
MADERA	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	405	0.0	1.2	2.7	1.3	26.4	3.0	5.48	4.37
MADERA	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	363	0.0	1.5	2.5	2.5	24.5	2.1	5.38	4.50
MADERA	6407, N	315	0.0	3.3	6.4	1.7	27.3	1.1	5.06	4.32	360	0.0	3.3	6.3	1.7	27.3	1.2	5.06	4.32
MADERA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	233	0.0	1.1	2.8	0.5	25.5	1.1	5.44	4.43
MADERA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	206	0.0	2.1	1.4	0.1	26.8	1.0	5.17	4.44
MADERA	1170, HEINZ	10	0.0	1.3	0.2	0.3	26.7	0.5	5.24	4.36	201	0.0	0.8	0.8	0.1	26.4	0.5	5.35	4.40
MADERA	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	179	0.0	1.9	1.2	0.6	22.2	2.5	5.13	4.35
MADERA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	2.7	2.8	0.8	24.5	2.3	4.88	4.47
MADERA	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	0.4	5.1	0.9	29.6	1.6	4.37	4.32
MADERA	6415, N	14	0.0	1.4	2.3	0.0	25.3	0.8	4.91	4.33	100	0.0	2.0	2.6	0.2	25.3	0.9	4.81	4.38
MADERA	0319, DRI	2	0.0	4.5	0.5	0.0	24.0	2.8	5.45	4.54	83	0.0	1.0	0.4	0.2	25.3	1.5	5.59	4.39
MADERA	UNCODED	6	0.1	6.4	0.6	0.2	23.8	2.8	4.92	4.47	60	0.0	2.3	4.7	1.2	24.6	2.2	5.45	4.49
MADERA	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	1.3	2.4	1.0	25.9	6.6	5.80	4.44
MADERA	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	2.2	3.2	2.2	23.7	1.2	4.63	4.40
MADERA	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	2.5	0.5	0.6	26.7	2.6	5.53	4.47
MADERA	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.2	1.8	1.3	24.3	0.8	4.59	4.34
MADERA	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.4	2.0	0.4	22.5	3.2	5.41	4.44
MADERA	1424, HZ	2	0.0	10.3	0.3	0.0	23.5	3.3	5.35	4.44	7	0.0	6.0	0.8	0.1	25.0	2.8	4.89	4.44
MADERA	323, BQ	1	0.0	8.5	0.5	0.0	24.0	2.5	6.10	4.37	1	0.0	8.5	0.5	0.0	24.0	2.5	6.10	4.37
MADERA	4886, HMX	1	0.0	4.5	0.5	0.0	22.0	6.5	6.10	4.50	1	0.0	4.5	0.5	0.0	22.0	6.5	6.10	4.50
MADERA	4909, HMX	1	0.0	8.5	0.5	0.0	25.0	2.0	5.80	4.33	1	0.0	8.5	0.5	0.0	25.0	2.0	5.80	4.33
MADERA		1,047	0.0	2.1	3.3	0.8	26.3	0.9	4.95	4.32	13,843	0.0	1.6	2.9	0.9	25.8	1.4	5.00	4.37
MERCED	8504, HEINZ	1,589	0.0	1.0	2.2	0.8	24.5	1.0	5.04	4.28	5,449	0.0	0.9	2.8	0.8	24.7	1.0	5.05	4.28
MERCED	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,684	0.0	1.0	2.7	0.9	24.4	2.1	5.54	4.38
MERCED	19406, UG	613	0.0	2.0	1.0	0.4	24.1	1.0	5.33	4.32	4,603	0.0	1.9	1.9	0.6	24.4	1.0	5.44	4.32
MERCED	2401, HEINZ	621	0.0	1.8	1.3	0.9	24.5	1.2	4.82	4.28	4,454	0.0	1.1	2.5	0.9	24.5	1.0	5.07	4.28
MERCED	6404, N	11	0.0	7.0	1.3	1.5	23.7	1.8	4.22	4.52	3,432	0.0	1.9	2.3	1.1	25.1	1.7	5.25	4.42
MERCED	1892, HMX	42	0.0	6.6	1.8	1.3	24.8	1.6	4.93	4.45	2,771	0.0	0.6	2.8	1.4	24.2	1.1	5.50	4.39
MERCED	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,482	0.0	1.7	3.0	1.7	25.6	1.5	5.23	4.39
MERCED	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,386	0.0	2.2	5.2	1.4	25.2	1.9	5.72	4.40
MERCED	0311, AB	16	0.0	2.9	1.1	0.7	23.8	1.8	5.34	4.36	2,213	0.0	2.4	3.3	1.6	24.1	2.1	5.83	4.36
MERCED	0319, DRI	270	0.0	5.5	2.0	0.5	25.5	1.9	5.35	4.43	1,851	0.0	1.6	1.7	0.4	24.2	1.7	6.03	4.37
MERCED	4707, HEINZ	156	0.0	1.5	1.6	0.5	23.5	0.6	4.88	4.33	1,640	0.0	0.7	1.7	0.8	24.5	0.9	5.17	4.33
MERCED	1161, HEINZ	3	0.0	4.3	1.8	0.7	24.0	4.2	6.13	4.36	1,481	0.0	1.5	1.9	0.4	25.0	2.7	5.64	4.34

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,159	0.0	2.2	2.5	1.3	23.6	1.6	4.93	4.39
MERCED	9905, HARRIS MORAN	356	0.0	0.8	3.6	1.8	25.2	1.2	5.16	4.40	1,039	0.0	1.2	3.5	1.8	24.9	1.7	5.26	4.44
MERCED	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,019	0.0	0.5	2.6	1.3	23.0	1.4	5.93	4.41
MERCED	5701, HZ	202	0.0	0.5	0.9	0.7	23.5	0.9	4.96	4.30	1,003	0.0	0.6	2.8	2.1	24.2	0.9	5.04	4.30
MERCED	18806, UG	404	0.0	0.6	4.9	0.6	26.1	0.9	5.19	4.31	931	0.0	0.8	4.2	0.7	25.9	1.4	5.04	4.33
MERCED	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	823	0.0	0.6	3.0	1.1	23.7	0.8	5.19	4.38
MERCED	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	563	0.0	5.1	3.1	0.9	23.0	3.1	4.72	4.38
MERCED	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	451	0.0	3.0	1.3	0.3	25.6	1.3	5.23	4.37
MERCED	3888, HMX	17	0.0	1.3	1.3	0.6	30.0	0.3	5.15	4.35	438	0.0	0.8	1.8	0.6	26.8	0.9	5.60	4.40
MERCED	5508, HZ	28	0.0	0.7	0.4	0.1	23.3	0.4	4.63	4.34	407	0.0	0.3	2.1	0.2	24.1	0.7	4.98	4.36
MERCED	1170, HEINZ	69	0.0	2.8	1.9	0.4	24.9	1.2	4.52	4.33	404	0.0	2.2	0.8	0.5	25.4	1.1	5.12	4.43
MERCED	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	379	0.0	0.7	2.1	1.6	26.1	0.9	5.50	4.28
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	0.1	1.2	0.2	25.7	0.8	4.79	4.32
MERCED	205, BQ	34	0.0	2.9	0.6	0.2	23.8	1.8	5.51	4.32	367	0.0	1.8	0.8	0.7	24.2	2.3	5.80	4.39
MERCED	9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	365	0.0	0.3	1.1	0.2	23.8	0.8	4.82	4.35
MERCED	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	221	0.0	2.4	1.3	0.3	24.2	3.8	5.49	4.48
MERCED	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	151	0.0	1.7	0.8	0.9	24.5	1.4	6.03	4.26
MERCED	6415, N	116	0.0	1.6	0.8	0.2	26.5	0.7	4.83	4.28	139	0.0	1.4	1.0	0.2	26.5	0.8	4.96	4.29
MERCED	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	0.9	2.1	1.1	23.6	1.4	6.04	4.47
MERCED	8004, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	126	0.0	0.3	1.2	0.3	23.2	1.5	6.32	4.39
MERCED	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.7	1.2	0.3	25.7	0.8	4.62	4.51
MERCED	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	1.1	1.4	0.6	23.1	3.5	5.48	4.54
MERCED	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	0.3	1.4	0.1	26.1	0.5	4.92	4.33
MERCED	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	3.9	1.0	0.2	22.7	1.9	5.22	4.41
MERCED	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	3.4	0.9	0.6	23.7	1.2	5.59	4.40
MERCED	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	1.1	1.9	0.4	23.2	1.6	6.14	4.30
MERCED	22686	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	7.7	1.6	0.5	21.5	0.9	4.51	4.41
MERCED	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	1.4	2.8	2.9	23.9	3.0	5.29	4.25
MERCED	30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.2	0.7	0.0	25.5	1.2	5.00	4.34
MERCED	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	6.8	1.9	22.8	1.6	6.10	4.34
MERCED	328, BQ	4	0.0	7.5	0.8	1.0	23.5	2.5	5.00	4.45	4	0.0	7.5	0.8	1.0	23.5	2.5	5.00	4.45
MERCED	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	7.3	0.0	28.3	2.8	4.93	4.45
MERCED	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.0	0.7	0.0	22.3	1.8	6.33	4.31
MERCED	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.8	0.3	22.5	2.3	6.30	4.23
MERCED	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.5	0.5	24.0	1.0	5.40	4.41
MERCED	257, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	1.0	4.60	4.50
MERCED	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	3.5	0.5	23.0	3.0	6.30	4.41
MERCED	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	0.5	22.0	2.0	6.30	4.43
MERCED	2506, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.0	23.0	5.0	6.10	4.43
MERCED	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.0	21.0	2.0	6.10	4.50
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	5.0	2.0	22.0	1.5	6.50	4.41

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	7218807, BOS	1	0.0	2.5	1.5	1.0	24.0	2.5	5.40	4.31	1	0.0	2.5	1.5	1.0	24.0	2.5	5.40	4.31
MERCED		4,552	0.0	1.6	2.1	0.8	24.7	1.1	5.07	4.31	48,401	0.0	1.4	2.6	1.0	24.6	1.5	5.36	4.35
SACRAMENTO	19406, UG	130	0.0	1.0	0.5	0.3	23.2	0.7	5.99	4.27	698	0.0	1.1	0.6	0.2	23.5	0.7	5.94	4.28
SACRAMENTO	8504, HEINZ	356	0.0	1.6	2.1	2.0	25.1	1.3	4.99	4.30	451	0.0	1.4	2.3	2.3	25.2	1.2	4.98	4.30
SACRAMENTO	6407, N	192	0.0	1.1	1.4	1.5	25.1	1.6	5.22	4.36	446	0.0	0.8	1.3	1.3	26.2	1.2	5.21	4.32
SACRAMENTO	9905, HARRIS MORAN	350	0.0	1.3	3.1	1.2	25.4	1.1	4.80	4.41	378	0.0	1.3	3.0	1.1	25.3	1.1	4.76	4.42
SACRAMENTO	1892, HMX	64	0.0	0.6	1.1	0.2	24.9	0.5	5.14	4.38	349	0.0	1.2	1.8	0.2	25.2	0.9	5.16	4.44
SACRAMENTO	0319, DRI	1	0.0	1.0	0.0	0.5	23.0	1.0	6.00	4.26	285	0.0	0.8	1.0	1.1	25.9	1.8	5.75	4.29
SACRAMENTO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	268	0.0	0.7	1.0	0.4	26.9	1.4	5.36	4.24
SACRAMENTO	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	233	0.0	0.4	2.2	3.5	25.6	0.6	4.95	4.43
SACRAMENTO	5508, HZ	59	0.0	0.2	0.1	0.2	24.3	0.7	4.55	4.36	227	0.0	0.3	0.3	0.2	24.4	0.5	4.76	4.33
SACRAMENTO	849, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	2.5	0.8	0.3	27.0	0.6	5.01	4.33
SACRAMENTO	3888, HMX	129	0.0	1.5	3.3	4.8	26.1	2.4	5.03	4.51	145	0.0	1.4	3.3	5.0	26.2	2.4	5.08	4.50
SACRAMENTO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.4	0.6	0.2	25.1	3.3	5.46	4.30
SACRAMENTO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.1	2.7	5.5	1.0	28.4	0.6	4.81	4.32
SACRAMENTO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	120	0.0	0.5	1.3	0.7	26.5	1.6	5.98	4.25
SACRAMENTO	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	2.1	0.5	0.3	26.2	1.2	4.55	4.38
SACRAMENTO	206, BQ	73	0.0	1.6	1.1	0.2	24.5	3.7	4.79	4.35	98	0.0	1.3	1.0	0.4	25.0	3.1	4.99	4.32
SACRAMENTO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	0.4	0.4	0.2	24.1	1.5	5.64	4.35
SACRAMENTO	6410, N	34	0.0	1.2	5.1	0.9	25.6	0.9	5.44	4.29	75	0.0	0.9	2.9	0.6	24.8	0.8	5.29	4.29
SACRAMENTO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.9	0.8	0.2	26.6	1.0	5.29	4.30
SACRAMENTO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	1.0	1.8	0.6	23.9	1.2	6.53	4.18
SACRAMENTO	141, BQ	3	0.0	3.8	3.2	3.0	24.0	5.3	5.20	4.36	67	0.0	1.4	4.5	1.9	24.3	4.9	5.08	4.32
SACRAMENTO	6366, SUN	17	0.0	0.9	1.7	0.3	23.6	0.8	5.14	4.47	63	0.0	2.4	2.6	0.9	25.4	1.1	5.41	4.37
SACRAMENTO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	1.0	1.0	0.7	26.2	0.4	5.33	4.31
SACRAMENTO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.7	0.1	0.2	24.1	1.0	5.34	4.42
SACRAMENTO	18806, UG	33	0.0	0.5	3.1	0.7	27.9	1.1	5.22	4.24	33	0.0	0.5	3.1	0.7	27.9	1.1	5.22	4.24
SACRAMENTO	6424, N	12	0.0	1.9	4.0	2.8	24.9	4.1	5.29	4.37	29	0.0	1.4	3.4	3.2	25.2	3.2	5.46	4.35
SACRAMENTO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	2.0	2.5	0.9	24.2	0.6	5.71	4.36
SACRAMENTO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.5	25.3	0.5	4.80	4.34
SACRAMENTO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	29.0	5.5	4.40	4.34
SACRAMENTO	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	26.0	1.0	5.30	4.36
SACRAMENTO		1,453	0.0	1.3	2.1	1.5	25.1	1.4	5.07	4.36	4,883	0.0	1.1	1.6	1.0	25.4	1.2	5.28	4.33
SAN BENITO	0311, AB	139	0.0	0.7	0.9	0.7	23.3	1.9	5.88	4.24	743	0.0	1.4	1.0	0.5	25.5	2.4	5.50	4.29
SAN BENITO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	565	0.0	0.6	0.7	0.4	25.1	2.9	5.53	4.35
SAN BENITO	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	224	0.0	0.5	1.5	0.6	24.3	1.2	5.55	4.29
SAN BENITO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	210	0.0	1.5	1.8	0.6	22.3	2.7	5.39	4.40
SAN BENITO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	0.2	1.2	0.4	23.7	2.6	6.01	4.48
SAN BENITO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	0.8	1.3	0.4	26.0	3.8	4.91	4.39
SAN BENITO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	1.0	1.4	0.4	24.2	2.2	5.32	4.66
SAN BENITO	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	1.9	1.9	0.9	27.9	3.5	6.52	4.23

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN BENITO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.8	1.9	0.4	23.3	2.8	5.43	4.42
SAN BENITO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	25.0	3.0	5.90	4.21
SAN BENITO		139	0.0	0.7	0.9	0.7	23.3	1.9	5.88	4.24	2,226	0.0	1.0	1.1	0.5	24.8	2.6	5.52	4.35
SAN JOAQUIN	8504, HEINZ	1,905	0.0	0.8	1.9	2.0	25.1	0.8	5.03	4.24	4,984	0.0	0.8	1.6	2.1	25.3	0.8	5.02	4.25
SAN JOAQUIN	0319, DRI	533	0.0	1.1	0.5	0.5	24.7	2.1	5.29	4.34	4,902	0.0	1.4	0.9	0.3	24.8	2.2	5.45	4.35
SAN JOAQUIN	19406, UG	859	0.0	1.3	1.0	0.5	24.9	0.8	5.22	4.28	3,183	0.0	1.3	1.3	0.5	24.9	0.9	5.50	4.28
SAN JOAQUIN	6404, N	174	0.0	5.4	0.5	0.3	23.5	3.1	4.70	4.49	2,928	0.0	2.0	2.0	2.0	24.5	1.9	5.15	4.38
SAN JOAQUIN	1892, HMX	540	0.0	1.6	0.8	0.5	23.6	1.2	5.37	4.39	2,916	0.0	1.5	1.6	0.9	24.2	1.5	5.37	4.42
SAN JOAQUIN	0311, AB	137	0.0	1.3	0.5	0.4	24.0	1.2	5.10	4.35	2,584	0.0	1.6	0.8	0.3	24.2	1.6	5.35	4.31
SAN JOAQUIN	9905, HARRIS MORAN	406	0.0	1.2	1.1	1.0	25.3	0.6	5.08	4.42	2,268	0.0	0.9	2.3	2.0	25.6	1.1	5.06	4.43
SAN JOAQUIN	6407, N	881	0.0	1.1	1.2	1.8	25.0	1.4	5.22	4.33	2,091	0.0	1.0	1.3	1.6	25.2	1.2	5.40	4.34
SAN JOAQUIN	5608, HZ	176	0.0	1.7	0.7	0.4	23.0	0.9	4.65	4.40	2,036	0.0	2.6	1.5	0.4	23.5	1.4	4.73	4.40
SAN JOAQUIN	6410, N	454	0.0	1.9	0.5	2.4	24.8	1.8	5.03	4.43	1,962	0.0	1.6	1.3	1.5	25.6	1.3	5.02	4.37
SAN JOAQUIN	1161, HEINZ	204	0.0	1.1	0.6	0.4	25.5	1.6	5.06	4.34	1,225	0.0	1.3	1.3	0.7	25.8	2.8	5.28	4.33
SAN JOAQUIN	3887, HMX	144	0.0	1.5	1.0	0.3	25.0	0.9	5.27	4.37	1,156	0.0	1.9	1.7	0.4	25.7	1.2	5.31	4.36
SAN JOAQUIN	5508, HZ	159	0.0	0.4	0.9	0.5	25.1	0.5	4.36	4.30	1,149	0.0	0.4	0.6	0.4	24.5	0.6	4.66	4.32
SAN JOAQUIN	9780, HEINZ	237	0.0	1.2	2.6	2.6	24.4	1.3	5.27	4.27	1,091	0.0	1.2	2.1	1.3	24.6	1.4	5.51	4.27
SAN JOAQUIN	5702, HZ	345	0.0	0.6	1.7	1.1	23.2	0.6	4.79	4.32	1,073	0.0	0.5	1.7	1.0	23.3	0.5	4.70	4.34
SAN JOAQUIN	4707, HEINZ	188	0.0	0.4	3.5	1.0	25.3	0.4	4.79	4.25	1,005	0.0	0.6	2.4	1.1	24.6	0.4	4.70	4.31
SAN JOAQUIN	6420, N	57	0.0	1.1	0.2	0.0	25.4	0.9	4.50	4.42	987	0.0	2.4	1.2	0.4	25.7	1.6	4.58	4.46
SAN JOAQUIN	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	874	0.0	0.5	2.2	1.2	24.1	0.6	4.64	4.28
SAN JOAQUIN	2401, HEINZ	343	0.0	0.7	3.2	1.1	25.1	1.1	4.72	4.24	699	0.0	0.6	2.2	0.7	25.0	0.8	4.79	4.24
SAN JOAQUIN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	693	0.0	1.6	0.9	0.4	24.0	1.4	5.01	4.42
SAN JOAQUIN	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	643	0.0	0.9	1.1	0.3	24.3	0.9	5.42	4.43
SAN JOAQUIN	1292, HZ	13	0.0	0.4	1.3	1.9	24.8	1.7	5.05	4.39	606	0.0	0.6	0.7	0.3	22.8	1.8	5.45	4.42
SAN JOAQUIN	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	406	0.0	1.3	2.2	1.7	22.6	2.3	5.37	4.45
SAN JOAQUIN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	401	0.0	4.5	2.4	0.5	25.4	1.7	4.15	4.34
SAN JOAQUIN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	396	0.0	0.7	2.8	1.3	24.2	1.3	4.86	4.32
SAN JOAQUIN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	382	0.0	1.9	0.4	0.2	24.5	2.5	5.20	4.29
SAN JOAQUIN	206, BQ	151	0.0	0.8	0.7	0.5	24.4	1.4	5.18	4.35	333	0.0	0.7	1.3	0.5	25.9	1.5	5.28	4.30
SAN JOAQUIN	18806, UG	106	0.0	0.7	2.1	4.1	27.6	1.0	4.85	4.27	253	0.0	0.8	1.5	2.1	26.3	1.2	4.88	4.28
SAN JOAQUIN	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	247	0.0	0.8	0.7	0.3	24.7	0.8	4.75	4.48
SAN JOAQUIN	6415, N	73	0.0	0.8	0.6	0.6	22.4	1.2	5.24	4.31	225	0.0	0.8	0.9	1.0	23.5	1.3	5.21	4.29
SAN JOAQUIN	650, PS	141	0.0	2.1	0.4	0.1	26.8	1.9	4.71	4.43	216	0.0	1.6	0.7	0.1	26.2	1.8	5.18	4.43
SAN JOAQUIN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	200	0.0	1.1	0.5	0.3	22.9	0.8	5.30	4.40
SAN JOAQUIN	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	2.4	1.0	0.6	25.9	2.9	5.06	4.44
SAN JOAQUIN	3888, HMX	113	0.0	0.6	1.2	0.2	25.5	0.9	5.04	4.43	130	0.0	0.6	1.2	0.2	25.5	0.9	5.17	4.42
SAN JOAQUIN	1424, HZ	8	0.0	0.9	0.6	1.3	25.5	1.5	5.49	4.27	125	0.0	0.4	1.0	1.1	25.0	2.3	6.08	4.29
SAN JOAQUIN	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	2.0	0.2	0.4	24.8	0.8	5.54	4.30
SAN JOAQUIN	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	0.7	0.9	0.4	24.7	1.4	6.20	4.31
SAN JOAQUIN	8004, HEINZ	49	0.0	1.1	0.3	0.7	25.6	1.4	5.22	4.38	62	0.0	1.1	0.3	0.5	25.5	1.8	5.26	4.37

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	1.7	1.3	0.5	21.4	2.0	5.51	4.35
SAN JOAQUIN	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	1.1	0.6	0.2	25.0	2.6	5.20	4.34
SAN JOAQUIN	6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	0.5	0.8	0.1	28.4	1.1	4.93	4.35
SAN JOAQUIN	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.7	0.6	0.4	24.7	1.1	5.42	4.33
SAN JOAQUIN	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.2	0.7	0.9	24.8	2.0	5.53	4.33
SAN JOAQUIN	8892, HEINZ	1	0.0	0.5	1.0	0.0	24.0	0.5	4.70	4.41	25	0.0	1.1	0.8	0.3	24.2	1.3	5.06	4.40
SAN JOAQUIN	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.5	0.5	0.2	24.4	1.1	5.83	4.20
SAN JOAQUIN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.5	0.4	2.3	22.6	0.7	4.97	4.33
SAN JOAQUIN	MISC EXP	13	0.0	1.6	0.8	1.9	23.3	2.2	5.86	4.39	13	0.0	1.6	0.8	1.9	23.3	2.2	5.86	4.39
SAN JOAQUIN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	1.7	3.7	0.8	24.0	2.8	5.30	4.32
SAN JOAQUIN	1541, HZ	12	0.0	0.3	0.9	0.5	21.4	0.3	5.27	4.35	12	0.0	0.3	0.9	0.5	21.4	0.3	5.27	4.35
SAN JOAQUIN	1539, HZ	11	0.0	1.3	1.1	0.9	21.8	0.7	4.75	4.38	11	0.0	1.3	1.1	0.9	21.8	0.7	4.75	4.38
SAN JOAQUIN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.9	0.6	0.2	23.5	1.1	5.37	4.44
SAN JOAQUIN	HEINZ TRIAL	2	0.0	1.3	1.8	0.5	23.5	0.0	5.35	4.31	9	0.0	2.9	1.1	0.6	23.0	0.9	5.43	4.41
SAN JOAQUIN	388, OSX	8	0.0	0.3	1.3	0.4	25.6	0.6	5.15	4.37	8	0.0	0.3	1.3	0.4	25.6	0.6	5.15	4.37
SAN JOAQUIN	257, BQ	7	0.0	0.5	2.5	0.3	26.6	0.6	4.43	4.40	7	0.0	0.5	2.5	0.3	26.6	0.6	4.43	4.40
SAN JOAQUIN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.0	0.6	0.9	26.6	1.3	5.60	4.29
SAN JOAQUIN	6424, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.3	1.1	0.5	23.2	0.5	5.20	4.39
SAN JOAQUIN	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	3.8	0.9	0.6	24.0	2.0	5.00	4.35
SAN JOAQUIN	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	5.0	1.2	0.5	25.3	1.0	5.80	4.44
SAN JOAQUIN	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	11.8	0.3	0.5	21.7	1.3	5.10	4.37
SAN JOAQUIN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.0	0.5	0.5	23.7	0.2	5.33	4.37
SAN JOAQUIN	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	5.0	2.5	0.8	22.5	1.8	5.40	4.46
SAN JOAQUIN	141, BQ	1	0.0	0.5	0.0	0.0	25.0	0.0	5.10	4.26	1	0.0	0.5	0.0	0.0	25.0	0.0	5.10	4.26
SAN JOAQUIN	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	28.0	5.5	4.90	4.38
SAN JOAQUIN	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	24.0	0.0	4.70	4.24
SAN JOAQUIN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	0.0	5.40	4.26
SAN JOAQUIN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	2.0	0.0	23.0	1.0	5.60	4.38
SAN JOAQUIN		8,451	0.0	1.2	1.3	1.2	24.8	1.1	5.06	4.32	45,138	0.0	1.3	1.4	1.0	24.8	1.4	5.16	4.34
SAN LUIS OBISPO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	145	0.0	0.9	2.6	0.7	24.7	1.9	6.07	4.42
SAN LUIS OBISPO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	1.2	3.0	1.0	25.5	2.1	6.17	4.36
SAN LUIS OBISPO		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	207	0.0	1.0	2.7	0.8	25.0	2.0	6.10	4.41
SANTA CLARA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,171	0.0	0.8	1.3	2.2	25.7	2.5	4.69	4.36
SANTA CLARA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	305	0.0	1.9	0.5	0.2	24.4	2.3	4.81	4.31
SANTA CLARA	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	0.5	0.5	0.3	23.6	2.8	4.36	4.27
SANTA CLARA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,513	0.0	1.1	1.1	1.8	25.4	2.5	4.71	4.35
SOLANO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,246	0.0	1.1	0.9	0.6	24.6	2.2	5.47	4.34
SOLANO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,190	0.0	1.0	0.7	0.4	23.7	1.2	5.63	4.31
SOLANO	9905, HARRIS MORAN	56	0.0	1.7	1.0	0.6	25.9	1.3	4.55	4.52	1,740	0.0	0.6	1.3	1.2	24.8	0.8	5.19	4.42
SOLANO	19406, UG	92	0.0	2.0	2.6	0.7	24.7	0.8	4.76	4.34	1,267	0.0	1.1	1.3	0.9	24.9	0.7	5.41	4.27
SOLANO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,178	0.0	1.3	0.8	1.0	23.6	1.3	4.93	4.38

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	3887, HMX	18	0.0	2.9	0.3	0.3	25.7	2.3	4.52	4.51	1,173	0.0	1.3	1.0	0.6	25.2	0.9	5.09	4.37
SOLANO	206, BQ	78	0.0	1.3	1.3	0.5	24.5	4.7	4.92	4.47	1,068	0.0	1.0	0.7	0.5	25.2	2.1	5.34	4.33
SOLANO	849, HYPEEL	81	0.0	1.5	0.2	0.5	25.3	1.0	4.68	4.41	954	0.0	1.2	1.3	1.3	25.7	0.9	4.86	4.33
SOLANO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	665	0.0	1.1	0.4	0.3	25.1	1.4	5.29	4.35
SOLANO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	617	0.0	0.7	0.4	0.2	24.6	1.6	5.52	4.37
SOLANO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	551	0.0	0.7	0.8	0.9	25.1	1.2	5.59	4.38
SOLANO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	390	0.0	0.5	0.9	1.4	24.4	2.0	5.48	4.38
SOLANO	8504, HEINZ	93	0.0	0.3	3.6	5.9	23.1	2.0	5.45	4.25	376	0.0	1.1	2.7	3.5	25.6	1.3	5.06	4.28
SOLANO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	314	0.0	0.6	4.0	1.9	25.3	0.6	5.50	4.30
SOLANO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	313	0.0	0.6	2.0	2.1	22.8	0.9	5.24	4.37
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	292	0.0	0.3	0.7	0.4	26.3	1.5	5.22	4.39
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	286	0.0	0.3	0.6	0.3	28.8	0.6	4.90	4.28
SOLANO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	279	0.0	0.5	0.4	0.7	23.7	0.6	5.13	4.40
SOLANO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	231	0.0	0.5	0.3	0.2	24.6	2.7	5.19	4.29
SOLANO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	1.7	0.7	0.1	24.1	1.5	6.08	4.32
SOLANO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	204	0.0	0.2	3.0	1.4	24.0	0.4	5.13	4.28
SOLANO	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	202	0.0	0.4	2.8	3.1	24.8	0.7	5.04	4.38
SOLANO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	191	0.0	0.3	0.8	0.6	25.5	0.7	5.61	4.44
SOLANO	6410, N	32	0.0	0.7	0.8	2.8	24.0	1.6	5.40	4.34	153	0.0	0.8	0.9	0.8	25.2	1.1	5.57	4.34
SOLANO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	1.3	0.4	0.3	24.1	2.8	5.45	4.31
SOLANO	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	0.4	3.5	1.1	22.9	0.3	4.94	4.41
SOLANO	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	120	0.0	1.1	5.6	1.8	27.3	0.7	5.19	4.26
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	0.5	0.4	0.1	23.9	0.4	5.32	4.38
SOLANO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.3	0.7	0.4	25.4	3.2	5.69	4.26
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.4	0.4	0.2	29.0	0.6	4.98	4.32
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.1	0.6	0.2	28.2	2.1	5.03	4.26
SOLANO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	0.9	0.5	0.6	24.7	1.7	6.03	4.31
SOLANO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	0.4	0.4	1.0	23.5	1.1	5.05	4.40
SOLANO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.7	0.9	0.4	23.8	3.0	5.43	4.35
SOLANO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.8	0.1	2.7	25.2	3.1	4.64	4.44
SOLANO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	0.6	0.4	0.3	25.7	1.3	5.53	4.30
SOLANO	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	1.4	2.4	1.2	26.7	1.4	5.85	4.33
SOLANO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.3	0.4	0.6	25.1	1.4	5.52	4.39
SOLANO	19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.7	0.3	0.3	24.2	0.5	5.82	4.34
SOLANO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	2.3	1.0	1.8	22.9	1.7	5.03	4.45
SOLANO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	2.3	1.7	0.5	25.8	0.7	6.87	4.23
SOLANO	257, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.5	0.7	0.4	24.0	0.1	5.27	4.45
SOLANO	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.7	0.8	1.7	24.1	2.5	5.68	4.41
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	0.3	0.8	25.2	2.0	4.95	4.39
SOLANO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.4	0.6	0.5	24.2	1.7	6.15	4.38
SOLANO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.8	1.4	0.5	25.0	0.6	5.42	4.48

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.5	0.5	0.1	26.0	0.3	5.93	4.37
SOLANO	328, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.3	0.5	0.3	23.0	1.3	5.17	4.54
SOLANO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	1.3	0.0	26.7	1.5	6.07	4.38
SOLANO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	0.3	0.2	24.7	1.3	5.30	4.42
SOLANO	388, OSX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	25.0	0.5	5.60	4.28
SOLANO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.5	24.0	3.0	5.00	4.34
SOLANO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	23.0	2.0	5.40	4.34
SOLANO	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	0.5	24.0	1.0	5.30	4.38
SOLANO		450	0.0	1.3	1.8	1.8	24.6	1.9	4.92	4.39	18,441	0.0	0.9	1.1	0.9	24.8	1.3	5.32	4.34
STANISLAUS	0319, DRI	34	0.0	1.3	0.4	0.2	24.4	2.9	5.41	4.38	1,920	0.0	1.6	1.3	0.2	24.5	2.6	5.68	4.34
STANISLAUS	0311, AB	94	0.0	2.9	0.4	0.4	22.9	2.4	5.44	4.37	1,308	0.0	3.3	1.6	0.2	22.8	1.8	5.83	4.33
STANISLAUS	3887, HMX	141	0.0	2.8	1.9	0.4	24.5	0.8	5.47	4.42	1,223	0.0	1.9	1.5	0.2	25.4	1.0	5.42	4.39
STANISLAUS	1892, HMX	260	0.0	1.4	0.4	0.2	23.5	0.8	5.43	4.38	916	0.0	1.3	0.5	0.2	24.0	0.9	5.33	4.38
STANISLAUS	8504, HEINZ	417	0.0	0.9	1.6	1.7	23.8	0.8	5.20	4.24	798	0.0	0.7	1.8	1.0	24.5	0.7	5.05	4.24
STANISLAUS	5608, HZ	87	0.0	2.2	0.4	0.4	22.7	2.2	4.44	4.43	682	0.0	2.5	0.7	0.1	22.3	1.2	4.80	4.40
STANISLAUS	6404, N	2	0.0	0.3	0.3	0.3	24.5	1.5	5.10	4.35	464	0.0	1.9	1.1	0.4	24.2	1.2	5.42	4.40
STANISLAUS	19406, UG	54	0.0	1.5	0.5	0.1	23.4	0.7	5.56	4.30	394	0.0	1.0	0.9	0.3	25.5	0.7	5.32	4.29
STANISLAUS	2401, HEINZ	242	0.0	1.3	1.5	0.2	25.9	0.5	4.84	4.25	267	0.0	1.3	1.7	0.2	26.1	0.6	4.80	4.25
STANISLAUS	6410, N	33	0.0	0.9	0.2	0.3	23.5	0.6	5.33	4.34	243	0.0	0.7	0.4	0.1	23.9	0.5	5.26	4.35
STANISLAUS	6415, N	36	0.0	2.6	0.2	0.0	23.8	1.3	4.76	4.34	221	0.0	1.0	1.5	0.2	25.9	1.4	4.87	4.35
STANISLAUS	6407, N	122	0.0	0.7	0.3	0.6	24.0	1.1	5.26	4.32	188	0.0	0.7	0.9	0.4	24.3	0.9	5.48	4.31
STANISLAUS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	1.3	0.8	0.4	25.5	2.5	5.16	4.38
STANISLAUS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	182	0.0	0.7	2.9	1.2	24.2	1.5	5.28	4.44
STANISLAUS	9780, HEINZ	182	0.0	1.0	0.4	1.5	23.0	2.0	5.39	4.30	182	0.0	1.0	0.4	1.5	23.0	2.0	5.39	4.30
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	173	0.0	0.6	0.9	0.1	22.6	0.8	5.86	4.37
STANISLAUS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	155	0.0	0.5	1.7	0.4	23.2	1.3	5.19	4.40
STANISLAUS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	1.1	0.8	0.2	21.7	0.7	6.02	4.44
STANISLAUS	2, AB	85	0.0	2.4	1.0	0.3	24.0	2.6	5.02	4.31	85	0.0	2.4	1.0	0.3	24.0	2.6	5.02	4.31
STANISLAUS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.5	1.3	0.2	25.0	0.9	4.90	4.40
STANISLAUS	9905, HARRIS MORAN	8	0.1	0.6	0.3	0.0	24.0	0.6	4.75	4.41	64	0.0	1.3	1.9	5.6	24.7	2.1	5.13	4.49
STANISLAUS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	2.2	0.3	0.0	21.7	2.9	5.08	4.35
STANISLAUS	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.6	0.6	0.1	24.8	1.9	4.73	4.61
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	1.1	0.4	0.1	23.4	0.5	5.39	4.32
STANISLAUS	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.9	2.8	0.3	27.0	1.8	5.78	4.33
STANISLAUS	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.6	0.5	0.0	23.0	1.4	4.76	4.38
STANISLAUS	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.1	0.6	0.1	24.8	1.2	4.69	4.61
STANISLAUS	205, BQ	4	0.0	23.0	0.0	0.0	21.3	0.0	5.43	4.23	12	0.0	9.4	0.3	0.0	21.7	2.9	5.40	4.27
STANISLAUS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.8	1.2	0.6	27.8	1.8	4.87	4.30
STANISLAUS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.3	0.4	0.7	22.3	1.0	5.13	4.34
STANISLAUS	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.8	0.9	0.1	23.3	1.5	5.72	4.33
STANISLAUS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	0.9	0.1	22.8	1.0	5.98	4.34

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STANISLAUS	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	1.7	1.0	24.7	3.0	5.57	4.28
STANISLAUS	CAL MARZANO 2	1	0.0	3.0	1.0	0.0	23.0	3.0	5.00	4.31	1	0.0	3.0	1.0	0.0	23.0	3.0	5.00	4.31
STANISLAUS	211, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	1.5	22.0	2.0	5.50	4.52
STANISLAUS	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	23.0	4.0	6.00	4.26
STANISLAUS	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	2.0	25.0	3.5	5.20	4.35
STANISLAUS	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	4.5	3.0	26.0	1.0	5.50	4.44
STANISLAUS	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	25.0	1.0	6.00	4.28
STANISLAUS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	26.0	1.0	6.20	4.27
STANISLAUS	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	2.0	0.0	22.0	0.5	5.00	4.29
STANISLAUS		1,802	0.0	1.5	1.0	0.7	23.9	1.2	5.20	4.32	10,106	0.0	1.7	1.2	0.4	24.2	1.5	5.40	4.35
SUTTER	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,467	0.0	2.7	2.7	1.5	24.0	1.2	4.94	4.41
SUTTER	9905, HARRIS MORAN	316	0.0	1.8	3.2	1.9	26.7	1.3	4.95	4.44	1,745	0.0	1.5	3.8	1.5	26.5	1.0	5.10	4.44
SUTTER	3887, HMX	205	0.0	2.9	6.0	2.0	27.8	1.0	5.08	4.41	1,700	0.0	2.7	4.8	1.5	27.9	1.1	5.25	4.39
SUTTER	2, BP	131	0.0	2.2	3.2	2.0	25.3	1.9	5.22	4.44	1,642	0.0	2.1	4.5	1.7	25.9	1.7	5.50	4.45
SUTTER	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,238	0.0	1.2	2.6	1.5	25.0	0.9	5.13	4.30
SUTTER	0319, DRI	71	0.0	3.0	0.6	0.1	25.4	1.2	5.31	4.33	1,201	0.0	1.9	2.2	0.5	25.3	1.9	5.72	4.35
SUTTER	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,153	0.0	1.5	2.5	1.7	26.3	0.7	4.78	4.28
SUTTER	5508, HZ	178	0.0	1.2	2.9	1.2	25.6	0.8	4.50	4.33	1,146	0.0	0.9	2.6	0.7	26.5	0.6	4.72	4.32
SUTTER	282, CXD	9	0.0	0.7	3.3	2.3	25.6	1.4	5.21	4.29	897	0.0	1.5	3.7	1.6	25.9	1.3	5.14	4.33
SUTTER	141, BQ	289	0.0	2.5	6.2	1.4	25.7	2.8	4.74	4.39	850	0.0	2.7	5.7	1.0	25.5	4.1	4.76	4.40
SUTTER	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	727	0.0	0.9	1.5	1.2	25.1	0.7	4.69	4.34
SUTTER	142, BQ	77	0.0	5.7	6.7	1.7	25.3	3.6	5.62	4.43	519	0.0	3.6	3.8	1.2	24.9	3.8	5.50	4.42
SUTTER	9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	504	0.0	2.1	5.3	1.9	25.2	1.4	4.96	4.37
SUTTER	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	441	0.0	0.9	3.3	1.3	24.1	0.8	5.13	4.35
SUTTER	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	436	0.0	1.5	2.4	1.0	25.7	1.1	4.74	4.39
SUTTER	3402, HEINZ	6	0.0	1.4	6.7	1.0	26.0	0.8	4.75	4.40	378	0.0	0.9	4.6	1.7	25.2	0.6	4.62	4.42
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	303	0.0	0.3	3.0	0.7	25.3	0.3	5.02	4.39
SUTTER	0311, AB	7	0.0	1.1	1.0	0.0	22.6	2.1	5.16	4.36	301	0.0	2.7	1.7	0.2	23.9	1.1	5.54	4.35
SUTTER	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	294	0.0	2.2	4.8	1.3	27.0	0.7	5.58	4.35
SUTTER	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	7.8	2.5	1.8	25.8	2.5	4.42	4.39
SUTTER	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	246	0.0	0.7	1.8	3.3	25.7	0.7	5.01	4.34
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	220	0.0	1.8	1.0	1.6	26.3	1.2	5.15	4.41
SUTTER	6407, N	10	0.0	4.1	0.7	2.0	25.2	3.5	5.16	4.48	219	0.0	1.7	0.5	0.6	26.7	2.0	5.54	4.41
SUTTER	1175, HEINZ	27	0.0	0.8	4.7	4.3	27.1	0.5	4.50	4.42	200	0.0	0.4	6.6	1.3	24.0	0.2	4.99	4.41
SUTTER	3888, HMX	64	0.0	1.7	1.8	0.4	27.1	1.6	5.23	4.54	192	0.0	2.1	1.3	0.3	27.6	1.5	5.21	4.49
SUTTER	1422, HZ	142	0.0	2.0	6.5	2.7	27.5	0.9	5.01	4.35	190	0.0	2.0	6.3	2.4	27.4	0.9	5.17	4.34
SUTTER	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	189	0.0	1.3	0.1	0.1	23.7	1.2	4.94	4.47
SUTTER	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	2.9	1.0	0.4	23.7	1.7	5.13	4.47
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	136	0.0	0.2	1.3	2.6	25.1	1.7	5.22	4.26
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	135	0.0	0.7	0.6	0.5	26.5	3.1	5.52	4.28
SUTTER	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	2.4	3.8	2.0	25.7	1.5	5.32	4.34

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	849, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	2.4	2.1	0.7	25.7	0.6	5.12	4.42
SUTTER	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	0.6	1.1	0.9	24.3	1.5	6.02	4.32
SUTTER	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	2.4	2.2	3.1	26.2	1.4	4.94	4.44
SUTTER	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	0.8	0.6	1.1	26.7	5.7	5.05	4.44
SUTTER	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	3.1	3.3	1.7	25.6	2.5	4.95	4.42
SUTTER	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	2.3	7.4	0.8	27.0	1.1	5.47	4.35
SUTTER	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.9	1.0	0.1	26.1	1.8	5.18	4.36
SUTTER	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.7	0.5	0.2	23.7	3.2	4.93	4.45
SUTTER	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.5	2.0	0.3	26.0	0.8	5.65	4.47
SUTTER	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	2.0	0.5	27.0	2.5	4.50	4.40
SUTTER	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	0.5	26.0	0.5	5.50	4.41
SUTTER		1,532	0.0	2.3	4.4	1.7	26.3	1.6	4.96	4.40	20,604	0.0	1.9	3.3	1.4	25.7	1.4	5.10	4.38
TULARE	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	1.1	5.9	3.5	23.9	2.4	5.66	4.43
TULARE	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	1.2	1.6	0.1	25.9	2.0	5.54	4.40
TULARE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	2.0	1.2	0.2	26.5	1.2	5.02	4.47
TULARE	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	3.1	0.5	0.4	23.3	1.5	5.92	4.41
TULARE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	654	0.0	1.7	2.9	1.4	24.8	1.9	5.54	4.43
YOLO	3887, HMX	19	0.0	1.9	0.7	0.1	23.4	0.4	5.38	4.48	8,535	0.0	1.9	2.1	0.6	25.9	0.8	5.03	4.37
YOLO	9905, HARRIS MORAN	530	0.0	0.7	0.8	0.7	25.4	1.0	4.72	4.41	6,308	0.0	0.9	1.6	0.9	25.1	0.9	5.04	4.41
YOLO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,240	0.0	1.2	1.0	0.7	23.5	0.7	4.78	4.38
YOLO	0311, AB	37	0.0	4.1	1.5	0.6	29.7	1.6	5.12	4.28	4,343	0.0	1.4	0.8	0.5	23.6	1.1	5.49	4.31
YOLO	0319, DRI	151	0.0	0.7	0.7	0.4	25.4	1.1	5.69	4.26	4,217	0.0	1.4	1.0	0.7	24.5	2.1	5.52	4.34
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,013	0.0	0.4	0.8	0.6	24.7	1.0	5.11	4.38
YOLO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,793	0.0	0.6	1.1	0.6	26.2	1.1	5.15	4.36
YOLO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,296	0.0	1.6	1.7	1.3	25.6	1.6	4.79	4.48
YOLO	8504, HEINZ	276	0.0	0.8	1.2	5.0	24.7	1.3	4.84	4.28	2,276	0.0	0.7	2.5	2.9	25.4	0.7	4.94	4.26
YOLO	5508, HZ	252	0.0	0.8	0.2	0.2	25.1	0.7	4.09	4.41	2,271	0.0	0.5	0.6	0.2	24.6	0.4	4.49	4.34
YOLO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,932	0.0	0.9	0.6	0.6	24.8	1.5	5.02	4.34
YOLO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,397	0.0	0.9	0.9	0.7	26.2	1.0	5.07	4.42
YOLO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,381	0.0	1.1	1.9	1.2	24.7	0.8	5.26	4.29
YOLO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,359	0.0	0.3	2.1	1.7	25.3	0.6	4.77	4.33
YOLO	6410, N	86	0.0	2.9	1.5	4.6	25.3	2.0	4.39	4.42	1,264	0.0	1.2	1.2	1.4	25.3	1.2	5.03	4.38
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,112	0.0	0.1	2.2	0.9	27.6	0.3	4.91	4.34
YOLO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,008	0.0	1.0	3.3	1.3	23.9	0.7	4.68	4.38
YOLO	142, BQ	17	0.0	1.5	0.4	0.2	23.1	4.2	4.56	4.44	981	0.0	1.8	1.1	0.9	24.2	2.7	5.02	4.41
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	969	0.0	0.3	0.8	0.6	25.8	1.0	5.02	4.33
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	966	0.0	0.2	1.1	0.6	27.2	2.9	5.06	4.24
YOLO	2401, HEINZ	85	0.0	1.6	1.1	2.5	25.9	0.9	4.05	4.33	959	0.0	1.0	2.4	1.5	25.7	0.6	4.63	4.28
YOLO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	938	0.0	1.1	0.7	0.5	24.9	1.9	5.19	4.30
YOLO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	918	0.0	1.4	1.0	0.4	24.2	1.1	5.25	4.41
YOLO	3402, HEINZ	82	0.0	1.0	2.2	2.1	23.8	1.0	5.12	4.44	890	0.0	1.2	2.5	3.1	23.9	0.8	5.21	4.39

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	3888, HMX	133	0.0	2.0	1.1	0.3	25.0	0.8	5.52	4.45	834	0.0	1.2	0.7	0.4	25.7	1.0	5.43	4.46
YOLO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	806	0.0	0.8	0.9	1.0	25.3	1.5	5.11	4.39
YOLO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	686	0.0	1.1	0.6	0.3	24.0	2.5	5.30	4.34
YOLO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	664	0.0	0.8	1.8	1.3	24.1	1.1	4.90	4.36
YOLO	849, HYPEEL	9	0.0	0.3	0.4	0.4	24.3	0.3	5.36	4.35	656	0.0	2.5	0.5	0.4	25.6	0.7	4.90	4.36
YOLO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	610	0.0	1.1	0.8	0.6	26.0	1.1	4.74	4.40
YOLO	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	566	0.0	1.4	2.3	2.1	23.0	1.3	4.85	4.45
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	541	0.0	0.3	1.1	1.1	28.3	1.0	4.78	4.30
YOLO	6407, N	138	0.0	1.2	1.9	3.0	28.8	1.5	4.26	4.32	530	0.0	1.0	0.8	1.2	26.4	1.1	4.75	4.38
YOLO	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	477	0.0	0.5	0.9	0.5	25.1	2.2	5.00	4.37
YOLO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	468	0.0	0.4	0.6	0.2	25.2	3.2	4.98	4.30
YOLO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	397	0.0	1.0	0.5	0.3	24.5	1.8	4.82	4.33
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	351	0.0	0.4	2.0	1.0	28.2	1.0	4.56	4.28
YOLO	1170, HEINZ	39	0.0	1.6	1.2	5.5	24.1	1.7	5.27	4.43	343	0.0	0.8	3.5	2.7	26.8	0.6	5.30	4.29
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	291	0.0	0.3	2.9	1.7	26.4	1.0	4.98	4.28
YOLO	18806, UG	26	0.0	1.8	0.4	0.2	25.5	2.1	4.65	4.38	290	0.0	1.3	1.6	0.7	26.5	1.5	4.76	4.34
YOLO	9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	270	0.0	0.8	2.1	1.6	23.5	1.2	4.92	4.38
YOLO	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	1.2	1.0	0.5	23.6	2.7	5.14	4.37
YOLO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	225	0.0	0.7	1.1	1.3	25.0	0.9	4.86	4.29
YOLO	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	220	0.1	1.0	0.9	1.0	23.8	1.0	4.96	4.31
YOLO	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	217	0.0	1.4	1.5	0.4	25.4	0.7	4.79	4.40
YOLO	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	1.9	1.0	0.3	25.4	2.0	4.91	4.38
YOLO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	203	0.0	0.8	1.5	0.4	24.1	1.6	4.69	4.36
YOLO	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.5	2.0	1.5	27.3	1.4	5.03	4.33
YOLO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	167	0.0	2.3	1.0	0.3	23.0	2.0	5.43	4.44
YOLO	0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	152	0.0	1.0	1.5	0.4	24.4	1.4	5.53	4.33
YOLO	6420, N	8	0.0	2.9	0.1	0.3	21.8	6.4	5.59	4.56	128	0.0	1.0	0.4	0.3	23.2	2.2	5.55	4.42
YOLO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	0.6	0.4	0.2	23.4	2.0	5.33	4.35
YOLO	UNCODED	19	0.0	4.8	1.7	1.0	33.2	1.3	4.97	4.29	125	0.0	2.4	1.4	1.4	25.7	1.7	5.20	4.34
YOLO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	0.3	0.3	0.5	25.8	1.2	4.85	4.32
YOLO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	0.8	0.7	1.4	24.1	1.7	4.75	4.40
YOLO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	1.6	1.8	1.5	25.0	2.0	4.86	4.35
YOLO	4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	0.3	1.8	2.5	32.8	0.7	4.88	4.31
YOLO	0306, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.5	0.8	0.4	23.7	8.0	5.53	4.48
YOLO	6424, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.9	0.8	0.5	25.5	2.5	4.87	4.40
YOLO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	1.5	0.7	0.9	22.9	1.7	6.12	4.36
YOLO	4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	1.0	1.0	0.5	24.0	1.8	4.94	4.34
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	1.0	0.7	0.2	24.2	0.8	5.05	4.35
YOLO	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	0.8	4.4	2.3	27.2	0.6	5.19	4.28
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.5	0.8	29.7	0.2	4.53	4.29

2015 Processing Tomato Season
PTAB Analysis (10/3/15) - County by Variety



County	Variety Name	Week Ending 10/3/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	2.2	0.8	0.1	23.5	3.1	5.61	4.34
YOLO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.3	0.2	0.2	23.4	0.8	5.64	4.27
YOLO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.2	0.4	0.1	23.3	0.7	5.26	4.33
YOLO	3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
YOLO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	2.5	0.8	0.4	26.4	1.1	5.43	4.28
YOLO	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.1	1.7	1.4	0.4	25.6	1.6	5.78	4.36
YOLO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.0	0.9	0.2	25.3	0.4	4.63	4.37
YOLO	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.8	1.7	0.3	25.2	0.4	5.42	4.33
YOLO	388, OSX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.4	1.1	0.3	26.3	0.4	4.78	4.41
YOLO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.3	0.9	0.1	25.4	2.2	4.88	4.25
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
YOLO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.4	2.0	0.1	26.5	5.4	4.68	4.36
YOLO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.3	22.5	0.3	4.80	4.47
YOLO	9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
YOLO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	1.0	0.5	23.0	5.0	4.50	4.49
YOLO	3203, BOS (HYBRID)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	4.80	4.40
YOLO		1,907	0.0	1.2	1.0	1.8	25.5	1.2	4.76	4.37	70,355	0.0	1.1	1.4	0.9	25.0	1.1	5.04	4.36