

2015 Processing Tomato Season
PTAB Analysis (7/18/15) - County by Variety



County	Variety Name	Week Ending 7/18/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	410, APT	431	0.0	1.1	2.0	0.8	27.9	1.7	4.56	4.37	1,050	0.0	0.8	1.4	1.1	28.0	1.9	4.72	4.35
COLUSA	1015, HEINZ	562	0.0	0.2	2.1	1.3	25.6	0.5	5.05	4.34	885	0.0	0.2	1.7	1.2	26.0	0.5	5.09	4.34
COLUSA	6397, N	663	0.0	0.5	1.6	1.6	26.9	0.7	4.89	4.38	766	0.0	0.5	1.6	1.7	27.0	0.7	4.94	4.38
COLUSA	6416, N	451	0.0	0.8	1.3	0.4	26.4	1.4	4.78	4.35	632	0.0	0.7	1.4	0.5	26.5	1.2	4.88	4.33
COLUSA	6366, SUN	341	0.0	0.6	1.6	0.9	27.6	1.2	5.18	4.35	510	0.0	0.6	1.5	0.8	28.1	1.2	5.06	4.33
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	469	0.0	0.3	0.6	0.5	27.8	4.1	4.74	4.29
COLUSA	0599, SV	312	0.0	1.0	2.3	0.8	31.5	1.0	4.41	4.35	424	0.0	0.9	2.2	0.9	31.8	0.9	4.38	4.33
COLUSA	273, BQ	100	0.0	0.9	1.2	0.4	27.6	0.8	4.74	4.30	106	0.0	0.9	1.3	0.4	27.9	0.8	4.74	4.30
COLUSA	1292, HZ	1	0.0	0.5	1.5	4.0	22.0	2.0	4.80	4.40	92	0.0	0.9	2.0	2.2	27.8	0.7	4.74	4.34
COLUSA	5003, HEINZ	80	0.0	0.3	1.0	1.1	25.1	2.8	4.65	4.33	87	0.0	0.3	0.9	1.5	25.0	2.8	4.82	4.33
COLUSA	6412, N	16	0.0	1.7	2.8	2.2	30.6	2.4	4.73	4.34	16	0.0	1.7	2.8	2.2	30.6	2.4	4.73	4.34
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.5	1.7	2.0	28.7	0.9	4.56	4.28
COLUSA	6410, N	6	0.0	0.3	0.4	0.0	26.5	1.3	4.40	4.35	6	0.0	0.3	0.4	0.0	26.5	1.3	4.40	4.35
COLUSA	0311, AB	4	0.0	1.3	1.9	0.3	26.3	0.5	5.43	4.22	4	0.0	1.3	1.9	0.3	26.3	0.5	5.43	4.22
COLUSA	6394, N	1	0.0	1.0	1.0	0.0	26.0	1.0	4.60	4.38	1	0.0	1.0	1.0	0.0	26.0	1.0	4.60	4.38
COLUSA		2,968	0.0	0.7	1.8	1.0	27.3	1.1	4.83	4.36	5,057	0.0	0.6	1.5	1.0	27.6	1.4	4.85	4.34
CONTRA COSTA	6366, SUN	505	0.0	0.3	0.6	0.1	25.5	1.7	5.44	4.30	897	0.0	0.3	0.7	0.2	26.3	1.4	5.50	4.28
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.2	0.5	0.1	27.1	2.5	4.60	4.30
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	0.0	0.6	0.1	26.2	2.7	5.13	4.23
CONTRA COSTA	6397, N	162	0.0	0.2	0.5	0.1	25.6	0.5	4.96	4.35	162	0.0	0.2	0.5	0.1	25.6	0.5	4.96	4.35
CONTRA COSTA	6416, N	31	0.0	0.3	0.5	0.1	24.7	1.0	4.73	4.28	31	0.0	0.3	0.5	0.1	24.7	1.0	4.73	4.28
CONTRA COSTA	6402, N	10	0.0	0.1	2.8	0.2	26.5	0.5	5.03	4.33	10	0.0	0.1	2.8	0.2	26.5	0.5	5.03	4.33
CONTRA COSTA		708	0.0	0.3	0.6	0.1	25.5	1.3	5.30	4.31	1,685	0.0	0.2	0.6	0.1	26.3	1.7	5.20	4.28
FRESNO	6366, SUN	5,358	0.0	0.5	1.0	0.5	24.8	1.6	5.51	4.37	6,525	0.0	0.5	1.1	0.5	25.0	1.6	5.55	4.36
FRESNO	6416, N	3,079	0.0	0.3	1.4	0.7	24.7	0.8	5.12	4.30	5,968	0.0	0.2	1.5	0.7	25.3	1.0	5.00	4.30
FRESNO	6397, N	1,807	0.0	0.2	1.2	0.9	24.1	0.8	5.28	4.38	2,445	0.0	0.2	1.1	0.9	24.2	0.9	5.34	4.38
FRESNO	1015, HEINZ	1,453	0.0	0.1	0.6	0.3	23.7	0.6	5.52	4.41	2,069	0.0	0.1	0.6	0.3	23.9	0.5	5.53	4.40
FRESNO	187, CXD	501	0.0	1.2	0.5	0.3	25.0	1.4	4.52	4.37	1,825	0.0	0.6	1.1	0.4	25.6	1.2	4.56	4.35
FRESNO	6402, N	1,724	0.0	0.5	2.4	1.2	25.1	0.9	5.70	4.36	1,724	0.0	0.5	2.4	1.2	25.1	0.9	5.70	4.36
FRESNO	273, BQ	657	0.0	0.5	1.6	0.8	24.7	1.2	5.44	4.30	798	0.0	0.5	1.5	0.7	25.0	1.2	5.41	4.29
FRESNO	410, APT	97	0.0	1.6	0.3	0.3	23.9	2.3	5.00	4.41	786	0.0	0.7	0.9	0.6	24.6	2.3	5.19	4.32
FRESNO	1292, HZ	620	0.0	0.6	0.5	0.5	23.4	1.2	5.43	4.45	620	0.0	0.6	0.5	0.5	23.4	1.2	5.43	4.45
FRESNO	602, BOS	276	0.0	1.1	0.8	0.1	23.8	3.1	4.97	4.34	298	0.0	1.0	0.8	0.1	23.8	3.1	4.98	4.34
FRESNO	0599, SV	170	0.0	0.3	0.5	0.3	26.6	0.4	4.91	4.29	291	0.0	0.2	0.5	0.4	26.7	0.5	5.02	4.29
FRESNO	1892, HMX	98	0.0	0.7	0.9	0.5	26.6	0.5	5.47	4.43	208	0.0	0.4	0.8	0.5	26.3	0.4	5.66	4.39
FRESNO	6394, N	169	0.0	0.6	0.2	0.4	23.6	2.8	5.76	4.40	170	0.0	0.6	0.2	0.4	23.6	2.7	5.75	4.40
FRESNO	16609, UG	117	0.0	0.1	0.5	0.1	24.7	1.8	6.06	4.29	163	0.0	0.1	1.2	0.2	25.3	1.5	5.93	4.30
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.0	1.0	1.8	26.1	0.7	5.07	4.21
FRESNO	1161, HEINZ	122	0.0	0.4	1.2	0.1	23.7	1.2	6.05	4.33	133	0.0	0.4	1.2	0.2	23.8	1.2	6.06	4.33

2015 Processing Tomato Season
PTAB Analysis (7/18/15) - County by Variety



County	Variety Name	Week Ending 7/18/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	1293, HZ	126	0.0	0.4	0.5	0.4	24.5	1.4	5.50	4.50	126	0.0	0.4	0.5	0.4	24.5	1.4	5.50	4.50
FRESNO	2, AB	97	0.0	0.4	1.1	0.5	24.2	1.4	6.29	4.29	122	0.0	0.3	1.0	0.4	24.2	1.3	6.38	4.29
FRESNO	6404, N	29	0.0	0.1	3.3	0.7	26.4	1.2	5.37	4.33	82	0.0	0.3	3.6	0.7	28.0	0.9	5.21	4.33
FRESNO	5608, HZ	80	0.0	1.6	1.4	0.3	24.6	0.5	4.92	4.35	80	0.0	1.6	1.4	0.3	24.6	0.5	4.92	4.35
FRESNO	19406, UG	79	0.0	0.7	1.1	0.3	27.7	0.4	5.51	4.29	79	0.0	0.7	1.1	0.3	27.7	0.4	5.51	4.29
FRESNO	9491, HEINZ	66	0.0	0.5	0.9	1.1	24.7	1.9	4.83	4.35	66	0.0	0.5	0.9	1.1	24.7	1.9	4.83	4.35
FRESNO	313, BQ	60	0.0	0.5	0.8	0.3	24.9	1.4	5.09	4.36	60	0.0	0.5	0.8	0.3	24.9	1.4	5.09	4.36
FRESNO	2601, HEINZ	56	0.0	0.7	1.3	0.6	25.9	0.9	5.28	4.39	56	0.0	0.7	1.3	0.6	25.9	0.9	5.28	4.39
FRESNO	1893, HMX	52	0.0	0.2	0.4	0.0	25.2	1.2	5.32	4.26	52	0.0	0.2	0.4	0.0	25.2	1.2	5.32	4.26
FRESNO	0311, AB	37	0.0	0.6	5.6	2.8	24.1	1.7	8.14	4.47	37	0.0	0.6	5.6	2.8	24.1	1.7	8.14	4.47
FRESNO	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.1	0.6	0.0	25.9	0.3	4.70	4.37
FRESNO	UNCODED	15	0.0	0.3	0.6	0.2	23.8	1.1	5.21	4.36	15	0.0	0.3	0.6	0.2	23.8	1.1	5.21	4.36
FRESNO	66509, BOS	13	0.0	1.2	2.1	0.1	23.1	2.5	5.47	4.40	13	0.0	1.2	2.1	0.1	23.1	2.5	5.47	4.40
FRESNO	8892, HEINZ	11	0.0	0.5	1.3	0.6	22.4	1.2	6.48	4.52	11	0.0	0.5	1.3	0.6	22.4	1.2	6.48	4.52
FRESNO	6410, N	10	0.0	1.1	0.4	0.4	24.6	3.3	4.78	4.41	10	0.0	1.1	0.4	0.4	24.6	3.3	4.78	4.41
FRESNO	205, BQ	7	0.0	0.6	0.9	0.6	24.3	3.1	5.34	4.34	7	0.0	0.6	0.9	0.6	24.3	3.1	5.34	4.34
FRESNO	1298, HZ	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
FRESNO	2849, SV	4	0.0	1.6	0.4	0.3	24.5	4.3	5.35	4.47	4	0.0	1.6	0.4	0.3	24.5	4.3	5.35	4.47
FRESNO	5900, HMX	4	0.0	0.0	0.9	0.5	22.8	1.8	5.98	4.30	4	0.0	0.0	0.9	0.5	22.8	1.8	5.98	4.30
FRESNO	373, U	1	0.0	0.5	2.0	0.5	29.0	1.0	5.10	4.36	3	0.0	0.3	1.2	0.5	25.7	1.5	5.17	4.35
FRESNO	MIX	1	0.0	0.5	0.0	0.0	23.0	6.5	5.60	4.39	2	0.0	0.3	1.0	0.3	24.0	4.0	5.55	4.33
FRESNO	1421, HZ	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42
FRESNO	HEINZ TRIAL	1	0.0	0.0	1.0	1.0	22.0	0.5	5.40	4.43	1	0.0	0.0	1.0	1.0	22.0	0.5	5.40	4.43
FRESNO	3, AB	1	0.0	0.0	1.0	0.5	24.0	2.5	5.50	4.54	1	0.0	0.0	1.0	0.5	24.0	2.5	5.50	4.54
FRESNO	140, BQ	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
FRESNO	268, BQ	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
FRESNO	416, BQ	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
FRESNO	1294, HZ	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
FRESNO	1296, HZ	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39
FRESNO	1297, HZ	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
FRESNO	2001, CYEL	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
FRESNO	2009, CYEL	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
FRESNO	2930, K	1	0.0	1.0	0.0	0.0	25.0	2.5	5.70	4.32	1	0.0	1.0	0.0	0.0	25.0	2.5	5.70	4.32
FRESNO	3046, SV	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
FRESNO	6407, N	1	0.0	0.5	0.5	0.0	26.0	0.5	5.40	4.41	1	0.0	0.5	0.5	0.0	26.0	0.5	5.40	4.41
FRESNO	52295, BOS	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
FRESNO		17,017	0.0	0.4	1.2	0.6	24.6	1.2	5.39	4.36	25,048	0.0	0.4	1.2	0.6	24.9	1.2	5.31	4.35
KERN	6366, SUN	949	0.0	1.6	0.5	0.5	24.9	2.4	5.11	4.45	3,667	0.0	1.4	0.8	0.5	25.8	2.1	5.05	4.45
KERN	6397, N	1,375	0.0	0.7	2.2	1.2	24.8	1.5	5.09	4.41	2,232	0.0	0.7	2.6	1.1	25.1	1.3	5.00	4.39

2015 Processing Tomato Season
PTAB Analysis (7/18/15) - County by Variety



County	Variety Name	Week Ending 7/18/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	187, CXD	380	0.0	0.7	1.1	0.7	26.3	1.7	4.55	4.45	1,699	0.0	0.7	1.2	0.7	26.3	1.2	4.59	4.40
KERN	5608, HZ	1,172	0.0	1.0	0.5	0.6	24.3	0.7	4.99	4.39	1,440	0.0	0.9	0.6	0.5	24.8	0.6	5.01	4.39
KERN	1015, HEINZ	501	0.0	0.3	0.8	0.3	24.4	0.3	4.94	4.43	1,259	0.0	0.3	0.8	0.3	25.3	0.5	4.87	4.43
KERN	66509, BOS	205	0.0	0.9	1.9	3.9	22.8	3.1	5.31	4.42	1,085	0.0	0.5	2.2	2.5	24.4	2.7	4.94	4.40
KERN	6416, N	321	0.0	0.5	1.5	1.1	25.6	1.5	4.54	4.38	1,041	0.0	0.4	1.8	0.7	27.1	1.0	4.55	4.35
KERN	8504, HEINZ	434	0.0	1.2	1.1	0.6	26.5	0.8	4.87	4.33	483	0.0	1.2	1.4	0.6	26.6	0.9	4.82	4.33
KERN	0319, DRI	328	0.0	1.6	0.8	0.4	27.0	1.3	5.11	4.32	341	0.0	1.5	0.8	0.5	27.0	1.3	5.16	4.32
KERN	273, BQ	167	0.0	0.4	1.5	0.3	27.0	1.0	4.84	4.35	337	0.0	0.5	1.0	0.3	26.9	0.8	5.09	4.32
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	324	0.0	0.2	1.1	0.7	26.4	0.8	4.96	4.25
KERN	1161, HEINZ	317	0.0	1.9	1.3	0.5	24.4	3.3	5.43	4.38	322	0.0	1.9	1.3	0.5	24.4	3.3	5.43	4.38
KERN	0311, AB	247	0.0	2.8	1.5	0.5	24.9	1.7	4.95	4.36	247	0.0	2.8	1.5	0.5	24.9	1.7	4.95	4.36
KERN	6404, N	57	0.0	0.3	3.4	1.7	26.0	1.5	5.03	4.37	214	0.0	0.2	1.5	0.7	26.0	0.9	5.32	4.41
KERN	16609, UG	141	0.0	0.8	0.8	0.5	23.1	2.1	5.51	4.43	207	0.0	0.8	0.9	0.4	23.5	1.7	5.49	4.40
KERN	1292, HZ	124	0.0	1.7	0.6	0.8	23.3	4.5	5.46	4.58	169	0.0	1.3	0.7	0.7	24.2	3.4	5.27	4.53
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.5	1.0	0.2	29.6	1.8	4.52	4.30
KERN	1892, HMX	79	0.0	0.6	1.1	0.5	27.9	0.6	4.64	4.38	104	0.0	0.5	1.0	0.4	28.0	0.6	4.75	4.37
KERN	31305, UG	81	0.0	0.7	0.4	0.3	23.4	1.1	5.13	4.44	84	0.0	0.7	0.4	0.3	23.4	1.1	5.14	4.44
KERN	2, AB	9	0.0	4.0	0.7	0.4	25.1	1.9	5.27	4.46	61	0.0	5.0	0.8	0.4	25.6	1.6	5.20	4.41
KERN	3887, HMX	44	0.0	0.7	0.6	0.3	27.3	0.8	5.37	4.36	44	0.0	0.7	0.6	0.3	27.3	0.8	5.37	4.36
KERN	313, BQ	42	0.0	1.0	0.8	0.6	24.7	1.3	4.60	4.42	42	0.0	1.0	0.8	0.6	24.7	1.3	4.60	4.42
KERN	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.8	0.8	0.8	26.1	0.9	4.28	4.42
KERN	UNCODED	1	0.0	0.0	0.5	0.0	25.0	3.5	4.90	4.43	25	0.0	0.0	0.9	0.7	27.2	0.8	4.94	4.43
KERN	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.1	0.1	0.6	28.6	1.0	4.83	4.30
KERN	1170, HEINZ	5	0.0	0.1	2.5	0.1	28.4	0.4	5.56	4.28	5	0.0	0.1	2.5	0.1	28.4	0.4	5.56	4.28
KERN	373, U	1	0.0	1.0	0.0	0.0	22.0	1.0	5.00	4.40	1	0.0	1.0	0.0	0.0	22.0	1.0	5.00	4.40
KERN		6,980	0.0	1.1	1.2	0.8	25.0	1.5	5.02	4.40	15,622	0.0	0.9	1.3	0.7	25.7	1.5	4.94	4.40
KINGS	6416, N	393	0.0	0.7	2.6	0.7	24.6	1.0	4.92	4.33	3,442	0.0	0.2	2.5	0.6	25.5	1.0	4.87	4.31
KINGS	187, CXD	794	0.0	1.0	1.1	0.7	25.2	1.6	4.46	4.40	3,162	0.0	0.5	1.2	0.7	26.0	1.3	4.38	4.40
KINGS	6366, SUN	2,224	0.0	0.4	1.3	0.3	25.1	1.7	5.64	4.38	2,347	0.0	0.4	1.3	0.3	25.3	1.7	5.60	4.38
KINGS	5608, HZ	605	0.0	0.3	1.8	0.4	24.9	0.3	5.14	4.38	801	0.0	0.3	2.0	0.4	25.3	0.3	5.14	4.36
KINGS	6397, N	244	0.0	0.3	1.7	0.2	26.1	0.6	4.94	4.34	672	0.0	0.2	1.5	0.6	25.1	0.7	5.15	4.37
KINGS	1015, HEINZ	251	0.0	0.5	1.0	0.2	23.7	0.4	5.10	4.44	372	0.0	0.5	1.2	0.2	24.1	0.4	5.16	4.44
KINGS	273, BQ	65	0.0	3.9	3.9	1.0	26.4	1.2	4.39	4.40	326	0.0	1.2	2.6	0.6	26.4	1.0	5.09	4.35
KINGS	373, U	102	0.0	0.2	0.5	0.6	23.2	2.1	5.80	4.41	146	0.0	0.3	0.5	0.6	23.3	2.2	5.76	4.40
KINGS	1308, HZ	128	0.0	0.2	3.3	0.4	25.1	0.4	5.20	4.44	128	0.0	0.2	3.3	0.4	25.1	0.4	5.20	4.44
KINGS	6402, N	1	0.0	0.5	0.5	0.5	26.0	2.0	6.90	4.45	105	0.0	0.6	0.8	0.5	26.0	1.3	6.55	4.44
KINGS	1893, HMX	92	0.0	0.3	0.4	0.4	24.6	1.2	5.93	4.29	92	0.0	0.3	0.4	0.4	24.6	1.2	5.93	4.29
KINGS	1892, HMX	68	0.0	0.4	1.6	0.5	28.4	0.4	5.37	4.43	68	0.0	0.4	1.6	0.5	28.4	0.4	5.37	4.43
KINGS	0319, DRI	63	0.0	0.2	2.4	0.4	25.2	0.5	6.25	4.28	63	0.0	0.2	2.4	0.4	25.2	0.5	6.25	4.28

2015 Processing Tomato Season
PTAB Analysis (7/18/15) - County by Variety



County	Variety Name	Week Ending 7/18/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	3887, HMX	63	0.0	0.1	2.2	0.2	24.4	0.5	6.15	4.30	63	0.0	0.1	2.2	0.2	24.4	0.5	6.15	4.30
KINGS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	0.1	1.2	0.4	26.4	0.9	4.82	4.36
KINGS	1161, HEINZ	51	0.0	0.7	3.1	1.0	27.6	1.7	5.22	4.30	51	0.0	0.7	3.1	1.0	27.6	1.7	5.22	4.30
KINGS	16609, UG	47	0.0	0.3	0.6	0.0	29.5	0.3	4.66	4.31	47	0.0	0.3	0.6	0.0	29.5	0.3	4.66	4.31
KINGS	6394, N	44	0.0	0.3	0.4	0.6	24.2	1.8	6.46	4.49	44	0.0	0.3	0.4	0.6	24.2	1.8	6.46	4.49
KINGS	1170, HEINZ	18	0.0	0.3	1.8	0.0	29.4	0.6	5.10	4.35	18	0.0	0.3	1.8	0.0	29.4	0.6	5.10	4.35
KINGS	313, BQ	7	0.0	0.6	0.6	0.1	23.6	3.3	5.24	4.48	7	0.0	0.6	0.6	0.1	23.6	3.3	5.24	4.48
KINGS	29805, ISI	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
KINGS	31305, UG	1	0.0	0.5	0.5	0.5	24.0	2.0	5.40	4.49	1	0.0	0.5	0.5	0.5	24.0	2.0	5.40	4.49
KINGS		5,264	0.0	0.6	1.5	0.4	25.1	1.2	5.27	4.38	12,012	0.0	0.4	1.7	0.5	25.6	1.1	4.99	4.37
MADERA	6397, N	358	0.0	0.4	3.4	2.5	25.2	1.2	5.00	4.40	358	0.0	0.4	3.4	2.5	25.2	1.2	5.00	4.40
MADERA	6416, N	277	0.0	0.2	5.7	1.8	26.8	1.4	4.75	4.28	277	0.0	0.2	5.7	1.8	26.8	1.4	4.75	4.28
MADERA	1161, HEINZ	166	0.0	0.6	2.8	1.9	26.7	2.9	5.68	4.35	166	0.0	0.6	2.8	1.9	26.7	2.9	5.68	4.35
MADERA		801	0.0	0.4	4.1	2.1	26.1	1.6	5.06	4.35	801	0.0	0.4	4.1	2.1	26.1	1.6	5.06	4.35
MERCED	6416, N	112	0.0	0.1	1.7	0.1	27.2	0.6	4.65	4.29	112	0.0	0.1	1.7	0.1	27.2	0.6	4.65	4.29
MERCED		112	0.0	0.1	1.7	0.1	27.2	0.6	4.65	4.29	112	0.0	0.1	1.7	0.1	27.2	0.6	4.65	4.29
SAN JOAQUIN	6404, N	22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38	22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38
SAN JOAQUIN		22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38	22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38
SOLANO	0599, SV	118	0.0	0.4	0.7	0.1	29.3	0.5	4.84	4.28	147	0.0	0.3	0.6	0.2	29.4	0.5	4.86	4.28
SOLANO	109, CXD (SHASTA)	9	0.0	0.2	0.3	0.1	25.6	2.3	5.37	4.27	85	0.0	0.1	0.6	0.2	28.2	2.1	5.03	4.26
SOLANO	6416, N	53	0.0	0.3	0.2	0.3	27.2	0.5	5.08	4.28	82	0.0	0.3	0.5	0.3	29.3	0.5	4.98	4.32
SOLANO	6397, N	5	0.0	0.4	0.3	0.8	26.2	0.7	5.58	4.31	79	0.0	0.4	0.2	0.3	30.3	0.8	5.00	4.38
SOLANO		185	0.0	0.3	0.5	0.2	28.4	0.6	4.95	4.28	393	0.0	0.3	0.5	0.2	29.3	0.9	4.95	4.30
SUTTER	1015, HEINZ	210	0.0	0.3	3.2	0.7	24.9	0.3	5.09	4.37	210	0.0	0.3	3.2	0.7	24.9	0.3	5.09	4.37
SUTTER	410, APT	136	0.0	0.2	1.3	2.6	25.1	1.7	5.22	4.26	136	0.0	0.2	1.3	2.6	25.1	1.7	5.22	4.26
SUTTER		346	0.0	0.3	2.4	1.5	25.0	0.9	5.14	4.33	346	0.0	0.3	2.4	1.5	25.0	0.9	5.14	4.33
YOLO	6397, N	1,084	0.0	0.2	1.5	1.1	26.1	0.8	5.18	4.34	1,093	0.0	0.2	1.5	1.1	26.1	0.8	5.18	4.34
YOLO	109, CXD (SHASTA)	247	0.0	0.3	0.9	0.8	26.6	3.0	5.10	4.24	966	0.0	0.2	1.1	0.6	27.2	2.9	5.06	4.24
YOLO	1015, HEINZ	345	0.0	0.1	3.0	1.3	28.0	0.3	4.84	4.35	837	0.0	0.1	2.5	1.1	28.6	0.3	4.87	4.33
YOLO	6416, N	371	0.0	0.2	0.6	0.4	26.5	0.8	4.94	4.29	572	0.0	0.2	0.7	0.4	26.8	1.0	5.03	4.30
YOLO	410, APT	49	0.0	0.2	1.4	1.1	27.0	0.7	4.92	4.29	313	0.0	0.3	2.1	0.7	28.6	0.8	4.52	4.26
YOLO	5003, HEINZ	228	0.0	0.2	3.0	1.3	26.8	0.9	4.91	4.26	228	0.0	0.2	3.0	1.3	26.8	0.9	4.91	4.26
YOLO	0599, SV	183	0.0	0.2	1.8	2.2	29.9	0.9	4.75	4.30	224	0.0	0.2	1.6	1.9	29.8	0.9	4.82	4.30
YOLO	6366, SUN	164	0.0	0.4	3.5	1.4	30.7	0.6	4.87	4.31	164	0.0	0.4	3.5	1.4	30.7	0.6	4.87	4.31
YOLO	6394, N	127	0.0	0.3	1.1	1.4	27.1	0.8	5.15	4.38	127	0.0	0.3	1.1	1.4	27.1	0.8	5.15	4.38
YOLO	6412, N	83	0.0	0.4	1.3	0.3	27.7	1.3	4.87	4.32	83	0.0	0.4	1.3	0.3	27.7	1.3	4.87	4.32
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.5	0.8	29.7	0.2	4.53	4.29
YOLO	UNCODED	5	0.0	0.0	3.0	0.8	27.6	0.5	5.34	4.25	5	0.0	0.0	3.0	0.8	27.6	0.5	5.34	4.25
YOLO	273, BQ	4	0.0	1.0	1.9	0.1	26.5	1.0	5.20	4.29	4	0.0	1.0	1.9	0.1	26.5	1.0	5.20	4.29

2015 Processing Tomato Season
PTAB Analysis (7/18/15) - County by Variety



County	Variety Name	Week Ending 7/18/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	6415, N	1	0.0	0.0	1.0	1.0	30.0	1.5	4.60	4.35	1	0.0	0.0	1.0	1.0	30.0	1.5	4.60	4.35
YOLO		2,891	0.0	0.2	1.8	1.1	27.1	0.9	5.02	4.32	4,641	0.0	0.2	1.7	0.9	27.5	1.2	4.98	4.30