

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



CountyVariety Name		Week Ending 8/1/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
COLUSA	1015, HEINZ	610	0.0	0.4	1.6	1.2	25.1	0.9	5.07	4.42	2,265	0.0	0.3	1.9	1.3	25.6	0.6	5.05	4.38	
COLUSA	6366, SUN	803	0.0	1.1	0.9	2.5	26.5	1.6	5.13	4.44	1,662	0.0	0.9	1.3	1.9	27.0	1.4	5.15	4.39	
COLUSA	410, APT	291	0.0	0.9	3.8	2.0	25.4	2.0	5.18	4.43	1,635	0.0	0.8	2.0	1.2	27.4	2.0	4.81	4.38	
COLUSA	6397, N	305	0.0	0.5	1.3	1.2	25.4	1.1	5.19	4.41	1,277	0.0	0.6	1.5	1.4	26.4	0.8	4.98	4.40	
COLUSA	6402, N	710	0.0	1.0	1.3	2.2	26.5	1.8	5.15	4.43	874	0.0	0.9	1.5	2.1	26.7	1.7	5.16	4.43	
COLUSA	6416, N	59	0.0	0.7	3.1	1.8	26.3	0.5	5.12	4.32	749	0.0	0.7	1.4	0.6	26.4	1.2	4.88	4.33	
COLUSA	0311, AB	493	0.0	1.4	1.6	0.7	24.6	1.0	5.41	4.34	592	0.0	1.3	1.6	0.7	24.8	0.9	5.43	4.32	
COLUSA	0599, SV	35	0.0	1.1	1.7	0.8	27.8	1.1	4.97	4.39	541	0.0	1.0	2.5	0.9	31.4	0.9	4.46	4.34	
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	469	0.0	0.3	0.6	0.5	27.8	4.1	4.74	4.29	
COLUSA	5003, HEINZ	51	0.0	1.3	2.1	1.8	27.1	3.9	4.79	4.45	374	0.0	1.0	1.9	1.9	26.1	2.3	4.91	4.40	
COLUSA	3887, HMX	157	0.0	0.4	2.4	0.6	27.9	0.8	5.21	4.36	223	0.0	0.4	2.7	0.7	28.1	0.7	5.23	4.34	
COLUSA	1424, HZ	78	0.0	0.8	1.6	0.7	27.2	1.7	4.88	4.35	218	0.0	0.8	2.1	0.8	27.3	2.1	4.85	4.33	
COLUSA	205, BQ	126	0.0	0.5	1.6	0.6	26.7	0.8	5.38	4.29	211	0.0	0.4	3.4	0.8	27.5	1.0	5.63	4.28	
COLUSA	255, CXD	52	0.0	1.5	4.4	1.0	29.5	0.8	5.10	4.33	153	0.0	0.8	1.9	0.8	27.2	0.9	5.14	4.33	
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.9	1.3	0.4	27.9	0.8	4.74	4.30	
COLUSA	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.9	2.0	2.2	27.8	0.7	4.74	4.34	
COLUSA	163, BQ	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41	
COLUSA	6404, N	73	0.0	1.2	1.7	0.8	28.2	1.9	5.14	4.50	73	0.0	1.2	1.7	0.8	28.2	1.9	5.14	4.50	
COLUSA	0319, DRI	56	0.0	1.9	2.0	0.9	27.1	1.7	5.37	4.38	61	0.0	1.9	2.0	0.9	27.0	1.7	5.39	4.38	
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.4	3.0	0.6	26.0	0.6	5.30	4.30	
COLUSA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.7	2.8	2.2	30.6	2.4	4.73	4.34	
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.5	1.7	2.0	28.7	0.9	4.56	4.28	
COLUSA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	0.4	0.0	26.5	1.3	4.40	4.35	
COLUSA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	26.0	1.0	4.60	4.38	
COLUSA		3,976	0.0	0.9	1.6	1.6	26.0	1.4	5.17	4.40	11,706	0.0	0.7	1.7	1.3	26.8	1.4	5.00	4.37	
CONTRA COSTA	6366, SUN	324	0.0	0.2	0.5	0.5	23.6	1.3	5.83	4.38	1,561	0.0	0.3	0.6	0.2	25.3	1.4	5.58	4.31	
CONTRA COSTA	0311, AB	620	0.0	0.5	1.4	0.2	23.6	1.6	5.83	4.34	620	0.0	0.5	1.4	0.2	23.6	1.6	5.83	4.34	
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.2	0.5	0.1	27.1	2.5	4.60	4.30	
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	0.1	0.6	0.1	24.6	0.5	5.12	4.35	
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	0.0	0.6	0.1	26.2	2.7	5.13	4.23	
CONTRA COSTA	1893, HMX	39	0.0	0.1	0.4	0.1	25.1	0.6	5.07	4.23	162	0.0	0.2	0.7	0.2	25.3	1.1	5.00	4.25	
CONTRA COSTA	6402, N	95	0.0	0.2	0.9	0.1	24.6	0.8	5.84	4.37	162	0.0	0.2	1.7	0.1	25.4	0.7	5.48	4.36	
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	156	0.0	0.1	0.5	0.1	24.6	1.3	4.80	4.28	
CONTRA COSTA	0319, DRI	88	0.0	0.4	0.6	0.1	25.2	2.1	5.47	4.25	88	0.0	0.4	0.6	0.1	25.2	2.1	5.47	4.25	
CONTRA COSTA	3884, HMX	9	0.0	0.0	0.8	0.0	26.9	1.8	5.39	4.33	9	0.0	0.0	0.8	0.0	26.9	1.8	5.39	4.33	
CONTRA COSTA	3, AB	1	0.0	0.5	1.0	0.0	25.0	1.5	5.20	4.20	1	0.0	0.5	1.0	0.0	25.0	1.5	5.20	4.20	
CONTRA COSTA		1,176	0.0	0.4	1.0	0.3	23.9	1.5	5.77	4.34	3,648	0.0	0.3	0.8	0.2	25.1	1.5	5.40	4.31	
FRESNO	6366, SUN	3,875	0.0	0.5	1.4	0.8	24.1	1.8	5.80	4.39	14,379	0.0	0.5	1.2	0.6	24.6	1.7	5.67	4.38	
FRESNO	6416, N	249	0.0	0.4	1.2	0.6	24.4	0.7	5.00	4.34	7,926	0.0	0.3	1.5	0.6	25.1	1.0	5.00	4.31	

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



County	Variety Name	Week Ending 8/1/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
FRESNO	6402, N	1,261	0.0	0.6	1.5	0.9	23.7	1.0	5.97	4.39	5,431	0.0	0.7	1.8	1.2	24.1	1.0	5.77	4.39	
FRESNO	6397, N	1,608	0.0	0.5	2.9	0.8	23.3	0.9	5.43	4.43	4,874	0.0	0.4	1.8	0.8	23.8	0.9	5.36	4.40	
FRESNO	1015, HEINZ	494	0.0	1.7	1.2	0.4	23.7	0.9	5.05	4.47	3,908	0.0	0.4	0.7	0.3	23.7	0.6	5.40	4.43	
FRESNO	0311, AB	2,682	0.0	1.0	2.9	0.8	22.8	1.5	6.13	4.35	3,701	0.0	0.9	2.6	0.8	22.9	1.5	6.15	4.35	
FRESNO	1892, HMX	1,307	0.0	0.4	3.2	1.2	25.4	0.8	5.48	4.38	2,986	0.0	0.3	2.6	1.3	25.2	0.8	5.52	4.38	
FRESNO	6404, N	1,306	0.0	0.5	2.1	0.6	24.8	1.3	5.59	4.38	2,662	0.0	0.8	2.3	0.8	24.7	1.4	5.63	4.39	
FRESNO	273, BQ	321	0.0	0.4	2.8	0.2	23.7	1.4	5.43	4.35	2,338	0.0	0.5	1.9	0.7	24.6	1.2	5.35	4.31	
FRESNO	6394, N	1,295	0.0	0.9	2.2	0.6	23.6	2.2	5.76	4.44	2,256	0.0	1.0	2.0	0.6	24.0	2.5	5.63	4.43	
FRESNO	1161, HEINZ	860	0.0	0.6	3.3	1.1	24.6	2.4	5.80	4.33	1,839	0.0	0.8	3.3	0.9	24.8	2.3	5.83	4.33	
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,825	0.0	0.6	1.1	0.4	25.6	1.2	4.56	4.35	
FRESNO	1292, HZ	577	0.0	0.7	1.8	0.3	22.2	1.8	6.01	4.51	1,760	0.0	0.6	1.1	0.4	22.9	1.5	5.65	4.48	
FRESNO	0319, DRI	1,092	0.0	0.5	1.1	0.2	23.8	1.6	6.23	4.33	1,409	0.0	0.5	0.9	0.2	23.7	1.5	6.26	4.33	
FRESNO	5608, HZ	664	0.0	1.8	3.0	0.3	23.4	0.8	5.08	4.39	1,187	0.0	1.2	2.3	0.3	23.3	0.7	5.18	4.39	
FRESNO	16609, UG	711	0.0	0.7	2.6	0.3	23.3	1.6	5.60	4.36	1,125	0.0	0.5	2.2	0.3	23.5	1.5	5.64	4.34	
FRESNO	1293, HZ	383	0.0	0.7	2.7	0.8	24.1	0.7	5.65	4.44	971	0.0	0.7	1.9	0.6	23.8	0.7	5.50	4.46	
FRESNO	19406, UG	621	0.0	0.7	0.7	0.2	23.8	0.7	5.91	4.32	925	0.0	0.6	0.8	0.2	24.2	0.7	5.92	4.31	
FRESNO	2, AB	252	0.0	1.3	1.0	0.4	23.1	1.8	5.82	4.34	883	0.0	0.8	0.6	0.3	24.0	1.4	5.88	4.32	
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	797	0.0	0.7	0.9	0.6	24.6	2.3	5.19	4.32	
FRESNO	66509, BOS	25	0.0	3.5	0.5	0.1	25.2	3.4	4.72	4.47	620	0.0	1.7	1.2	0.6	23.4	2.1	5.09	4.41	
FRESNO	7885, HMX	391	0.0	0.5	0.7	0.2	25.5	0.3	5.03	4.48	580	0.0	0.5	0.6	0.2	25.3	0.3	5.05	4.48	
FRESNO	0599, SV	1	0.0	1.0	0.5	0.5	27.0	1.0	5.10	4.37	493	0.0	0.4	0.5	0.3	26.7	0.5	5.03	4.30	
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32	
FRESNO	373, U	340	0.0	0.5	0.6	0.4	24.4	3.2	5.17	4.38	433	0.0	0.5	0.7	0.5	24.4	3.0	5.16	4.38	
FRESNO	205, BQ	135	0.0	1.0	0.4	0.2	24.3	2.1	5.57	4.35	348	0.0	0.9	0.5	0.3	23.5	1.9	5.75	4.35	
FRESNO	313, BQ	80	0.0	0.3	1.9	0.1	24.5	1.3	5.71	4.36	343	0.0	0.5	1.3	0.2	24.3	1.0	5.31	4.38	
FRESNO	9491, HEINZ	131	0.0	1.2	3.4	0.3	23.3	1.4	5.08	4.39	339	0.0	1.0	2.5	0.5	24.0	2.3	4.95	4.38	
FRESNO	303, HYPEEL	205	0.0	1.8	4.7	0.7	23.3	1.4	5.23	4.43	249	0.0	1.8	4.6	0.7	23.2	1.3	5.23	4.43	
FRESNO	1311, HZ	176	0.0	0.6	1.2	0.2	23.9	0.9	5.79	4.26	202	0.0	0.7	1.1	0.2	24.1	1.0	5.76	4.26	
FRESNO	2601, HEINZ	82	0.0	0.3	1.2	0.1	27.4	1.6	5.11	4.38	201	0.0	0.5	1.2	0.3	27.2	1.4	5.28	4.41	
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	178	0.0	0.3	0.3	0.1	24.8	1.2	5.35	4.27	
FRESNO	1308, HZ	32	0.0	0.3	2.3	0.4	22.6	1.2	5.37	4.46	156	0.0	0.1	2.7	0.4	22.9	0.7	5.35	4.47	
FRESNO	18806, UG	147	0.0	0.7	3.0	0.4	26.8	1.2	5.46	4.37	147	0.0	0.7	3.0	0.4	26.8	1.2	5.46	4.37	
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.0	1.0	1.8	26.1	0.7	5.07	4.21	
FRESNO	8892, HEINZ	123	0.0	1.5	1.8	0.1	23.6	2.3	4.88	4.40	136	0.0	1.4	1.7	0.2	23.5	2.2	5.02	4.41	
FRESNO	8516, SV	134	0.0	2.2	0.7	0.5	24.9	1.5	5.23	4.34	134	0.0	2.2	0.7	0.5	24.9	1.5	5.23	4.34	
FRESNO	9663, HEINZ	122	0.0	1.0	2.4	0.1	22.3	2.2	5.43	4.41	122	0.0	1.0	2.4	0.1	22.3	2.2	5.43	4.41	
FRESNO	6368, SUN	115	0.0	0.2	0.4	0.0	24.4	0.2	6.10	4.29	115	0.0	0.2	0.4	0.0	24.4	0.2	6.10	4.29	
FRESNO	3887, HMX	98	0.0	0.6	2.2	0.4	24.8	1.3	5.66	4.37	98	0.0	0.6	2.2	0.4	24.8	1.3	5.66	4.37	
FRESNO	6410, N	63	0.0	0.2	6.2	2.4	25.8	1.4	6.12	4.33	75	0.0	0.4	5.3	2.1	25.5	1.7	5.92	4.34	

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



County	Variety Name	Week Ending 8/1/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	3, AB	67	0.0	0.4	0.7	0.2	25.7	1.2	5.59	4.26	68	0.0	0.4	0.8	0.2	25.6	1.2	5.59	4.27
FRESNO	6420, N	59	0.0	1.0	0.6	0.7	25.3	0.5	5.08	4.40	59	0.0	1.0	0.6	0.7	25.3	0.5	5.08	4.40
FRESNO	6385, N	41	0.0	1.2	1.7	0.5	27.0	0.5	4.56	4.39	41	0.0	1.2	1.7	0.5	27.0	0.5	4.56	4.39
FRESNO	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.1	0.6	0.0	25.9	0.3	4.70	4.37
FRESNO	255, CXD	26	0.0	1.3	0.2	0.1	25.1	0.6	5.02	4.33	26	0.0	1.3	0.2	0.1	25.1	0.6	5.02	4.33
FRESNO	4884, HMX	9	0.0	0.6	1.9	0.0	28.2	1.2	4.72	4.35	25	0.0	0.4	1.6	0.3	25.5	2.3	5.11	4.38
FRESNO	MIX	8	0.0	1.1	0.8	0.6	24.1	0.8	5.73	4.30	21	0.0	0.6	0.9	0.3	24.8	1.3	5.65	4.32
FRESNO	257, BQ	20	0.0	0.7	2.6	0.4	23.9	1.2	5.42	4.45	20	0.0	0.7	2.6	0.4	23.9	1.2	5.42	4.45
FRESNO	39663, BOS	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
FRESNO	UNCODED	1	0.0	0.5	1.5	0.0	29.0	0.0	5.50	4.21	16	0.0	0.3	0.7	0.2	24.1	1.1	5.23	4.36
FRESNO	67212, BOS	14	0.0	1.4	1.4	0.3	27.1	1.8	4.91	4.35	14	0.0	1.4	1.4	0.3	27.1	1.8	4.91	4.35
FRESNO	30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.4	1.2	0.6	24.8	1.2	4.68	4.35
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.9	1.6	0.9	24.3	0.9	5.50	4.42
FRESNO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.6	23.4	3.1	5.93	4.26
FRESNO	327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	0.9	0.3	25.0	2.6	5.82	4.27
FRESNO	1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
FRESNO	4907, HMX	5	0.0	0.1	1.6	0.2	29.6	0.8	5.58	4.26	5	0.0	0.1	1.6	0.2	29.6	0.8	5.58	4.26
FRESNO	2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.6	0.4	0.3	24.5	4.3	5.35	4.47
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42
FRESNO	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	1.3	26.0	1.3	4.95	4.36
FRESNO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	1.0	22.0	0.5	5.40	4.43
FRESNO	140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	0.5	22.0	0.0	6.60	4.36
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.5	0.5	1.0	1.0	24.0	0.5	5.40	4.47
FRESNO	385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
FRESNO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
FRESNO	1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39
FRESNO	1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
FRESNO	2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
FRESNO	2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
FRESNO	2401, HEINZ	1	0.0	1.0	5.5	0.0	27.0	1.0	4.80	4.40	1	0.0	1.0	5.5	0.0	27.0	1.0	4.80	4.40
FRESNO	3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	26.0	0.5	5.40	4.41
FRESNO	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	26.0	0.0	5.20	4.26
FRESNO	9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55
FRESNO	52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
FRESNO		22,226	0.0	0.7	2.1	0.7	23.9	1.5	5.70	4.38	69,141	0.0	0.6	1.6	0.6	24.3	1.3	5.51	4.37

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



County	Variety Name	Week Ending 8/1/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
GLENN	410, APT	145	0.0	2.0	2.4	1.9	27.2	1.0	4.88	4.40	150	0.0	1.9	2.4	2.1	27.2	1.0	4.88	4.40
GLENN		145	0.0	2.0	2.4	1.9	27.2	1.0	4.88	4.40	150	0.0	1.9	2.4	2.1	27.2	1.0	4.88	4.40
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,722	0.0	1.4	0.8	0.5	25.8	2.1	5.05	4.45
KERN	5608, HZ	652	0.0	4.7	1.5	0.7	24.2	1.0	5.01	4.42	3,191	0.0	2.0	1.0	0.6	24.7	0.7	5.00	4.41
KERN	6397, N	282	0.0	1.4	3.1	4.0	23.8	1.1	4.74	4.41	2,881	0.0	0.8	2.7	1.4	24.9	1.3	4.97	4.40
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,700	0.0	0.7	1.2	0.7	26.3	1.2	4.59	4.40
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,346	0.0	0.3	0.8	0.3	25.2	0.5	4.86	4.44
KERN	6416, N	29	0.0	0.6	6.0	1.1	24.8	1.2	5.52	4.37	1,200	0.0	0.4	2.1	0.7	26.8	1.1	4.61	4.36
KERN	66509, BOS	20	0.0	0.4	8.0	0.2	29.9	0.5	5.59	4.31	1,137	0.0	0.6	2.3	2.5	24.4	2.8	4.96	4.40
KERN	8504, HEINZ	380	0.0	1.1	2.1	0.8	26.3	1.2	5.05	4.33	933	0.0	1.2	1.6	0.8	26.5	1.0	4.89	4.33
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	745	0.0	2.0	1.4	0.6	26.3	1.8	5.15	4.35
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	3.1	1.7	0.5	24.9	2.0	4.88	4.36
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	337	0.0	0.5	1.0	0.3	26.9	0.8	5.09	4.32
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	324	0.0	0.2	1.1	0.7	26.4	0.8	4.96	4.25
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	322	0.0	1.9	1.3	0.5	24.4	3.3	5.43	4.38
KERN	1308, HZ	293	0.0	2.5	1.5	0.6	23.1	1.2	5.35	4.48	297	0.0	2.5	1.6	0.6	23.1	1.2	5.34	4.48
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	286	0.0	0.2	1.8	1.0	26.5	0.8	5.20	4.40
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	255	0.0	0.8	0.8	0.5	23.4	2.3	5.53	4.43
KERN	1170, HEINZ	147	0.0	0.6	1.1	0.4	25.2	0.5	5.39	4.36	247	0.0	0.5	1.3	0.4	25.3	0.5	5.48	4.36
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	240	0.0	1.4	0.6	0.8	23.9	3.1	5.28	4.55
KERN	1892, HMX	10	0.0	6.3	1.7	1.2	25.7	1.7	5.01	4.48	176	0.0	1.3	0.9	0.4	27.0	0.9	4.91	4.40
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.5	1.0	0.2	29.6	1.8	4.52	4.30
KERN	6394, N	108	0.0	1.8	1.3	0.3	23.2	3.3	5.64	4.56	108	0.0	1.8	1.3	0.3	23.2	3.3	5.64	4.56
KERN	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	0.7	0.4	0.3	23.4	1.1	5.14	4.44
KERN	3887, HMX	16	0.0	2.3	0.5	0.2	25.5	0.3	5.53	4.43	81	0.0	1.0	0.5	0.3	26.9	0.7	5.40	4.38
KERN	373, U	10	0.0	0.8	6.3	1.7	25.8	1.5	5.31	4.40	72	0.0	0.6	3.9	0.7	24.4	1.9	5.08	4.35
KERN	UNCODED	19	0.0	1.0	1.9	1.7	23.9	0.9	5.68	4.41	65	0.0	0.8	1.7	0.9	25.6	0.9	5.46	4.42
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	5.0	0.8	0.4	25.6	1.6	5.20	4.41
KERN	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	1.0	0.8	0.6	24.7	1.3	4.60	4.43
KERN	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.8	0.8	0.8	26.1	0.9	4.28	4.42
KERN	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.1	0.1	0.6	28.6	1.0	4.83	4.30
KERN	MIX	1	0.0	0.5	4.0	1.0	24.0	0.5	5.00	4.48	1	0.0	0.5	4.0	1.0	24.0	0.5	5.00	4.48
KERN		1,967	0.0	2.6	2.0	1.1	24.5	1.2	5.12	4.41	20,408	0.0	1.2	1.4	0.8	25.4	1.4	4.97	4.40
KINGS	6366, SUN	1,588	0.0	0.7	0.9	0.4	24.2	2.2	5.66	4.43	5,877	0.0	0.7	1.1	0.3	24.8	2.1	5.58	4.41
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,442	0.0	0.2	2.5	0.6	25.5	1.0	4.87	4.31
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,162	0.0	0.5	1.2	0.7	26.0	1.3	4.38	4.40
KINGS	5608, HZ	759	0.0	1.3	4.0	0.4	24.1	1.0	5.13	4.39	2,819	0.0	0.6	3.1	0.4	24.5	0.7	5.21	4.37
KINGS	0319, DRI	1,101	0.0	0.9	2.8	0.4	24.5	0.7	6.17	4.29	1,771	0.0	0.7	2.7	0.4	24.8	0.6	6.17	4.29
KINGS	6397, N	151	0.0	0.6	4.9	2.0	24.0	1.2	5.68	4.38	980	0.0	0.3	1.8	0.7	24.9	0.7	5.15	4.38

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



County	Variety Name	Week Ending 8/1/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	1161, HEINZ	153	0.0	0.6	3.4	0.3	25.0	1.4	6.02	4.30	676	0.0	0.6	3.1	0.8	25.8	1.6	5.68	4.31
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	580	0.0	1.2	1.5	0.3	23.7	0.8	5.15	4.46
KINGS	1892, HMX	209	0.0	0.2	2.0	0.8	24.4	1.1	5.58	4.39	551	0.0	0.3	2.0	1.0	25.8	0.9	5.43	4.37
KINGS	0311, AB	429	0.0	3.2	0.8	1.2	23.4	1.5	5.70	4.36	498	0.0	3.2	0.9	1.2	23.6	1.5	5.68	4.35
KINGS	205, BQ	279	0.0	2.9	1.4	0.2	26.7	1.6	5.32	4.30	445	0.0	2.2	1.1	0.2	26.3	1.7	5.35	4.31
KINGS	6402, N	166	0.0	0.4	2.3	0.5	23.3	1.3	6.60	4.39	416	0.0	0.7	1.3	0.6	24.0	1.4	6.16	4.42
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	327	0.0	1.2	2.6	0.6	26.4	1.0	5.09	4.35
KINGS	19406, UG	325	0.0	1.0	1.7	0.3	26.3	0.9	5.15	4.30	325	0.0	1.0	1.7	0.3	26.3	0.9	5.15	4.30
KINGS	8504, HEINZ	251	0.0	0.2	1.5	0.9	26.1	1.0	5.56	4.39	251	0.0	0.2	1.5	0.9	26.1	1.0	5.56	4.39
KINGS	6394, N	5	0.0	2.1	0.6	0.4	26.6	2.2	5.06	4.48	209	0.0	1.0	0.3	0.3	26.8	2.2	5.38	4.50
KINGS	3887, HMX	11	0.0	0.7	3.8	0.3	24.1	0.5	6.27	4.39	206	0.0	0.3	2.6	0.3	24.9	0.8	5.96	4.36
KINGS	6404, N	175	0.0	0.8	1.9	1.2	23.5	2.0	6.03	4.44	175	0.0	0.8	1.9	1.2	23.5	2.0	6.03	4.44
KINGS	1308, HZ	1	0.0	0.5	2.5	1.5	25.0	5.0	5.30	4.57	174	0.0	0.3	3.4	0.4	24.8	1.0	5.23	4.46
KINGS	373, U	16	0.0	1.7	2.1	0.2	26.2	2.8	4.60	4.40	162	0.0	0.4	0.7	0.5	23.6	2.3	5.65	4.40
KINGS	16609, UG	33	0.0	0.2	4.6	0.5	23.1	1.0	6.00	4.33	148	0.0	0.3	3.2	0.4	25.2	0.8	5.49	4.31
KINGS	1170, HEINZ	83	0.0	0.4	1.2	0.1	28.9	1.1	4.89	4.39	146	0.0	0.4	1.4	0.1	29.0	1.1	4.95	4.39
KINGS	8892, HEINZ	44	0.0	8.1	2.8	1.5	23.5	3.4	4.91	4.57	119	0.0	7.1	2.3	1.1	23.1	3.1	4.98	4.55
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	4.9	2.2	0.9	23.1	2.2	4.93	4.50
KINGS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	103	0.0	0.3	1.8	0.3	25.6	0.7	5.48	4.33
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.3	0.4	0.4	24.6	1.2	5.93	4.29
KINGS	1175, HEINZ	58	0.0	0.5	2.6	0.4	24.3	0.8	5.26	4.48	58	0.0	0.5	2.6	0.4	24.3	0.8	5.26	4.48
KINGS	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.3	0.6	0.1	23.4	2.6	5.35	4.42
KINGS	6410, N	43	0.0	1.0	1.0	0.6	28.4	1.8	4.97	4.44	43	0.0	1.0	1.0	0.6	28.4	1.8	4.97	4.44
KINGS	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.6	0.0	0.0	25.0	0.7	5.19	4.34
KINGS	6368, SUN	15	0.0	0.1	0.4	0.1	26.0	0.2	6.01	4.24	15	0.0	0.1	0.4	0.1	26.0	0.2	6.01	4.24
KINGS	19910, UG	10	0.0	0.3	0.3	0.1	25.3	2.0	5.22	4.38	10	0.0	0.3	0.3	0.1	25.3	2.0	5.22	4.38
KINGS	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.1	0.6	0.0	25.3	1.9	5.64	4.39
KINGS	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.3	0.2	0.3	23.0	1.8	5.28	4.53
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
KINGS	5508, HZ	2	0.0	1.8	3.8	0.0	25.0	0.0	4.50	4.42	2	0.0	1.8	3.8	0.0	25.0	0.0	4.50	4.42
KINGS		5,907	0.0	1.1	2.1	0.5	24.6	1.4	5.66	4.37	23,986	0.0	0.7	1.9	0.5	25.1	1.3	5.28	4.37
MADERA	6416, N	266	0.0	0.4	4.7	0.4	27.2	0.7	4.64	4.28	694	0.0	0.3	5.1	1.2	26.7	1.2	4.66	4.29
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	486	0.0	0.4	3.1	2.2	25.0	1.3	4.96	4.41
MADERA	6404, N	102	0.0	0.8	3.1	0.8	27.3	2.6	4.66	4.45	386	0.0	0.7	5.2	0.5	29.0	2.1	4.73	4.41
MADERA	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	0.9	3.1	1.6	26.6	3.1	5.51	4.36
MADERA	6402, N	1	0.0	3.5	1.0	0.0	27.0	1.0	4.80	4.47	233	0.0	1.1	2.8	0.5	25.5	1.1	5.44	4.43
MADERA	373, U	111	0.0	0.4	5.1	0.9	29.6	1.6	4.37	4.32	111	0.0	0.4	5.1	0.9	29.6	1.6	4.37	4.32
MADERA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	83	0.0	0.1	6.7	1.5	29.6	0.9	4.88	4.33
MADERA	0319, DRI	81	0.0	0.9	0.4	0.2	25.4	1.5	5.59	4.39	81	0.0	0.9	0.4	0.2	25.4	1.5	5.59	4.39

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



County	Variety Name	Week Ending 8/1/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
MADERA	19406, UG	29	0.0	0.5	0.6	0.3	28.3	0.5	4.83	4.27	29	0.0	0.5	0.6	0.3	28.3	0.5	4.83	4.27	
MADERA	0311, AB	1	0.0	1.0	3.5	0.5	26.0	1.0	5.60	4.28	1	0.0	1.0	3.5	0.5	26.0	1.0	5.60	4.28	
MADERA		591	0.0	0.5	3.7	0.5	27.5	1.3	4.74	4.33	2,413	0.0	0.6	4.1	1.2	26.8	1.6	4.95	4.36	
MERCED	6366, SUN	604	0.0	0.3	1.4	0.6	23.8	3.4	5.79	4.41	693	0.0	0.3	1.3	0.5	24.1	3.1	5.73	4.40	
MERCED	6404, N	357	0.0	0.9	1.3	0.7	25.8	2.2	5.37	4.40	399	0.0	0.8	1.2	0.6	25.9	2.0	5.32	4.40	
MERCED	6416, N	34	0.0	0.2	0.9	0.6	23.7	1.8	5.09	4.39	374	0.0	0.1	1.2	0.2	25.7	0.8	4.79	4.32	
MERCED	19406, UG	171	0.0	0.2	2.8	0.7	24.0	1.3	6.26	4.32	171	0.0	0.2	2.8	0.7	24.0	1.3	6.26	4.32	
MERCED	6402, N	132	0.0	0.6	1.1	0.1	23.9	0.8	5.74	4.37	159	0.0	0.6	2.0	1.6	24.3	0.9	5.78	4.37	
MERCED	3887, HMX	114	0.0	0.2	3.1	2.3	25.5	1.7	5.81	4.42	140	0.0	0.3	3.4	2.6	25.9	1.6	5.78	4.40	
MERCED	273, BQ	31	0.0	0.3	1.6	0.1	26.2	0.6	4.84	4.33	76	0.0	0.3	1.4	0.1	26.1	0.5	4.92	4.33	
MERCED	1161, HEINZ	32	0.0	0.6	1.5	0.1	26.8	1.3	5.36	4.32	43	0.0	0.5	1.4	0.1	26.5	2.0	5.51	4.32	
MERCED	9494, HEINZ	10	0.0	0.0	0.5	0.1	25.3	0.2	4.92	4.23	32	0.0	0.0	0.8	0.0	25.1	0.2	4.95	4.23	
MERCED	30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.2	0.7	0.0	25.5	1.2	5.00	4.34	
MERCED	0311, AB	4	0.0	0.1	3.9	1.8	21.8	1.9	6.50	4.28	4	0.0	0.1	3.9	1.8	21.8	1.9	6.50	4.28	
MERCED	0319, DRI	4	0.0	0.5	3.9	0.6	24.5	1.3	6.10	4.28	4	0.0	0.5	3.9	0.6	24.5	1.3	6.10	4.28	
MERCED	6410, N	2	0.0	0.0	0.8	0.3	23.5	0.5	5.25	4.39	3	0.0	0.2	0.8	0.5	23.7	0.8	5.17	4.39	
MERCED		1,495	0.0	0.5	1.6	0.7	24.6	2.3	5.69	4.39	2,109	0.0	0.4	1.6	0.7	25.0	1.9	5.49	4.37	
SAN BENITO	373, U	106	0.0	0.8	1.3	0.4	26.1	3.8	4.91	4.37	106	0.0	0.8	1.3	0.4	26.1	3.8	4.91	4.37	
SAN BENITO	1015, HEINZ	64	0.0	0.3	1.4	0.5	23.7	2.5	6.04	4.43	64	0.0	0.3	1.4	0.5	23.7	2.5	6.04	4.43	
SAN BENITO		170	0.0	0.6	1.4	0.4	25.2	3.3	5.33	4.40	170	0.0	0.6	1.4	0.4	25.2	3.3	5.33	4.40	
SAN JOAQUIN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38	
SAN JOAQUIN		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38	
SOLANO	6402, N	337	0.0	0.7	0.8	1.0	25.3	1.2	5.55	4.37	345	0.0	0.7	0.8	1.0	25.3	1.2	5.55	4.37	
SOLANO	6366, SUN	181	0.0	0.8	0.5	0.2	25.3	1.5	5.63	4.39	319	0.0	0.9	0.5	0.3	26.2	1.5	5.61	4.37	
SOLANO	0599, SV	52	0.0	0.4	0.4	0.1	28.4	0.3	4.81	4.29	285	0.0	0.3	0.6	0.3	28.8	0.6	4.90	4.28	
SOLANO	6397, N	103	0.0	0.4	1.1	0.4	24.9	2.1	5.28	4.42	265	0.0	0.4	0.7	0.3	26.5	1.5	5.23	4.39	
SOLANO	0311, AB	164	0.0	0.7	0.6	0.2	24.3	0.7	5.82	4.28	200	0.0	0.7	0.6	0.2	24.4	0.7	5.94	4.28	
SOLANO	3887, HMX	110	0.0	0.7	0.5	0.4	27.8	0.6	5.52	4.33	110	0.0	0.7	0.5	0.4	27.8	0.6	5.52	4.33	
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.4	0.4	0.2	29.0	0.6	4.98	4.32	
SOLANO	1015, HEINZ	66	0.0	0.4	0.3	0.0	24.0	0.2	5.23	4.38	94	0.0	0.4	0.2	0.0	24.0	0.2	5.29	4.38	
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.1	0.6	0.2	28.2	2.1	5.03	4.26	
SOLANO	16609, UG	68	0.0	0.2	0.8	0.3	25.1	3.8	5.83	4.26	68	0.0	0.2	0.8	0.3	25.1	3.8	5.83	4.26	
SOLANO	1311, HZ	29	0.0	0.7	1.9	0.3	24.4	1.5	6.82	4.27	58	0.0	0.6	1.3	0.2	24.9	1.0	6.63	4.27	
SOLANO	312, BQ	53	0.0	0.7	0.9	0.4	23.8	3.0	5.43	4.35	53	0.0	0.7	0.9	0.4	23.8	3.0	5.43	4.35	
SOLANO	206, BQ	35	0.1	0.5	0.4	0.1	25.9	1.3	5.41	4.29	35	0.1	0.5	0.4	0.1	25.9	1.3	5.41	4.29	
SOLANO	0319, DRI	29	0.0	0.7	2.8	0.3	26.8	1.2	6.78	4.24	30	0.0	0.7	2.8	0.3	26.8	1.2	6.77	4.25	
SOLANO	8516, SV	6	0.0	1.1	0.3	0.3	25.7	0.6	5.65	4.37	26	0.0	0.7	0.3	0.1	26.3	1.0	5.87	4.31	
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	0.3	0.8	25.2	2.0	4.95	4.39	
SOLANO	255, CXD	11	0.0	0.5	5.8	0.4	28.0	0.7	6.08	4.25	11	0.0	0.5	5.8	0.4	28.0	0.7	6.08	4.25	

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



CountyVariety Name		Week Ending 8/1/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
SOLANO	6404, N	6	0.0	1.1	3.9	3.2	27.3	1.3	5.38	4.38	6	0.0	1.1	3.9	3.2	27.3	1.3	5.38	4.38	
SOLANO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	1.3	0.0	26.7	1.5	6.07	4.38	
SOLANO	5234, IVF	3	0.0	0.0	3.7	1.2	28.0	0.8	5.97	4.21	3	0.0	0.0	3.7	1.2	28.0	0.8	5.97	4.21	
SOLANO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.5	0.0	27.0	0.3	6.45	4.40	
SOLANO	1892, HMX	2	0.0	0.5	1.0	1.0	24.0	0.8	5.35	4.42	2	0.0	0.5	1.0	1.0	24.0	0.8	5.35	4.42	
SOLANO		1,255	0.0	0.6	0.8	0.5	25.4	1.3	5.59	4.34	2,114	0.0	0.5	0.7	0.4	26.4	1.2	5.46	4.33	
STANISLAUS	6397, N	30	0.0	0.2	0.6	0.1	23.5	0.3	5.80	4.33	30	0.0	0.2	0.6	0.1	23.5	0.3	5.80	4.33	
STANISLAUS		30	0.0	0.2	0.6	0.1	23.5	0.3	5.80	4.33	30	0.0	0.2	0.6	0.1	23.5	0.3	5.80	4.33	
SUTTER	1015, HEINZ	19	0.0	0.4	0.4	1.3	24.2	0.9	5.46	4.46	303	0.0	0.3	3.0	0.7	25.3	0.3	5.02	4.39	
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	136	0.0	0.2	1.3	2.6	25.1	1.7	5.22	4.26	
SUTTER	1893, HMX	81	0.0	0.7	0.4	0.6	25.7	3.3	5.55	4.28	135	0.0	0.7	0.6	0.5	26.5	3.1	5.52	4.28	
SUTTER	2, BP	123	0.0	0.3	1.3	1.0	27.1	1.9	5.25	4.50	123	0.0	0.3	1.3	1.0	27.1	1.9	5.25	4.50	
SUTTER	6366, SUN	99	0.0	1.0	0.3	0.0	25.5	0.8	5.24	4.41	99	0.0	1.0	0.3	0.0	25.5	0.8	5.24	4.41	
SUTTER	0319, DRI	64	0.0	0.9	1.3	1.2	25.7	3.1	5.65	4.41	64	0.0	0.9	1.3	1.2	25.7	3.1	5.65	4.41	
SUTTER	5608, HZ	48	0.0	1.2	0.3	0.2	23.2	1.3	5.68	4.37	53	0.0	1.2	0.4	0.2	23.3	1.2	5.68	4.37	
SUTTER	1424, HZ	51	0.0	0.8	0.6	1.1	26.7	5.7	5.05	4.44	51	0.0	0.8	0.6	1.1	26.7	5.7	5.05	4.44	
SUTTER	6407, N	42	0.0	0.7	0.5	1.6	27.3	5.8	5.15	4.49	42	0.0	0.7	0.5	1.6	27.3	5.8	5.15	4.49	
SUTTER	6402, N	2	0.0	1.0	0.0	0.0	25.0	1.3	5.15	4.39	2	0.0	1.0	0.0	0.0	25.0	1.3	5.15	4.39	
SUTTER		529	0.0	0.7	0.7	0.8	25.9	2.6	5.36	4.42	1,008	0.0	0.5	1.5	1.0	25.7	1.9	5.24	4.38	
YOLO	6397, N	392	0.0	0.4	0.5	0.3	24.6	1.1	4.93	4.41	2,444	0.0	0.3	1.0	0.6	25.3	0.9	5.06	4.37	
YOLO	6366, SUN	1,244	0.0	0.7	0.7	0.5	25.5	1.0	5.20	4.37	2,434	0.0	0.6	1.2	0.6	26.6	1.0	5.11	4.35	
YOLO	1015, HEINZ	41	0.0	0.2	0.8	0.2	24.0	1.0	5.36	4.40	1,033	0.0	0.1	2.3	1.0	27.9	0.3	4.91	4.34	
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	966	0.0	0.2	1.1	0.6	27.2	2.9	5.06	4.24	
YOLO	3887, HMX	764	0.0	0.3	0.5	1.0	27.4	0.6	5.01	4.31	948	0.0	0.2	0.6	1.1	27.8	0.6	5.00	4.31	
YOLO	6394, N	88	0.0	1.4	0.3	0.5	25.9	1.6	5.15	4.48	909	0.0	0.6	1.0	0.9	27.3	1.1	5.07	4.42	
YOLO	6416, N	182	0.0	0.4	0.7	0.9	24.6	1.3	4.88	4.39	893	0.0	0.3	0.8	0.6	26.1	1.0	5.02	4.32	
YOLO	0311, AB	644	0.0	0.8	1.0	0.5	24.4	0.7	5.47	4.28	766	0.0	0.9	1.1	0.4	24.5	0.7	5.50	4.29	
YOLO	6402, N	481	0.0	0.5	1.0	1.0	25.4	1.2	5.21	4.38	549	0.0	0.5	0.9	0.9	25.4	1.2	5.21	4.37	
YOLO	0599, SV	140	0.0	0.4	0.7	0.2	27.1	1.1	4.71	4.28	532	0.0	0.3	1.1	1.2	28.3	1.0	4.78	4.30	
YOLO	5608, HZ	486	0.0	0.4	0.6	0.1	25.4	0.2	4.71	4.32	509	0.0	0.4	0.6	0.1	25.5	0.2	4.70	4.32	
YOLO	2, BP	343	0.0	0.5	1.6	2.2	26.7	0.9	4.80	4.48	478	0.0	0.4	2.1	2.0	27.5	0.8	4.82	4.47	
YOLO	6412, N	63	0.0	0.7	0.9	1.1	25.3	2.5	4.75	4.40	371	0.0	0.4	0.9	0.6	25.6	1.8	5.00	4.35	
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	313	0.0	0.3	2.1	0.7	28.6	0.8	4.52	4.26	
YOLO	16609, UG	184	0.0	0.6	0.9	0.3	25.4	3.3	5.05	4.28	232	0.0	0.5	0.9	0.3	25.3	3.0	5.10	4.29	
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	228	0.0	0.2	3.0	1.3	26.8	0.9	4.91	4.26	
YOLO	6385, N	82	0.0	1.3	1.3	0.3	25.1	0.8	4.87	4.42	217	0.0	1.4	1.5	0.4	25.4	0.7	4.79	4.40	
YOLO	6404, N	191	0.0	1.0	0.1	0.4	25.1	1.6	4.55	4.44	211	0.0	0.9	0.2	0.4	25.2	1.5	4.56	4.43	
YOLO	0320, DRI	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28	
YOLO	0319, DRI	161	0.0	0.4	0.4	0.5	24.4	0.7	5.78	4.24	161	0.0	0.4	0.4	0.5	24.4	0.7	5.78	4.24	

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - County by Variety



County	Variety Name	Week Ending 8/1/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
YOLO	312, BQ	15	0.0	0.9	1.0	0.3	23.6	2.3	5.44	4.35	126	0.0	0.6	0.4	0.2	23.4	2.0	5.33	4.35	
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	123	0.0	1.1	1.5	0.3	24.3	1.4	5.55	4.32	
YOLO	1893, HMX	5	0.0	0.4	0.7	0.5	28.0	0.7	4.58	4.30	88	0.0	0.2	0.2	0.5	26.1	1.2	4.79	4.31	
YOLO	1424, HZ	3	0.0	0.8	1.3	0.2	28.0	1.0	5.40	4.20	71	0.0	0.3	3.5	1.9	29.4	0.9	5.01	4.27	
YOLO	142, BQ	11	0.0	0.3	2.4	2.4	24.8	2.2	5.30	4.46	65	0.0	0.3	3.5	3.6	26.2	2.5	5.23	4.43	
YOLO	255, CXD	53	0.0	0.7	1.2	0.8	26.8	1.0	4.87	4.33	53	0.0	0.7	1.2	0.8	26.8	1.0	4.87	4.33	
YOLO	1892, HMX	37	0.0	0.4	0.4	0.2	23.5	1.8	5.86	4.40	37	0.0	0.4	0.4	0.2	23.5	1.8	5.86	4.40	
YOLO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.2	6.9	2.1	27.5	2.0	4.76	4.36	
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.5	0.8	29.7	0.2	4.53	4.29	
YOLO	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	0.6	0.2	29.5	0.1	4.93	4.37	
YOLO	MIX	19	0.0	0.6	0.5	0.1	24.8	0.4	5.16	4.32	19	0.0	0.6	0.5	0.1	24.8	0.4	5.16	4.32	
YOLO	6415, N	19	0.1	0.1	1.8	1.2	26.4	0.5	5.36	4.21	19	0.1	0.1	1.8	1.2	26.4	0.5	5.36	4.21	
YOLO	3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38	
YOLO	UNCODED	5	0.0	0.4	0.1	0.0	23.6	0.5	5.06	4.31	10	0.0	0.2	1.6	0.4	25.6	0.5	5.20	4.28	
YOLO	1311, HZ	10	0.0	0.9	0.2	0.1	23.4	0.7	5.16	4.32	10	0.0	0.9	0.2	0.1	23.4	0.7	5.16	4.32	
YOLO	4907, HMX	10	0.0	0.1	1.5	0.9	30.5	0.4	5.19	4.21	10	0.0	0.1	1.5	0.9	30.5	0.4	5.19	4.21	
YOLO	3888, HMX	5	0.0	0.9	0.1	0.0	27.0	0.7	4.96	4.37	5	0.0	0.9	0.1	0.0	27.0	0.7	4.96	4.37	
YOLO	2, AB	2	0.0	0.5	1.0	0.3	22.5	0.3	4.80	4.47	2	0.0	0.5	1.0	0.3	22.5	0.3	4.80	4.47	
YOLO	5234, IVF	2	0.0	0.5	3.0	0.8	29.0	0.5	5.85	4.20	2	0.0	0.5	3.0	0.8	29.0	0.5	5.85	4.20	
YOLO	5900, HMX	2	0.0	0.5	1.5	0.3	25.0	2.0	4.60	4.25	2	0.0	0.5	1.5	0.3	25.0	2.0	4.60	4.25	
YOLO	6407, N	2	0.0	0.5	0.5	0.5	25.0	1.0	5.65	4.36	2	0.0	0.5	0.5	0.5	25.0	1.0	5.65	4.36	
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	4.80	4.40	
YOLO	39664, BOS	1	0.0	0.0	4.0	0.0	28.0	3.0	4.70	4.25	1	0.0	0.0	4.0	0.0	28.0	3.0	4.70	4.25	
YOLO		5,853	0.0	0.6	0.7	0.7	25.6	1.0	5.09	4.35	15,097	0.0	0.4	1.2	0.7	26.4	1.1	5.04	4.34	