

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



CountyVariety Name		Week Ending 8/8/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
COLUSA	1015, HEINZ	599	0.0	0.9	2.5	1.4	24.6	1.1	5.11	4.45	2,865	0.0	0.4	2.0	1.3	25.4	0.7	5.06	4.40	
COLUSA	6366, SUN	547	0.0	2.1	1.7	1.9	26.6	2.2	5.19	4.48	2,209	0.0	1.2	1.4	1.9	26.9	1.6	5.16	4.42	
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,635	0.0	0.8	2.0	1.2	27.4	2.0	4.81	4.38	
COLUSA	6397, N	177	0.0	0.9	2.0	2.1	25.8	1.8	5.01	4.47	1,454	0.0	0.6	1.5	1.5	26.3	0.9	4.99	4.41	
COLUSA	6402, N	528	0.0	0.9	0.7	1.6	25.5	1.5	5.20	4.42	1,401	0.0	0.9	1.2	1.9	26.2	1.7	5.17	4.42	
COLUSA	0311, AB	479	0.0	1.1	2.6	0.7	24.3	0.8	5.47	4.32	1,072	0.0	1.2	2.0	0.7	24.6	0.9	5.44	4.32	
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	748	0.0	0.7	1.4	0.6	26.4	1.2	4.88	4.33	
COLUSA	0319, DRI	651	0.0	1.2	1.9	1.1	25.7	3.1	5.63	4.38	712	0.0	1.3	1.9	1.0	25.8	3.0	5.61	4.38	
COLUSA	0599, SV	152	0.0	0.5	2.4	1.2	29.2	0.9	4.80	4.42	693	0.0	0.9	2.4	1.0	30.9	0.9	4.54	4.36	
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	469	0.0	0.3	0.6	0.5	27.8	4.1	4.74	4.29	
COLUSA	2, BP	377	0.0	2.2	5.6	1.5	27.0	1.4	4.64	4.49	377	0.0	2.2	5.6	1.5	27.0	1.4	4.64	4.49	
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	1.0	1.9	1.9	26.1	2.3	4.91	4.40	
COLUSA	3887, HMX	90	0.0	1.0	2.3	0.6	27.0	1.2	5.31	4.42	313	0.0	0.6	2.6	0.7	27.8	0.8	5.25	4.36	
COLUSA	205, BQ	74	0.0	1.5	2.1	3.3	26.0	1.7	5.39	4.36	285	0.0	0.7	3.1	1.4	27.1	1.2	5.57	4.30	
COLUSA	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	218	0.0	0.8	2.1	0.8	27.3	2.1	4.85	4.33	
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	153	0.0	0.8	1.9	0.8	27.2	0.9	5.14	4.33	
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.9	1.3	0.4	27.9	0.8	4.74	4.30	
COLUSA	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.9	2.0	2.2	27.8	0.7	4.74	4.34	
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41	
COLUSA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	1.2	1.7	0.8	28.2	1.9	5.14	4.50	
COLUSA	8504, HEINZ	69	0.0	0.5	1.2	2.0	27.6	2.3	4.68	4.34	69	0.0	0.5	1.2	2.0	27.6	2.3	4.68	4.34	
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.4	3.0	0.6	26.0	0.6	5.30	4.30	
COLUSA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.7	2.8	2.2	30.6	2.4	4.73	4.34	
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.5	1.7	2.0	28.7	0.9	4.56	4.28	
COLUSA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	0.4	0.0	26.5	1.3	4.40	4.35	
COLUSA	141, BQ	5	0.0	1.8	6.0	9.4	25.8	3.2	4.64	4.43	5	0.0	1.8	6.0	9.4	25.8	3.2	4.64	4.43	
COLUSA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	26.0	1.0	4.60	4.38	
COLUSA		3,748	0.0	1.3	2.3	1.4	25.8	1.7	5.21	4.42	15,454	0.0	0.8	1.8	1.3	26.5	1.4	5.05	4.38	
CONTRA COSTA	6366, SUN	274	0.0	0.3	0.4	0.3	23.6	1.6	5.58	4.39	1,835	0.0	0.3	0.6	0.3	25.0	1.4	5.58	4.33	
CONTRA COSTA	0311, AB	530	0.0	0.6	1.2	0.2	24.0	1.1	5.40	4.28	1,150	0.0	0.5	1.3	0.2	23.8	1.4	5.63	4.31	
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.2	0.5	0.1	27.1	2.5	4.60	4.30	
CONTRA COSTA	6397, N	16	0.0	0.6	0.8	0.1	24.4	0.3	5.06	4.32	320	0.0	0.2	0.6	0.1	24.6	0.5	5.11	4.35	
CONTRA COSTA	6416, N	124	0.0	0.4	1.1	0.6	24.0	1.8	5.00	4.31	280	0.0	0.2	0.8	0.3	24.3	1.5	4.89	4.30	
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	0.0	0.6	0.1	26.2	2.7	5.13	4.23	
CONTRA COSTA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.2	0.7	0.2	25.3	1.1	5.00	4.25	
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.2	1.7	0.1	25.4	0.7	5.48	4.36	
CONTRA COSTA	0319, DRI	65	0.0	0.6	1.1	0.2	24.7	1.8	5.67	4.24	153	0.0	0.5	0.8	0.1	25.0	2.0	5.55	4.25	
CONTRA COSTA	3884, HMX	51	0.0	0.5	0.4	0.3	26.5	1.9	5.92	4.35	60	0.0	0.4	0.5	0.3	26.5	1.9	5.84	4.35	
CONTRA COSTA	3, AB	1	0.0	0.0	0.5	0.0	23.0	1.5	5.70	4.29	2	0.0	0.3	0.8	0.0	24.0	1.5	5.45	4.25	

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
CONTRA COSTA		1,061	0.0	0.5	0.9	0.3	24.0	1.4	5.44	4.31	4,709	0.0	0.3	0.8	0.2	24.9	1.5	5.41	4.31
FRESNO	6366, SUN	3,195	0.0	0.5	1.6	0.9	23.9	1.8	5.61	4.39	17,574	0.0	0.5	1.2	0.6	24.5	1.7	5.66	4.38
FRESNO	6416, N	112	0.0	0.3	1.7	0.8	24.0	1.5	5.08	4.33	8,038	0.0	0.3	1.5	0.6	25.1	1.0	5.00	4.31
FRESNO	0311, AB	3,197	0.0	1.5	3.4	0.7	23.0	1.3	5.84	4.33	7,091	0.0	1.1	2.9	0.7	23.0	1.4	6.00	4.34
FRESNO	6402, N	511	0.0	0.7	2.1	1.7	23.6	0.9	5.87	4.36	5,936	0.0	0.7	1.9	1.2	24.0	1.0	5.77	4.38
FRESNO	6397, N	176	0.0	0.9	0.9	0.2	23.0	1.7	5.45	4.47	5,050	0.0	0.4	1.7	0.8	23.8	0.9	5.37	4.40
FRESNO	1892, HMX	1,640	0.0	0.8	2.4	1.6	25.3	1.1	5.46	4.42	4,626	0.0	0.5	2.5	1.4	25.3	0.9	5.50	4.39
FRESNO	6404, N	1,879	0.0	0.8	2.0	1.3	24.1	1.9	5.62	4.42	4,541	0.0	0.8	2.2	1.0	24.5	1.6	5.63	4.40
FRESNO	1015, HEINZ	37	0.0	1.2	0.4	0.2	23.8	1.4	5.14	4.51	3,945	0.0	0.4	0.7	0.3	23.7	0.6	5.40	4.43
FRESNO	0319, DRI	2,462	0.0	0.9	1.6	0.4	24.1	1.4	6.01	4.35	3,874	0.0	0.7	1.4	0.3	24.0	1.4	6.10	4.35
FRESNO	6394, N	179	0.0	1.7	0.7	0.2	22.8	2.2	5.84	4.47	2,434	0.0	1.0	1.9	0.6	23.9	2.5	5.64	4.43
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,338	0.0	0.5	1.9	0.7	24.6	1.2	5.35	4.31
FRESNO	1161, HEINZ	349	0.0	0.6	1.5	0.3	24.4	5.0	6.20	4.39	2,188	0.0	0.7	3.0	0.8	24.7	2.7	5.89	4.34
FRESNO	1292, HZ	241	0.0	1.5	4.0	0.8	23.3	5.4	5.87	4.54	2,000	0.0	0.7	1.4	0.5	23.0	2.0	5.68	4.48
FRESNO	5608, HZ	653	0.0	1.8	1.9	0.2	23.3	1.1	4.97	4.41	1,840	0.0	1.4	2.2	0.3	23.3	0.8	5.11	4.39
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,825	0.0	0.6	1.1	0.4	25.6	1.2	4.56	4.35
FRESNO	19406, UG	713	0.0	1.2	1.9	0.6	24.6	1.2	5.81	4.33	1,637	0.0	0.9	1.3	0.4	24.4	0.9	5.87	4.32
FRESNO	16609, UG	192	0.0	1.1	4.5	0.2	23.1	1.4	5.41	4.42	1,317	0.0	0.6	2.5	0.3	23.4	1.5	5.61	4.35
FRESNO	1293, HZ	299	0.0	0.8	1.8	0.6	23.7	3.1	5.65	4.46	1,276	0.0	0.7	1.9	0.6	23.8	1.3	5.54	4.46
FRESNO	7885, HMX	536	0.0	0.4	1.0	0.2	26.3	0.4	4.92	4.48	1,122	0.0	0.5	0.8	0.2	25.8	0.4	4.99	4.48
FRESNO	2, AB	34	0.0	0.4	0.9	0.4	25.7	0.9	5.63	4.26	917	0.0	0.7	0.6	0.3	24.0	1.4	5.87	4.31
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	797	0.0	0.7	0.9	0.6	24.6	2.3	5.19	4.32
FRESNO	9491, HEINZ	281	0.0	1.1	2.8	0.3	23.5	1.2	5.08	4.42	620	0.0	1.0	2.7	0.4	23.8	1.8	5.01	4.40
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	620	0.0	1.7	1.2	0.6	23.4	2.1	5.09	4.41
FRESNO	205, BQ	205	0.0	0.8	0.6	0.3	23.8	1.4	5.62	4.33	553	0.0	0.8	0.6	0.3	23.6	1.7	5.70	4.34
FRESNO	2401, HEINZ	549	0.0	0.6	1.7	0.3	24.0	1.3	5.28	4.37	550	0.0	0.6	1.7	0.3	24.0	1.3	5.28	4.37
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	493	0.0	0.4	0.5	0.3	26.7	0.5	5.03	4.30
FRESNO	373, U	32	0.0	1.2	0.4	0.0	24.5	5.3	5.12	4.44	465	0.0	0.6	0.7	0.4	24.4	3.2	5.16	4.38
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
FRESNO	1308, HZ	245	0.0	0.4	3.6	0.3	22.1	1.2	5.69	4.50	401	0.0	0.3	3.2	0.4	22.4	1.0	5.56	4.49
FRESNO	9663, HEINZ	279	0.0	0.9	4.3	0.2	22.3	1.1	5.13	4.41	401	0.0	0.9	3.8	0.2	22.3	1.5	5.22	4.41
FRESNO	8892, HEINZ	264	0.0	1.2	1.1	0.3	22.8	3.6	4.91	4.44	394	0.0	1.3	1.3	0.2	23.0	3.2	4.94	4.43
FRESNO	6410, N	315	0.0	0.4	4.1	1.5	26.2	0.7	5.72	4.31	390	0.0	0.4	4.3	1.6	26.1	0.9	5.76	4.32
FRESNO	18806, UG	205	0.0	0.5	0.9	0.3	25.6	1.9	5.39	4.36	352	0.0	0.6	1.8	0.3	26.1	1.6	5.42	4.37
FRESNO	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.5	1.3	0.2	24.3	1.0	5.31	4.38
FRESNO	4707, HEINZ	320	0.0	0.2	4.3	0.2	25.4	0.2	5.02	4.34	320	0.0	0.2	4.3	0.2	25.4	0.2	5.02	4.34
FRESNO	3887, HMX	167	0.0	0.4	2.2	0.2	24.5	1.7	5.99	4.45	265	0.0	0.5	2.2	0.3	24.6	1.5	5.87	4.42
FRESNO	303, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	249	0.0	1.8	4.6	0.7	23.2	1.3	5.23	4.43
FRESNO	255, CXD	205	0.0	1.4	0.1	0.1	24.7	0.6	5.06	4.37	231	0.0	1.4	0.1	0.1	24.7	0.6	5.05	4.36

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
FRESNO	2601, HEINZ	29	0.0	0.6	0.9	0.2	26.4	2.2	4.85	4.40	230	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41	
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	178	0.0	0.3	0.3	0.1	24.8	1.2	5.35	4.27	
FRESNO	8516, SV	24	0.0	0.4	1.9	0.2	23.9	0.8	5.90	4.34	159	0.0	1.9	0.9	0.5	24.8	1.4	5.33	4.34	
FRESNO	6420, N	89	0.0	2.4	1.5	0.5	22.6	0.6	5.06	4.44	151	0.0	1.8	1.1	0.6	23.7	0.6	5.08	4.42	
FRESNO	67212, BOS	136	0.0	2.5	0.7	0.2	26.0	2.8	4.98	4.44	150	0.0	2.4	0.8	0.2	26.1	2.7	4.97	4.43	
FRESNO	108, HYPEEL	148	0.0	0.6	1.2	0.3	26.9	2.1	5.20	4.40	148	0.0	0.6	1.2	0.3	26.9	2.1	5.20	4.40	
FRESNO	3, AB	76	0.0	0.7	0.8	0.0	24.7	1.3	5.39	4.29	144	0.0	0.6	0.8	0.1	25.2	1.3	5.49	4.28	
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.0	1.0	1.8	26.1	0.7	5.07	4.21	
FRESNO	6385, N	88	0.0	1.1	2.1	0.4	26.5	0.8	4.62	4.38	129	0.0	1.1	2.0	0.4	26.6	0.7	4.60	4.38	
FRESNO	6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	0.2	0.4	0.0	24.4	0.2	6.10	4.29	
FRESNO	292, BQ	80	0.0	2.1	1.5	0.2	24.0	1.7	5.28	4.34	80	0.0	2.1	1.5	0.2	24.0	1.7	5.28	4.34	
FRESNO	5508, HZ	79	0.0	0.1	2.4	0.4	22.1	0.3	5.62	4.31	79	0.0	0.1	2.4	0.4	22.1	0.3	5.62	4.31	
FRESNO	MIX	31	0.0	2.6	1.4	0.6	22.1	1.1	5.54	4.35	52	0.0	1.8	1.2	0.5	23.2	1.2	5.58	4.34	
FRESNO	5702, HZ	51	0.0	0.5	5.3	0.2	23.7	0.2	5.03	4.38	51	0.0	0.5	5.3	0.2	23.7	0.2	5.03	4.38	
FRESNO	1115,FM	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39	
FRESNO	1570, RPT	45	0.0	0.6	2.4	0.6	29.5	2.0	4.45	4.32	45	0.0	0.6	2.4	0.6	29.5	2.0	4.45	4.32	
FRESNO	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.1	0.6	0.0	25.9	0.3	4.70	4.37	
FRESNO	8504, HEINZ	28	0.0	0.1	3.5	0.6	24.5	0.6	5.26	4.29	28	0.0	0.1	3.5	0.6	24.5	0.6	5.26	4.29	
FRESNO	30622, ISI	15	0.0	1.3	0.9	0.0	25.7	4.4	5.05	4.43	27	0.0	0.9	1.0	0.3	25.3	3.0	4.89	4.40	
FRESNO	UNCODED	10	0.0	0.4	2.6	0.2	24.3	6.0	6.58	4.43	26	0.0	0.3	1.4	0.2	24.2	3.0	5.75	4.38	
FRESNO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.4	1.6	0.3	25.5	2.3	5.11	4.38	
FRESNO	19910, UG	25	0.0	0.3	0.3	0.2	25.1	1.5	5.10	4.50	25	0.0	0.3	0.3	0.2	25.1	1.5	5.10	4.50	
FRESNO	257, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.7	2.6	0.4	23.9	1.2	5.42	4.45	
FRESNO	1311, HZ	10	0.0	2.7	1.3	0.5	22.1	1.2	5.55	4.35	20	0.0	1.5	1.4	0.3	22.4	1.2	5.72	4.33	
FRESNO	39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46	
FRESNO	1170, HEINZ	14	0.0	0.0	1.4	0.3	25.3	0.4	6.09	4.27	14	0.0	0.0	1.4	0.3	25.3	0.4	6.09	4.27	
FRESNO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.6	23.4	3.1	5.93	4.26	
FRESNO	327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	0.9	0.3	25.0	2.6	5.82	4.27	
FRESNO	1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45	
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.7	0.4	0.6	23.4	1.2	5.74	4.42	
FRESNO	4886, HMX	5	0.0	0.9	1.7	0.9	24.4	6.5	7.14	4.58	5	0.0	0.9	1.7	0.9	24.4	6.5	7.14	4.58	
FRESNO	4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	1.6	0.2	29.6	0.8	5.58	4.26	
FRESNO	2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.6	0.4	0.3	24.5	4.3	5.35	4.47	
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42	
FRESNO	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	1.3	26.0	1.3	4.95	4.36	
FRESNO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	1.0	22.0	0.5	5.40	4.43	
FRESNO	140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35	
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43	
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	0.5	22.0	0.0	6.60	4.36	

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.5	0.5	1.0	1.0	24.0	0.5	5.40	4.47	
FRESNO	385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51	
FRESNO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25	
FRESNO	1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38	
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39	
FRESNO	1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28	
FRESNO	2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38	
FRESNO	2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28	
FRESNO	3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32	
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	26.0	0.5	5.40	4.41	
FRESNO	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	26.0	0.0	5.20	4.26	
FRESNO	8011, SV	1	0.0	0.0	1.0	0.5	22.0	0.0	6.20	4.31	1	0.0	0.0	1.0	0.5	22.0	0.0	6.20	4.31	
FRESNO	9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55	
FRESNO	52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34	
FRESNO		20,501	0.0	0.9	2.2	0.7	24.0	1.6	5.60	4.38	89,642	0.0	0.7	1.7	0.7	24.3	1.4	5.53	4.37	
GLENN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	1.9	2.4	2.1	27.2	1.0	4.88	4.40	
GLENN	1175, HEINZ	46	0.0	1.9	4.3	2.8	24.1	1.0	5.06	4.52	46	0.0	1.9	4.3	2.8	24.1	1.0	5.06	4.52	
GLENN		46	0.0	1.9	4.3	2.8	24.1	1.0	5.06	4.52	196	0.0	1.9	2.9	2.2	26.5	1.0	4.92	4.43	
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,722	0.0	1.4	0.8	0.5	25.8	2.1	5.05	4.45	
KERN	5608, HZ	24	0.0	0.6	1.2	0.1	23.4	0.6	5.16	4.40	3,214	0.0	2.0	1.0	0.6	24.7	0.7	5.00	4.41	
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,881	0.0	0.8	2.7	1.4	24.9	1.3	4.97	4.40	
KERN	8504, HEINZ	887	0.0	2.0	2.8	1.0	27.2	0.5	5.01	4.31	1,820	0.0	1.6	2.2	0.9	26.9	0.8	4.95	4.32	
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,700	0.0	0.7	1.2	0.7	26.3	1.2	4.59	4.40	
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,346	0.0	0.3	0.8	0.3	25.2	0.5	4.86	4.44	
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,200	0.0	0.4	2.1	0.7	26.8	1.1	4.61	4.36	
KERN	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,137	0.0	0.6	2.3	2.5	24.4	2.8	4.96	4.40	
KERN	0319, DRI	164	0.0	2.4	1.7	2.5	24.6	1.0	5.89	4.36	909	0.0	2.1	1.4	0.9	26.0	1.6	5.28	4.35	
KERN	1170, HEINZ	190	0.0	0.6	1.4	0.3	25.3	0.9	5.42	4.38	437	0.0	0.6	1.3	0.4	25.3	0.7	5.45	4.37	
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	3.1	1.7	0.5	24.9	2.0	4.88	4.36	
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	337	0.0	0.5	1.0	0.3	26.9	0.8	5.09	4.32	
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	324	0.0	0.2	1.1	0.7	26.4	0.8	4.96	4.25	
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	322	0.0	1.9	1.3	0.5	24.4	3.3	5.43	4.38	
KERN	1308, HZ	12	0.0	2.3	0.7	0.3	22.3	1.6	5.54	4.56	309	0.0	2.5	1.5	0.6	23.1	1.2	5.35	4.48	
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	286	0.0	0.2	1.8	1.0	26.5	0.8	5.20	4.40	
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	255	0.0	0.8	0.8	0.5	23.4	2.3	5.53	4.43	
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	240	0.0	1.4	0.6	0.8	23.9	3.1	5.28	4.55	
KERN	1892, HMX	40	0.0	0.1	0.7	0.3	24.8	1.2	5.60	4.41	216	0.0	1.1	0.8	0.4	26.6	0.9	5.03	4.40	
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.5	1.0	0.2	29.6	1.8	4.52	4.30	
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	1.8	1.3	0.3	23.2	3.3	5.64	4.56	

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
KERN	1175, HEINZ	102	0.0	1.4	3.7	0.8	23.6	0.3	5.21	4.45	102	0.0	1.4	3.7	0.8	23.6	0.3	5.21	4.45	
KERN	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	0.7	0.4	0.3	23.4	1.1	5.14	4.44	
KERN	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	1.0	0.5	0.3	26.9	0.7	5.40	4.38	
KERN	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	72	0.0	0.6	3.9	0.7	24.4	1.9	5.08	4.35	
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.8	1.7	0.9	25.6	0.9	5.46	4.42	
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	5.0	0.8	0.4	25.6	1.6	5.20	4.41	
KERN	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	1.0	0.8	0.6	24.7	1.3	4.60	4.43	
KERN	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.8	0.8	0.8	26.1	0.9	4.28	4.42	
KERN	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.1	0.1	0.6	28.6	1.0	4.83	4.30	
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	4.0	1.0	24.0	0.5	5.00	4.48	
KERN		1,419	0.0	1.8	2.4	1.0	26.2	0.7	5.20	4.34	21,827	0.0	1.2	1.5	0.8	25.5	1.4	4.98	4.40	
KINGS	6366, SUN	673	0.0	0.7	0.5	0.3	23.7	2.3	5.46	4.41	6,550	0.0	0.7	1.1	0.3	24.7	2.1	5.57	4.41	
KINGS	5608, HZ	831	0.0	1.2	2.8	0.5	24.1	0.9	5.24	4.43	3,650	0.0	0.7	3.0	0.4	24.4	0.7	5.22	4.39	
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,442	0.0	0.2	2.5	0.6	25.5	1.0	4.87	4.31	
KINGS	0319, DRI	1,520	0.0	1.0	2.5	0.6	24.4	1.5	6.10	4.38	3,291	0.0	0.8	2.6	0.5	24.6	1.0	6.14	4.33	
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,162	0.0	0.5	1.2	0.7	26.0	1.3	4.38	4.40	
KINGS	19406, UG	657	0.0	1.9	1.7	0.4	25.9	0.8	5.06	4.29	981	0.0	1.6	1.7	0.4	26.1	0.8	5.09	4.29	
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	980	0.0	0.3	1.8	0.7	24.9	0.7	5.15	4.38	
KINGS	1892, HMX	220	0.0	0.8	1.4	0.5	25.1	1.0	5.48	4.46	771	0.0	0.4	1.9	0.8	25.6	0.9	5.44	4.40	
KINGS	1161, HEINZ	34	0.0	1.5	4.4	0.5	28.5	1.2	4.95	4.29	710	0.0	0.6	3.1	0.8	25.9	1.6	5.65	4.31	
KINGS	1015, HEINZ	115	0.0	0.9	0.9	0.1	24.7	0.4	4.95	4.40	695	0.0	1.2	1.4	0.3	23.9	0.7	5.12	4.45	
KINGS	0311, AB	24	0.0	15.4	1.8	1.5	22.9	1.5	5.33	4.42	522	0.0	3.8	0.9	1.2	23.6	1.5	5.67	4.36	
KINGS	6402, N	93	0.0	1.0	1.1	0.1	24.3	0.7	5.75	4.39	509	0.0	0.7	1.2	0.5	24.1	1.3	6.09	4.41	
KINGS	8504, HEINZ	196	0.0	0.4	2.8	0.4	26.4	0.4	5.26	4.30	447	0.0	0.3	2.1	0.7	26.2	0.7	5.43	4.36	
KINGS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	445	0.0	2.2	1.1	0.2	26.3	1.7	5.35	4.31	
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	327	0.0	1.2	2.6	0.6	26.4	1.0	5.09	4.35	
KINGS	16609, UG	169	0.0	1.1	1.7	0.2	24.1	1.6	5.29	4.35	317	0.0	0.7	2.4	0.3	24.6	1.2	5.38	4.33	
KINGS	1175, HEINZ	220	0.0	0.8	2.6	0.6	25.2	0.8	4.83	4.48	278	0.0	0.7	2.6	0.6	25.1	0.8	4.92	4.48	
KINGS	1308, HZ	57	0.0	0.8	3.4	0.8	24.0	1.0	5.51	4.49	231	0.0	0.4	3.4	0.5	24.6	1.0	5.30	4.47	
KINGS	3887, HMX	9	0.0	0.5	1.7	0.6	28.9	0.4	5.43	4.32	215	0.0	0.3	2.5	0.3	25.1	0.8	5.93	4.36	
KINGS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	209	0.0	1.0	0.3	0.3	26.8	2.2	5.38	4.50	
KINGS	1170, HEINZ	55	0.0	0.2	2.3	0.3	26.7	0.5	5.54	4.34	201	0.0	0.4	1.6	0.1	28.3	1.0	5.11	4.38	
KINGS	373, U	13	0.0	1.1	3.0	0.2	26.4	2.8	4.56	4.42	175	0.0	0.5	0.9	0.5	23.8	2.3	5.57	4.40	
KINGS	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.8	1.9	1.2	23.5	2.0	6.03	4.44	
KINGS	9780, HEINZ	145	0.0	0.6	9.0	1.6	24.4	1.3	5.68	4.29	145	0.0	0.6	9.0	1.6	24.4	1.3	5.68	4.29	
KINGS	UNCODED	23	0.0	0.8	2.2	0.7	25.6	1.0	5.04	4.38	126	0.0	0.4	1.8	0.4	25.6	0.7	5.40	4.34	
KINGS	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	7.1	2.3	1.1	23.1	3.1	4.98	4.55	
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	4.9	2.2	0.9	23.1	2.2	4.93	4.50	
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.3	0.4	0.4	24.6	1.2	5.93	4.29	

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
KINGS	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.3	0.6	0.1	23.4	2.6	5.35	4.42	
KINGS	19910, UG	33	0.0	0.4	0.3	0.2	26.0	1.4	5.03	4.45	44	0.0	0.4	0.3	0.2	25.8	1.6	5.07	4.43	
KINGS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.0	1.0	0.6	28.4	1.8	4.97	4.44	
KINGS	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.6	0.0	0.0	25.0	0.7	5.19	4.34	
KINGS	6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.1	0.4	0.1	26.0	0.2	6.01	4.24	
KINGS	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.1	0.6	0.0	25.3	1.9	5.64	4.39	
KINGS	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.3	0.2	0.3	23.0	1.8	5.28	4.53	
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33	
KINGS	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	3.8	0.0	25.0	0.0	4.50	4.42	
KINGS	10109, UG	2	0.0	1.3	0.5	0.0	23.5	0.0	5.00	4.45	2	0.0	1.3	0.5	0.0	23.5	0.0	5.00	4.45	
KINGS		5,089	0.0	1.1	2.3	0.5	24.7	1.3	5.51	4.38	29,075	0.0	0.8	1.9	0.5	25.0	1.3	5.32	4.37	
MADERA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	694	0.0	0.3	5.1	1.2	26.7	1.2	4.66	4.29	
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	486	0.0	0.4	3.1	2.2	25.0	1.3	4.96	4.41	
MADERA	6404, N	48	0.0	1.9	3.3	1.0	26.4	2.9	4.83	4.48	434	0.0	0.8	5.0	0.6	28.7	2.2	4.74	4.42	
MADERA	1892, HMX	346	0.0	0.5	1.2	1.7	25.8	3.0	4.90	4.48	429	0.0	0.4	2.2	1.6	26.5	2.6	4.90	4.45	
MADERA	19406, UG	335	0.0	0.7	0.7	0.4	26.2	0.4	5.09	4.29	364	0.0	0.7	0.6	0.4	26.3	0.4	5.07	4.29	
MADERA	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	0.9	3.1	1.6	26.6	3.1	5.51	4.36	
MADERA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	233	0.0	1.1	2.8	0.5	25.5	1.1	5.44	4.43	
MADERA	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	0.4	5.1	0.9	29.6	1.6	4.37	4.32	
MADERA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.9	0.4	0.2	25.4	1.5	5.59	4.39	
MADERA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	0.5	26.0	1.0	5.60	4.28	
MADERA		729	0.0	0.7	1.1	1.0	26.0	1.8	4.99	4.39	3,142	0.0	0.6	3.4	1.2	26.6	1.7	4.95	4.37	
MERCED	6366, SUN	773	0.0	0.4	2.5	0.8	24.5	2.1	5.42	4.36	1,466	0.0	0.3	1.9	0.7	24.3	2.6	5.56	4.38	
MERCED	6404, N	410	0.0	0.7	1.3	1.1	25.8	2.1	5.27	4.44	809	0.0	0.8	1.2	0.9	25.9	2.0	5.29	4.42	
MERCED	1892, HMX	605	0.0	0.2	2.9	1.3	25.1	0.9	5.38	4.36	605	0.0	0.2	2.9	1.3	25.1	0.9	5.38	4.36	
MERCED	6402, N	281	0.0	0.3	1.1	1.3	22.7	1.9	6.24	4.46	440	0.0	0.4	1.4	1.4	23.3	1.6	6.07	4.43	
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	0.1	1.2	0.2	25.7	0.8	4.79	4.32	
MERCED	1161, HEINZ	278	0.0	0.7	1.5	0.1	25.7	2.0	5.36	4.34	321	0.0	0.7	1.5	0.1	25.8	2.0	5.38	4.33	
MERCED	3887, HMX	179	0.0	0.2	2.3	0.6	24.6	1.4	5.84	4.41	319	0.0	0.2	2.7	1.5	25.2	1.5	5.82	4.40	
MERCED	9494, HEINZ	257	0.0	0.2	1.1	0.3	23.5	0.7	4.86	4.36	289	0.0	0.2	1.1	0.2	23.7	0.7	4.87	4.35	
MERCED	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	0.2	2.8	0.7	24.0	1.3	6.26	4.32	
MERCED	0319, DRI	140	0.0	0.5	1.3	0.1	22.7	1.2	6.16	4.38	144	0.0	0.5	1.4	0.1	22.8	1.2	6.16	4.38	
MERCED	0311, AB	124	0.0	0.4	2.3	0.4	23.4	1.2	5.95	4.29	128	0.0	0.4	2.3	0.4	23.3	1.2	5.97	4.29	
MERCED	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	0.3	1.4	0.1	26.1	0.5	4.92	4.33	
MERCED	30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.2	0.7	0.0	25.5	1.2	5.00	4.34	
MERCED	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.8	0.5	23.7	0.8	5.17	4.39	
MERCED		3,047	0.0	0.4	2.0	0.8	24.5	1.6	5.49	4.38	5,156	0.0	0.4	1.8	0.8	24.7	1.7	5.49	4.38	
SAN BENITO	1015, HEINZ	82	0.0	0.2	1.0	0.4	23.8	2.8	6.00	4.53	146	0.0	0.2	1.2	0.4	23.7	2.6	6.01	4.48	
SAN BENITO	373, U	25	0.0	0.9	1.4	0.3	25.8	3.6	4.90	4.44	131	0.0	0.8	1.3	0.4	26.0	3.8	4.91	4.39	

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
SAN BENITO	6366, SUN	129	0.0	0.2	0.9	0.5	23.6	3.0	6.50	4.45	129	0.0	0.2	0.9	0.5	23.6	3.0	6.50	4.45	
SAN BENITO	8504, HEINZ	63	0.0	0.3	0.7	0.6	24.0	0.9	5.77	4.26	63	0.0	0.3	0.7	0.6	24.0	0.9	5.77	4.26	
SAN BENITO	9663, HEINZ	42	0.0	1.1	1.5	0.7	23.1	3.3	5.68	4.37	42	0.0	1.1	1.5	0.7	23.1	3.3	5.68	4.37	
SAN BENITO		341	0.0	0.4	1.0	0.5	23.8	2.7	6.02	4.42	511	0.0	0.5	1.1	0.5	24.3	2.9	5.79	4.41	
SAN JOAQUIN	6397, N	44	0.0	0.1	0.3	0.0	22.8	0.5	5.32	4.33	44	0.0	0.1	0.3	0.0	22.8	0.5	5.32	4.33	
SAN JOAQUIN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38	
SAN JOAQUIN	4909, HMX	11	0.0	0.2	0.1	0.3	26.2	0.4	5.92	4.21	11	0.0	0.2	0.1	0.3	26.2	0.4	5.92	4.21	
SAN JOAQUIN	5608, HZ	10	0.0	0.2	0.4	0.7	23.6	0.4	4.94	4.31	10	0.0	0.2	0.4	0.7	23.6	0.4	4.94	4.31	
SAN JOAQUIN	6394, N	1	0.0	0.0	0.0	0.0	23.0	0.0	5.30	4.31	1	0.0	0.0	0.0	0.0	23.0	0.0	5.30	4.31	
SAN JOAQUIN		66	0.0	0.1	0.3	0.2	23.5	0.5	5.36	4.31	88	0.0	0.1	0.2	0.1	24.6	0.4	5.16	4.33	
SOLANO	0311, AB	456	0.0	0.9	0.7	0.3	23.8	1.0	5.52	4.29	715	0.0	0.8	0.7	0.3	24.1	0.9	5.73	4.29	
SOLANO	6402, N	205	0.0	0.7	0.7	0.7	24.7	1.2	5.65	4.40	550	0.0	0.7	0.8	0.9	25.1	1.2	5.59	4.38	
SOLANO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	319	0.0	0.9	0.5	0.3	26.2	1.5	5.61	4.37	
SOLANO	6404, N	293	0.0	0.3	1.0	1.8	24.7	1.8	5.50	4.38	299	0.0	0.3	1.1	1.8	24.7	1.8	5.50	4.38	
SOLANO	6397, N	27	0.0	0.2	0.5	0.9	24.0	1.6	5.17	4.36	292	0.0	0.3	0.7	0.4	26.3	1.5	5.22	4.39	
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	0.3	0.6	0.3	28.8	0.6	4.90	4.28	
SOLANO	3887, HMX	64	0.0	0.4	1.0	0.3	26.0	1.0	5.33	4.39	174	0.0	0.6	0.7	0.4	27.1	0.7	5.45	4.35	
SOLANO	5608, HZ	167	0.0	0.6	0.2	0.7	24.0	0.6	5.20	4.32	167	0.0	0.6	0.2	0.7	24.0	0.6	5.20	4.32	
SOLANO	206, BQ	79	0.0	0.5	0.5	0.1	25.5	1.7	5.29	4.33	114	0.0	0.5	0.5	0.1	25.6	1.6	5.33	4.32	
SOLANO	16609, UG	42	0.0	0.3	0.7	0.5	25.7	2.2	5.46	4.27	110	0.0	0.3	0.7	0.4	25.4	3.2	5.69	4.26	
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.4	0.4	0.2	29.0	0.6	4.98	4.32	
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	0.4	0.2	0.0	24.0	0.2	5.29	4.38	
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.1	0.6	0.2	28.2	2.1	5.03	4.26	
SOLANO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.7	0.9	0.4	23.8	3.0	5.43	4.35	
SOLANO	8516, SV	24	0.0	0.6	0.5	0.4	25.0	1.6	5.16	4.29	50	0.0	0.6	0.4	0.3	25.7	1.3	5.53	4.30	
SOLANO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.7	2.8	0.3	26.8	1.2	6.78	4.24	
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	0.3	0.8	25.2	2.0	4.95	4.39	
SOLANO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	5.8	0.4	28.0	0.7	6.08	4.25	
SOLANO	1892, HMX	8	0.0	1.0	3.0	0.6	25.0	1.3	5.08	4.34	10	0.0	0.9	2.6	0.7	24.8	1.2	5.13	4.35	
SOLANO	MIX	1	0.0	1.0	0.0	0.0	26.0	0.0	5.10	4.26	3	0.0	0.8	0.3	0.0	26.7	0.2	6.00	4.35	
SOLANO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	1.3	0.0	26.7	1.5	6.07	4.38	
SOLANO	4909, HMX	3	0.0	0.5	1.3	0.0	24.3	0.8	5.27	4.34	3	0.0	0.5	1.3	0.0	24.3	0.8	5.27	4.34	
SOLANO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	3.7	1.2	28.0	0.8	5.97	4.21	
SOLANO	9663, HEINZ	3	0.0	1.5	0.8	2.8	26.3	1.3	4.93	4.42	3	0.0	1.5	0.8	2.8	26.3	1.3	4.93	4.42	
SOLANO	19406, UG	2	0.0	0.5	3.0	0.0	31.5	0.3	5.00	4.32	2	0.0	0.5	3.0	0.0	31.5	0.3	5.00	4.32	
SOLANO	1310, HZ	1	0.0	3.0	0.5	6.0	29.0	1.0	5.50	4.39	1	0.0	3.0	0.5	6.0	29.0	1.0	5.50	4.39	
SOLANO	6407, N	1	0.0	1.0	0.0	0.5	27.0	5.0	6.10	4.36	1	0.0	1.0	0.0	0.5	27.0	5.0	6.10	4.36	
SOLANO	8892, HEINZ	1	0.0	0.5	1.5	0.5	24.0	1.0	5.30	4.38	1	0.0	0.5	1.5	0.5	24.0	1.0	5.30	4.38	
SOLANO		1,377	0.0	0.6	0.7	0.7	24.5	1.2	5.45	4.34	3,491	0.0	0.6	0.7	0.5	25.6	1.2	5.46	4.34	

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
STANISLAUS	6397, N	67	0.0	0.5	1.0	0.1	23.0	0.7	5.86	4.36	97	0.0	0.4	0.9	0.1	23.1	0.6	5.84	4.35	
STANISLAUS	6366, SUN	35	0.0	0.6	0.1	0.0	24.6	1.8	5.14	4.36	35	0.0	0.6	0.1	0.0	24.6	1.8	5.14	4.36	
STANISLAUS	3887, HMX	20	0.0	0.4	0.6	0.1	26.0	0.8	5.29	4.32	20	0.0	0.4	0.6	0.1	26.0	0.8	5.29	4.32	
STANISLAUS	6394, N	3	0.0	0.7	1.0	0.2	23.0	1.3	6.00	4.30	3	0.0	0.7	1.0	0.2	23.0	1.3	6.00	4.30	
STANISLAUS		125	0.0	0.5	0.7	0.1	23.9	1.0	5.57	4.35	155	0.0	0.4	0.7	0.1	23.8	0.9	5.62	4.35	
SUTTER	2, BP	331	0.0	0.8	3.1	1.2	27.2	2.1	5.52	4.50	454	0.0	0.6	2.6	1.2	27.2	2.0	5.45	4.50	
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	303	0.0	0.3	3.0	0.7	25.3	0.3	5.02	4.39	
SUTTER	0319, DRI	178	0.0	1.4	5.9	1.0	25.4	3.0	5.27	4.37	242	0.0	1.2	4.7	1.1	25.5	3.0	5.37	4.38	
SUTTER	6366, SUN	118	0.0	2.4	1.6	2.9	26.9	1.5	5.08	4.40	217	0.0	1.7	1.0	1.6	26.3	1.2	5.15	4.41	
SUTTER	5608, HZ	160	0.0	1.1	0.2	0.4	23.1	1.8	5.57	4.42	213	0.0	1.1	0.3	0.3	23.1	1.7	5.60	4.41	
SUTTER	6402, N	182	0.0	1.3	0.1	0.1	23.7	1.2	4.94	4.47	184	0.0	1.3	0.1	0.1	23.7	1.2	4.95	4.47	
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	136	0.0	0.2	1.3	2.6	25.1	1.7	5.22	4.26	
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	135	0.0	0.7	0.6	0.5	26.5	3.1	5.52	4.28	
SUTTER	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	0.8	0.6	1.1	26.7	5.7	5.05	4.44	
SUTTER	6397, N	51	0.0	2.4	2.1	3.1	26.2	1.4	4.98	4.43	51	0.0	2.4	2.1	3.1	26.2	1.4	4.98	4.43	
SUTTER	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.7	0.5	1.6	27.3	5.8	5.15	4.49	
SUTTER	3887, HMX	31	0.0	1.0	3.6	1.5	29.5	0.9	5.27	4.38	31	0.0	1.0	3.6	1.5	29.5	0.9	5.27	4.38	
SUTTER	0311, AB	20	0.0	1.7	8.8	1.6	27.5	0.5	6.15	4.36	20	0.0	1.7	8.8	1.6	27.5	0.5	6.15	4.36	
SUTTER	255, CXD	18	0.0	0.3	1.7	1.5	24.7	1.0	6.11	4.26	18	0.0	0.3	1.7	1.5	24.7	1.0	6.11	4.26	
SUTTER	5003, HEINZ	14	0.0	2.5	3.3	2.3	26.2	1.6	5.05	4.43	14	0.0	2.5	3.3	2.3	26.2	1.6	5.05	4.43	
SUTTER	141, BQ	2	0.0	1.8	1.0	0.5	26.5	2.5	4.70	4.42	2	0.0	1.8	1.0	0.5	26.5	2.5	4.70	4.42	
SUTTER	142, BQ	1	0.0	1.5	0.5	0.0	27.0	10.5	5.10	4.41	1	0.0	1.5	0.5	0.0	27.0	10.5	5.10	4.41	
SUTTER		1,106	0.0	1.3	2.5	1.2	25.7	1.9	5.33	4.44	2,114	0.0	0.9	2.0	1.1	25.7	1.9	5.29	4.41	
TULARE	6366, SUN	142	0.0	2.0	1.2	0.2	26.5	1.2	5.02	4.47	142	0.0	2.0	1.2	0.2	26.5	1.2	5.02	4.47	
TULARE	0311, AB	125	0.0	3.1	0.5	0.4	23.3	1.5	5.92	4.41	125	0.0	3.1	0.5	0.4	23.3	1.5	5.92	4.41	
TULARE	1161, HEINZ	97	0.0	1.4	1.7	0.2	26.2	1.9	5.54	4.39	97	0.0	1.4	1.7	0.2	26.2	1.9	5.54	4.39	
TULARE		364	0.0	2.2	1.1	0.3	25.3	1.5	5.47	4.43	364	0.0	2.2	1.1	0.3	25.3	1.5	5.47	4.43	
YOLO	6397, N	257	0.0	0.5	0.2	0.4	22.6	1.0	5.44	4.41	2,692	0.0	0.3	0.9	0.6	25.0	0.9	5.09	4.37	
YOLO	6366, SUN	194	0.0	0.9	0.4	0.5	23.7	1.6	5.38	4.40	2,628	0.0	0.6	1.2	0.6	26.4	1.0	5.13	4.36	
YOLO	0311, AB	1,448	0.0	0.7	0.9	0.7	23.7	0.8	5.37	4.29	2,214	0.0	0.8	1.0	0.6	24.0	0.8	5.42	4.29	
YOLO	3887, HMX	1,263	0.0	0.5	0.9	0.3	26.6	0.6	4.94	4.34	2,211	0.0	0.4	0.8	0.6	27.1	0.6	4.97	4.33	
YOLO	5608, HZ	740	0.0	0.5	0.6	0.3	23.9	0.6	4.79	4.33	1,249	0.0	0.5	0.6	0.3	24.6	0.4	4.75	4.32	
YOLO	6394, N	169	0.0	0.6	0.4	0.3	24.4	0.7	5.32	4.40	1,078	0.0	0.6	0.9	0.8	26.9	1.0	5.11	4.42	
YOLO	1015, HEINZ	42	0.0	0.3	0.4	0.1	23.3	1.0	4.98	4.38	1,075	0.0	0.1	2.3	1.0	27.7	0.3	4.91	4.34	
YOLO	2, BP	515	0.0	0.9	1.3	1.6	25.6	2.3	4.73	4.51	993	0.0	0.7	1.7	1.8	26.5	1.6	4.77	4.49	
YOLO	6416, N	74	0.0	0.3	0.6	0.5	22.4	0.6	4.99	4.44	967	0.0	0.3	0.8	0.6	25.8	1.0	5.02	4.33	
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	966	0.0	0.2	1.1	0.6	27.2	2.9	5.06	4.24	
YOLO	0319, DRI	654	0.0	0.7	1.2	1.3	25.7	1.9	5.81	4.32	815	0.0	0.6	1.1	1.2	25.4	1.7	5.80	4.31	
YOLO	6402, N	187	0.0	1.7	0.7	1.4	25.5	2.6	4.77	4.44	736	0.0	0.8	0.9	1.0	25.4	1.5	5.10	4.39	

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	541	0.0	0.3	1.1	1.1	28.3	1.0	4.78	4.30
YOLO	16609, UG	235	0.0	0.4	0.3	0.1	25.1	3.4	4.86	4.30	468	0.0	0.4	0.6	0.2	25.2	3.2	4.98	4.30
YOLO	6404, N	235	0.0	1.1	1.5	0.9	27.3	0.9	4.61	4.38	446	0.0	1.0	0.9	0.7	26.3	1.2	4.58	4.40
YOLO	6412, N	23	0.0	0.3	1.3	0.4	24.3	1.4	5.60	4.29	394	0.0	0.4	0.9	0.6	25.5	1.7	5.03	4.35
YOLO	410, APT	38	0.0	0.5	0.9	3.0	24.5	2.1	4.87	4.40	351	0.0	0.4	2.0	1.0	28.2	1.0	4.56	4.28
YOLO	5003, HEINZ	63	0.0	0.4	2.4	3.2	24.8	1.3	5.24	4.36	291	0.0	0.3	2.9	1.7	26.4	1.0	4.98	4.28
YOLO	9905, HARRIS MORAN	206	0.0	0.3	0.3	0.1	25.0	0.6	4.95	4.39	226	0.0	0.3	0.3	0.1	25.4	0.5	4.95	4.39
YOLO	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	217	0.0	1.4	1.5	0.4	25.4	0.7	4.79	4.40
YOLO	142, BQ	137	0.0	0.5	0.5	0.2	24.2	2.2	4.95	4.40	202	0.0	0.4	1.5	1.3	24.8	2.3	5.04	4.41
YOLO	0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
YOLO	1424, HZ	93	0.0	0.6	1.0	1.4	26.0	1.8	5.00	4.36	164	0.0	0.4	2.0	1.6	27.4	1.4	5.00	4.32
YOLO	1892, HMX	119	0.0	0.5	1.9	0.5	24.0	1.0	5.21	4.40	156	0.0	0.5	1.6	0.4	23.9	1.2	5.36	4.40
YOLO	273, BQ	29	0.0	0.4	1.6	0.9	24.5	1.6	5.44	4.37	152	0.0	1.0	1.5	0.4	24.4	1.4	5.53	4.33
YOLO	255, CXD	80	0.0	0.7	0.3	0.2	25.5	2.7	5.19	4.34	133	0.0	0.7	0.7	0.5	26.0	2.0	5.06	4.34
YOLO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	126	0.0	0.6	0.4	0.2	23.4	2.0	5.33	4.35
YOLO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	0.2	0.2	0.5	26.1	1.2	4.79	4.31
YOLO	4907, HMX	63	0.0	0.3	1.8	2.8	33.1	0.7	4.83	4.33	73	0.0	0.3	1.8	2.5	32.8	0.7	4.88	4.31
YOLO	5234, IVF	54	0.0	0.5	0.5	0.2	25.0	0.7	5.83	4.22	56	0.0	0.5	0.6	0.2	25.2	0.7	5.83	4.22
YOLO	206, BQ	55	0.1	0.4	0.1	0.0	24.9	1.1	4.95	4.25	55	0.1	0.4	0.1	0.0	24.9	1.1	4.95	4.25
YOLO	141, BQ	9	0.1	0.7	0.3	0.1	24.8	2.6	4.50	4.40	40	0.1	0.3	5.4	1.6	26.9	2.2	4.71	4.37
YOLO	MIX	5	0.0	0.4	0.2	0.1	23.0	0.7	5.00	4.37	24	0.0	0.6	0.5	0.1	24.5	0.5	5.13	4.33
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.5	0.8	29.7	0.2	4.53	4.29
YOLO	6415, N	4	0.0	0.1	1.1	1.3	26.5	0.6	5.40	4.23	23	0.0	0.1	1.7	1.2	26.4	0.5	5.37	4.21
YOLO	6410, N	22	0.0	0.7	0.4	0.6	26.5	1.3	4.98	4.40	22	0.0	0.7	0.4	0.6	26.5	1.3	4.98	4.40
YOLO	3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
YOLO	1311, HZ	2	0.0	0.8	1.5	0.5	23.0	0.8	5.50	4.35	12	0.0	0.9	0.4	0.1	23.3	0.7	5.22	4.32
YOLO	282, CXD	11	0.2	2.0	0.6	1.2	25.5	1.5	4.65	4.30	11	0.2	2.0	0.6	1.2	25.5	1.5	4.65	4.30
YOLO	HEINZ TRIAL	10	0.0	0.2	1.2	0.1	25.6	1.4	4.85	4.39	10	0.0	0.2	1.2	0.1	25.6	1.4	4.85	4.39
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	1.6	0.4	25.6	0.5	5.20	4.28
YOLO	2401, HEINZ	10	0.0	0.1	1.1	0.2	26.1	0.6	4.81	4.26	10	0.0	0.1	1.1	0.2	26.1	0.6	4.81	4.26
YOLO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	0.1	0.0	27.0	0.7	4.96	4.37
YOLO	5900, HMX	3	0.0	0.2	0.5	0.0	25.7	2.3	5.07	4.25	5	0.0	0.3	0.9	0.1	25.4	2.2	4.88	4.25
YOLO	13, BP	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
YOLO	4884, HMX	4	0.0	0.4	2.0	0.1	26.5	5.4	4.68	4.36	4	0.0	0.4	2.0	0.1	26.5	5.4	4.68	4.36
YOLO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.3	22.5	0.3	4.80	4.47
YOLO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.5	0.5	25.0	1.0	5.65	4.36
YOLO	9995, HEINZ	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
YOLO	292, BQ	1	0.0	2.0	1.0	0.5	23.0	5.0	4.50	4.49	1	0.0	2.0	1.0	0.5	23.0	5.0	4.50	4.49
YOLO	388, OSX	1	0.0	0.0	0.5	0.0	26.0	0.0	4.70	4.34	1	0.0	0.0	0.5	0.0	26.0	0.0	4.70	4.34

2015 Processing Tomato Season
PTAB Analysis (8/8/15) - County by Variety



County	Variety Name	Week Ending 8/8/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	1292, HZ	1	0.0	1.5	3.5	3.0	24.0	10.0	6.20	4.60	1	0.0	1.5	3.5	3.0	24.0	10.0	6.20	4.60
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	4.80	4.40
YOLO		7,062	0.0	0.6	0.9	0.7	25.0	1.2	5.12	4.35	22,159	0.0	0.5	1.1	0.7	25.9	1.1	5.07	4.34