

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - Statewide by Variety



Variety Name	Week Ending 8/1/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	8,718	0.0	0.6	1.1	0.8	24.5	1.8	5.62	4.40	30,746	0.0	0.7	1.1	0.6	25.1	1.7	5.50	4.39
6416, N	819	0.0	0.4	2.5	0.7	25.5	0.9	4.89	4.33	15,534	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
6397, N	2,871	0.0	0.6	2.4	1.2	23.8	1.0	5.28	4.42	13,541	0.0	0.5	1.8	1.0	24.7	1.0	5.15	4.39
1015, HEINZ	1,294	0.0	0.9	1.3	0.8	24.4	1.0	5.13	4.44	9,593	0.0	0.4	1.3	0.6	24.9	0.6	5.17	4.41
6402, N	3,185	0.0	0.6	1.3	1.1	24.8	1.3	5.65	4.39	8,171	0.0	0.7	1.7	1.2	24.6	1.1	5.66	4.39
5608, HZ	2,609	0.0	2.1	2.4	0.4	24.2	0.8	5.02	4.38	7,759	0.0	1.3	1.9	0.5	24.5	0.7	5.09	4.39
0311, AB	5,037	0.0	1.1	2.1	0.7	23.4	1.3	5.89	4.34	6,749	0.0	1.2	2.0	0.7	23.5	1.3	5.88	4.34
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
0319, DRI	2,676	0.0	0.7	1.8	0.3	24.3	1.2	6.11	4.31	4,414	0.0	0.9	1.7	0.4	24.8	1.2	5.98	4.31
6404, N	2,210	0.0	0.7	1.8	0.7	25.1	1.6	5.44	4.40	4,220	0.0	0.8	2.3	0.8	25.4	1.5	5.44	4.40
1892, HMX	1,565	0.0	0.4	2.9	1.1	25.2	0.9	5.50	4.38	3,835	0.0	0.4	2.5	1.2	25.5	0.8	5.47	4.38
410, APT	436	0.0	1.2	3.4	2.0	26.0	1.7	5.08	4.42	3,496	0.0	0.7	1.6	1.0	26.8	1.9	4.86	4.34
6394, N	1,496	0.0	1.0	2.0	0.6	23.8	2.3	5.71	4.45	3,483	0.0	0.9	1.6	0.6	25.0	2.1	5.47	4.44
273, BQ	352	0.0	0.4	2.7	0.2	23.9	1.3	5.38	4.35	3,308	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
1161, HEINZ	1,045	0.0	0.6	3.2	1.0	24.7	2.2	5.82	4.33	3,189	0.0	0.8	3.0	0.9	25.2	2.3	5.72	4.33
1292, HZ	577	0.0	0.7	1.8	0.3	22.2	1.8	6.01	4.51	2,092	0.0	0.7	1.0	0.6	23.2	1.7	5.57	4.48
0599, SV	228	0.0	0.5	0.7	0.3	27.5	0.9	4.77	4.30	1,851	0.0	0.5	1.3	0.7	28.9	0.8	4.77	4.31
16609, UG	996	0.0	0.6	2.2	0.3	23.8	2.0	5.53	4.33	1,828	0.0	0.5	1.8	0.3	23.9	1.8	5.55	4.34
3887, HMX	1,270	0.0	0.4	1.2	1.0	27.1	0.7	5.22	4.34	1,806	0.0	0.4	1.4	0.9	27.2	0.7	5.28	4.33
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
66509, BOS	45	0.0	2.1	3.8	0.2	27.3	2.1	5.10	4.40	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40
19406, UG	1,146	0.0	0.7	1.3	0.3	24.6	0.8	5.72	4.31	1,450	0.0	0.7	1.2	0.3	24.8	0.8	5.76	4.31
8504, HEINZ	631	0.0	0.7	1.9	0.9	26.2	1.1	5.25	4.35	1,184	0.0	1.0	1.6	0.8	26.4	1.0	5.03	4.35
205, BQ	540	0.0	1.8	1.2	0.3	26.1	1.5	5.40	4.31	1,004	0.0	1.4	1.4	0.3	25.6	1.6	5.55	4.32
1293, HZ	383	0.0	0.7	2.7	0.8	24.1	0.7	5.65	4.44	971	0.0	0.7	1.9	0.6	23.8	0.7	5.50	4.46
2, AB	254	0.0	1.3	1.0	0.4	23.1	1.8	5.81	4.34	946	0.0	1.0	0.6	0.4	24.1	1.4	5.83	4.32
373, U	583	0.0	0.6	1.7	0.5	25.8	3.0	4.96	4.37	884	0.0	0.5	1.6	0.5	25.1	2.7	5.12	4.37
1893, HMX	125	0.0	0.5	0.4	0.4	25.6	2.4	5.36	4.27	655	0.0	0.3	0.5	0.3	25.4	1.6	5.30	4.28
1308, HZ	326	0.0	2.3	1.6	0.6	23.0	1.2	5.35	4.48	627	0.0	1.3	2.3	0.5	23.5	1.0	5.31	4.47
5003, HEINZ	51	0.0	1.3	2.1	1.8	27.1	3.9	4.79	4.45	602	0.0	0.7	2.3	1.6	26.4	1.8	4.91	4.34
2, BP	466	0.0	0.4	1.6	1.9	26.8	1.2	4.92	4.48	601	0.0	0.4	1.9	1.8	27.4	1.0	4.91	4.47
7885, HMX	391	0.0	0.5	0.7	0.2	25.5	0.3	5.03	4.48	580	0.0	0.5	0.6	0.2	25.3	0.3	5.05	4.48
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.1	1.1	1.1	26.3	0.8	4.99	4.24
9491, HEINZ	131	0.0	1.2	3.4	0.3	23.3	1.4	5.08	4.39	455	0.0	2.0	2.4	0.6	23.8	2.3	4.95	4.41
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - Statewide by Variety



Variety Name	Week Ending 8/1/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
313, BQ	80	0.0	0.3	1.9	0.1	24.5	1.3	5.71	4.36	431	0.0	0.5	1.2	0.2	24.2	1.2	5.24	4.39
1170, HEINZ	230	0.0	0.6	1.2	0.3	26.5	0.7	5.21	4.37	393	0.0	0.5	1.3	0.3	26.6	0.7	5.28	4.37
6412, N	63	0.0	0.7	0.9	1.1	25.3	2.5	4.75	4.40	388	0.0	0.4	1.0	0.6	25.8	1.8	4.99	4.35
1424, HZ	132	0.0	0.8	1.2	0.8	27.0	3.2	4.96	4.38	340	0.0	0.7	2.2	1.1	27.6	2.4	4.91	4.34
1311, HZ	215	0.0	0.6	1.3	0.2	23.9	1.0	5.90	4.26	270	0.0	0.7	1.1	0.2	24.2	1.0	5.92	4.27
6385, N	123	0.0	1.2	1.4	0.4	25.7	0.7	4.77	4.41	258	0.0	1.3	1.6	0.4	25.7	0.7	4.75	4.40
8892, HEINZ	167	0.0	3.3	2.0	0.5	23.6	2.6	4.89	4.44	255	0.0	4.1	2.0	0.6	23.3	2.6	5.00	4.48
303, HYPEEL	205	0.0	1.8	4.7	0.7	23.3	1.4	5.23	4.43	249	0.0	1.8	4.6	0.7	23.2	1.3	5.23	4.43
255, CXD	142	0.0	1.1	2.5	0.7	27.6	0.8	5.08	4.33	243	0.0	0.8	1.7	0.7	26.9	0.8	5.11	4.33
UNCODED	25	0.0	0.8	1.5	1.3	24.1	0.8	5.55	4.38	215	0.0	0.5	1.8	0.5	25.5	0.8	5.42	4.35
2601, HEINZ	82	0.0	0.3	1.2	0.1	27.4	1.6	5.11	4.38	201	0.0	0.5	1.2	0.3	27.2	1.4	5.28	4.41
8516, SV	140	0.0	2.1	0.7	0.5	25.0	1.5	5.25	4.34	185	0.0	1.7	0.6	0.4	25.1	1.3	5.31	4.33
312, BQ	68	0.0	0.8	0.9	0.4	23.8	2.9	5.43	4.35	179	0.0	0.7	0.6	0.2	23.5	2.3	5.36	4.35
0320, DRI	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
18806, UG	147	0.0	0.7	3.0	0.4	26.8	1.2	5.46	4.37	147	0.0	0.7	3.0	0.4	26.8	1.2	5.46	4.37
6368, SUN	130	0.0	0.1	0.4	0.0	24.6	0.2	6.09	4.29	130	0.0	0.1	0.4	0.0	24.6	0.2	6.09	4.29
6410, N	108	0.0	0.5	4.1	1.6	26.8	1.5	5.65	4.37	127	0.0	0.6	3.5	1.4	26.5	1.7	5.51	4.38
9663, HEINZ	122	0.0	1.0	2.4	0.1	22.3	2.2	5.43	4.41	122	0.0	1.0	2.4	0.1	22.3	2.2	5.43	4.41
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
163, BQ	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41
3, AB	68	0.0	0.4	0.8	0.2	25.6	1.2	5.59	4.26	69	0.0	0.4	0.8	0.2	25.6	1.2	5.59	4.27
142, BQ	11	0.0	0.3	2.4	2.4	24.8	2.2	5.30	4.46	65	0.0	0.3	3.5	3.6	26.2	2.5	5.23	4.43
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
6420, N	59	0.0	1.0	0.6	0.7	25.3	0.5	5.08	4.40	59	0.0	1.0	0.6	0.7	25.3	0.5	5.08	4.40
1175, HEINZ	58	0.0	0.5	2.6	0.4	24.3	0.8	5.26	4.48	58	0.0	0.5	2.6	0.4	24.3	0.8	5.26	4.48
6407, N	44	0.0	0.7	0.5	1.5	27.2	5.6	5.17	4.48	45	0.0	0.7	0.5	1.5	27.2	5.5	5.18	4.48
MIX	28	0.0	0.7	0.7	0.2	24.6	0.5	5.32	4.32	43	0.0	0.6	0.8	0.2	24.9	0.9	5.46	4.33
4884, HMX	9	0.0	0.6	1.9	0.0	28.2	1.2	4.72	4.35	36	0.0	0.3	1.3	0.2	25.6	2.2	5.31	4.38
206, BQ	35	0.1	0.5	0.4	0.1	25.9	1.3	5.41	4.29	35	0.1	0.5	0.4	0.1	25.9	1.3	5.41	4.29
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.3	0.2	0.7	27.0	1.4	4.88	4.34
9494, HEINZ	10	0.0	0.0	0.5	0.1	25.3	0.2	4.92	4.23	32	0.0	0.0	0.8	0.0	25.1	0.2	4.95	4.23
141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.2	6.9	2.1	27.5	2.0	4.76	4.36
30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.3	1.0	0.3	25.1	1.2	4.83	4.35
257, BQ	20	0.0	0.7	2.6	0.4	23.9	1.2	5.42	4.45	20	0.0	0.7	2.6	0.4	23.9	1.2	5.42	4.45

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - Statewide by Variety



Variety Name	Week Ending 8/1/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	0.6	0.2	29.5	0.1	4.93	4.37
6415, N	19	0.1	0.1	1.8	1.2	26.4	0.5	5.36	4.21	19	0.1	0.1	1.8	1.2	26.4	0.5	5.36	4.21
39663, BOS	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
4907, HMX	15	0.0	0.1	1.5	0.6	30.2	0.5	5.32	4.22	15	0.0	0.1	1.5	0.6	30.2	0.5	5.32	4.22
67212, BOS	14	0.0	1.4	1.4	0.3	27.1	1.8	4.91	4.35	14	0.0	1.4	1.4	0.3	27.1	1.8	4.91	4.35
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.9	1.6	0.9	24.3	0.9	5.50	4.42
5900, HMX	2	0.0	0.5	1.5	0.3	25.0	2.0	4.60	4.25	10	0.0	0.4	1.1	0.5	23.7	2.9	5.66	4.26
19910, UG	10	0.0	0.3	0.3	0.1	25.3	2.0	5.22	4.38	10	0.0	0.3	0.3	0.1	25.3	2.0	5.22	4.38
3884, HMX	9	0.0	0.0	0.8	0.0	26.9	1.8	5.39	4.33	9	0.0	0.0	0.8	0.0	26.9	1.8	5.39	4.33
327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	0.9	0.3	25.0	2.6	5.82	4.27
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
3888, HMX	5	0.0	0.9	0.1	0.0	27.0	0.7	4.96	4.37	5	0.0	0.9	0.1	0.0	27.0	0.7	4.96	4.37
5234, IVF	5	0.0	0.2	3.4	1.0	28.4	0.7	5.92	4.20	5	0.0	0.2	3.4	1.0	28.4	0.7	5.92	4.20
2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.6	0.4	0.3	24.5	4.3	5.35	4.47
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42
5508, HZ	2	0.0	1.8	3.8	0.0	25.0	0.0	4.50	4.42	2	0.0	1.8	3.8	0.0	25.0	0.0	4.50	4.42
HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	1.0	22.0	0.5	5.40	4.43
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	0.5	22.0	0.0	6.60	4.36
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.5	0.5	1.0	1.0	24.0	0.5	5.40	4.47
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39
1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
2401, HEINZ	1	0.0	1.0	5.5	0.0	27.0	1.0	4.80	4.40	1	0.0	1.0	5.5	0.0	27.0	1.0	4.80	4.40
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55
39664, BOS	1	0.0	0.0	4.0	0.0	28.0	3.0	4.70	4.25	1	0.0	0.0	4.0	0.0	28.0	3.0	4.70	4.25
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34

2015 Processing Tomato Season
PTAB Analysis (8/1/15) - Statewide by Variety



Variety Name	Week Ending 8/1/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STATEWIDE	45,320	0.0	0.8	1.8	0.7	24.6	1.4	5.52	4.38	152,002	0.0	0.7	1.6	0.7	25.1	1.3	5.30	4.37