

2015 Processing Tomato Season
PTAB Analysis (8/15/15) - Statewide by Variety



Variety Name	Week Ending 8/15/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	3,426	0.0	0.8	2.3	0.8	23.3	1.9	5.59	4.38	40,244	0.0	0.7	1.2	0.6	24.8	1.8	5.51	4.39
0311, AB	5,308	0.0	2.0	2.3	0.4	22.8	1.4	5.77	4.34	18,706	0.0	1.4	2.2	0.6	23.3	1.3	5.77	4.33
6416, N	1	0.0	2.5	0.0	0.5	25.0	3.5	4.80	4.46	15,845	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
0319, DRI	5,104	0.0	1.1	2.3	0.4	23.9	1.4	5.93	4.35	15,353	0.0	1.0	2.0	0.5	24.4	1.5	5.95	4.34
6397, N	673	0.0	1.3	0.8	0.3	22.5	1.2	5.38	4.42	15,018	0.0	0.5	1.7	0.9	24.6	1.0	5.17	4.39
5608, HZ	3,977	0.0	1.4	1.9	0.6	23.0	0.9	5.10	4.39	14,320	0.0	1.3	1.9	0.5	23.9	0.8	5.09	4.39
6402, N	1,015	0.0	0.9	2.0	1.0	23.1	1.3	5.65	4.40	11,168	0.0	0.8	1.6	1.2	24.4	1.2	5.64	4.40
1015, HEINZ	58	0.0	0.3	1.5	0.4	22.9	0.9	5.02	4.40	10,526	0.0	0.4	1.3	0.6	24.8	0.6	5.17	4.41
6404, N	3,008	0.0	0.9	2.3	0.7	24.2	1.4	5.33	4.41	10,093	0.0	0.8	2.2	0.9	24.9	1.6	5.41	4.41
1892, HMX	3,008	0.0	1.0	2.6	1.2	23.9	1.2	5.50	4.42	9,830	0.0	0.6	2.4	1.3	24.9	1.1	5.45	4.40
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
3887, HMX	2,990	0.0	0.8	3.1	0.6	25.9	0.7	5.35	4.35	6,620	0.0	0.6	2.1	0.6	26.4	0.8	5.28	4.35
1161, HEINZ	629	0.0	1.1	1.3	0.2	24.5	3.1	5.91	4.36	4,576	0.0	0.9	2.5	0.7	25.1	2.6	5.75	4.34
8504, HEINZ	2,003	0.0	1.2	3.6	1.0	24.2	0.9	5.60	4.34	4,430	0.0	1.2	2.8	0.9	25.5	0.9	5.30	4.33
19406, UG	1,089	0.0	2.0	2.9	0.6	24.6	1.0	5.52	4.30	4,243	0.0	1.3	1.8	0.4	25.0	0.9	5.55	4.31
6394, N	215	0.0	0.8	0.8	0.4	23.8	0.8	5.06	4.41	4,050	0.0	0.9	1.5	0.6	24.8	2.0	5.46	4.43
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,549	0.0	0.7	1.5	1.0	26.8	1.9	4.86	4.34
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,337	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
2401, HEINZ	2,393	0.0	0.6	2.6	1.1	24.7	0.8	5.11	4.29	2,953	0.0	0.6	2.4	1.0	24.6	0.9	5.14	4.31
1292, HZ	561	0.0	1.9	2.5	0.7	22.7	2.0	5.52	4.47	2,893	0.0	1.0	1.6	0.6	23.1	2.0	5.58	4.48
16609, UG	23	0.0	1.5	1.7	0.4	24.3	1.2	5.17	4.44	2,490	0.0	0.6	1.9	0.3	24.0	1.9	5.45	4.34
2, BP	435	0.0	1.5	1.6	0.5	25.2	1.3	4.62	4.46	2,259	0.0	1.1	2.5	1.4	26.5	1.6	4.86	4.49
1293, HZ	817	0.0	1.8	2.1	0.5	23.8	1.4	5.43	4.48	2,093	0.0	1.1	2.0	0.6	23.8	1.3	5.50	4.47
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,014	0.0	0.5	1.3	0.8	28.9	0.8	4.77	4.32
4707, HEINZ	1,518	0.0	0.4	3.4	1.3	25.7	0.4	4.88	4.37	1,838	0.0	0.3	3.5	1.1	25.7	0.4	4.91	4.36
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40
1308, HZ	685	0.0	0.9	2.7	0.5	22.5	2.5	5.37	4.51	1,626	0.0	1.0	2.7	0.5	22.9	1.7	5.40	4.50
6410, N	1,051	0.0	0.7	3.0	1.2	25.1	1.2	5.44	4.36	1,510	0.0	0.6	3.2	1.3	25.4	1.1	5.50	4.35
205, BQ	211	0.0	0.9	0.7	0.4	23.7	1.8	5.69	4.35	1,494	0.0	1.2	1.2	0.5	25.1	1.6	5.57	4.33
7885, HMX	275	0.0	0.6	1.2	0.2	25.6	0.8	4.91	4.48	1,397	0.0	0.5	0.9	0.2	25.7	0.5	4.97	4.48
255, CXD	612	0.0	1.5	0.7	0.2	24.2	1.5	5.41	4.39	1,158	0.0	1.3	0.8	0.3	25.0	1.3	5.28	4.37
9663, HEINZ	637	0.0	1.9	1.7	0.5	22.3	2.3	5.12	4.40	1,083	0.0	1.5	2.5	0.4	22.3	2.0	5.18	4.40
2, AB	41	0.0	0.8	0.3	0.1	24.5	2.0	5.26	4.24	1,021	0.0	1.0	0.6	0.3	24.1	1.4	5.80	4.32
18806, UG	658	0.0	0.5	3.2	0.7	25.5	1.5	5.15	4.35	1,010	0.0	0.5	2.7	0.6	25.7	1.5	5.24	4.36

2015 Processing Tomato Season
PTAB Analysis (8/15/15) - Statewide by Variety



Variety Name	Week Ending 8/15/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	954	0.0	0.6	1.6	0.5	25.1	2.8	5.10	4.38
1175, HEINZ	442	0.0	1.7	3.9	1.4	24.3	0.9	4.87	4.50	868	0.0	1.4	3.5	1.1	24.4	0.8	4.94	4.49
9494, HEINZ	553	0.0	1.3	3.0	1.3	24.1	1.0	4.72	4.36	842	0.0	0.9	2.3	1.0	24.0	0.9	4.77	4.36
9491, HEINZ	41	0.0	1.2	2.5	0.1	22.8	0.8	5.07	4.47	777	0.0	1.6	2.6	0.5	23.6	1.8	5.00	4.42
5702, HZ	691	0.0	0.9	4.2	1.9	24.0	0.6	5.02	4.39	742	0.0	0.9	4.3	1.7	24.0	0.6	5.02	4.39
5003, HEINZ	39	0.0	3.3	3.2	1.7	25.5	2.7	4.92	4.42	715	0.0	0.9	2.4	1.8	26.2	1.8	4.94	4.35
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	655	0.0	0.3	0.5	0.3	25.4	1.6	5.30	4.28
1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	652	0.0	0.5	1.4	0.3	26.2	0.8	5.36	4.37
8892, HEINZ	64	0.0	1.4	0.8	0.1	23.1	4.5	5.40	4.46	578	0.0	2.5	1.4	0.4	23.0	3.3	5.00	4.46
6412, N	83	0.0	1.0	0.9	0.3	23.3	4.7	4.83	4.47	494	0.0	0.5	1.0	0.6	25.3	2.2	4.99	4.37
8516, SV	238	0.0	0.9	1.2	0.2	23.4	1.8	5.69	4.38	472	0.0	1.2	1.0	0.3	24.2	1.5	5.53	4.35
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.1	1.1	1.1	26.3	0.8	4.99	4.24
1424, HZ	17	0.0	1.7	7.7	2.5	27.4	2.2	5.45	4.29	450	0.0	0.7	2.1	1.2	27.3	2.3	4.95	4.34
206, BQ	280	0.0	0.7	0.1	0.1	24.2	1.6	5.22	4.30	449	0.0	0.6	0.2	0.1	24.6	1.5	5.21	4.30
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	431	0.0	0.5	1.2	0.2	24.2	1.2	5.24	4.39
142, BQ	189	0.0	0.6	0.8	0.2	23.2	1.7	5.01	4.35	392	0.0	0.5	1.2	0.7	24.1	2.0	5.03	4.38
9905, HARRIS MORAN	146	0.0	0.4	1.2	0.6	23.7	0.7	5.46	4.37	372	0.0	0.3	0.7	0.3	24.8	0.6	5.15	4.38
6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	346	0.0	1.3	1.7	0.4	25.9	0.7	4.72	4.40
UNCODED	54	0.0	1.1	4.2	0.8	23.0	0.7	6.14	4.36	302	0.0	0.6	2.2	0.6	25.0	0.9	5.56	4.36
6420, N	143	0.0	2.2	1.2	0.5	25.9	1.6	4.66	4.43	294	0.0	2.0	1.2	0.5	24.8	1.1	4.87	4.43
67212, BOS	140	0.0	6.7	0.3	0.5	25.0	3.6	5.05	4.49	290	0.0	4.5	0.6	0.4	25.6	3.1	5.01	4.46
141, BQ	232	0.0	1.2	1.3	0.3	24.0	2.3	4.70	4.36	279	0.0	1.1	2.0	0.7	24.4	2.3	4.70	4.37
6368, SUN	126	0.0	0.4	0.5	0.3	24.2	0.5	5.74	4.40	256	0.0	0.3	0.4	0.2	24.4	0.3	5.92	4.34
303, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	249	0.0	1.8	4.6	0.7	23.2	1.3	5.23	4.43
2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41
5701, HZ	215	0.0	0.3	2.8	1.3	24.4	0.3	4.97	4.28	215	0.0	0.3	2.8	1.3	24.4	0.3	4.97	4.28
9780, HEINZ	39	0.0	0.6	7.2	1.6	24.2	0.7	5.88	4.30	184	0.0	0.6	8.6	1.6	24.4	1.2	5.72	4.29
312, BQ	2	0.0	0.8	1.3	0.5	23.5	0.8	5.50	4.30	181	0.0	0.7	0.6	0.2	23.5	2.3	5.36	4.35
0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
5508, HZ	81	0.0	0.2	1.8	0.1	21.7	0.3	5.52	4.34	162	0.0	0.1	2.1	0.3	21.9	0.3	5.55	4.33
108, HYPEEL	5	0.0	0.6	1.4	0.6	25.6	2.3	5.20	4.42	153	0.0	0.6	1.2	0.3	26.9	2.1	5.20	4.40
282, CXD	140	0.1	0.9	0.3	0.4	23.9	1.0	4.77	4.33	151	0.1	0.9	0.3	0.5	24.0	1.0	4.76	4.33
3, AB	3	0.0	0.5	1.0	0.0	24.3	2.2	5.53	4.32	149	0.0	0.6	0.8	0.1	25.1	1.3	5.49	4.28
1570, RPT	67	0.0	5.6	0.6	0.1	25.8	4.1	4.47	4.51	112	0.0	3.6	1.3	0.3	27.3	3.2	4.46	4.43

2015 Processing Tomato Season
PTAB Analysis (8/15/15) - Statewide by Variety



Variety Name	Week Ending 8/15/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
5234, IVF	47	0.0	0.7	1.2	0.1	24.0	1.5	5.22	4.27	106	0.0	0.6	1.0	0.2	24.7	1.1	5.56	4.24
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
MIX	7	0.0	1.8	1.0	0.4	23.7	0.9	5.27	4.33	87	0.0	1.4	1.0	0.4	23.7	0.9	5.44	4.34
4909, HMX	71	0.0	1.2	0.8	0.5	24.9	0.5	6.34	4.22	85	0.0	1.1	0.7	0.4	25.1	0.5	6.25	4.22
6407, N	37	0.0	0.6	0.2	0.1	25.4	0.6	4.74	4.31	83	0.0	0.6	0.3	0.9	26.4	3.3	4.99	4.40
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.1	1.5	0.2	23.9	1.8	5.27	4.34
4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	0.3	1.7	2.4	32.6	0.7	4.92	4.31
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41
8232, SV	70	0.0	0.9	0.4	0.1	23.1	0.8	5.23	4.32	70	0.0	0.9	0.4	0.1	23.1	0.8	5.23	4.32
19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.3	0.3	0.2	25.6	1.5	5.08	4.46
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	0.5	0.3	26.5	1.9	5.84	4.35
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
3888, HMX	39	0.0	0.9	2.9	0.2	25.4	1.7	5.64	4.43	44	0.0	0.9	2.6	0.2	25.5	1.6	5.57	4.43
0306, AB	40	0.0	1.5	0.9	0.4	23.5	8.2	5.57	4.47	40	0.0	1.5	0.9	0.4	23.5	8.2	5.57	4.47
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.4	0.2	25.7	2.5	5.24	4.38
30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	0.7	0.9	0.2	25.3	2.5	4.92	4.38
HEINZ TRIAL	25	0.0	0.9	2.2	1.0	24.6	1.1	5.25	4.35	36	0.0	0.7	1.9	0.8	24.8	1.1	5.14	4.36
1311, HZ	4	0.1	2.8	1.5	0.3	23.3	1.3	5.55	4.32	36	0.0	1.4	1.1	0.2	22.8	1.0	5.53	4.33
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.4	0.2	0.6	26.8	1.3	4.89	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.1	1.7	1.2	26.4	0.5	5.37	4.21
327, BQ	17	0.0	1.9	0.5	0.4	23.3	1.7	5.44	4.40	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
4887, HMX	21	0.0	0.3	0.8	0.2	22.4	1.4	5.70	4.25	21	0.0	0.3	0.8	0.2	22.4	1.4	5.70	4.25
257, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.7	2.6	0.4	23.9	1.2	5.42	4.45
39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
2849, SV	12	0.0	2.2	1.0	0.2	22.0	3.1	4.81	4.43	16	0.0	2.0	0.8	0.2	22.6	3.4	4.94	4.44
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
2493, SV	15	0.0	0.8	0.2	0.1	23.5	0.2	5.03	4.28	15	0.0	0.8	0.2	0.1	23.5	0.2	5.03	4.28
1310, HZ	13	0.0	1.6	0.8	1.4	23.8	2.6	5.69	4.41	14	0.0	1.7	0.8	1.7	24.1	2.5	5.68	4.41
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	0.9	0.4	24.2	2.7	5.52	4.26
2930, K	1	0.0	0.5	1.0	0.0	21.0	2.0	6.10	4.50	6	0.0	0.7	0.5	0.5	23.0	1.3	5.80	4.43
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	1.7	0.9	24.4	6.5	7.14	4.58
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34

2015 Processing Tomato Season
PTAB Analysis (8/15/15) - Statewide by Variety



Variety Name	Week Ending 8/15/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
296, BQ	2	0.0	0.5	11.0	0.5	24.5	0.0	5.10	4.34	2	0.0	0.5	11.0	0.5	24.5	0.0	5.10	4.34
329, BQ	1	0.0	2.0	0.5	0.0	23.0	1.0	5.20	4.50	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
388, OSX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	0.0	4.70	4.34
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
849, HYPEEL	1	0.0	1.0	4.0	1.5	28.0	0.0	5.20	4.33	1	0.0	1.0	4.0	1.5	28.0	0.0	5.20	4.33
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39
1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
1422, HZ	1	0.0	0.0	0.5	0.5	24.0	0.0	5.70	4.18	1	0.0	0.0	0.5	0.5	24.0	0.0	5.70	4.18
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
6424, N	1	0.0	0.0	0.5	0.0	22.0	1.0	5.50	4.22	1	0.0	0.0	0.5	0.0	22.0	1.0	5.50	4.22
8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	0.0	6.20	4.31
9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
STATEWIDE	46,876	0.0	1.2	2.4	0.7	23.9	1.3	5.43	4.37	244,959	0.0	0.8	1.8	0.7	24.8	1.3	5.35	4.37