

2015 Processing Tomato Season
PTAB Analysis (8/22/15) - Statewide by Variety



Variety Name	Week Ending 8/22/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	2,092	0.0	1.4	2.4	0.8	23.9	2.0	5.36	4.40	42,336	0.0	0.7	1.3	0.6	24.8	1.8	5.50	4.39
0311, AB	3,831	0.0	2.2	2.1	0.6	23.3	2.0	5.72	4.35	22,517	0.0	1.5	2.2	0.6	23.3	1.4	5.76	4.33
5608, HZ	5,036	0.0	2.6	2.2	0.8	23.3	1.2	4.93	4.40	19,355	0.0	1.6	2.0	0.6	23.8	0.9	5.05	4.39
0319, DRI	3,580	0.0	1.2	2.3	0.5	24.3	1.9	5.94	4.36	18,933	0.0	1.0	2.1	0.5	24.4	1.6	5.95	4.35
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15,845	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
6397, N	206	0.0	1.5	1.3	0.3	23.3	1.7	5.34	4.46	15,224	0.0	0.5	1.7	0.9	24.6	1.0	5.17	4.40
6402, N	642	0.0	1.7	2.4	0.5	24.0	1.3	5.58	4.40	11,787	0.0	0.8	1.7	1.2	24.4	1.2	5.63	4.40
1892, HMX	1,827	0.0	1.2	2.3	1.2	24.1	1.2	5.39	4.42	11,677	0.0	0.7	2.4	1.3	24.8	1.1	5.44	4.40
6404, N	1,499	0.0	1.5	1.8	0.6	23.6	1.9	5.33	4.44	11,615	0.0	0.9	2.1	0.9	24.7	1.6	5.40	4.41
1015, HEINZ	12	0.0	0.2	7.9	0.9	26.7	1.1	5.12	4.35	10,538	0.0	0.4	1.3	0.6	24.8	0.6	5.17	4.41
3887, HMX	2,387	0.0	1.2	2.2	0.5	25.0	1.2	5.36	4.39	9,007	0.0	0.8	2.1	0.6	26.0	0.9	5.30	4.36
8504, HEINZ	3,878	0.0	1.0	4.0	0.7	23.8	1.0	5.36	4.33	8,308	0.0	1.1	3.3	0.8	24.7	0.9	5.33	4.33
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
19406, UG	1,528	0.0	1.1	1.5	0.4	24.0	1.3	5.41	4.34	5,771	0.0	1.3	1.7	0.4	24.7	1.0	5.51	4.32
2401, HEINZ	2,286	0.0	0.7	2.7	1.0	24.4	0.9	4.96	4.29	5,240	0.0	0.6	2.5	1.0	24.5	0.9	5.07	4.30
1161, HEINZ	652	0.0	0.9	1.6	0.3	25.1	3.1	5.57	4.34	5,228	0.0	0.9	2.4	0.7	25.1	2.7	5.73	4.34
4707, HEINZ	2,781	0.0	0.5	2.4	1.4	25.2	0.9	4.89	4.36	4,620	0.0	0.4	2.9	1.3	25.4	0.7	4.90	4.36
6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,050	0.0	0.9	1.5	0.6	24.8	2.0	5.46	4.43
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,438	0.0	0.7	1.6	1.0	26.9	1.9	4.84	4.34
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,337	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
1292, HZ	421	0.0	1.4	0.7	0.2	23.2	1.8	5.30	4.42	3,314	0.0	1.1	1.5	0.6	23.2	2.0	5.55	4.47
2, BP	244	0.0	2.0	0.6	0.2	24.0	1.9	4.70	4.51	2,503	0.0	1.2	2.3	1.2	26.2	1.6	4.84	4.49
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,490	0.0	0.6	1.9	0.3	24.0	1.9	5.45	4.34
255, CXD	1,307	0.0	1.1	0.4	0.4	24.3	1.7	5.10	4.36	2,465	0.0	1.2	0.6	0.3	24.6	1.5	5.18	4.36
1293, HZ	268	0.0	1.0	1.3	0.4	23.4	2.2	5.58	4.49	2,361	0.0	1.1	1.9	0.5	23.7	1.4	5.51	4.47
205, BQ	722	0.0	1.4	0.6	0.4	23.7	2.1	5.49	4.35	2,216	0.0	1.3	1.0	0.4	24.6	1.8	5.54	4.33
0599, SV	1	0.0	0.5	0.5	0.0	23.0	4.5	5.30	4.27	2,126	0.0	0.5	1.3	0.7	28.6	0.9	4.81	4.32
7885, HMX	653	0.0	0.8	1.3	0.3	25.0	1.1	4.99	4.58	2,050	0.0	0.6	1.0	0.2	25.5	0.7	4.98	4.51
1308, HZ	378	0.0	0.9	3.6	0.9	22.3	2.6	5.41	4.51	2,004	0.0	1.0	2.9	0.5	22.8	1.8	5.40	4.50
9663, HEINZ	918	0.0	4.2	2.6	0.4	22.9	3.0	4.83	4.43	2,001	0.0	2.7	2.5	0.4	22.6	2.5	5.02	4.42
6410, N	443	0.0	0.9	1.8	0.5	25.3	0.9	5.39	4.36	1,953	0.0	0.7	2.9	1.1	25.4	1.1	5.48	4.35
5702, HZ	1,105	0.0	0.6	3.6	1.6	23.3	0.7	5.13	4.36	1,847	0.0	0.7	3.9	1.6	23.6	0.7	5.08	4.37
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40

2015 Processing Tomato Season
PTAB Analysis (8/22/15) - Statewide by Variety



Variety Name	Week Ending 8/22/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
18806, UG	593	0.0	2.0	2.8	0.7	26.2	2.5	4.76	4.40	1,603	0.0	1.1	2.8	0.6	25.9	1.9	5.07	4.37
1175, HEINZ	537	0.0	1.1	4.5	1.4	23.6	1.1	5.07	4.44	1,405	0.0	1.3	3.9	1.2	24.1	0.9	4.99	4.47
5701, HZ	1,148	0.0	0.4	2.4	1.0	24.4	0.8	4.83	4.31	1,363	0.0	0.4	2.4	1.0	24.4	0.7	4.85	4.30
2, AB	169	0.0	0.7	0.3	0.1	23.6	2.6	5.81	4.28	1,190	0.0	1.0	0.6	0.3	24.1	1.6	5.81	4.31
9494, HEINZ	278	0.0	1.5	4.2	1.6	24.0	1.2	4.89	4.36	1,119	0.0	1.0	2.8	1.1	24.0	1.0	4.80	4.36
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	954	0.0	0.6	1.6	0.5	25.1	2.8	5.10	4.38
9905, HARRIS MORAN	564	0.0	0.4	2.1	1.1	24.5	1.2	5.26	4.41	936	0.0	0.4	1.5	0.8	24.6	0.9	5.21	4.40
1170, HEINZ	196	0.0	0.6	1.5	0.5	25.4	1.0	5.86	4.33	848	0.0	0.5	1.4	0.3	26.0	0.8	5.48	4.36
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	777	0.0	1.6	2.6	0.5	23.6	1.8	5.00	4.42
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	715	0.0	0.9	2.4	1.8	26.2	1.8	4.94	4.35
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	655	0.0	0.3	0.5	0.3	25.4	1.6	5.30	4.28
206, BQ	186	0.0	0.7	0.4	0.5	24.6	1.3	4.89	4.29	635	0.0	0.7	0.3	0.2	24.6	1.5	5.12	4.30
8892, HEINZ	31	0.0	0.3	0.7	0.2	24.2	1.4	4.93	4.52	609	0.0	2.4	1.4	0.4	23.1	3.2	5.00	4.46
142, BQ	172	0.0	1.5	0.8	0.3	24.3	4.1	4.94	4.46	564	0.0	0.8	1.0	0.6	24.1	2.7	5.00	4.41
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	0.5	1.0	0.6	25.3	2.2	4.99	4.37
67212, BOS	191	0.0	3.4	1.3	0.3	23.5	4.2	5.36	4.49	481	0.0	4.1	0.9	0.4	24.8	3.6	5.15	4.47
8516, SV	24	0.0	1.0	0.5	0.1	23.3	2.6	5.99	4.42	470	0.0	1.2	0.9	0.3	24.1	1.5	5.54	4.36
1424, HZ	17	0.0	0.1	0.9	0.1	24.7	2.1	6.04	4.38	467	0.0	0.7	2.1	1.2	27.2	2.2	4.99	4.34
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.1	1.1	1.1	26.3	0.8	4.99	4.24
141, BQ	178	0.0	1.3	0.9	0.2	24.6	5.6	4.67	4.45	457	0.0	1.2	1.6	0.5	24.5	3.6	4.69	4.40
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	431	0.0	0.5	1.2	0.2	24.2	1.2	5.24	4.39
6420, N	119	0.0	5.4	2.5	1.5	27.9	2.5	4.49	4.56	413	0.0	3.0	1.6	0.8	25.7	1.5	4.76	4.46
5508, HZ	190	0.0	0.2	1.0	0.3	22.7	0.7	5.24	4.37	352	0.0	0.2	1.5	0.3	22.3	0.5	5.38	4.35
6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	346	0.0	1.3	1.7	0.4	25.9	0.7	4.72	4.40
UNCODED	40	0.0	2.0	3.7	0.5	25.8	1.1	5.57	4.37	343	0.0	0.8	2.5	0.6	25.1	0.9	5.56	4.36
5234, IVF	182	0.0	1.5	0.6	0.4	24.1	1.9	5.02	4.30	314	0.0	1.2	0.9	0.3	24.3	1.6	5.26	4.28
108, HYPEEL	124	0.0	1.6	1.7	0.1	24.2	3.6	5.27	4.55	277	0.0	1.1	1.4	0.2	25.7	2.8	5.23	4.47
6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	256	0.0	0.3	0.4	0.2	24.4	0.3	5.92	4.34
303, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	249	0.0	1.8	4.6	0.7	23.2	1.3	5.23	4.43
2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41
3888, HMX	153	0.0	1.0	2.6	0.5	26.9	1.0	5.85	4.47	197	0.0	1.0	2.6	0.4	26.6	1.2	5.78	4.46
8232, SV	121	0.0	1.3	0.9	0.4	23.5	2.6	5.08	4.40	191	0.0	1.2	0.7	0.3	23.4	2.0	5.13	4.37
9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.6	8.6	1.6	24.4	1.2	5.72	4.29

2015 Processing Tomato Season
PTAB Analysis (8/22/15) - Statewide by Variety



Variety Name	Week Ending 8/22/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	0.6	0.2	23.5	2.3	5.36	4.35
3, AB	26	0.0	0.6	1.0	0.2	24.5	4.3	5.52	4.40	175	0.0	0.6	0.8	0.1	25.0	1.8	5.49	4.30
6415, N	152	0.0	0.8	1.6	0.5	23.4	1.7	5.64	4.40	175	0.0	0.7	1.6	0.6	23.8	1.5	5.61	4.37
0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
282, CXD	2	0.0	0.3	0.5	0.3	26.0	0.8	4.40	4.34	153	0.1	0.9	0.3	0.5	24.0	1.0	4.76	4.33
6407, N	62	0.0	0.3	0.1	0.0	24.9	1.2	4.62	4.34	145	0.0	0.5	0.2	0.5	25.7	2.4	4.83	4.38
1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	3.6	1.3	0.3	27.3	3.2	4.46	4.43
8004, HEINZ	107	0.0	0.6	2.2	0.3	23.6	1.2	5.82	4.35	107	0.0	0.6	2.2	0.3	23.6	1.2	5.82	4.35
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
MIX	3	0.0	1.5	0.2	0.0	22.7	2.0	5.10	4.51	90	0.0	1.4	0.9	0.4	23.7	1.0	5.43	4.34
4909, HMX	3	0.0	2.0	0.2	0.3	28.0	1.2	5.20	4.37	88	0.0	1.1	0.7	0.4	25.2	0.5	6.21	4.23
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.1	1.5	0.2	23.9	1.8	5.27	4.34
4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	0.3	1.7	2.4	32.6	0.7	4.92	4.31
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41
HEINZ TRIAL	40	0.0	0.5	0.6	1.6	23.7	1.6	4.98	4.42	76	0.0	0.6	1.2	1.2	24.2	1.4	5.06	4.39
19910, UG	1	0.0	1.5	1.5	2.0	25.0	1.5	6.00	4.45	70	0.0	0.4	0.3	0.2	25.6	1.5	5.10	4.46
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	0.5	0.3	26.5	1.9	5.84	4.35
0306, AB	18	0.0	1.3	0.6	0.5	23.6	9.3	5.74	4.49	58	0.0	1.5	0.8	0.4	23.5	8.5	5.62	4.47
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
4887, HMX	20	0.0	1.5	1.5	0.7	24.8	2.1	4.68	4.37	41	0.0	0.9	1.1	0.5	23.6	1.7	5.20	4.31
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.4	0.2	25.7	2.5	5.24	4.38
1311, HZ	2	0.0	2.5	1.8	0.3	23.5	0.5	5.75	4.35	38	0.0	1.5	1.1	0.2	22.8	1.0	5.54	4.33
30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	0.7	0.9	0.2	25.3	2.5	4.92	4.38
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.4	0.2	0.6	26.8	1.3	4.89	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
257, BQ	10	0.0	2.3	0.4	0.3	23.0	2.8	5.34	4.55	30	0.0	1.2	1.9	0.3	23.6	1.7	5.39	4.48
327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
296, BQ	19	0.0	2.1	0.6	0.2	23.7	3.1	5.80	4.34	21	0.0	2.0	1.6	0.2	23.8	2.8	5.73	4.34
39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	2.0	0.8	0.2	22.6	3.4	4.94	4.44
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.8	0.2	0.1	23.5	0.2	5.03	4.28
1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.7	0.8	1.7	24.1	2.5	5.68	4.41

2015 Processing Tomato Season
PTAB Analysis (8/22/15) - Statewide by Variety



Variety Name	Week Ending 8/22/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	0.9	0.4	24.2	2.7	5.52	4.26
7883, HM	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	0.5	0.5	23.0	1.3	5.80	4.43
4886, HMX	1	0.0	0.5	0.0	0.5	30.0	0.5	5.00	4.30	6	0.0	0.8	1.4	0.8	25.3	5.5	6.78	4.53
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
323, BQ	4	0.0	0.9	0.6	0.4	24.8	1.5	5.50	4.43	4	0.0	0.9	0.6	0.4	24.8	1.5	5.50	4.43
6424, N	3	0.0	0.2	0.5	0.0	25.0	0.5	4.63	4.41	4	0.0	0.1	0.5	0.0	24.3	0.6	4.85	4.37
1422, HZ	2	0.0	0.0	0.3	0.3	25.5	0.3	4.35	4.35	3	0.0	0.0	0.3	0.3	25.0	0.2	4.80	4.29
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
388, OSX	1	0.0	0.5	1.0	0.5	25.0	0.0	5.10	4.31	2	0.0	0.3	0.8	0.3	25.5	0.0	4.90	4.33
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
16, BP	1	0.0	1.0	0.5	0.5	25.0	1.0	4.70	4.39	1	0.0	1.0	0.5	0.5	25.0	1.0	4.70	4.39
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
849, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	4.0	1.5	28.0	0.0	5.20	4.33
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39
1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
3203, BOS (HYBRID)	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45
8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	0.0	6.20	4.31
9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
STATEWIDE	44,396	0.0	1.4	2.3	0.7	24.1	1.5	5.28	4.38	289,356	0.0	0.9	1.9	0.7	24.7	1.4	5.34	4.37