

2015 Processing Tomato Season
PTAB Analysis (8/29/15) - Statewide by Variety



Variety Name	Week Ending 8/29/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	1,443	0.0	2.3	2.2	0.6	24.9	1.8	5.44	4.40	43,778	0.0	0.8	1.3	0.6	24.8	1.8	5.50	4.39
0311, AB	2,505	0.0	2.5	2.2	0.9	24.1	2.2	5.71	4.36	25,021	0.0	1.6	2.2	0.6	23.4	1.5	5.76	4.34
5608, HZ	4,953	0.0	2.3	2.4	1.0	23.7	1.1	4.82	4.41	24,308	0.0	1.7	2.0	0.6	23.8	0.9	5.00	4.40
0319, DRI	4,145	0.0	1.7	1.3	0.4	24.7	2.4	5.77	4.38	23,075	0.0	1.2	1.9	0.5	24.4	1.7	5.91	4.35
6416, N	1	0.0	2.5	1.5	0.0	22.0	0.0	5.50	4.56	15,846	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15,224	0.0	0.5	1.7	0.9	24.6	1.0	5.17	4.40
8504, HEINZ	4,619	0.0	0.9	3.7	0.6	25.1	0.8	5.25	4.34	12,927	0.0	1.0	3.5	0.7	24.8	0.9	5.30	4.33
1892, HMX	998	0.0	1.6	2.5	0.8	24.8	1.6	5.44	4.48	12,674	0.0	0.8	2.4	1.2	24.8	1.1	5.44	4.41
6404, N	796	0.0	1.9	1.9	1.5	24.3	1.9	5.33	4.43	12,411	0.0	1.0	2.1	0.9	24.7	1.6	5.40	4.41
3887, HMX	3,368	0.0	2.2	2.2	0.7	25.4	1.5	5.28	4.41	12,373	0.0	1.2	2.2	0.6	25.8	1.0	5.29	4.37
6402, N	475	0.0	2.8	0.5	0.5	23.8	1.5	5.46	4.45	12,262	0.0	0.9	1.6	1.1	24.3	1.2	5.63	4.40
1015, HEINZ	77	0.0	0.6	2.5	1.2	26.0	1.6	5.07	4.42	10,615	0.0	0.4	1.4	0.6	24.8	0.7	5.16	4.41
2401, HEINZ	3,548	0.0	1.3	2.7	1.0	24.9	1.2	5.00	4.34	8,788	0.0	0.9	2.6	1.0	24.6	1.0	5.04	4.31
19406, UG	2,070	0.0	1.3	2.0	0.7	24.5	1.3	5.28	4.36	7,840	0.0	1.3	1.8	0.5	24.7	1.1	5.45	4.33
4707, HEINZ	2,405	0.0	0.7	2.7	1.2	25.0	1.1	5.01	4.36	7,025	0.0	0.5	2.8	1.3	25.3	0.8	4.94	4.36
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
1161, HEINZ	363	0.0	1.5	1.5	0.3	24.9	2.4	5.47	4.33	5,592	0.0	0.9	2.4	0.6	25.1	2.6	5.71	4.34
6394, N	71	0.0	2.1	1.0	0.5	24.4	1.9	5.10	4.46	4,121	0.0	0.9	1.5	0.6	24.8	2.0	5.45	4.43
5702, HZ	1,924	0.0	0.9	3.1	1.5	23.6	0.8	4.88	4.39	3,771	0.0	0.8	3.5	1.5	23.6	0.7	4.98	4.38
1292, HZ	346	0.0	0.7	1.1	0.2	22.8	2.1	5.59	4.48	3,660	0.0	1.0	1.4	0.5	23.1	2.0	5.55	4.47
410, APT	22	0.0	1.2	0.3	0.2	23.0	0.7	5.49	4.31	3,460	0.0	0.7	1.6	1.0	26.9	1.9	4.84	4.34
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,337	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
255, CXD	870	0.0	1.8	0.3	0.3	24.1	1.5	5.09	4.37	3,335	0.0	1.4	0.5	0.3	24.5	1.5	5.16	4.37
6410, N	1,146	0.0	0.9	2.5	0.7	25.5	1.2	5.34	4.37	3,099	0.0	0.8	2.8	1.0	25.4	1.1	5.43	4.36
9663, HEINZ	747	0.0	3.5	2.4	0.6	23.4	3.3	4.80	4.43	2,748	0.0	2.9	2.5	0.4	22.8	2.7	4.96	4.42
2, BP	137	0.0	2.1	0.7	0.2	24.5	2.0	4.47	4.53	2,640	0.0	1.2	2.3	1.2	26.1	1.6	4.82	4.49
1293, HZ	222	0.0	1.1	0.8	0.3	23.6	1.3	5.62	4.45	2,583	0.0	1.1	1.8	0.5	23.7	1.4	5.52	4.47
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,490	0.0	0.6	1.9	0.3	24.0	1.9	5.45	4.34
1308, HZ	456	0.0	1.1	2.0	1.2	22.9	4.5	5.31	4.53	2,460	0.0	1.0	2.7	0.7	22.8	2.3	5.39	4.50
205, BQ	220	0.0	1.7	0.9	0.4	24.2	3.2	5.62	4.42	2,436	0.0	1.3	1.0	0.4	24.6	1.9	5.55	4.34
7885, HMX	298	0.0	0.8	1.3	0.2	26.5	1.2	4.69	4.58	2,348	0.0	0.6	1.1	0.2	25.6	0.7	4.94	4.52
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,126	0.0	0.5	1.3	0.7	28.6	0.9	4.81	4.32
1175, HEINZ	715	0.0	0.7	2.0	1.5	23.1	0.7	4.82	4.44	2,120	0.0	1.1	3.2	1.3	23.8	0.8	4.93	4.46
5701, HZ	712	0.0	1.0	2.5	1.7	24.6	0.7	4.68	4.35	2,075	0.0	0.6	2.5	1.3	24.5	0.7	4.79	4.32

2015 Processing Tomato Season
PTAB Analysis (8/29/15) - Statewide by Variety



Variety Name	Week Ending 8/29/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
18806, UG	468	0.0	1.8	1.9	0.4	26.2	3.0	5.11	4.45	2,071	0.0	1.2	2.6	0.6	25.9	2.1	5.08	4.39
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40
9905, HARRIS MORAN	704	0.0	0.7	2.3	1.4	25.3	1.4	5.05	4.48	1,640	0.0	0.5	1.9	1.0	24.9	1.1	5.14	4.44
9494, HEINZ	141	0.0	0.7	1.9	1.8	23.1	1.3	4.99	4.39	1,260	0.0	1.0	2.7	1.2	23.9	1.0	4.82	4.36
2, AB	51	0.0	1.7	0.1	0.1	23.6	1.7	5.14	4.29	1,241	0.0	1.0	0.5	0.3	24.0	1.6	5.78	4.31
5508, HZ	733	0.0	0.4	2.1	0.3	25.7	0.5	4.83	4.33	1,085	0.0	0.3	1.9	0.3	24.6	0.5	5.01	4.34
1170, HEINZ	216	0.0	1.1	1.8	0.2	25.5	0.8	5.68	4.36	1,064	0.0	0.6	1.5	0.3	25.9	0.8	5.52	4.36
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	954	0.0	0.6	1.6	0.5	25.1	2.8	5.10	4.38
206, BQ	234	0.0	1.1	1.0	0.2	26.3	2.0	5.72	4.35	869	0.0	0.8	0.5	0.2	25.1	1.6	5.28	4.31
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	777	0.0	1.6	2.6	0.5	23.6	1.8	5.00	4.42
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	715	0.0	0.9	2.4	1.8	26.2	1.8	4.94	4.35
8892, HEINZ	59	0.0	2.6	1.8	0.8	23.3	7.2	4.77	4.51	668	0.0	2.4	1.4	0.4	23.1	3.6	4.98	4.46
142, BQ	97	0.0	2.7	0.9	0.3	25.4	3.6	5.16	4.47	661	0.0	1.1	1.0	0.5	24.3	2.8	5.02	4.41
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	655	0.0	0.3	0.5	0.3	25.4	1.6	5.30	4.28
67212, BOS	122	0.0	4.9	1.0	0.2	23.6	3.7	5.19	4.55	603	0.0	4.2	0.9	0.3	24.5	3.6	5.16	4.49
5234, IVF	209	0.0	1.3	0.7	0.3	23.8	3.4	5.13	4.33	523	0.0	1.3	0.8	0.3	24.1	2.3	5.21	4.30
1424, HZ	49	0.0	2.4	0.9	0.1	25.7	4.0	5.71	4.40	516	0.0	0.9	2.0	1.1	27.0	2.4	5.06	4.35
2770, KW	37	0.0	0.5	0.5	0.3	23.6	2.8	4.36	4.27	504	0.0	0.2	1.0	1.0	26.1	0.9	4.94	4.24
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	0.5	1.0	0.6	25.3	2.2	4.99	4.37
141, BQ	34	0.0	1.3	0.9	0.1	23.6	2.1	4.46	4.45	491	0.0	1.2	1.5	0.5	24.4	3.5	4.67	4.40
8516, SV	14	0.0	0.9	0.9	1.3	23.1	1.6	7.26	4.31	484	0.0	1.1	0.9	0.3	24.1	1.5	5.59	4.36
6420, N	59	0.0	1.5	0.3	0.1	24.1	2.9	4.88	4.56	472	0.0	2.8	1.4	0.7	25.5	1.7	4.78	4.48
313, BQ	23	0.0	1.6	0.5	0.0	23.0	1.4	4.76	4.38	454	0.0	0.6	1.1	0.2	24.2	1.2	5.22	4.39
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
6415, N	261	0.0	1.2	1.5	0.4	23.9	0.8	5.24	4.44	436	0.0	1.0	1.5	0.5	23.9	1.1	5.39	4.41
UNCODED	49	0.0	1.4	1.5	0.1	22.8	2.6	5.20	4.40	398	0.0	0.8	2.4	0.6	24.8	1.2	5.53	4.36
6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	346	0.0	1.3	1.7	0.4	25.9	0.7	4.72	4.40
3888, HMX	87	0.0	0.9	1.5	0.2	26.0	0.8	5.58	4.47	282	0.0	0.9	2.3	0.4	26.5	1.1	5.72	4.46
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	1.1	1.4	0.2	25.7	2.8	5.23	4.47
6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	256	0.0	0.3	0.4	0.2	24.4	0.3	5.92	4.34
303, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	249	0.0	1.8	4.6	0.7	23.2	1.3	5.23	4.43
8232, SV	43	0.0	0.9	0.7	0.6	24.1	4.7	4.76	4.39	234	0.0	1.1	0.7	0.3	23.5	2.5	5.06	4.37
2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41

2015 Processing Tomato Season
PTAB Analysis (8/29/15) - Statewide by Variety



Variety Name	Week Ending 8/29/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1570, RPT	84	0.0	1.6	2.1	0.1	26.9	3.9	4.94	4.48	196	0.0	2.7	1.6	0.2	27.1	3.5	4.67	4.45
8004, HEINZ	89	0.0	0.4	1.2	0.2	23.3	1.5	6.32	4.39	196	0.0	0.5	1.8	0.3	23.4	1.3	6.05	4.37
9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.6	8.6	1.6	24.4	1.2	5.72	4.29
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	0.6	0.2	23.5	2.3	5.36	4.35
282, CXD	23	0.0	2.0	2.3	0.4	27.3	1.5	4.39	4.37	176	0.1	1.1	0.6	0.5	24.5	1.1	4.71	4.33
3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.6	0.8	0.1	25.0	1.8	5.49	4.30
6407, N	23	0.0	0.8	0.5	0.4	27.4	0.9	5.42	4.38	168	0.0	0.5	0.3	0.5	26.0	2.2	4.91	4.38
0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
163, BQ	62	0.0	1.5	0.7	0.9	22.9	1.7	6.12	4.36	139	0.0	1.0	1.4	0.8	24.4	2.2	5.58	4.38
HEINZ TRIAL	42	0.0	1.4	4.0	0.3	23.5	2.0	5.41	4.42	118	0.0	0.9	2.2	0.9	24.0	1.6	5.18	4.40
296, BQ	97	0.0	1.2	1.4	0.8	25.2	5.0	6.00	4.41	118	0.0	1.3	1.5	0.7	25.0	4.6	5.95	4.39
849, HYPEEL	104	0.0	1.0	1.3	0.3	26.9	0.5	4.98	4.35	105	0.0	1.0	1.3	0.3	26.9	0.5	4.98	4.34
MIX	14	0.0	2.4	0.5	0.1	23.3	1.8	5.25	4.42	104	0.0	1.5	0.9	0.3	23.6	1.1	5.40	4.35
3884, HMX	40	0.0	1.0	2.1	0.3	26.3	2.2	5.68	4.34	100	0.0	0.7	1.1	0.3	26.5	2.0	5.78	4.35
4909, HMX	7	0.0	3.4	1.0	0.3	25.3	1.4	5.43	4.26	97	0.0	1.3	0.7	0.4	25.2	0.5	6.14	4.23
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
19910, UG	18	0.0	0.8	0.3	0.4	24.3	0.4	5.72	4.35	87	0.0	0.4	0.3	0.2	25.3	1.3	5.22	4.43
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.1	1.5	0.2	23.9	1.8	5.27	4.34
4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	0.3	1.7	2.4	32.6	0.7	4.92	4.31
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
0306, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	1.5	0.8	0.4	23.5	8.5	5.62	4.47
30622, ISI	15	0.0	0.5	0.5	0.0	26.5	5.6	4.86	4.64	53	0.0	0.6	0.8	0.2	25.7	3.3	4.90	4.45
257, BQ	16	0.0	1.6	0.5	0.3	23.8	0.1	5.20	4.48	46	0.0	1.3	1.4	0.3	23.7	1.2	5.32	4.48
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
1311, HZ	4	0.0	2.0	0.4	0.1	23.5	1.3	5.38	4.33	42	0.0	1.5	1.0	0.2	22.9	1.0	5.53	4.33
4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.9	1.1	0.5	23.6	1.7	5.20	4.31
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.4	0.2	25.7	2.5	5.24	4.38
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.4	0.2	0.6	26.8	1.3	4.89	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
7776, NDM	26	0.0	1.2	1.9	0.4	23.3	1.6	6.10	4.31	26	0.0	1.2	1.9	0.4	23.3	1.6	6.10	4.31
327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
6424, N	15	0.0	0.7	0.4	1.0	24.9	2.4	4.86	4.38	19	0.0	0.6	0.4	0.8	24.7	2.0	4.86	4.37
4886, HMX	8	0.0	2.5	1.5	0.6	25.0	1.9	5.66	4.41	17	0.0	1.7	1.2	0.6	24.7	3.3	5.99	4.45
39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46

2015 Processing Tomato Season
PTAB Analysis (8/29/15) - Statewide by Variety



Variety Name	Week Ending 8/29/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	2.0	0.8	0.2	22.6	3.4	4.94	4.44
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.8	0.2	0.1	23.5	0.2	5.03	4.28
1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.7	0.8	1.7	24.1	2.5	5.68	4.41
650, PS	13	0.0	0.6	0.7	0.3	24.8	2.5	5.74	4.45	13	0.0	0.6	0.7	0.3	24.8	2.5	5.74	4.45
1296, HZ	12	0.0	1.3	0.5	0.5	24.1	1.8	6.19	4.40	13	0.0	1.2	0.5	0.4	24.1	1.7	6.12	4.40
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	0.9	0.4	24.2	2.7	5.52	4.26
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58
323, BQ	3	0.0	1.2	1.5	0.0	24.7	0.3	5.40	4.32	7	0.0	1.0	1.0	0.2	24.7	1.0	5.46	4.38
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	0.5	0.5	23.0	1.3	5.80	4.43
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
8011, SV	3	0.0	1.3	0.3	0.2	24.7	1.3	5.30	4.42	4	0.0	1.0	0.5	0.3	24.0	1.0	5.53	4.39
328, BQ	3	0.0	2.3	0.5	0.3	23.0	1.3	5.17	4.54	3	0.0	2.3	0.5	0.3	23.0	1.3	5.17	4.54
1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.3	0.3	25.0	0.2	4.80	4.29
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
16, BP	1	0.0	1.0	0.5	0.0	25.0	0.5	4.60	4.27	2	0.0	1.0	0.5	0.3	25.0	0.8	4.65	4.33
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
388, OSX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.8	0.3	25.5	0.0	4.90	4.33
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
316, C	1	0.0	3.0	1.5	0.5	23.0	3.5	6.00	4.52	1	0.0	3.0	1.5	0.5	23.0	3.5	6.00	4.52
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
2506, HEINZ	1	0.0	3.0	0.5	0.0	23.0	5.0	6.10	4.43	1	0.0	3.0	0.5	0.0	23.0	5.0	6.10	4.43
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
3203, BOS (HYBRID)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45
9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55

2015 Processing Tomato Season
PTAB Analysis (8/29/15) - Statewide by Variety



	Week Ending 8/29/15									Year to Date								
Variety Name	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
STATEWIDE	44,066	0.0	1.6	2.2	0.8	24.6	1.5	5.22	4.39	333,422	0.0	1.0	1.9	0.7	24.7	1.4	5.33	4.38