

2015 Processing Tomato Season
PTAB Analysis (9/12/15) - Statewide by Variety



Variety Name	Week Ending 9/12/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	1,155	0.0	1.0	1.4	1.7	25.5	2.6	4.96	4.36	46,008	0.0	0.8	1.3	0.7	24.8	1.8	5.48	4.39
0319, DRI	4,176	0.0	1.8	1.5	0.5	25.1	2.6	5.78	4.34	31,271	0.0	1.3	1.8	0.5	24.6	1.9	5.88	4.35
0311, AB	2,508	0.0	2.6	1.5	0.6	24.4	1.9	5.62	4.31	29,626	0.0	1.8	2.1	0.6	23.5	1.5	5.74	4.33
5608, HZ	1,617	0.0	2.2	1.7	1.2	23.6	1.5	4.91	4.40	28,855	0.0	1.8	2.0	0.7	23.8	1.0	4.98	4.40
8504, HEINZ	6,727	0.0	1.1	2.4	0.7	25.0	0.8	4.98	4.31	25,955	0.0	1.1	3.1	0.7	25.0	0.9	5.15	4.33
3887, HMX	2,734	0.0	3.4	5.0	1.1	26.2	1.4	5.32	4.38	18,245	0.0	1.8	2.8	0.7	25.9	1.1	5.30	4.38
1892, HMX	1,776	0.0	1.9	1.5	0.9	24.5	1.5	5.47	4.41	16,109	0.0	1.0	2.3	1.1	24.8	1.2	5.42	4.42
6416, N	7	0.0	1.9	2.0	0.9	21.7	1.1	6.01	4.40	15,865	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15,225	0.0	0.5	1.7	0.9	24.6	1.0	5.17	4.40
6404, N	1,176	0.0	3.2	3.4	2.3	25.8	2.2	5.37	4.37	14,086	0.0	1.2	2.2	1.0	24.8	1.7	5.39	4.41
2401, HEINZ	2,143	0.0	1.2	3.0	0.8	24.6	1.2	5.24	4.32	13,713	0.0	1.0	2.6	0.9	24.7	1.1	5.08	4.32
6402, N	76	0.0	1.1	0.3	0.2	23.4	0.6	5.34	4.40	12,636	0.0	0.9	1.6	1.1	24.3	1.2	5.62	4.40
19406, UG	1,885	0.0	1.4	2.4	0.5	25.2	0.9	5.63	4.30	11,474	0.0	1.4	2.0	0.6	24.8	1.1	5.48	4.32
1015, HEINZ	17	0.0	1.9	3.0	1.0	24.9	0.4	5.74	4.33	10,709	0.0	0.4	1.4	0.6	24.8	0.7	5.16	4.41
4707, HEINZ	1,104	0.0	0.8	2.1	0.7	24.5	0.7	4.95	4.36	9,540	0.0	0.6	2.6	1.2	25.1	0.8	4.98	4.36
9905, HARRIS MORAN	3,854	0.0	1.1	2.0	1.4	25.4	1.0	5.20	4.42	7,328	0.0	0.9	2.1	1.3	25.3	1.1	5.17	4.43
1161, HEINZ	366	0.0	2.6	2.0	0.6	25.0	3.1	5.79	4.39	6,782	0.0	1.1	2.3	0.6	25.1	2.7	5.70	4.34
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
5702, HZ	736	0.0	1.3	2.6	0.7	24.6	0.8	4.87	4.39	5,503	0.0	0.9	3.4	1.4	23.8	0.7	4.97	4.38
6410, N	814	0.0	1.8	2.1	1.8	25.5	1.5	5.33	4.37	5,299	0.0	1.1	2.4	1.1	25.5	1.2	5.37	4.37
5508, HZ	2,466	0.0	0.6	1.3	0.3	25.1	0.5	4.72	4.33	5,049	0.0	0.5	1.4	0.3	25.0	0.5	4.81	4.34
6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,407	0.0	1.1	1.4	0.6	24.8	2.0	5.43	4.44
255, CXD	174	0.0	2.3	2.1	1.8	26.2	2.0	5.35	4.36	4,387	0.0	1.5	0.7	0.5	24.7	1.7	5.16	4.37
1292, HZ	187	0.0	1.7	1.3	0.3	23.3	1.6	5.40	4.42	4,192	0.0	1.1	1.4	0.5	23.1	2.0	5.53	4.47
2, BP	782	0.0	3.2	5.3	1.8	26.1	2.1	5.18	4.46	3,817	0.0	1.9	3.1	1.4	26.1	1.7	4.89	4.49
9663, HEINZ	535	0.0	7.8	5.4	0.6	23.6	2.7	4.64	4.45	3,761	0.0	4.1	3.0	0.6	23.1	2.7	4.88	4.42
1293, HZ	583	0.0	1.8	1.6	0.4	24.3	0.8	5.48	4.42	3,479	0.0	1.3	1.7	0.5	23.9	1.2	5.52	4.46
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,469	0.0	0.7	1.6	1.0	26.9	1.9	4.84	4.34
273, BQ	1	0.0	2.5	1.0	0.0	28.0	5.0	6.70	4.32	3,338	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
18806, UG	616	0.0	0.9	2.7	0.8	26.2	1.3	5.54	4.32	3,323	0.0	1.4	2.7	0.7	25.8	2.0	5.21	4.38
5701, HZ	177	0.0	0.5	4.6	2.1	23.8	0.6	5.16	4.29	3,150	0.0	0.7	2.6	1.5	24.4	0.7	4.82	4.32
7885, HMX	288	0.0	0.9	0.8	0.3	24.8	1.2	5.17	4.54	2,987	0.0	0.7	1.0	0.2	25.6	0.8	4.96	4.53
1308, HZ	228	0.0	2.7	2.6	0.9	23.0	3.4	5.35	4.52	2,921	0.0	1.2	2.8	0.8	22.9	2.4	5.39	4.50
205, BQ	193	0.0	1.4	0.9	0.2	25.4	2.0	5.64	4.34	2,787	0.0	1.3	1.0	0.4	24.6	1.9	5.57	4.34

2015 Processing Tomato Season
PTAB Analysis (9/12/15) - Statewide by Variety



Variety Name	Week Ending 9/12/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,490	0.0	0.6	1.9	0.3	24.0	1.9	5.45	4.34
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,127	0.0	0.5	1.3	0.7	28.6	0.9	4.81	4.32
1175, HEINZ	1	0.0	0.0	5.5	3.5	32.0	0.0	5.30	4.26	2,127	0.0	1.1	3.2	1.3	23.8	0.8	4.93	4.46
206, BQ	633	0.0	1.1	0.8	0.6	25.8	2.0	5.51	4.30	1,943	0.0	1.0	0.7	0.4	25.4	1.7	5.41	4.31
1170, HEINZ	581	0.0	0.9	3.0	1.5	26.3	0.6	5.42	4.31	1,816	0.0	0.8	2.2	0.8	26.0	0.7	5.47	4.34
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40
9494, HEINZ	30	0.0	5.1	7.4	2.3	27.2	2.8	4.84	4.42	1,574	0.0	1.4	3.5	1.3	24.4	1.2	4.81	4.38
2, AB	164	0.0	2.9	0.6	0.3	25.0	3.5	5.06	4.32	1,475	0.0	1.2	0.5	0.3	24.2	1.9	5.67	4.31
3888, HMX	522	0.0	1.3	1.7	0.7	26.6	1.0	5.51	4.44	1,333	0.0	1.5	1.9	0.5	26.7	1.1	5.53	4.46
849, HYPEEL	491	0.0	1.8	0.8	0.3	26.2	0.7	4.88	4.35	1,199	0.0	1.9	1.1	0.6	26.1	0.6	4.91	4.36
142, BQ	276	0.0	3.2	2.7	1.5	24.7	3.8	5.29	4.41	1,047	0.0	1.9	1.5	0.8	24.5	3.0	5.06	4.42
6420, N	350	0.0	3.1	1.5	0.6	25.2	2.1	4.76	4.48	960	0.0	2.9	1.6	0.6	25.4	1.8	4.76	4.48
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	954	0.0	0.6	1.6	0.5	25.1	2.8	5.10	4.38
6415, N	320	0.0	1.2	1.9	0.6	25.3	1.2	5.10	4.36	949	0.0	1.2	1.8	0.5	24.6	1.1	5.17	4.39
5234, IVF	174	0.0	4.1	2.7	1.6	26.6	2.5	5.15	4.35	880	0.0	2.0	1.2	0.6	24.8	2.3	5.12	4.33
8892, HEINZ	116	0.0	4.5	1.9	1.6	23.4	5.1	4.85	4.45	804	0.0	2.7	1.5	0.6	23.2	3.8	4.95	4.46
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	777	0.0	1.6	2.6	0.5	23.6	1.8	5.00	4.42
6407, N	208	0.0	0.8	1.5	0.6	26.6	0.7	5.64	4.27	727	0.0	0.9	0.8	0.5	26.3	1.2	5.28	4.36
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	715	0.0	0.9	2.4	1.8	26.2	1.8	4.94	4.35
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	675	0.0	0.4	0.5	0.3	25.4	1.6	5.30	4.28
UNCODED	127	0.0	2.7	2.6	1.2	25.9	2.1	5.22	4.41	667	0.0	1.5	2.9	0.8	24.9	1.5	5.42	4.39
1424, HZ	66	0.0	0.2	1.0	1.2	25.8	2.4	6.18	4.24	666	0.0	0.9	1.7	1.0	26.6	2.4	5.24	4.34
9780, HEINZ	301	0.0	3.1	1.4	0.2	25.2	1.8	5.21	4.38	659	0.0	1.9	3.4	0.6	24.9	1.6	5.42	4.35
67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	648	0.0	4.1	0.9	0.3	24.6	3.5	5.20	4.48
282, CXD	303	0.0	2.2	4.9	2.2	26.4	1.5	4.96	4.37	585	0.0	1.9	3.1	1.4	26.1	1.4	4.80	4.36
8516, SV	14	0.0	0.6	1.3	0.3	23.9	1.4	6.64	4.31	576	0.0	1.2	0.9	0.3	24.3	1.5	5.60	4.35
141, BQ	55	0.0	4.1	7.1	1.8	25.7	8.2	4.91	4.43	569	0.0	1.5	2.5	0.6	24.7	4.0	4.71	4.40
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	504	0.0	0.2	1.0	1.0	26.1	0.9	4.94	4.24
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	0.5	1.0	0.6	25.3	2.2	4.99	4.37
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	454	0.0	0.6	1.1	0.2	24.2	1.2	5.22	4.39
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
6385, N	8	0.0	2.8	1.7	0.1	29.5	0.6	4.44	4.34	354	0.0	1.3	1.7	0.4	25.9	0.7	4.71	4.39
303, HYPEEL	82	0.0	5.4	3.6	1.0	25.7	3.4	4.85	4.51	350	0.0	2.7	4.4	0.8	23.9	1.9	5.12	4.45

2015 Processing Tomato Season
PTAB Analysis (9/12/15) - Statewide by Variety



Variety Name	Week Ending 9/12/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6368, SUN	47	0.0	0.6	0.7	0.1	27.9	1.1	4.98	4.34	310	0.0	0.3	0.5	0.2	25.1	0.5	5.75	4.34
108, HYPEEL	7	0.0	2.4	1.2	1.3	28.1	3.9	4.94	4.45	284	0.0	1.1	1.4	0.3	25.7	2.8	5.22	4.47
3402, HEINZ	266	0.0	0.4	2.5	3.2	25.0	0.7	5.22	4.38	266	0.0	0.4	2.5	3.2	25.0	0.7	5.22	4.38
3, AB	25	0.0	3.1	1.7	1.1	27.3	3.2	6.21	4.22	253	0.0	0.9	1.1	0.3	25.9	2.2	5.76	4.28
8232, SV	4	0.0	5.4	0.4	0.4	23.5	1.6	4.73	4.39	239	0.0	1.2	0.7	0.3	23.5	2.4	5.06	4.37
2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41
1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	196	0.0	2.7	1.6	0.2	27.1	3.5	4.67	4.45
8004, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	0.5	1.8	0.3	23.5	1.4	6.06	4.38
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	0.6	0.2	23.5	2.3	5.36	4.35
0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
HEINZ TRIAL	4	0.0	0.9	1.5	0.3	27.8	2.3	4.85	4.36	157	0.0	1.0	1.8	1.0	24.2	1.7	5.01	4.40
296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	1.2	1.3	0.7	25.0	3.7	5.89	4.36
4909, HMX	1	0.0	0.0	0.0	0.0	26.0	1.0	6.20	4.27	140	0.0	2.2	0.6	0.4	25.2	0.8	5.80	4.30
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	139	0.0	1.0	1.4	0.8	24.4	2.2	5.58	4.38
3884, HMX	22	0.0	1.1	1.5	0.1	26.5	2.4	5.34	4.29	137	0.0	0.8	1.1	0.2	26.3	2.2	5.64	4.35
MIX	6	0.0	2.9	1.4	0.3	24.3	1.5	5.07	4.34	121	0.0	1.6	1.0	0.3	23.7	1.1	5.35	4.36
257, BQ	31	0.0	3.3	1.5	0.6	24.5	0.9	5.02	4.51	117	0.0	1.9	1.4	0.4	24.3	0.9	5.17	4.47
19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	0.5	0.3	0.2	25.1	1.2	5.32	4.42
7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	95	0.0	1.2	1.9	0.8	23.7	4.8	5.35	4.40
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
4887, HMX	30	0.0	3.4	2.8	1.5	24.9	6.1	4.54	4.43	88	0.0	2.3	2.6	1.1	24.4	4.5	4.88	4.38
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.1	1.5	0.2	23.9	1.8	5.27	4.34
4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	0.3	1.7	2.4	32.6	0.7	4.92	4.31
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.8	1.2	0.1	25.0	1.5	6.06	4.42
0306, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.5	0.8	0.4	23.7	8.0	5.53	4.48
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.6	0.8	0.2	25.7	3.3	4.90	4.45
002, PX	50	0.0	5.7	0.8	0.1	23.5	2.8	5.51	4.43	50	0.0	5.7	0.8	0.1	23.5	2.8	5.51	4.43
1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	1.8	1.0	0.2	22.8	1.1	5.60	4.33
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
2493, SV	12	0.0	0.9	1.0	0.1	26.1	1.8	5.18	4.36	45	0.0	1.0	0.5	0.1	25.1	1.3	4.78	4.36
6424, N	3	0.0	0.8	4.0	1.8	29.0	1.7	5.63	4.22	45	0.0	0.6	0.8	0.6	25.6	1.3	4.70	4.39
9436, UG	34	0.0	0.7	1.6	0.5	21.2	1.9	5.91	4.37	44	0.0	1.1	1.3	0.8	21.9	3.1	5.67	4.43
1310, HZ	16	0.0	2.4	4.8	0.8	25.7	0.8	5.57	4.36	40	0.0	2.1	5.1	1.1	26.0	1.6	5.54	4.37

2015 Processing Tomato Season
PTAB Analysis (9/12/15) - Statewide by Variety



Variety Name	Week Ending 9/12/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.4	0.2	25.7	2.5	5.24	4.38
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.4	0.2	0.6	26.8	1.3	4.89	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
1422, HZ	26	0.0	1.2	2.5	1.8	25.7	0.9	5.83	4.32	32	0.0	1.0	2.1	1.6	25.5	0.8	5.69	4.32
327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
4886, HMX	1	0.0	1.5	0.5	0.0	25.0	1.0	6.00	4.28	22	0.0	1.9	1.4	0.6	25.1	2.6	5.89	4.42
22686	21	0.0	7.7	1.6	0.5	21.5	0.9	4.51	4.41	21	0.0	7.7	1.6	0.5	21.5	0.9	4.51	4.41
2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	2.1	0.9	0.2	22.9	3.2	4.96	4.43
39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.3	0.5	0.4	24.1	1.6	6.09	4.38
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	0.9	0.4	24.2	2.7	5.52	4.26
323, BQ	1	0.0	0.0	1.0	0.0	23.0	4.0	6.00	4.26	9	0.0	0.8	1.4	0.3	25.2	1.0	5.47	4.34
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58
16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.0	0.9	0.2	25.3	0.4	4.63	4.37
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	0.5	0.5	23.0	1.3	5.80	4.43
388, OSX	2	0.0	1.3	1.5	0.5	26.0	1.0	5.30	4.40	5	0.0	1.1	1.1	0.3	25.4	0.4	5.02	4.36
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.8	1.5	0.2	25.0	1.5	5.52	4.37
8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.0	0.8	0.2	23.8	1.0	5.54	4.39
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
328, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.3	0.5	0.3	23.0	1.3	5.17	4.54
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
1297, HZ	1	0.0	1.0	2.0	0.5	22.0	2.0	5.30	4.43	2	0.0	1.0	1.5	0.8	22.5	1.8	5.75	4.36
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
211, BOS	1	0.0	2.0	0.5	1.5	22.0	2.0	5.50	4.52	1	0.0	2.0	0.5	1.5	22.0	2.0	5.50	4.52
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	1.5	0.5	23.0	3.5	6.00	4.52
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38

2015 Processing Tomato Season
PTAB Analysis (9/12/15) - Statewide by Variety



Variety Name	Week Ending 9/12/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
2506, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.0	23.0	5.0	6.10	4.43
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
3203, BOS (HYBRID)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45
9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
STATEWIDE	44,534	0.0	1.8	2.3	0.9	25.1	1.5	5.25	4.36	421,796	0.0	1.1	2.0	0.8	24.7	1.4	5.31	4.37