

2015 Processing Tomato Season
PTAB Analysis (9/19/15) - Statewide by Variety



Variety Name	Week Ending 9/19/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	692	0.0	1.4	1.1	0.5	25.4	2.0	5.32	4.36	46,700	0.0	0.8	1.3	0.7	24.8	1.8	5.47	4.39
0319, DRI	2,738	0.0	1.5	1.1	0.4	25.4	2.2	5.51	4.34	34,009	0.0	1.3	1.8	0.5	24.6	1.9	5.85	4.35
8504, HEINZ	7,097	0.0	1.2	2.0	1.0	25.1	0.8	4.96	4.33	33,052	0.0	1.1	2.8	0.8	25.0	0.9	5.11	4.33
0311, AB	1,233	0.0	3.4	1.7	0.5	24.8	1.4	5.41	4.31	30,859	0.0	1.8	2.0	0.6	23.5	1.5	5.73	4.33
5608, HZ	485	0.0	4.1	1.7	0.5	23.7	1.5	4.71	4.41	29,339	0.0	1.8	2.0	0.7	23.8	1.0	4.98	4.40
3887, HMX	2,171	0.0	4.8	6.1	1.0	26.0	1.2	5.26	4.41	20,409	0.0	2.1	3.1	0.8	25.9	1.1	5.29	4.38
1892, HMX	1,423	0.0	1.9	1.0	0.5	24.6	1.4	5.32	4.43	17,534	0.0	1.1	2.2	1.1	24.8	1.2	5.41	4.42
6416, N	2	0.0	0.5	0.3	0.0	25.5	0.3	5.35	4.26	15,857	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
2401, HEINZ	1,860	0.0	1.9	2.9	0.6	25.0	1.2	5.09	4.31	15,573	0.0	1.1	2.6	0.9	24.7	1.1	5.09	4.32
6404, N	1,336	0.0	2.4	1.5	1.2	25.3	1.8	5.18	4.39	15,422	0.0	1.3	2.1	1.0	24.8	1.7	5.37	4.41
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15,225	0.0	0.5	1.7	0.9	24.6	1.0	5.17	4.40
19406, UG	3,023	0.0	1.2	1.5	0.8	24.8	0.9	5.53	4.29	14,498	0.0	1.3	1.9	0.6	24.8	1.0	5.49	4.32
6402, N	240	0.0	2.0	1.4	0.5	22.6	1.4	5.61	4.42	12,875	0.0	0.9	1.6	1.1	24.3	1.2	5.62	4.40
9905, HARRIS MORAN	3,493	0.0	1.2	2.2	1.5	25.9	1.0	4.96	4.44	10,822	0.0	1.0	2.1	1.4	25.5	1.0	5.10	4.43
1015, HEINZ	6	0.0	0.9	4.5	1.9	25.5	1.1	6.72	4.40	10,715	0.0	0.4	1.4	0.6	24.8	0.7	5.17	4.41
4707, HEINZ	687	0.0	0.8	2.1	0.6	24.8	0.6	5.15	4.34	10,226	0.0	0.6	2.6	1.1	25.1	0.8	4.99	4.36
5508, HZ	2,802	0.0	0.7	1.6	0.5	24.9	0.5	4.69	4.34	7,852	0.0	0.5	1.5	0.4	24.9	0.5	4.77	4.34
1161, HEINZ	580	0.0	1.5	1.6	0.9	25.9	3.3	5.39	4.32	7,362	0.0	1.2	2.3	0.7	25.2	2.7	5.67	4.34
6410, N	1,490	0.0	1.9	2.2	1.6	26.0	1.2	5.20	4.37	6,789	0.0	1.3	2.4	1.2	25.6	1.2	5.33	4.37
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
5702, HZ	552	0.0	2.0	1.8	0.7	23.9	0.9	5.01	4.43	6,056	0.0	1.0	3.2	1.3	23.8	0.8	4.97	4.39
255, CXD	137	0.0	0.8	1.0	0.5	26.8	1.6	5.66	4.23	4,524	0.0	1.5	0.7	0.5	24.8	1.7	5.18	4.37
6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,407	0.0	1.1	1.4	0.6	24.8	2.0	5.43	4.44
2, BP	578	0.0	3.7	3.7	2.2	25.4	1.7	5.47	4.46	4,395	0.0	2.1	3.2	1.5	26.0	1.7	4.97	4.48
1292, HZ	44	0.0	0.9	0.8	0.2	23.2	0.8	5.37	4.40	4,236	0.0	1.1	1.4	0.5	23.1	1.9	5.53	4.47
9663, HEINZ	216	0.0	6.3	2.3	1.3	23.3	3.4	4.83	4.35	3,977	0.0	4.2	2.9	0.6	23.1	2.7	4.87	4.42
18806, UG	394	0.0	1.9	1.2	0.4	25.5	1.6	5.33	4.36	3,717	0.0	1.4	2.5	0.6	25.8	1.9	5.22	4.38
1293, HZ	151	0.0	0.9	2.6	1.0	25.0	0.7	5.40	4.41	3,630	0.0	1.2	1.8	0.5	23.9	1.2	5.52	4.46
5701, HZ	448	0.0	0.7	1.6	1.2	24.5	1.1	4.93	4.31	3,598	0.0	0.7	2.5	1.5	24.4	0.8	4.83	4.32
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,469	0.0	0.7	1.6	1.0	26.9	1.9	4.84	4.34
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,337	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
7885, HMX	101	0.0	0.7	0.6	0.3	24.8	0.6	4.78	4.49	3,088	0.0	0.7	1.0	0.2	25.5	0.8	4.95	4.53
1308, HZ	51	0.0	3.2	1.9	0.7	22.3	5.5	5.76	4.59	2,972	0.0	1.3	2.8	0.8	22.9	2.5	5.39	4.50
205, BQ	148	0.0	2.5	0.6	0.4	24.1	2.2	5.83	4.35	2,935	0.0	1.4	1.0	0.4	24.6	1.9	5.59	4.34

2015 Processing Tomato Season
PTAB Analysis (9/19/15) - Statewide by Variety



Variety Name	Week Ending 9/19/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
206, BQ	613	0.0	1.1	0.9	0.6	26.3	1.9	5.60	4.27	2,557	0.0	1.0	0.8	0.5	25.6	1.8	5.46	4.30
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,490	0.0	0.6	1.9	0.3	24.0	1.9	5.45	4.34
1170, HEINZ	635	0.0	1.2	1.5	1.8	25.6	1.0	5.18	4.40	2,451	0.0	0.9	2.0	1.1	25.9	0.8	5.39	4.36
3888, HMX	871	0.0	2.0	1.4	0.5	26.6	1.1	5.45	4.45	2,209	0.0	1.6	1.7	0.5	26.7	1.1	5.50	4.46
0599, SV	1	0.0	1.0	1.0	0.0	28.0	5.5	4.90	4.38	2,128	0.0	0.5	1.3	0.7	28.6	0.9	4.81	4.32
1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,127	0.0	1.1	3.2	1.3	23.8	0.8	4.93	4.46
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40
849, HYPEEL	409	0.0	2.1	0.6	0.9	25.3	1.1	5.00	4.32	1,608	0.0	2.0	1.0	0.6	25.9	0.8	4.93	4.35
9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,575	0.0	1.4	3.5	1.3	24.4	1.2	4.81	4.38
2, AB	43	0.0	0.4	0.8	0.3	27.5	1.9	4.31	4.29	1,518	0.0	1.2	0.5	0.3	24.3	1.9	5.63	4.31
6407, N	761	0.0	0.8	1.2	1.7	26.1	1.1	5.44	4.34	1,488	0.0	0.9	1.0	1.1	26.2	1.1	5.36	4.35
142, BQ	388	0.0	2.7	1.6	1.5	24.4	3.9	5.43	4.41	1,435	0.0	2.1	1.6	1.0	24.5	3.3	5.16	4.42
6415, N	369	0.0	1.1	1.9	0.4	25.1	1.0	5.05	4.35	1,329	0.0	1.2	1.8	0.5	24.8	1.0	5.13	4.38
6420, N	346	0.0	1.3	0.7	0.5	25.5	1.0	4.74	4.41	1,306	0.0	2.5	1.4	0.6	25.4	1.6	4.75	4.46
9780, HEINZ	597	0.0	1.3	1.7	1.2	25.1	1.2	5.63	4.28	1,256	0.0	1.6	2.6	0.9	25.0	1.4	5.52	4.32
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	954	0.0	0.6	1.6	0.5	25.1	2.8	5.10	4.38
5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	879	0.0	2.0	1.2	0.6	24.8	2.3	5.12	4.33
8892, HEINZ	3	0.0	0.7	0.8	0.5	23.3	0.8	5.63	4.36	807	0.0	2.7	1.5	0.6	23.2	3.8	4.96	4.46
282, CXD	221	0.0	1.0	2.8	2.0	24.2	1.0	5.69	4.31	806	0.0	1.6	3.0	1.6	25.6	1.3	5.04	4.35
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	777	0.0	1.6	2.6	0.5	23.6	1.8	5.00	4.42
3402, HEINZ	507	0.0	0.5	4.1	3.4	26.0	0.5	4.83	4.40	773	0.0	0.5	3.5	3.3	25.6	0.6	4.97	4.39
UNCODED	103	0.0	2.0	3.0	1.9	25.1	1.2	5.11	4.33	770	0.0	1.6	2.9	0.9	24.9	1.4	5.38	4.38
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	715	0.0	0.9	2.4	1.8	26.2	1.8	4.94	4.35
1424, HZ	44	0.0	0.4	1.1	1.1	23.7	2.3	6.15	4.35	710	0.0	0.9	1.7	1.0	26.4	2.4	5.30	4.34
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	673	0.0	0.4	0.5	0.3	25.4	1.6	5.30	4.28
67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	648	0.0	4.1	0.9	0.3	24.6	3.5	5.20	4.48
141, BQ	57	0.0	1.5	4.1	3.2	25.3	2.4	5.09	4.35	626	0.0	1.5	2.6	0.9	24.7	3.9	4.74	4.40
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	576	0.0	1.2	0.9	0.3	24.3	1.5	5.60	4.35
6385, N	182	0.0	2.3	1.1	0.2	27.5	1.7	4.45	4.43	536	0.0	1.7	1.5	0.3	26.5	1.1	4.63	4.41
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	504	0.0	0.2	1.0	1.0	26.1	0.9	4.94	4.24
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	0.5	1.0	0.6	25.3	2.2	4.99	4.37
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	454	0.0	0.6	1.1	0.2	24.2	1.2	5.22	4.39
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32

2015 Processing Tomato Season
PTAB Analysis (9/19/15) - Statewide by Variety



Variety Name	Week Ending 9/19/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
108, HYPEEL	139	0.0	2.4	1.0	0.6	25.8	2.9	5.06	4.43	423	0.0	1.5	1.3	0.4	25.8	2.8	5.17	4.46
303, HYPEEL	23	0.0	7.5	1.5	0.8	24.7	3.5	4.80	4.55	373	0.0	3.0	4.2	0.8	24.0	2.0	5.10	4.45
6368, SUN	62	0.0	3.7	0.7	0.7	25.6	1.1	5.49	4.38	372	0.0	0.9	0.5	0.3	25.2	0.6	5.70	4.35
8004, HEINZ	156	0.0	1.8	2.6	0.3	24.3	1.4	5.37	4.41	346	0.0	1.1	2.1	0.3	23.8	1.4	5.75	4.39
4887, HMX	212	0.0	3.3	2.0	1.0	25.3	6.8	4.53	4.45	300	0.0	3.0	2.2	1.1	25.0	6.2	4.63	4.43
8232, SV	44	0.0	2.3	1.8	1.6	23.8	5.7	5.23	4.41	283	0.0	1.4	0.9	0.5	23.6	2.9	5.08	4.38
3, AB	13	0.0	1.8	1.1	0.2	24.2	2.2	5.50	4.32	266	0.0	0.9	1.1	0.3	25.8	2.2	5.74	4.28
2601, HEINZ	25	0.0	0.2	0.7	0.9	24.8	2.0	5.53	4.33	255	0.0	0.5	1.1	0.3	26.8	1.6	5.25	4.40
HEINZ TRIAL	39	0.0	4.0	3.6	1.1	22.9	1.2	5.37	4.44	196	0.0	1.6	2.2	1.0	24.0	1.6	5.08	4.41
1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	196	0.0	2.7	1.6	0.2	27.1	3.5	4.67	4.45
312, BQ	5	0.0	1.0	0.6	0.9	26.6	1.3	5.60	4.29	186	0.0	0.7	0.6	0.3	23.6	2.3	5.37	4.35
0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	1.2	1.3	0.7	25.0	3.7	5.89	4.36
7776, NDM	47	0.0	1.1	1.0	0.1	24.7	4.1	4.87	4.36	142	0.0	1.2	1.6	0.6	24.0	4.6	5.19	4.39
4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	2.2	0.6	0.4	25.2	0.8	5.80	4.30
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	139	0.0	1.0	1.4	0.8	24.4	2.2	5.58	4.38
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	1.1	0.2	26.3	2.2	5.64	4.35
002, PX	86	0.0	3.5	1.6	0.3	27.6	2.5	4.80	4.33	136	0.0	4.3	1.3	0.2	26.1	2.6	5.06	4.36
MIX	4	0.0	0.9	1.1	1.4	24.0	1.3	5.13	4.34	125	0.0	1.6	1.1	0.3	23.8	1.1	5.34	4.36
257, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	1.9	1.4	0.4	24.3	0.9	5.17	4.47
19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	0.5	0.3	0.2	25.1	1.2	5.32	4.42
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.1	1.5	0.2	23.9	1.8	5.27	4.34
6424, N	36	0.0	1.4	1.8	1.8	25.3	3.8	5.43	4.38	81	0.0	0.9	1.3	1.1	25.5	2.4	5.02	4.39
9436, UG	35	0.0	4.5	1.3	0.2	23.1	1.9	5.11	4.38	79	0.0	2.6	1.3	0.6	22.4	2.5	5.42	4.41
4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	0.3	1.7	2.4	32.6	0.7	4.92	4.31
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.8	1.2	0.1	25.0	1.5	6.06	4.42
0306, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.5	0.8	0.4	23.7	8.0	5.53	4.48
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.6	0.8	0.2	25.7	3.3	4.90	4.45
1311, HZ	1	0.0	1.5	2.0	0.5	24.0	0.5	6.40	4.29	47	0.0	1.8	1.0	0.2	22.9	1.1	5.61	4.33
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	1.0	0.5	0.1	25.1	1.3	4.78	4.36
1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	2.1	5.1	1.1	26.0	1.6	5.54	4.37

2015 Processing Tomato Season
PTAB Analysis (9/19/15) - Statewide by Variety



Variety Name	Week Ending 9/19/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.4	0.2	25.7	2.5	5.24	4.38
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.4	0.2	0.6	26.8	1.3	4.89	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	1.0	2.1	1.6	25.5	0.8	5.69	4.32
327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.9	1.4	0.6	25.1	2.6	5.89	4.42
22686	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	7.7	1.6	0.5	21.5	0.9	4.51	4.41
2849, SV	1	0.0	4.0	1.0	0.0	23.0	3.0	5.80	4.49	19	0.0	2.2	0.9	0.2	22.9	3.2	5.01	4.44
39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.3	0.5	0.4	24.1	1.6	6.09	4.38
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	0.9	0.4	24.2	2.7	5.52	4.26
323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.8	1.4	0.3	25.2	1.0	5.47	4.34
MISC EXP	8	0.0	1.1	0.4	0.1	26.4	2.9	5.34	4.30	8	0.0	1.1	0.4	0.1	26.4	2.9	5.34	4.30
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58
388, OSX	2	0.0	1.8	0.8	0.3	28.0	0.5	4.60	4.49	7	0.0	1.3	1.0	0.3	26.1	0.4	4.90	4.39
1421, HZ	2	0.0	2.0	1.3	1.5	23.5	2.0	5.40	4.48	7	0.0	1.1	1.4	0.6	24.6	1.6	5.49	4.40
16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.0	0.9	0.2	25.3	0.4	4.63	4.37
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	0.5	0.5	23.0	1.3	5.80	4.43
9014, BOS	5	0.0	0.3	0.2	0.0	24.0	1.0	4.88	4.29	6	0.0	0.3	0.2	0.0	24.0	1.0	4.98	4.33
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.0	0.8	0.2	23.8	1.0	5.54	4.39
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
328, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.3	0.5	0.3	23.0	1.3	5.17	4.54
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
316, C	1	0.0	3.5	0.5	0.0	24.0	1.5	5.90	4.40	2	0.0	3.3	1.0	0.3	23.5	2.5	5.95	4.46
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	1.5	0.8	22.5	1.8	5.75	4.36
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
211, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	1.5	22.0	2.0	5.50	4.52
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25

2015 Processing Tomato Season
PTAB Analysis (9/19/15) - Statewide by Variety



Variety Name	Week Ending 9/19/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
2005, HZ	1	0.0	2.0	0.5	0.5	22.0	2.0	6.30	4.43	1	0.0	2.0	0.5	0.5	22.0	2.0	6.30	4.43
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
2506, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.0	23.0	5.0	6.10	4.43
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
3203, BOS (HYBRID)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
STATEWIDE	41,275	0.0	1.7	2.0	1.0	25.2	1.3	5.17	4.36	463,071	0.0	1.2	2.0	0.8	24.8	1.4	5.29	4.37