

2015 Processing Tomato Season
PTAB Analysis (9/26/15) - Statewide by Variety



Variety Name	Week Ending 9/26/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	83	0.0	1.1	1.7	0.7	24.8	2.4	5.80	4.34	46,781	0.0	0.8	1.3	0.7	24.8	1.8	5.48	4.39
8504, HEINZ	9,579	0.0	1.2	1.7	1.1	24.9	1.0	5.07	4.30	42,630	0.0	1.1	2.6	0.9	25.0	0.9	5.10	4.32
0319, DRI	1,828	0.0	1.3	0.9	0.5	24.6	2.0	5.44	4.35	35,837	0.0	1.3	1.7	0.5	24.6	1.9	5.83	4.35
0311, AB	818	0.0	1.7	0.9	0.3	23.9	1.6	5.45	4.30	31,677	0.0	1.8	2.0	0.6	23.5	1.5	5.72	4.33
5608, HZ	467	0.0	3.5	1.9	1.8	23.7	2.1	4.77	4.40	29,805	0.0	1.9	2.0	0.7	23.8	1.0	4.98	4.40
3887, HMX	1,399	0.0	3.2	4.7	1.2	25.9	1.3	5.19	4.38	21,808	0.0	2.2	3.2	0.8	25.9	1.2	5.29	4.38
1892, HMX	1,004	0.0	2.2	1.2	0.5	24.4	1.5	5.28	4.43	18,537	0.0	1.2	2.2	1.1	24.8	1.2	5.40	4.42
19406, UG	3,531	0.0	2.2	1.5	0.5	24.4	1.0	5.40	4.31	18,030	0.0	1.5	1.8	0.6	24.7	1.0	5.47	4.31
2401, HEINZ	1,921	0.0	2.1	2.2	0.8	24.4	1.3	5.06	4.31	17,495	0.0	1.3	2.6	0.9	24.7	1.2	5.08	4.32
6404, N	1,603	0.0	2.0	2.7	1.7	24.6	2.1	5.19	4.39	17,025	0.0	1.4	2.2	1.1	24.8	1.7	5.35	4.41
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15,857	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15,225	0.0	0.5	1.7	0.9	24.6	1.0	5.17	4.40
9905, HARRIS MORAN	2,608	0.0	1.1	2.9	1.8	25.1	1.4	5.08	4.44	13,431	0.0	1.0	2.3	1.5	25.4	1.1	5.10	4.43
6402, N	78	0.0	0.9	1.2	0.5	22.9	1.4	5.71	4.34	12,953	0.0	0.9	1.6	1.1	24.3	1.2	5.62	4.40
4707, HEINZ	631	0.0	1.5	2.2	0.4	24.9	0.7	5.11	4.37	10,857	0.0	0.6	2.6	1.1	25.1	0.8	5.00	4.36
1015, HEINZ	71	0.0	1.2	4.1	1.3	23.9	1.4	5.53	4.44	10,786	0.0	0.4	1.4	0.6	24.8	0.7	5.17	4.41
5508, HZ	1,405	0.0	0.7	0.9	0.4	24.7	0.6	4.56	4.34	9,257	0.0	0.6	1.4	0.4	24.9	0.5	4.74	4.34
6410, N	1,412	0.0	2.3	1.9	1.1	25.7	1.4	5.09	4.37	8,201	0.0	1.5	2.3	1.2	25.6	1.2	5.29	4.37
1161, HEINZ	252	0.0	0.7	1.1	0.3	25.5	1.8	5.51	4.27	7,614	0.0	1.1	2.2	0.6	25.2	2.7	5.67	4.34
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
5702, HZ	87	0.0	1.9	2.6	0.6	23.2	0.8	5.16	4.40	6,144	0.0	1.0	3.2	1.3	23.8	0.8	4.97	4.39
2, BP	604	0.0	2.2	4.6	1.4	25.3	1.5	5.43	4.44	4,999	0.0	2.1	3.4	1.5	25.9	1.7	5.03	4.48
255, CXD	106	0.0	0.7	1.1	0.3	26.8	1.2	4.95	4.26	4,630	0.0	1.5	0.7	0.4	24.8	1.6	5.17	4.37
6394, N	1	0.0	1.0	2.5	0.0	27.0	4.0	6.20	4.35	4,408	0.0	1.1	1.4	0.6	24.8	2.0	5.43	4.44
18806, UG	585	0.0	2.1	1.6	0.6	25.2	2.0	5.02	4.35	4,302	0.0	1.5	2.4	0.6	25.7	1.9	5.19	4.38
1292, HZ	19	0.0	1.7	1.9	0.7	23.1	2.2	5.03	4.45	4,255	0.0	1.1	1.4	0.5	23.1	1.9	5.52	4.47
9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,977	0.0	4.2	2.9	0.6	23.1	2.7	4.87	4.42
5701, HZ	137	0.0	0.6	1.2	1.1	23.8	0.7	5.13	4.32	3,735	0.0	0.7	2.5	1.5	24.4	0.8	4.84	4.32
1293, HZ	12	0.0	1.0	2.5	0.9	24.4	1.6	5.22	4.43	3,642	0.0	1.2	1.8	0.5	23.9	1.2	5.52	4.46
7885, HMX	399	0.0	0.5	1.2	0.2	25.1	0.5	4.70	4.43	3,487	0.0	0.7	1.1	0.2	25.5	0.8	4.92	4.52
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,469	0.0	0.7	1.6	1.0	26.9	1.9	4.84	4.34
206, BQ	798	0.0	1.9	1.3	0.7	24.4	2.3	5.51	4.34	3,355	0.0	1.2	0.9	0.5	25.3	1.9	5.47	4.31
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,337	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
1170, HEINZ	594	0.0	1.2	1.4	1.1	25.5	0.8	5.16	4.38	3,045	0.0	1.0	1.9	1.1	25.8	0.8	5.35	4.36

2015 Processing Tomato Season
PTAB Analysis (9/26/15) - Statewide by Variety



Variety Name	Week Ending 9/26/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1308, HZ	39	0.0	2.1	1.0	4.2	21.9	2.4	5.84	4.43	3,011	0.0	1.3	2.8	0.8	22.8	2.5	5.40	4.50
205, BQ	56	0.0	3.0	0.9	0.2	23.4	2.8	6.02	4.38	2,991	0.0	1.4	1.0	0.4	24.6	1.9	5.59	4.34
3888, HMX	418	0.0	1.6	2.9	0.9	27.2	1.2	5.51	4.43	2,627	0.0	1.6	1.9	0.6	26.7	1.1	5.50	4.45
6407, N	1,111	0.0	0.9	1.8	1.4	25.2	1.1	5.47	4.32	2,599	0.0	0.9	1.3	1.2	25.8	1.1	5.41	4.34
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,490	0.0	0.6	1.9	0.3	24.0	1.9	5.45	4.34
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,128	0.0	0.5	1.3	0.7	28.6	0.9	4.81	4.32
1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,127	0.0	1.1	3.2	1.3	23.8	0.8	4.93	4.46
9780, HEINZ	649	0.0	1.9	1.7	0.5	25.2	1.7	5.14	4.32	1,905	0.0	1.7	2.3	0.8	25.0	1.5	5.39	4.32
3402, HEINZ	1,059	0.0	1.4	3.5	2.7	24.4	0.7	4.97	4.41	1,832	0.0	1.0	3.5	2.9	24.9	0.7	4.97	4.40
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
849, HYPEEL	165	0.0	0.5	1.9	3.3	25.3	0.8	4.66	4.28	1,773	0.0	1.9	1.1	0.9	25.8	0.8	4.91	4.34
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40
6415, N	374	0.0	1.1	1.3	1.0	24.8	1.1	5.06	4.31	1,703	0.0	1.2	1.7	0.6	24.8	1.1	5.12	4.36
142, BQ	253	0.0	3.1	4.3	1.3	24.2	4.1	5.18	4.41	1,688	0.0	2.3	2.0	1.1	24.4	3.4	5.16	4.42
6420, N	379	0.0	1.7	0.8	0.3	24.7	1.4	5.03	4.43	1,685	0.0	2.3	1.2	0.5	25.2	1.6	4.81	4.46
9494, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,574	0.0	1.4	3.4	1.3	24.4	1.2	4.81	4.38
2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,518	0.0	1.2	0.5	0.3	24.3	1.9	5.63	4.31
282, CXD	306	0.0	0.9	3.4	1.4	25.3	1.0	5.27	4.27	1,112	0.0	1.4	3.1	1.5	25.5	1.2	5.10	4.33
141, BQ	331	0.0	3.6	7.7	1.1	25.5	5.1	4.82	4.38	956	0.0	2.2	4.4	0.9	25.0	4.3	4.77	4.39
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	954	0.0	0.6	1.6	0.5	25.1	2.8	5.10	4.38
5234, IVF	42	0.0	0.8	1.0	0.6	24.1	1.7	5.66	4.21	921	0.0	1.9	1.2	0.6	24.7	2.2	5.15	4.33
UNCODED	141	0.0	2.7	2.3	0.9	25.3	2.2	5.18	4.37	913	0.0	1.7	2.8	0.9	25.0	1.5	5.35	4.38
8892, HEINZ	5	0.0	3.2	0.6	0.1	25.4	0.9	4.38	4.44	812	0.0	2.7	1.5	0.6	23.2	3.8	4.95	4.46
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	777	0.0	1.6	2.6	0.5	23.6	1.8	5.00	4.42
1424, HZ	5	0.0	2.2	0.4	0.2	23.8	1.7	5.98	4.30	715	0.0	0.9	1.7	1.0	26.4	2.4	5.30	4.34
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	715	0.0	0.9	2.4	1.8	26.2	1.8	4.94	4.35
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	673	0.0	0.4	0.5	0.3	25.4	1.6	5.30	4.28
67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	648	0.0	4.1	0.9	0.3	24.6	3.5	5.20	4.48
6385, N	43	0.0	2.3	1.2	0.2	27.2	1.3	4.46	4.40	580	0.0	1.7	1.5	0.3	26.5	1.1	4.61	4.41
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	576	0.0	1.2	0.9	0.3	24.3	1.5	5.60	4.35
303, HYPEEL	201	0.0	5.6	2.5	0.6	24.3	3.4	5.18	4.44	574	0.0	3.9	3.6	0.7	24.1	2.5	5.13	4.45
8004, HEINZ	207	0.0	1.9	1.9	0.2	24.2	1.5	5.43	4.43	553	0.0	1.4	2.1	0.3	24.0	1.4	5.63	4.41
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	504	0.0	0.2	1.0	1.0	26.1	0.9	4.94	4.24
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	0.5	1.0	0.6	25.3	2.2	4.99	4.37

2015 Processing Tomato Season
PTAB Analysis (9/26/15) - Statewide by Variety



Variety Name	Week Ending 9/26/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	454	0.0	0.6	1.1	0.2	24.2	1.2	5.22	4.39
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	423	0.0	1.5	1.3	0.4	25.8	2.8	5.17	4.46
4887, HMX	89	0.0	3.2	2.0	3.2	23.3	5.8	5.37	4.40	389	0.0	3.0	2.1	1.5	24.6	6.1	4.80	4.42
6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	372	0.0	0.9	0.5	0.3	25.2	0.6	5.70	4.35
3, AB	81	0.0	1.1	0.5	0.3	24.6	3.3	5.66	4.31	347	0.0	1.0	1.0	0.3	25.5	2.4	5.72	4.29
002, PX	176	0.0	2.7	2.2	0.7	25.6	2.2	4.81	4.30	312	0.0	3.4	1.8	0.5	25.8	2.4	4.92	4.33
8232, SV	26	0.0	2.1	3.1	2.4	24.2	3.4	5.70	4.29	309	0.0	1.4	1.1	0.7	23.6	3.0	5.14	4.37
2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	255	0.0	0.5	1.1	0.3	26.8	1.6	5.25	4.40
HEINZ TRIAL	13	0.0	2.4	0.6	0.5	23.8	1.2	5.46	4.38	209	0.0	1.6	2.1	1.0	24.0	1.6	5.10	4.41
1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	196	0.0	2.7	1.6	0.2	27.1	3.5	4.67	4.45
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.7	0.6	0.3	23.6	2.3	5.37	4.35
0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	1.2	1.3	0.7	25.0	3.7	5.89	4.36
3884, HMX	13	0.0	0.9	0.8	0.2	24.4	0.9	4.79	4.34	150	0.0	0.8	1.1	0.2	26.1	2.1	5.56	4.34
4909, HMX	4	0.0	2.4	0.4	0.0	24.5	0.9	6.03	4.26	144	0.0	2.2	0.6	0.4	25.1	0.8	5.81	4.30
7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	1.2	1.6	0.6	24.0	4.6	5.19	4.39
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	139	0.0	1.0	1.4	0.8	24.4	2.2	5.58	4.38
MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	1.6	1.1	0.3	23.8	1.1	5.34	4.36
9436, UG	46	0.0	3.0	0.7	0.4	21.8	2.1	5.15	4.39	125	0.0	2.7	1.1	0.5	22.2	2.4	5.32	4.40
257, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	1.9	1.4	0.4	24.3	0.9	5.17	4.47
6424, N	28	0.0	1.8	2.6	0.7	25.3	1.3	4.54	4.46	109	0.0	1.2	1.6	1.0	25.4	2.1	4.90	4.41
19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	0.5	0.3	0.2	25.1	1.2	5.32	4.42
2493, SV	51	0.0	2.0	2.8	2.3	25.1	2.4	5.02	4.34	96	0.0	1.5	1.7	1.3	25.1	1.9	4.91	4.35
1422, HZ	59	0.0	1.6	6.5	2.1	27.7	0.9	5.28	4.29	91	0.0	1.4	4.9	1.9	26.9	0.9	5.42	4.30
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.1	1.5	0.2	23.9	1.8	5.27	4.34
4907, HMX	2	0.0	1.3	0.5	0.5	27.0	2.5	5.80	4.45	80	0.0	0.3	1.7	2.3	32.4	0.7	4.94	4.31
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.8	1.2	0.1	25.0	1.5	6.06	4.42
0306, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.5	0.8	0.4	23.7	8.0	5.53	4.48
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.6	0.8	0.2	25.7	3.3	4.90	4.45
1311, HZ	4	0.0	1.0	1.0	0.0	23.8	2.4	5.50	4.33	51	0.0	1.7	1.0	0.2	22.9	1.2	5.61	4.33
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39

2015 Processing Tomato Season
PTAB Analysis (9/26/15) - Statewide by Variety



Variety Name	Week Ending 9/26/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	2.1	5.1	1.1	26.0	1.6	5.54	4.37
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.4	0.2	25.7	2.5	5.24	4.38
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.4	0.2	0.6	26.8	1.3	4.89	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
4886, HMX	6	0.0	2.3	0.7	0.2	23.8	1.3	5.90	4.38	28	0.0	2.0	1.3	0.5	24.8	2.3	5.89	4.41
327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
22686	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	7.7	1.6	0.5	21.5	0.9	4.51	4.41
2849, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	2.2	0.9	0.2	22.9	3.2	5.01	4.44
1428, HZ	18	0.0	0.5	0.4	2.3	22.6	0.7	4.97	4.33	18	0.0	0.5	0.4	2.3	22.6	0.7	4.97	4.33
39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.3	0.5	0.4	24.1	1.6	6.09	4.38
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	0.9	0.4	24.2	2.7	5.52	4.26
323, BQ	2	0.0	1.8	0.5	0.0	25.5	1.8	5.85	4.35	11	0.0	1.0	1.2	0.2	25.3	1.1	5.54	4.34
9014, BOS	4	0.0	0.3	0.0	0.1	24.0	0.5	4.88	4.31	11	0.0	0.2	0.1	0.0	24.0	0.8	4.96	4.31
16, BP	3	0.0	5.0	1.2	0.5	25.3	1.0	5.80	4.44	9	0.0	3.0	1.0	0.3	25.3	0.6	5.02	4.39
MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.1	0.4	0.1	26.4	2.9	5.34	4.30
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58
388, OSX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.3	1.0	0.3	26.1	0.4	4.90	4.39
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.1	1.4	0.6	24.6	1.6	5.49	4.40
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	0.5	0.5	23.0	1.3	5.80	4.43
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.0	0.8	0.2	23.8	1.0	5.54	4.39
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
328, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.3	0.5	0.3	23.0	1.3	5.17	4.54
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	3.3	1.0	0.3	23.5	2.5	5.95	4.46
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	1.5	0.8	22.5	1.8	5.75	4.36
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
211, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	1.5	22.0	2.0	5.50	4.52
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51

2015 Processing Tomato Season
PTAB Analysis (9/26/15) - Statewide by Variety



Variety Name	Week Ending 9/26/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	0.5	22.0	2.0	6.30	4.43
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
2506, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.0	23.0	5.0	6.10	4.43
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
3203, BOS (HYBRID)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45
3885, HMX	1	0.0	1.0	1.0	0.0	24.0	0.0	4.70	4.24	1	0.0	1.0	1.0	0.0	24.0	0.0	4.70	4.24
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
STATEWIDE	38,442	0.0	1.7	2.1	1.0	24.9	1.3	5.16	4.35	501,514	0.0	1.2	2.0	0.8	24.8	1.4	5.28	4.37