

2015 Processing Tomato Season
PTAB Analysis (9/5/15) - Statewide by Variety



Variety Name	Week Ending 9/5/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	1,077	0.0	1.2	1.4	1.1	25.2	2.0	5.13	4.38	44,853	0.0	0.8	1.3	0.7	24.8	1.8	5.49	4.39
5608, HZ	2,927	0.0	2.1	1.8	1.2	24.0	1.4	4.89	4.41	27,238	0.0	1.8	2.0	0.7	23.8	1.0	4.99	4.40
0311, AB	2,097	0.0	2.2	1.5	0.7	23.6	1.8	5.71	4.34	27,118	0.0	1.7	2.1	0.6	23.4	1.5	5.75	4.34
0319, DRI	4,020	0.0	1.8	1.6	0.4	24.9	2.2	5.80	4.38	27,095	0.0	1.3	1.9	0.5	24.5	1.8	5.90	4.36
8504, HEINZ	6,295	0.0	1.1	3.0	0.7	25.5	0.8	5.00	4.32	19,228	0.0	1.0	3.3	0.7	25.1	0.9	5.20	4.33
6416, N	12	0.2	2.0	1.2	0.4	27.0	1.5	5.17	4.46	15,858	0.0	0.3	1.8	0.6	25.5	1.0	4.92	4.31
3887, HMX	3,138	0.0	3.1	3.2	0.8	25.8	1.3	5.28	4.41	15,511	0.0	1.5	2.4	0.7	25.8	1.1	5.29	4.38
6397, N	1	0.0	2.5	2.5	0.0	24.0	1.5	5.10	4.37	15,225	0.0	0.5	1.7	0.9	24.6	1.0	5.17	4.40
1892, HMX	1,659	0.0	1.9	2.3	0.8	25.3	1.4	5.17	4.47	14,333	0.0	0.9	2.4	1.2	24.8	1.1	5.41	4.42
6404, N	500	0.0	2.1	1.2	0.8	24.8	2.3	5.26	4.44	12,910	0.0	1.0	2.1	0.9	24.7	1.6	5.39	4.41
6402, N	296	0.0	0.9	0.3	0.1	23.5	1.1	5.44	4.43	12,560	0.0	0.9	1.6	1.1	24.3	1.2	5.62	4.40
2401, HEINZ	2,781	0.0	1.3	2.3	0.7	25.0	1.4	5.11	4.35	11,569	0.0	1.0	2.5	0.9	24.7	1.1	5.06	4.32
1015, HEINZ	77	0.0	0.7	0.8	0.2	25.2	1.0	5.02	4.47	10,692	0.0	0.4	1.4	0.6	24.8	0.7	5.16	4.41
19406, UG	1,749	0.0	1.8	2.2	1.3	24.9	1.2	5.47	4.35	9,589	0.0	1.4	1.9	0.6	24.7	1.1	5.45	4.33
4707, HEINZ	1,411	0.0	0.6	2.1	1.1	24.6	0.9	5.24	4.37	8,436	0.0	0.5	2.7	1.2	25.2	0.8	4.99	4.36
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,687	0.0	0.6	1.2	0.6	26.0	1.3	4.48	4.39
1161, HEINZ	824	0.0	1.9	2.1	0.6	25.5	2.7	5.55	4.34	6,416	0.0	1.0	2.3	0.6	25.1	2.6	5.69	4.34
5702, HZ	996	0.0	0.9	3.7	1.3	23.9	0.7	4.99	4.39	4,767	0.0	0.8	3.5	1.5	23.6	0.7	4.98	4.38
6410, N	1,386	0.0	1.4	1.9	1.1	25.5	1.3	5.27	4.40	4,485	0.0	1.0	2.5	1.0	25.5	1.2	5.38	4.37
6394, N	286	0.0	3.0	1.0	0.3	24.6	1.9	5.14	4.50	4,407	0.0	1.1	1.4	0.6	24.8	2.0	5.43	4.44
255, CXD	878	0.0	2.1	1.1	0.7	25.2	2.2	5.13	4.39	4,213	0.0	1.5	0.6	0.4	24.6	1.6	5.15	4.37
1292, HZ	345	0.0	1.5	1.4	0.6	23.1	1.6	5.32	4.43	4,005	0.0	1.1	1.4	0.5	23.1	2.0	5.53	4.47
9905, HARRIS MORAN	1,834	0.0	1.0	2.6	1.4	25.6	1.2	5.12	4.44	3,474	0.0	0.8	2.3	1.2	25.2	1.2	5.13	4.44
410, APT	9	0.0	0.8	0.5	0.0	24.4	0.1	5.17	4.34	3,469	0.0	0.7	1.6	1.0	26.9	1.9	4.84	4.34
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,337	0.0	0.6	1.8	0.6	25.2	1.1	5.28	4.31
9663, HEINZ	478	0.0	6.4	3.2	1.1	24.0	2.7	4.65	4.40	3,226	0.0	3.4	2.6	0.5	23.0	2.7	4.92	4.42
2, BP	395	0.0	3.9	4.5	1.9	26.1	1.9	4.82	4.50	3,035	0.0	1.6	2.5	1.3	26.1	1.7	4.82	4.49
5701, HZ	900	0.0	0.9	2.6	1.9	24.4	0.8	4.81	4.33	2,973	0.0	0.7	2.5	1.5	24.5	0.7	4.80	4.32
1293, HZ	313	0.0	1.6	1.5	0.4	24.0	0.7	5.66	4.45	2,896	0.0	1.2	1.8	0.5	23.8	1.3	5.53	4.47
18806, UG	636	0.0	2.2	3.0	0.8	25.1	2.0	5.31	4.42	2,707	0.0	1.5	2.7	0.6	25.7	2.1	5.13	4.40
7885, HMX	351	0.0	1.0	1.2	0.2	25.8	1.1	4.86	4.57	2,699	0.0	0.7	1.1	0.2	25.6	0.8	4.93	4.53
1308, HZ	233	0.0	2.2	4.2	1.8	23.4	2.5	5.40	4.47	2,693	0.0	1.1	2.8	0.8	22.9	2.3	5.39	4.50
205, BQ	158	0.0	1.6	0.9	0.1	24.4	1.5	5.82	4.31	2,594	0.0	1.3	1.0	0.4	24.6	1.9	5.57	4.34
5508, HZ	1,498	0.0	0.4	1.3	0.2	25.0	0.3	4.82	4.35	2,583	0.0	0.4	1.5	0.2	24.8	0.4	4.90	4.34

2015 Processing Tomato Season
PTAB Analysis (9/5/15) - Statewide by Variety



Variety Name	Week Ending 9/5/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,490	0.0	0.6	1.9	0.3	24.0	1.9	5.45	4.34
0599, SV	1	0.0	9.0	5.5	4.0	26.0	1.0	5.20	4.51	2,127	0.0	0.5	1.3	0.7	28.6	0.9	4.81	4.32
1175, HEINZ	6	0.0	0.8	4.1	1.8	28.3	0.3	5.98	4.21	2,126	0.0	1.1	3.2	1.3	23.8	0.8	4.93	4.46
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	0.2	0.9	0.5	27.2	3.1	4.98	4.25
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,757	0.0	1.0	1.9	1.8	24.0	2.5	5.01	4.40
9494, HEINZ	284	0.0	3.0	6.5	1.9	26.5	2.0	4.74	4.43	1,544	0.0	1.4	3.4	1.3	24.4	1.2	4.81	4.38
2, AB	70	0.0	1.1	0.5	0.2	25.4	2.7	5.21	4.30	1,311	0.0	1.0	0.5	0.3	24.1	1.7	5.75	4.31
206, BQ	441	0.0	1.5	1.2	0.6	25.6	1.5	5.52	4.33	1,310	0.0	1.0	0.7	0.4	25.2	1.6	5.36	4.32
1170, HEINZ	171	0.0	1.5	3.5	1.6	25.8	0.4	5.30	4.35	1,235	0.0	0.8	1.8	0.5	25.9	0.8	5.49	4.36
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	954	0.0	0.6	1.6	0.5	25.1	2.8	5.10	4.38
3888, HMX	529	0.0	1.9	1.8	0.4	26.8	1.1	5.44	4.49	811	0.0	1.5	2.0	0.4	26.7	1.1	5.54	4.48
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	777	0.0	1.6	2.6	0.5	23.6	1.8	5.00	4.42
142, BQ	110	0.0	3.5	1.7	0.7	24.8	2.3	4.67	4.47	771	0.0	1.4	1.1	0.6	24.4	2.7	4.97	4.42
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	715	0.0	0.9	2.4	1.8	26.2	1.8	4.94	4.35
849, HYPEEL	603	0.0	2.2	1.2	0.8	25.9	0.6	4.93	4.37	708	0.0	2.0	1.3	0.7	26.0	0.6	4.94	4.36
5234, IVF	183	0.0	2.1	0.9	0.6	25.0	1.8	4.86	4.40	706	0.0	1.5	0.8	0.4	24.3	2.2	5.12	4.33
8892, HEINZ	20	0.0	3.6	2.3	0.8	23.9	4.0	4.73	4.44	688	0.0	2.4	1.5	0.4	23.1	3.6	4.97	4.46
1893, HMX	20	0.0	1.2	1.0	0.3	24.5	1.2	5.16	4.43	675	0.0	0.4	0.5	0.3	25.4	1.6	5.30	4.28
67212, BOS	45	0.0	2.1	1.0	0.4	25.0	2.3	5.80	4.42	648	0.0	4.1	0.9	0.3	24.6	3.5	5.20	4.48
6415, N	193	0.0	1.8	2.3	0.4	25.1	0.8	4.78	4.37	629	0.0	1.2	1.8	0.4	24.2	1.0	5.20	4.40
6420, N	138	0.0	2.9	2.6	0.5	25.4	1.4	4.69	4.50	610	0.0	2.8	1.7	0.7	25.5	1.6	4.76	4.48
1424, HZ	83	0.0	1.8	0.7	0.1	24.8	2.1	5.62	4.38	600	0.0	1.0	1.8	0.9	26.7	2.4	5.14	4.35
8516, SV	78	0.0	1.4	0.9	0.1	25.5	1.6	5.43	4.34	562	0.0	1.2	0.9	0.3	24.3	1.6	5.57	4.35
UNCODED	142	0.0	2.3	4.4	1.1	24.2	1.8	5.30	4.43	540	0.0	1.2	2.9	0.7	24.6	1.3	5.47	4.38
6407, N	351	0.0	1.2	0.7	0.5	26.4	0.9	5.25	4.41	519	0.0	1.0	0.5	0.5	26.2	1.3	5.14	4.40
141, BQ	23	0.0	2.2	11.3	1.0	27.3	6.1	5.03	4.38	514	0.0	1.2	2.0	0.5	24.6	3.6	4.69	4.40
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	504	0.0	0.2	1.0	1.0	26.1	0.9	4.94	4.24
6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	0.5	1.0	0.6	25.3	2.2	4.99	4.37
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	454	0.0	0.6	1.1	0.2	24.2	1.2	5.22	4.39
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
9780, HEINZ	174	0.0	1.2	1.2	0.3	24.8	1.7	5.46	4.36	358	0.0	0.9	5.0	1.0	24.6	1.4	5.60	4.32
6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	346	0.0	1.3	1.7	0.4	25.9	0.7	4.72	4.40
282, CXD	106	0.0	2.2	2.3	0.5	27.7	1.7	4.49	4.39	282	0.1	1.5	1.2	0.5	25.7	1.3	4.63	4.35
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	1.1	1.4	0.2	25.7	2.8	5.23	4.47

2015 Processing Tomato Season
PTAB Analysis (9/5/15) - Statewide by Variety



Variety Name	Week Ending 9/5/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
303, HYPEEL	19	0.0	4.1	6.0	1.4	26.6	2.8	4.83	4.45	268	0.0	1.9	4.7	0.7	23.4	1.4	5.20	4.43
6368, SUN	7	0.0	0.1	0.8	0.1	32.0	1.1	4.60	4.37	263	0.0	0.3	0.4	0.2	24.6	0.4	5.89	4.34
8232, SV	1	0.0	2.0	1.5	1.0	25.0	0.5	5.20	4.43	235	0.0	1.1	0.7	0.3	23.5	2.5	5.06	4.37
2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41
3, AB	53	0.0	0.8	1.9	0.6	28.1	3.0	6.42	4.26	228	0.0	0.6	1.1	0.2	25.7	2.0	5.71	4.29
1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	196	0.0	2.7	1.6	0.2	27.1	3.5	4.67	4.45
8004, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	0.5	1.8	0.3	23.5	1.4	6.06	4.38
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	0.6	0.2	23.5	2.3	5.36	4.35
0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
HEINZ TRIAL	35	0.0	1.3	0.6	1.7	24.6	1.9	4.45	4.41	153	0.0	1.0	1.8	1.1	24.1	1.7	5.01	4.40
296, BQ	32	0.0	0.8	0.5	0.7	24.9	0.6	5.65	4.25	150	0.0	1.2	1.3	0.7	25.0	3.7	5.89	4.36
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	139	0.0	1.0	1.4	0.8	24.4	2.2	5.58	4.38
4909, HMX	42	0.0	4.5	0.4	0.5	25.1	1.5	5.02	4.45	139	0.0	2.2	0.6	0.4	25.2	0.8	5.80	4.30
MIX	11	0.0	1.3	2.5	0.1	24.7	1.2	4.96	4.44	115	0.0	1.5	1.0	0.3	23.7	1.1	5.36	4.36
3884, HMX	15	0.0	1.3	0.3	0.2	24.7	3.2	5.15	4.43	115	0.0	0.8	1.0	0.3	26.2	2.2	5.69	4.36
19910, UG	14	0.0	0.6	0.3	0.3	24.1	0.6	5.95	4.33	101	0.0	0.5	0.3	0.2	25.1	1.2	5.32	4.42
7776, NDM	69	0.0	1.3	1.9	1.0	23.8	6.1	5.06	4.44	95	0.0	1.2	1.9	0.8	23.7	4.8	5.35	4.40
31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.7	0.3	0.3	23.4	1.1	5.14	4.44
257, BQ	40	0.0	1.3	1.4	0.3	25.0	0.6	5.11	4.44	86	0.0	1.3	1.4	0.3	24.3	0.9	5.23	4.46
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.1	1.5	0.2	23.9	1.8	5.27	4.34
4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	0.3	1.7	2.4	32.6	0.7	4.92	4.31
650, PS	62	0.0	0.8	1.3	0.1	25.1	1.3	6.13	4.42	75	0.0	0.8	1.2	0.1	25.0	1.5	6.06	4.42
0306, AB	5	0.0	2.3	0.6	0.2	26.2	1.5	4.46	4.49	63	0.0	1.5	0.8	0.4	23.7	8.0	5.53	4.48
9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.5	0.7	0.4	26.0	0.6	4.50	4.39
4887, HMX	17	0.0	3.6	5.7	1.8	25.5	8.5	4.72	4.48	58	0.0	1.7	2.4	0.9	24.2	3.7	5.06	4.36
30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.6	0.8	0.2	25.7	3.3	4.90	4.45
1311, HZ	4	0.0	4.0	0.8	0.4	22.3	2.1	6.35	4.33	46	0.0	1.8	1.0	0.2	22.8	1.1	5.60	4.33
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
6424, N	23	0.0	0.6	0.7	0.3	26.0	0.7	4.44	4.43	42	0.0	0.6	0.6	0.5	25.4	1.3	4.63	4.41
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	1.4	0.2	25.7	2.5	5.24	4.38
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.4	0.2	0.6	26.8	1.3	4.89	4.35
1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.2	1.6	1.1	29.4	0.4	4.54	4.28
2493, SV	18	0.0	1.3	0.5	0.1	25.7	2.0	4.31	4.44	33	0.0	1.1	0.3	0.1	24.7	1.2	4.64	4.37
1310, HZ	10	0.0	2.0	11.6	0.8	29.2	1.6	5.30	4.33	24	0.0	1.8	5.3	1.3	26.3	2.1	5.52	4.37

2015 Processing Tomato Season
PTAB Analysis (9/5/15) - Statewide by Variety



Variety Name	Week Ending 9/5/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
327, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
4886, HMX	4	0.1	3.0	2.5	1.0	26.8	0.1	5.45	4.37	21	0.0	1.9	1.5	0.6	25.1	2.7	5.89	4.43
2849, SV	2	0.0	2.3	1.0	0.0	25.5	1.5	5.10	4.38	18	0.0	2.1	0.9	0.2	22.9	3.2	4.96	4.43
39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
1296, HZ	1	0.0	2.5	1.0	0.5	25.0	0.0	5.70	4.22	14	0.0	1.3	0.5	0.4	24.1	1.6	6.09	4.38
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	0.9	0.4	24.2	2.7	5.52	4.26
9436, UG	10	0.0	2.3	0.5	1.8	24.2	7.1	4.86	4.63	10	0.0	2.3	0.5	1.8	24.2	7.1	4.86	4.63
323, BQ	2	0.0	0.3	2.5	0.5	26.5	0.0	5.55	4.25	8	0.0	0.9	1.4	0.3	25.5	0.6	5.40	4.35
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.0	24.6	0.9	4.89	4.58
16, BP	4	0.0	2.5	1.1	0.1	25.5	0.3	4.63	4.39	6	0.0	2.0	0.9	0.2	25.3	0.4	4.63	4.37
1422, HZ	3	0.0	1.0	0.3	0.3	24.3	0.3	5.37	4.39	6	0.0	0.5	0.3	0.3	24.7	0.3	5.08	4.34
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	0.5	0.5	23.0	1.3	5.80	4.43
1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45
1421, HZ	3	0.0	1.0	2.0	0.2	24.7	1.8	5.53	4.34	5	0.0	0.8	1.5	0.2	25.0	1.5	5.52	4.37
8011, SV	1	0.0	1.0	2.0	0.0	23.0	1.0	5.60	4.38	5	0.0	1.0	0.8	0.2	23.8	1.0	5.54	4.39
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
328, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.3	0.5	0.3	23.0	1.3	5.17	4.54
388, OSX	1	0.0	2.5	1.0	0.0	24.0	0.0	4.70	4.35	3	0.0	1.0	0.8	0.2	25.0	0.0	4.83	4.33
29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	1.5	0.5	23.0	3.5	6.00	4.52
385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
2506, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.0	23.0	5.0	6.10	4.43
3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
3203, BOS (HYBRID)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.5	5.40	4.45

2015 Processing Tomato Season
PTAB Analysis (9/5/15) - Statewide by Variety



Variety Name	Week Ending 9/5/15									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55
52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
STATEWIDE	43,839	0.0	1.7	2.2	0.8	25.0	1.4	5.21	4.38	377,261	0.0	1.1	2.0	0.7	24.7	1.4	5.31	4.38