

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
BUTTE	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	338	0.0	2.2	1.4	1.0	25.6	1.0	4.92	4.50
BUTTE	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	1.5	9.2	3.0	26.1	0.6	4.59	4.36
BUTTE	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	2.2	8.7	2.4	25.8	0.7	4.66	4.36
BUTTE	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	207	0.0	2.4	8.4	3.1	25.4	0.8	4.81	4.39
BUTTE	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	2.0	10.0	2.9	26.2	1.0	4.83	4.34
BUTTE	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	96	0.0	1.6	11.0	2.9	26.0	0.7	4.58	4.40
BUTTE	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	2.1	2.2	1.4	25.7	0.6	5.01	4.38
BUTTE	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.0	3.0	1.2	1.2	26.0	1.4	4.62	4.42
BUTTE	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	4.2	1.6	0.4	25.2	1.7	5.20	4.44
BUTTE	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	5.2	3.1	0.6	25.2	2.9	5.50	4.47
BUTTE	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	2.7	1.2	0.9	24.7	1.2	4.52	4.47
BUTTE	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	6.0	1.6	0.9	26.0	0.9	5.44	4.34
BUTTE	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.4	6.2	3.8	25.6	1.1	4.36	4.41
BUTTE	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	6.6	4.4	1.0	25.0	3.4	5.51	4.46
BUTTE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,700	0.0	2.3	6.1	2.1	25.8	0.9	4.79	4.40
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,907	0.0	0.8	3.2	1.6	26.3	1.2	4.90	4.45
COLUSA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,320	0.0	1.6	2.7	1.4	25.3	2.1	5.32	4.39
COLUSA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,004	0.0	0.7	3.0	1.7	27.6	2.4	5.11	4.39
COLUSA	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,000	0.0	1.2	2.6	1.8	25.6	1.1	4.82	4.40
COLUSA	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,927	0.0	1.4	4.4	2.0	27.0	1.4	5.44	4.50
COLUSA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,467	0.0	1.2	2.0	1.0	26.0	2.5	5.57	4.38
COLUSA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,422	0.0	1.8	2.7	1.3	25.1	1.7	4.57	4.42
COLUSA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,416	0.0	1.3	1.9	0.9	28.0	1.5	4.91	4.45
COLUSA	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,208	0.0	2.1	3.8	2.1	26.0	1.0	4.58	4.32
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,043	0.0	0.8	2.9	1.3	27.8	2.9	4.67	4.41
COLUSA	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	883	0.0	0.7	3.1	1.9	24.8	0.6	4.85	4.35
COLUSA	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	860	0.0	0.9	3.4	1.2	26.8	2.3	4.83	4.52
COLUSA	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	846	0.0	2.5	4.3	1.2	24.9	0.6	4.89	4.33
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	824	0.0	0.6	1.8	1.4	25.8	1.2	4.97	4.44
COLUSA	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	675	0.0	0.5	3.2	1.1	28.0	2.3	4.83	4.41
COLUSA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	649	0.0	0.9	3.4	2.1	26.9	1.7	5.21	4.41
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	643	0.0	0.5	2.7	1.0	25.8	1.0	5.05	4.32
COLUSA	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	513	0.0	1.2	1.9	1.4	25.7	1.2	5.13	4.51
COLUSA	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	492	0.0	0.8	6.3	2.1	26.3	0.6	4.88	4.35
COLUSA	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	417	0.0	0.4	4.5	1.6	25.2	0.5	5.59	4.34
COLUSA	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	392	0.0	1.0	3.4	2.6	25.1	0.6	4.93	4.31
COLUSA	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	388	0.0	0.6	1.9	1.3	27.2	2.9	5.19	4.39
COLUSA	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	354	0.0	1.8	2.5	2.1	25.1	0.9	5.09	4.45
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	353	0.0	0.7	3.0	1.2	26.5	4.5	4.77	4.44
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	350	0.0	0.3	1.9	0.7	28.7	4.1	4.74	4.25
COLUSA	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	290	0.0	1.4	2.4	1.3	26.4	0.6	4.70	4.33

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	280	0.0	0.3	1.2	0.3	25.8	0.6	5.10	4.33
COLUSA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	272	0.0	0.8	2.6	1.2	27.1	3.6	5.32	4.35
COLUSA	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	1.7	1.0	0.3	28.1	0.5	5.54	4.24
COLUSA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	251	0.0	0.7	2.2	1.5	26.4	3.1	5.03	4.50
COLUSA	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	209	0.0	3.4	5.6	0.8	26.0	1.3	5.45	4.49
COLUSA	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	207	0.0	1.5	2.8	0.4	25.8	0.5	4.47	4.33
COLUSA	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	203	0.0	0.9	0.5	0.1	22.4	0.4	5.52	4.23
COLUSA	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	191	0.0	2.3	1.0	0.7	23.8	0.7	5.28	4.37
COLUSA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	189	0.0	0.8	1.0	0.7	28.0	0.4	4.77	4.44
COLUSA	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	180	0.0	1.3	5.6	1.8	25.9	2.7	5.19	4.43
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	1.6	4.8	1.6	27.3	1.9	5.08	4.39
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	0.5	3.1	1.6	29.7	2.5	5.09	4.42
COLUSA	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	93	0.0	3.7	1.5	2.6	25.2	0.9	4.73	4.42
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.4	1.0	0.7	27.2	0.9	5.12	4.29
COLUSA	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.6	2.4	0.7	27.3	0.6	4.59	4.37
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.4	1.3	0.8	25.2	1.8	5.56	4.30
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.9	7.1	0.7	27.8	0.8	4.54	4.28
COLUSA	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.1	0.2	0.2	24.5	1.1	6.14	4.39
COLUSA	16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.8	0.4	1.1	25.3	0.8	5.06	4.36
COLUSA	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.2	5.9	1.5	28.0	1.9	4.81	4.39
COLUSA	58871, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.8	1.2	0.0	26.8	0.4	5.17	4.34
COLUSA	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	1.0	0.3	26.8	0.9	4.42	4.34
COLUSA	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.1	1.8	0.9	0.3	26.2	0.5	5.38	4.37
COLUSA	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.0	0.5	0.0	26.0	0.3	5.03	4.33
COLUSA	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.0	0.8	0.0	23.3	1.5	4.53	4.41
COLUSA	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.2	0.5	0.7	24.3	1.2	4.63	4.29
COLUSA	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	4.5	0.2	0.0	25.7	1.7	4.77	4.41
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	26.0	1.5	5.60	4.47
COLUSA	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	24.0	0.0	5.80	4.65
COLUSA	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	25.0	0.5	4.90	4.36
COLUSA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29,505	0.0	1.2	3.0	1.5	26.3	1.6	5.02	4.40
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,610	0.0	0.3	0.6	0.1	24.7	1.6	5.60	4.34
CONTRA COSTA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,284	0.0	1.3	1.1	0.1	23.3	1.0	6.11	4.31
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	370	0.0	0.1	0.7	0.1	25.7	1.6	5.23	4.24
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	247	0.0	0.1	1.1	0.1	25.3	3.6	5.74	4.20
CONTRA COSTA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	242	0.0	0.4	1.1	0.0	23.2	0.9	6.32	4.33
CONTRA COSTA	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.3	0.3	0.1	26.2	1.2	5.68	4.33
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	177	0.0	0.1	0.4	0.0	24.3	0.5	5.95	4.35
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.2	1.1	0.1	24.3	0.6	5.66	4.24
CONTRA COSTA	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.5	2.9	0.5	25.5	0.7	5.20	4.24
CONTRA COSTA	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	1.1	2.7	0.4	26.5	0.4	5.39	4.40

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
CONTRA COSTA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.1	0.6	0.1	24.6	0.9	5.81	4.26
CONTRA COSTA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.2	0.6	0.3	22.6	0.5	5.81	4.42
CONTRA COSTA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.3	1.2	0.3	24.9	2.4	6.44	4.42
CONTRA COSTA	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.3	0.1	25.2	0.4	5.90	4.31
CONTRA COSTA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.4	0.0	23.3	0.3	5.48	4.36
CONTRA COSTA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.5	0.2	23.3	0.2	5.80	4.29
CONTRA COSTA	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	7.0	0.5	0.0	21.0	0.5	5.80	4.42
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.90	4.32
CONTRA COSTA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,639	0.0	0.5	0.9	0.1	24.5	1.4	5.74	4.32
FRESNO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16,012	0.0	1.6	1.8	0.6	23.3	1.9	6.05	4.35
FRESNO	6415, N	599	0.0	2.6	2.4	0.5	25.2	0.4	5.33	4.36	13,153	0.0	1.2	1.6	0.4	24.4	1.2	5.29	4.37
FRESNO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13,024	0.0	0.6	1.3	0.7	24.6	2.6	5.75	4.39
FRESNO	0319, DRI	30	0.0	1.5	1.0	0.1	23.5	3.5	6.48	4.44	10,170	0.0	1.7	1.5	0.4	24.5	2.6	6.04	4.41
FRESNO	1892, HMX	122	0.0	3.4	1.7	1.0	26.3	2.2	4.85	4.49	10,131	0.0	0.8	2.3	1.3	24.7	1.5	5.72	4.43
FRESNO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,930	0.0	2.3	2.1	0.8	23.8	2.1	5.18	4.42
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,085	0.0	0.2	1.8	0.7	24.3	1.6	5.26	4.30
FRESNO	8504, HEINZ	208	0.0	1.2	1.9	0.4	25.2	0.7	5.47	4.36	7,008	0.0	1.1	2.7	0.6	24.7	1.6	5.47	4.35
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,194	0.0	0.5	2.1	0.7	24.0	1.4	5.69	4.32
FRESNO	4707, HEINZ	198	0.0	2.1	1.5	0.4	24.3	0.4	5.46	4.40	6,098	0.0	1.2	2.7	0.6	25.6	1.0	5.35	4.40
FRESNO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,309	0.0	0.9	3.2	1.1	25.4	2.1	5.85	4.42
FRESNO	2401, HEINZ	700	0.0	3.1	1.9	0.5	23.6	0.8	5.27	4.34	5,117	0.0	1.8	2.4	0.6	24.2	1.5	5.36	4.37
FRESNO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,463	0.0	2.8	4.8	0.6	23.7	3.5	5.13	4.43
FRESNO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,264	0.0	0.8	0.8	0.3	25.2	1.3	5.21	4.55
FRESNO	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,217	0.0	1.5	1.3	0.3	23.6	1.1	5.56	4.35
FRESNO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,476	0.0	1.0	1.1	0.4	25.0	1.4	6.08	4.34
FRESNO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,369	0.0	0.5	1.0	0.4	23.8	1.4	5.43	4.42
FRESNO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,347	0.0	0.9	2.0	2.1	23.8	2.7	5.77	4.48
FRESNO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,272	0.0	1.0	1.8	0.6	23.7	0.9	5.68	4.47
FRESNO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,145	0.0	0.9	0.9	0.8	23.7	1.9	6.08	4.40
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,135	0.0	0.6	1.3	0.7	22.9	2.5	5.80	4.47
FRESNO	1428, HZ	40	0.0	1.7	1.7	0.2	22.7	0.2	5.40	4.41	1,751	0.0	1.0	2.3	0.4	23.3	0.8	5.05	4.36
FRESNO	5508, HZ	111	0.0	0.6	1.9	0.4	24.7	0.2	5.29	4.31	1,581	0.0	1.3	3.6	0.3	24.4	0.5	5.11	4.40
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,555	0.0	0.3	1.4	0.3	23.4	2.4	5.69	4.34
FRESNO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,369	0.0	1.7	0.7	0.6	24.8	3.0	5.42	4.44
FRESNO	6420, N	171	0.0	1.0	2.7	0.7	29.3	0.4	5.36	4.36	1,291	0.0	1.1	1.9	0.6	25.1	1.3	5.36	4.47
FRESNO	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,141	0.0	1.2	1.0	0.2	26.0	2.2	5.47	4.36
FRESNO	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,102	0.0	1.3	2.2	0.7	24.1	1.1	5.91	4.39
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	939	0.0	0.4	3.1	0.4	24.9	2.9	5.20	4.39
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	913	0.0	0.5	1.9	0.6	24.4	1.1	5.56	4.40
FRESNO	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	722	0.0	0.7	2.1	0.5	24.6	0.9	5.24	4.39
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	720	0.0	0.4	0.5	0.2	25.6	0.9	5.25	4.33

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	3888, HMX	59	0.0	2.2	3.4	0.6	27.8	1.0	4.93	4.46	691	0.0	1.1	2.1	1.5	24.4	2.0	6.19	4.48
FRESNO	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	679	0.0	0.4	1.6	0.3	24.1	2.0	5.99	4.41
FRESNO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	646	0.0	1.0	1.0	0.2	25.3	2.3	5.60	4.37
FRESNO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	634	0.0	1.2	0.9	0.5	24.8	2.2	5.97	4.39
FRESNO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	611	0.0	2.8	7.2	1.4	25.0	5.2	4.94	4.49
FRESNO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	549	0.0	0.6	2.6	0.4	24.4	0.5	4.91	4.34
FRESNO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	534	0.0	1.3	0.9	0.4	25.1	1.1	5.82	4.27
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	483	0.0	1.2	1.0	0.5	24.2	2.5	4.88	4.36
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	427	0.0	0.4	1.1	0.4	24.6	3.1	5.62	4.39
FRESNO	9905, HARRIS MORAN	141	0.0	0.6	1.5	0.2	25.6	0.4	5.14	4.47	370	0.0	0.7	1.9	0.4	25.6	1.3	5.37	4.48
FRESNO	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	327	0.1	1.4	2.4	0.3	24.4	0.7	5.46	4.47
FRESNO	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.9	2.1	0.5	24.3	0.8	4.76	4.36
FRESNO	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	314	0.0	1.6	1.7	0.7	25.7	2.5	6.75	4.41
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	1.4	0.5	23.1	1.7	5.07	4.33
FRESNO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	300	0.0	0.8	2.6	0.3	25.3	4.6	6.28	4.42
FRESNO	002, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	4.7	0.8	0.2	24.5	2.3	5.04	4.46
FRESNO	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	1.9	1.1	0.6	23.2	2.2	5.48	4.40
FRESNO	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.3	0.7	0.4	23.0	0.7	5.45	4.36
FRESNO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.3	1.8	0.5	25.2	3.1	5.97	4.28
FRESNO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	155	0.0	0.7	1.1	0.5	24.6	3.2	5.50	4.41
FRESNO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	151	0.0	1.7	1.6	0.4	24.5	1.2	6.00	4.32
FRESNO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.0	1.3	0.9	0.2	23.9	2.7	6.10	4.39
FRESNO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	133	0.0	4.9	2.6	0.3	24.5	2.2	5.28	4.46
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.2	0.5	0.4	24.2	4.0	5.59	4.32
FRESNO	6426, N	2	0.0	3.5	0.0	0.0	23.0	0.0	5.00	4.46	104	0.0	1.0	0.9	1.1	21.2	1.0	5.66	4.41
FRESNO	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	1.4	0.9	0.3	24.7	0.8	5.31	4.42
FRESNO	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	86	0.0	1.5	0.8	1.4	22.2	1.4	6.20	4.45
FRESNO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	2.1	0.6	0.5	24.3	5.1	6.30	4.38
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	1.0	0.7	25.5	1.1	5.68	4.25
FRESNO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	2.6	0.7	0.3	23.7	2.8	5.68	4.46
FRESNO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.8	6.9	0.5	24.4	1.6	5.71	4.57
FRESNO	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	1.9	0.6	0.4	24.3	0.6	5.25	4.42
FRESNO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.2	1.4	1.5	0.2	26.0	1.6	6.54	4.32
FRESNO	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	1.9	2.6	0.3	23.0	5.4	5.45	4.38
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	1.4	0.8	0.4	23.8	1.6	5.72	4.36
FRESNO	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	2.1	1.3	0.5	23.0	2.0	5.65	4.48
FRESNO	HEINZ TRIAL	29	0.0	2.3	0.9	0.2	23.9	0.8	5.74	4.42	39	0.0	2.0	1.0	0.8	24.0	1.2	5.74	4.40
FRESNO	16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.4	2.3	0.7	24.1	0.3	5.71	4.36
FRESNO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.3	1.2	0.4	23.2	1.5	6.03	4.41
FRESNO	9905, HEINZ	16	0.0	0.4	2.1	0.3	26.1	0.3	4.79	4.46	32	0.0	0.9	2.0	0.3	25.7	0.8	5.18	4.49

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.4	1.4	0.5	24.7	1.2	5.71	4.29
FRESNO	00241, BCSV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.2	6.9	0.5	25.6	0.7	5.67	4.48
FRESNO	217, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	3.8	1.0	23.2	5.8	5.99	4.47
FRESNO	1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	3.1	3.0	0.6	24.9	2.4	5.10	4.46
FRESNO	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	1.2	1.5	0.3	26.5	0.8	5.62	4.39
FRESNO	142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.6	0.8	0.2	23.7	4.9	5.19	4.45
FRESNO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	4.2	2.3	1.3	27.3	0.8	5.69	4.43
FRESNO	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	2.0	1.5	0.6	26.8	1.6	5.65	4.42
FRESNO	58871, HMX	6	0.0	1.2	2.3	0.3	27.2	0.3	5.63	4.37	18	0.0	1.3	1.5	0.2	26.8	0.6	5.89	4.35
FRESNO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.9	0.5	0.5	24.3	1.9	5.23	4.60
FRESNO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.5	1.9	0.5	24.3	1.4	5.75	4.38
FRESNO	5899, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.3	1.6	1.1	25.5	0.2	6.79	4.30
FRESNO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.1	6.0	0.3	24.2	3.6	5.50	4.50
FRESNO	2349, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.8	1.9	0.4	25.5	0.8	4.83	4.32
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.3	1.1	23.2	0.9	5.73	4.47
FRESNO	15212, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.6	2.3	0.8	25.5	0.6	4.70	4.33
FRESNO	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.4	2.8	1.6	26.2	2.4	5.00	4.42
FRESNO	1538, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.5	0.5	0.3	23.3	0.5	5.40	4.34
FRESNO	1539, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	2.1	0.0	23.0	2.0	5.40	4.38
FRESNO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	3.8	0.2	26.7	1.3	5.73	4.36
FRESNO	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	2.7	0.3	23.7	2.0	5.40	4.40
FRESNO	26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.2	3.3	0.7	23.3	3.5	5.33	4.48
FRESNO	28, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	4.8	0.0	26.3	3.5	5.40	4.38
FRESNO	2340, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	5.2	2.2	0.5	24.7	2.2	4.77	4.41
FRESNO	58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	2.8	0.3	24.7	3.8	5.73	4.42
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.0	0.5	0.0	24.0	2.5	5.85	4.45
FRESNO	8163, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.8	0.0	25.0	0.5	6.00	4.40
FRESNO	9015, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	1.5	0.8	24.0	1.5	4.60	4.39
FRESNO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	27.0	2.5	6.20	4.43
FRESNO	129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.5	5.40	4.37
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
FRESNO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.5	2.0	2.0	23.0	0.0	6.20	4.42
FRESNO	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	22.0	4.0	6.30	4.39
FRESNO	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	22.0	1.0	5.10	4.46
FRESNO	7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
FRESNO		2,432	0.0	2.2	2.0	0.5	25.0	0.7	5.31	4.37	156,153	0.0	1.2	1.9	0.7	24.3	1.8	5.60	4.39
GLENN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	449	0.0	1.9	4.4	2.2	24.8	0.8	4.78	4.41
GLENN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	416	0.0	3.3	4.0	1.6	26.3	2.8	5.55	4.43
GLENN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	0.3	1.8	1.4	26.8	0.7	4.83	4.44
GLENN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	1.3	3.9	1.0	24.7	0.6	4.75	4.31

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
GLENN	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	300	0.0	0.8	3.3	1.9	27.0	0.5	4.73	4.26
GLENN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	206	0.0	2.0	6.3	1.7	25.7	0.9	4.70	4.39
GLENN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	1.4	1.3	1.2	24.6	1.4	4.77	4.43
GLENN	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	1.9	4.2	1.8	25.7	0.7	4.70	4.34
GLENN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	114	0.0	0.7	1.8	3.2	26.4	2.4	5.12	4.45
GLENN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	3.3	6.4	2.8	26.2	1.8	5.92	4.47
GLENN	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.8	2.8	2.7	25.4	0.8	5.03	4.29
GLENN	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.9	9.9	2.1	26.4	3.3	5.94	4.49
GLENN		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,591	0.0	1.7	3.7	1.8	25.8	1.2	4.96	4.39
KERN	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,331	0.0	0.6	2.0	0.7	25.5	1.5	5.38	4.39
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,441	0.0	0.8	2.0	0.9	26.1	2.3	5.11	4.42
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,021	0.0	0.7	2.8	1.0	25.4	1.9	5.16	4.38
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,193	0.0	0.5	1.6	0.5	24.4	1.4	5.04	4.34
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,538	0.0	0.7	2.5	1.0	24.5	1.3	5.09	4.40
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,350	0.0	1.4	1.7	0.4	24.0	1.3	4.93	4.42
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,205	0.0	2.0	1.6	0.5	25.7	2.8	5.39	4.43
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	0.4	2.1	0.7	25.0	2.9	4.74	4.44
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	958	0.0	1.5	2.3	0.4	25.6	1.5	5.33	4.33
KERN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	468	0.0	1.7	2.3	0.5	27.3	1.4	4.82	4.42
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	0.9	0.9	0.2	25.9	1.1	5.11	4.36
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	275	0.0	0.4	1.1	0.4	25.4	1.9	5.38	4.44
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	1.0	0.7	0.2	24.6	0.6	5.00	4.36
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	0.3	0.6	0.4	24.4	0.6	4.70	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.2	3.0	0.3	24.5	1.8	5.24	4.36
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	189	0.0	0.9	0.4	0.2	23.1	0.7	5.47	4.35
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	0.2	3.0	0.4	25.4	2.4	5.39	4.36
KERN	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	1.2	0.5	0.5	25.7	1.1	5.55	4.30
KERN	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	160	0.0	0.3	1.6	0.2	25.3	3.2	5.39	4.48
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	0.3	1.2	0.8	24.6	0.8	4.81	4.26
KERN	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	1.7	1.9	0.6	25.6	2.3	5.99	4.44
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.8	2.7	0.5	25.4	1.6	5.62	4.49
KERN	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	3.0	1.1	0.3	23.2	0.8	5.14	4.43
KERN	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	1.4	2.1	0.1	28.8	1.9	4.59	4.41
KERN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	2.8	0.4	24.9	2.7	5.23	4.45
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	2.0	5.20	4.25
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	1.0	26.0	0.0	4.80	4.39
KERN		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25,809	0.0	0.8	2.0	0.7	25.3	1.8	5.18	4.39
KINGS	8504, HEINZ	1,058	0.0	0.5	2.6	0.5	25.3	0.3	4.89	4.29	21,203	0.0	0.9	2.1	0.6	23.9	0.6	5.31	4.32
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,843	0.0	0.2	1.9	0.7	25.5	1.7	4.98	4.32
KINGS	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,668	0.0	0.9	1.3	0.4	24.5	1.1	5.66	4.46

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,938	0.0	1.1	2.1	0.6	24.3	1.3	5.01	4.40
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,177	0.0	0.8	1.6	0.4	24.8	2.7	5.80	4.41
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,119	0.0	0.3	2.8	0.6	25.7	1.4	5.28	4.32
KINGS	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,941	0.0	1.2	2.1	0.4	25.2	2.2	5.94	4.36
KINGS	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,696	0.0	1.2	3.0	0.5	25.4	1.4	5.73	4.40
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,297	0.0	0.4	2.0	0.7	24.3	2.5	4.63	4.43
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,040	0.0	1.0	0.9	0.5	25.0	1.5	5.42	4.36
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	964	0.0	0.3	3.3	0.7	24.7	1.1	5.41	4.40
KINGS	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	812	0.0	2.6	1.8	0.6	23.8	0.9	5.36	4.34
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	708	0.0	0.5	3.3	1.3	24.4	2.0	5.21	4.43
KINGS	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	698	0.0	2.0	1.9	0.7	27.1	2.4	5.17	4.34
KINGS	UNCODED	55	0.0	0.6	1.3	0.3	24.7	0.4	5.03	4.31	676	0.0	1.3	2.0	0.6	25.2	1.0	5.41	4.39
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	429	0.0	1.6	0.7	0.2	24.6	1.4	5.61	4.47
KINGS	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	424	0.0	0.8	2.6	0.5	24.7	2.0	5.61	4.32
KINGS	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	416	0.0	0.5	1.1	0.3	25.8	3.2	5.97	4.32
KINGS	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	402	0.0	1.8	2.7	0.5	25.6	1.0	5.24	4.31
KINGS	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	351	0.0	1.9	1.4	0.5	24.5	0.5	5.66	4.36
KINGS	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	265	0.0	3.7	1.4	0.3	24.3	3.1	5.24	4.42
KINGS	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	257	0.0	1.9	3.1	0.8	24.2	0.7	4.99	4.35
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	227	0.0	1.1	2.4	0.4	23.5	1.1	5.96	4.34
KINGS	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	225	0.0	5.6	1.4	0.6	24.7	4.2	5.57	4.45
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.9	3.2	0.6	26.0	3.2	4.77	4.38
KINGS	2756, SV	33	0.0	1.4	3.1	0.7	27.5	0.5	5.08	4.38	211	0.0	1.5	2.5	0.7	24.8	0.7	5.26	4.43
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	0.5	1.3	0.3	24.3	4.1	5.51	4.51
KINGS	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	6.1	1.8	0.4	25.5	1.4	5.12	4.42
KINGS	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	148	0.0	2.5	4.8	0.4	22.3	3.4	5.85	4.44
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	0.1	1.4	0.4	23.6	1.6	6.25	4.30
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.5	1.4	0.6	22.4	1.5	5.91	4.45
KINGS	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.4	0.5	0.1	26.1	1.0	5.29	4.54
KINGS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	0.7	1.8	0.6	26.9	1.6	5.52	4.30
KINGS	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	5.6	1.9	0.6	24.5	2.1	4.84	4.43
KINGS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	2.3	0.7	0.2	24.0	0.8	5.90	4.37
KINGS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.1	1.8	0.8	0.5	30.5	0.9	5.30	4.35
KINGS	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.9	1.0	0.3	27.0	2.8	6.66	4.43
KINGS	16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.4	1.9	0.4	22.6	0.3	5.34	4.35
KINGS	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	1.2	4.6	1.0	26.2	2.9	5.25	4.37
KINGS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.1	5.8	1.9	0.5	24.5	1.5	5.18	4.38
KINGS	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.1	2.0	0.9	0.7	29.9	0.9	5.43	4.34
KINGS	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	5.0	2.8	0.8	23.7	1.3	4.56	4.36
KINGS	5899, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.9	1.9	1.5	23.9	1.1	6.65	4.34
KINGS	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.4	0.9	0.3	26.8	1.9	4.84	4.47

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	3.3	1.9	1.2	26.4	3.3	4.68	4.45
KINGS	1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.0	0.0	23.0	1.5	5.40	4.47
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	1.8	0.5	25.0	3.0	5.20	4.48
KINGS	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	5.0	1.5	1.0	24.0	0.5	5.30	4.47
KINGS	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	3.0	1.0	24.0	1.5	5.00	4.33
KINGS		1,146	0.0	0.6	2.5	0.5	25.4	0.3	4.90	4.29	58,497	0.0	0.9	2.1	0.6	24.6	1.3	5.36	4.36
MADERA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,189	0.0	1.7	3.3	1.4	24.9	1.6	5.25	4.49
MADERA	8504, HEINZ	66	0.0	1.0	3.4	0.3	24.9	0.6	4.80	4.34	2,133	0.0	1.8	1.7	0.2	24.5	0.9	4.77	4.32
MADERA	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,437	0.0	1.8	3.3	0.8	25.1	1.0	5.03	4.36
MADERA	19406, UG	82	0.0	2.3	3.0	0.8	24.9	0.8	5.09	4.34	873	0.0	2.6	2.5	0.2	24.7	1.0	5.28	4.36
MADERA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	756	0.0	1.5	8.2	2.4	26.9	1.4	5.23	4.43
MADERA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	510	0.0	0.6	2.9	1.3	24.0	4.8	5.65	4.48
MADERA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	2.9	5.7	1.2	26.0	1.5	5.55	4.45
MADERA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	461	0.0	1.2	0.9	0.2	24.4	1.0	4.93	4.37
MADERA	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	1.9	2.3	0.3	24.3	0.8	4.89	4.40
MADERA	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	319	0.0	0.9	1.3	0.2	27.0	1.6	5.13	4.32
MADERA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	275	0.0	1.4	2.1	0.3	24.8	1.4	4.73	4.34
MADERA	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	241	0.0	4.5	0.6	0.2	25.5	0.9	5.15	4.31
MADERA	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	240	0.0	8.5	1.6	0.3	25.1	1.2	5.15	4.57
MADERA	1175, HEINZ	44	0.0	2.1	1.9	0.3	23.2	0.6	4.80	4.51	220	0.0	2.0	1.0	0.2	23.0	0.6	4.73	4.54
MADERA	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	138	0.0	1.0	0.8	0.3	25.2	1.1	4.96	4.27
MADERA	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	3.2	2.3	0.8	26.2	3.3	4.33	4.45
MADERA	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	8.3	1.7	0.5	24.6	1.8	4.33	4.35
MADERA	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	3.7	1.4	0.4	24.6	1.4	4.65	4.38
MADERA	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	4.4	2.0	0.3	22.7	1.1	4.57	4.48
MADERA	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	3.5	0.7	0.1	24.8	0.7	4.54	4.48
MADERA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.5	4.8	0.1	24.6	1.8	5.05	4.37
MADERA	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.0	3.2	0.2	24.3	0.7	4.83	4.39
MADERA	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.0	5.8	0.0	27.7	0.3	5.03	4.38
MADERA	58871, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.5	6.0	0.2	26.7	1.0	5.30	4.34
MADERA	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.5	3.3	0.5	24.0	3.0	5.35	4.41
MADERA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.5	0.5	0.0	24.0	0.5	4.90	4.51
MADERA		192	0.0	1.8	2.9	0.5	24.5	0.7	4.92	4.38	10,997	0.0	2.0	2.9	0.8	25.0	1.4	5.08	4.40
MERCED	1892, HMX	79	0.0	0.3	2.8	4.1	27.9	0.5	5.26	4.35	5,960	0.0	1.2	2.6	1.8	24.6	2.3	5.53	4.48
MERCED	6410, N	69	0.0	0.6	3.3	0.7	28.1	0.4	5.33	4.39	4,867	0.0	1.8	3.3	1.6	24.6	1.9	5.38	4.43
MERCED	6415, N	112	0.0	1.8	0.5	0.3	23.8	0.5	4.67	4.36	3,644	0.0	0.9	1.3	0.4	24.0	1.3	5.07	4.36
MERCED	8504, HEINZ	193	0.0	1.9	2.2	0.2	24.7	0.4	4.80	4.34	2,790	0.0	0.7	2.1	0.7	24.9	0.8	4.96	4.29
MERCED	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,151	0.0	0.4	2.3	0.5	24.9	0.6	5.09	4.32
MERCED	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,132	0.0	1.7	2.1	1.0	23.2	1.9	4.90	4.42
MERCED	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,065	0.0	0.5	1.6	0.5	22.8	0.8	5.04	4.34

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,949	0.0	1.1	2.5	0.6	24.2	1.0	5.43	4.30
MERCED	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,894	0.0	0.8	2.5	0.9	24.1	3.7	5.71	4.47
MERCED	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,632	0.0	1.1	1.0	0.3	24.7	2.2	5.86	4.34
MERCED	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,578	0.0	1.0	2.7	0.7	24.8	1.0	4.85	4.30
MERCED	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,441	0.0	3.1	1.8	0.9	25.3	2.7	5.16	4.48
MERCED	5508, HZ	334	0.0	1.5	1.5	0.2	24.1	0.4	4.48	4.38	1,417	0.0	0.8	1.8	0.3	24.7	0.4	4.66	4.34
MERCED	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,191	0.0	0.5	1.7	1.3	24.0	0.9	5.14	4.36
MERCED	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,053	0.0	1.2	0.9	0.3	23.5	2.0	5.79	4.34
MERCED	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	886	0.0	0.3	2.2	1.1	24.1	0.7	5.04	4.36
MERCED	1175, HEINZ	116	0.0	3.3	1.9	0.5	23.7	0.7	4.71	4.56	776	0.0	1.7	0.7	0.5	23.2	0.8	4.86	4.51
MERCED	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	731	0.0	1.7	2.4	1.8	24.7	2.8	5.89	4.56
MERCED	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	700	0.0	1.9	6.5	2.0	25.1	5.6	5.05	4.44
MERCED	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	648	0.0	1.0	3.8	1.9	25.7	1.4	5.39	4.45
MERCED	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	639	0.0	1.0	1.4	0.5	25.3	0.6	5.43	4.32
MERCED	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	597	0.0	2.5	8.8	2.2	23.7	1.5	6.11	4.42
MERCED	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	484	0.0	0.4	2.5	2.7	25.8	1.1	4.83	4.35
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	0.1	0.6	0.3	24.6	1.3	4.98	4.27
MERCED	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	1.1	0.7	0.2	22.9	1.3	5.62	4.35
MERCED	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	254	0.0	1.1	0.5	0.3	24.4	0.6	5.09	4.39
MERCED	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	177	0.0	0.3	0.9	0.5	22.9	0.4	5.55	4.47
MERCED	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	1.8	1.3	0.7	22.8	1.2	5.73	4.51
MERCED	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	1.5	1.2	0.5	27.2	0.5	5.37	4.45
MERCED	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	1.8	3.1	0.6	24.0	1.4	4.68	4.27
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.4	0.4	0.4	22.7	2.9	5.58	4.42
MERCED	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	3.8	0.9	0.8	24.8	1.2	6.04	4.32
MERCED	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	4.3	0.9	0.1	24.5	4.1	5.22	4.47
MERCED	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	3.7	1.1	0.4	22.1	1.8	5.27	4.41
MERCED	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	1.4	3.7	2.1	24.0	2.2	5.69	4.40
MERCED	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	3.1	1.0	0.2	26.9	1.1	4.52	4.48
MERCED	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	3.6	0.3	0.1	27.1	0.2	4.21	4.40
MERCED	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.1	2.1	0.1	24.7	0.1	5.17	4.34
MERCED	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.7	2.8	1.2	23.4	2.4	5.75	4.36
MERCED	16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.1	1.5	0.7	0.1	24.6	0.6	5.33	4.42
MERCED	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.1	3.4	0.2	25.4	1.2	5.12	4.31
MERCED	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.0	24.5	0.3	5.70	4.36
MERCED	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	0.0	25.0	0.5	6.00	4.31
MERCED	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	3.0	1.5	25.0	3.0	5.90	4.26
MERCED	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	23.0	0.0	5.00	4.42
MERCED	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	2.0	2.5	24.0	1.0	6.20	4.37
MERCED	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.5	0.5	24.0	1.0	6.10	4.42
MERCED	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.5	1.0	24.0	1.0	6.80	4.25

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.0	1.5	22.0	1.5	5.80	4.21
MERCED	58871, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	3.5	1.5	21.0	1.5	6.20	4.41
MERCED		903	0.0	1.7	1.8	0.6	24.8	0.5	4.73	4.39	43,044	0.0	1.2	2.3	1.0	24.4	1.6	5.27	4.39
SACRAMENTO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	516	0.0	1.0	0.7	0.6	23.6	0.9	6.10	4.29
SACRAMENTO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	415	0.0	1.3	0.8	0.8	24.0	0.8	6.11	4.32
SACRAMENTO	9905, HARRIS MORAN	63	0.0	1.2	0.4	0.2	25.8	2.8	4.51	4.58	382	0.0	1.1	1.5	1.5	24.3	1.5	4.85	4.44
SACRAMENTO	19406, UG	50	0.0	1.0	0.2	0.2	24.0	1.1	5.46	4.46	340	0.0	1.0	0.3	0.2	22.8	0.9	6.10	4.37
SACRAMENTO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	283	0.0	0.6	0.3	0.4	23.6	0.7	5.50	4.44
SACRAMENTO	6394, N	113	0.0	2.2	0.4	0.2	23.6	1.0	5.84	4.44	223	0.0	1.4	0.6	0.3	23.4	0.9	5.91	4.39
SACRAMENTO	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	195	0.0	0.5	5.4	3.7	27.9	0.6	5.01	4.30
SACRAMENTO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.6	3.1	2.5	24.7	3.4	4.43	4.40
SACRAMENTO	3888, HMX	22	0.0	0.2	0.2	0.2	25.3	0.2	5.64	4.49	183	0.0	0.2	2.1	0.4	23.9	0.3	6.03	4.46
SACRAMENTO	6410, N	125	0.0	1.0	1.1	1.4	26.1	1.0	5.40	4.44	182	0.0	0.9	1.7	1.4	26.4	1.1	5.32	4.41
SACRAMENTO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	102	0.0	1.1	1.6	0.8	26.3	1.1	5.40	4.27
SACRAMENTO	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	90	0.0	0.9	6.0	5.4	25.5	0.5	5.23	4.35
SACRAMENTO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	1.0	0.5	0.4	25.7	0.1	5.79	4.22
SACRAMENTO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	1.0	1.4	0.7	25.4	0.3	5.58	4.36
SACRAMENTO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.9	0.5	0.4	24.8	0.7	5.91	4.26
SACRAMENTO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	1.2	0.5	0.2	22.4	1.0	5.83	4.48
SACRAMENTO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.3	0.6	0.7	21.8	0.2	5.74	4.40
SACRAMENTO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	1.1	1.1	0.4	24.9	1.4	5.85	4.32
SACRAMENTO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.8	3.5	1.0	23.2	5.0	4.50	4.37
SACRAMENTO	18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.1	4.9	1.7	30.4	1.3	5.05	4.29
SACRAMENTO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.6	0.7	0.3	23.2	0.4	5.53	4.31
SACRAMENTO	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	1.1	2.0	0.7	27.7	0.5	5.32	4.23
SACRAMENTO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.8	0.8	0.7	24.9	1.2	5.51	4.24
SACRAMENTO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.8	1.3	4.6	23.9	2.7	5.46	4.39
SACRAMENTO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	21.0	1.0	7.30	4.30
SACRAMENTO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	24.0	3.0	5.70	4.32
SACRAMENTO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	27.0	1.0	5.30	4.24
SACRAMENTO		373	0.0	1.4	0.6	0.6	25.0	1.3	5.41	4.47	3,599	0.0	0.9	1.5	1.1	24.4	1.0	5.61	4.36
SAN BENITO	0311, AB	99	0.0	1.6	1.6	0.8	25.5	1.0	5.69	4.25	1,094	0.0	1.3	1.7	1.0	24.5	1.8	5.76	4.28
SAN BENITO	273, BQ	40	0.0	0.3	1.3	0.8	27.1	1.2	5.72	4.24	40	0.0	0.3	1.3	0.8	27.1	1.2	5.72	4.24
SAN BENITO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.7	1.1	0.8	26.1	1.1	4.39	4.29
SAN BENITO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	5.0	6.20	4.20
SAN BENITO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	1.5	21.0	2.5	4.30	4.39
SAN BENITO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	23.0	0.5	4.60	4.32
SAN BENITO	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.0	22.0	2.0	5.70	4.35
SAN BENITO		139	0.0	1.2	1.5	0.8	26.0	1.1	5.70	4.25	1,158	0.0	1.3	1.7	1.0	24.6	1.8	5.73	4.28
SAN JOAQUIN	0319, DRI	533	0.0	0.7	0.3	0.4	24.7	1.8	5.37	4.33	6,672	0.0	0.9	0.7	0.4	24.3	2.0	5.59	4.36

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	8504, HEINZ	686	0.0	0.2	2.1	0.4	25.9	0.3	5.26	4.24	4,173	0.0	0.6	1.8	1.2	24.6	0.8	5.30	4.27
SAN JOAQUIN	1892, HMX	773	0.0	0.5	1.0	1.0	24.9	0.9	5.02	4.39	4,001	0.0	0.4	1.5	1.6	24.6	0.9	5.23	4.39
SAN JOAQUIN	6410, N	215	0.0	1.5	1.3	1.5	25.8	0.9	5.10	4.41	2,693	0.0	1.3	1.8	2.4	25.0	1.3	5.16	4.36
SAN JOAQUIN	6415, N	752	0.0	1.1	2.5	1.3	25.4	0.8	4.89	4.35	2,228	0.0	0.8	1.8	1.1	24.9	0.8	5.09	4.32
SAN JOAQUIN	19406, UG	344	0.0	1.1	1.8	0.8	25.8	0.3	5.51	4.28	2,058	0.0	0.6	1.2	0.4	24.2	0.6	5.59	4.27
SAN JOAQUIN	0311, AB	5	0.0	2.9	1.7	0.5	25.2	3.0	4.74	4.44	1,949	0.0	1.2	1.4	0.3	23.1	1.2	5.68	4.32
SAN JOAQUIN	1293, HZ	14	0.0	0.6	0.3	0.4	24.7	1.3	5.44	4.38	1,587	0.0	0.8	1.2	0.6	23.4	0.9	5.53	4.48
SAN JOAQUIN	3888, HMX	600	0.0	0.3	0.6	0.3	25.3	0.4	5.43	4.45	1,277	0.0	0.5	1.2	0.9	25.6	0.8	5.42	4.48
SAN JOAQUIN	9780, HEINZ	136	0.0	0.7	0.9	0.4	22.3	0.4	5.71	4.34	1,227	0.0	0.6	0.5	0.4	22.8	1.0	5.66	4.34
SAN JOAQUIN	5608, HZ	1	0.0	0.0	0.0	0.5	22.0	0.0	5.30	4.37	1,005	0.0	2.2	1.7	0.4	23.2	1.3	4.57	4.41
SAN JOAQUIN	9905, HARRIS MORAN	169	0.0	0.4	0.8	0.6	24.7	0.1	5.15	4.41	964	0.0	0.6	1.6	2.4	24.4	1.4	5.09	4.38
SAN JOAQUIN	5508, HZ	281	0.0	0.3	1.7	0.2	25.7	0.2	4.70	4.31	870	0.0	0.2	1.9	0.3	25.6	0.3	4.74	4.33
SAN JOAQUIN	3887, HMX	81	0.0	1.1	0.3	0.0	24.5	0.2	5.28	4.40	792	0.0	2.2	1.4	0.1	24.7	0.9	5.74	4.39
SAN JOAQUIN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	749	0.0	0.7	2.0	1.0	25.6	0.8	4.72	4.33
SAN JOAQUIN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	629	0.0	0.5	2.7	1.5	24.0	0.4	4.92	4.33
SAN JOAQUIN	4909, HMX	25	0.0	0.9	0.7	1.0	24.7	0.3	5.99	4.28	556	0.0	2.9	0.9	0.2	25.4	1.0	5.49	4.30
SAN JOAQUIN	6420, N	162	0.0	3.2	0.4	0.0	24.7	1.1	4.54	4.42	481	0.0	2.6	0.9	0.2	25.8	1.0	4.83	4.43
SAN JOAQUIN	1428, HZ	10	0.0	1.1	1.1	1.5	22.2	0.4	4.90	4.33	466	0.0	0.4	1.2	0.7	24.0	0.4	4.77	4.27
SAN JOAQUIN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	439	0.0	1.3	2.2	2.6	24.9	1.7	5.48	4.42
SAN JOAQUIN	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	427	0.0	0.2	2.6	1.4	25.6	0.3	4.75	4.28
SAN JOAQUIN	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	0.5	1.6	1.7	23.9	0.3	4.71	4.37
SAN JOAQUIN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	283	0.0	0.5	2.8	0.6	23.6	0.5	5.21	4.22
SAN JOAQUIN	4885, HMX	145	0.0	1.5	0.8	0.2	23.7	0.3	5.23	4.30	243	0.0	1.1	0.7	0.2	23.6	0.4	5.32	4.31
SAN JOAQUIN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	217	0.0	0.4	2.4	0.6	25.6	0.7	5.22	4.45
SAN JOAQUIN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	205	0.0	0.7	1.4	0.6	25.4	1.1	5.67	4.30
SAN JOAQUIN	UNCODED	131	0.0	1.5	3.6	1.2	26.2	1.7	4.59	4.42	179	0.0	1.4	3.2	1.5	25.3	2.1	4.91	4.39
SAN JOAQUIN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.6	0.2	0.1	22.6	1.0	5.28	4.32
SAN JOAQUIN	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.3	2.3	1.3	24.2	0.3	6.32	4.35
SAN JOAQUIN	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	0.4	0.5	0.4	22.8	0.4	5.17	4.48
SAN JOAQUIN	9436, UG	10	0.0	0.6	2.1	1.7	23.6	1.6	4.74	4.36	76	0.0	0.7	1.4	0.5	22.5	1.2	6.03	4.35
SAN JOAQUIN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.6	4.2	1.2	24.2	1.5	5.92	4.38
SAN JOAQUIN	8011, SV	16	0.0	1.4	0.1	0.1	23.1	0.5	5.49	4.32	65	0.0	1.4	0.1	0.0	22.4	0.5	5.06	4.38
SAN JOAQUIN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	0.2	0.4	0.3	23.2	1.1	5.38	4.39
SAN JOAQUIN	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.5	0.9	0.7	24.0	0.8	5.85	4.27
SAN JOAQUIN	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	1.5	4.3	0.9	23.9	4.0	4.66	4.35
SAN JOAQUIN	2303, SV	32	0.0	0.5	0.1	1.2	24.6	0.3	5.04	4.33	32	0.0	0.5	0.1	1.2	24.6	0.3	5.04	4.33
SAN JOAQUIN	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	3.1	0.5	26.6	0.6	5.21	4.32
SAN JOAQUIN	5655, SV	28	0.0	0.2	0.0	0.6	23.5	0.5	4.99	4.37	28	0.0	0.2	0.0	0.6	23.5	0.5	4.99	4.37
SAN JOAQUIN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.4	1.7	0.7	24.6	2.4	5.82	4.38
SAN JOAQUIN	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.3	2.2	0.3	26.3	1.6	5.33	4.25
SAN JOAQUIN	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.6	5.3	0.5	25.3	0.8	4.70	4.42

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	16609, UG	22	0.0	1.1	1.7	2.9	24.4	3.4	4.80	4.37	22	0.0	1.1	1.7	2.9	24.4	3.4	4.80	4.37
SAN JOAQUIN	6428, N	13	0.0	1.3	1.6	2.5	24.5	1.8	5.46	4.35	18	0.0	1.6	1.3	1.8	25.0	1.8	5.20	4.37
SAN JOAQUIN	LYCOMECH UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.0	10.5	1.9	27.4	0.5	5.52	4.22
SAN JOAQUIN	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.9	1.3	0.1	26.0	1.1	4.67	4.38
SAN JOAQUIN	5899, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.5	0.2	0.3	24.3	1.5	5.87	4.32
SAN JOAQUIN	10109, UG	2	0.0	1.5	1.8	0.8	25.0	1.3	4.35	4.36	15	0.0	0.6	1.0	1.2	24.6	2.3	4.58	4.38
SAN JOAQUIN	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.7	0.4	0.0	22.8	0.5	4.83	4.44
SAN JOAQUIN	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.6	2.5	0.9	27.0	1.1	5.08	4.48
SAN JOAQUIN	NEMA CRIMSON UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.0	6.7	1.6	24.6	0.3	4.89	4.18
SAN JOAQUIN	1662, HZ	8	0.0	0.9	1.2	1.0	24.0	0.7	5.68	4.26	8	0.0	0.9	1.2	1.0	24.0	0.7	5.68	4.26
SAN JOAQUIN	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	2.6	1.6	0.0	25.7	1.1	4.46	4.45
SAN JOAQUIN	24, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.7	1.9	0.2	27.2	0.9	4.70	4.45
SAN JOAQUIN	26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.6	0.8	0.0	26.8	1.6	4.18	4.43
SAN JOAQUIN	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.3	0.9	0.0	25.3	1.9	4.50	4.48
SAN JOAQUIN	28, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.8	0.5	0.2	27.8	2.7	4.68	4.42
SAN JOAQUIN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	4.1	1.5	33.4	0.3	4.66	4.26
SAN JOAQUIN	1539, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	0.8	0.1	24.2	0.9	4.38	4.42
SAN JOAQUIN	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	0.4	0.2	21.2	2.0	6.68	4.43
SAN JOAQUIN	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.0	0.4	0.0	23.8	1.5	5.18	4.33
SAN JOAQUIN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.3	1.0	1.0	27.0	1.0	4.57	4.39
SAN JOAQUIN	1538, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.5	1.0	24.0	1.5	4.65	4.32
SAN JOAQUIN	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.0	0.8	0.8	30.5	1.0	4.70	4.43
SAN JOAQUIN	8163, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.8	0.0	24.0	0.8	5.30	4.34
SAN JOAQUIN	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	23.0	2.0	4.50	4.48
SAN JOAQUIN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	1.0	0.5	25.0	0.5	6.30	4.30
SAN JOAQUIN	849, HYPEEL	1	0.0	0.0	0.0	0.5	25.0	1.0	5.30	4.20	1	0.0	0.0	0.0	0.5	25.0	1.0	5.30	4.20
SAN JOAQUIN	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	22.0	0.5	5.70	4.55
SAN JOAQUIN	19306, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	0.0	25.0	4.5	4.60	4.50
SAN JOAQUIN		5,195	0.0	0.8	1.4	0.7	25.1	0.7	5.15	4.35	37,671	0.0	0.9	1.4	1.0	24.4	1.1	5.32	4.35
SAN LUIS OBISPO	9905, HARRIS MORAN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.3	3.2	0.5	25.8	0.9	5.86	4.33
SAN LUIS OBISPO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	0.4	1.4	0.8	23.1	1.0	6.29	4.43
SAN LUIS OBISPO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.4	2.5	0.3	24.2	1.8	6.39	4.32
SAN LUIS OBISPO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.8	2.2	0.3	24.1	1.9	7.63	4.39
SAN LUIS OBISPO		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	0.4	2.3	0.5	24.5	1.1	6.20	4.37
SANTA CLARA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	503	0.0	1.0	2.8	1.6	24.9	3.5	4.79	4.32
SANTA CLARA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.5	0.8	0.2	23.5	2.7	5.11	4.31
SANTA CLARA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	521	0.0	1.1	2.7	1.6	24.9	3.5	4.80	4.32
SOLANO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,453	0.0	1.1	1.0	0.7	24.0	0.8	5.85	4.29
SOLANO	0319, DRI	78	0.0	0.4	0.2	0.1	25.5	1.2	5.29	4.29	2,169	0.0	0.7	0.6	0.6	24.1	1.2	5.92	4.31
SOLANO	19406, UG	74	0.0	1.0	0.4	1.5	24.6	0.7	6.32	4.21	1,106	0.0	0.6	0.5	0.5	23.2	0.6	5.73	4.24

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	849, HYPEEL	26	0.0	1.4	0.6	0.5	30.2	0.6	4.25	4.25	994	0.0	1.0	1.0	0.8	25.4	0.6	5.19	4.30
SOLANO	9905, HARRIS MORAN	122	0.0	0.3	0.7	0.8	25.2	1.3	5.58	4.49	935	0.0	0.5	0.9	1.0	25.0	0.6	5.40	4.40
SOLANO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	933	0.0	0.4	2.1	1.7	25.4	0.8	5.71	4.43
SOLANO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	931	0.0	0.8	1.3	1.3	26.4	1.8	5.62	4.37
SOLANO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	926	0.0	1.1	2.5	1.6	24.7	0.6	4.95	4.35
SOLANO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	818	0.0	0.6	0.7	0.4	25.0	1.1	5.56	4.32
SOLANO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	538	0.0	1.0	0.8	0.4	25.4	0.9	5.45	4.32
SOLANO	8504, HEINZ	106	0.0	0.2	1.9	2.1	23.7	1.2	6.23	4.34	476	0.0	0.3	2.8	1.3	24.2	0.7	5.31	4.29
SOLANO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	373	0.0	0.4	3.5	2.2	25.6	0.7	5.17	4.31
SOLANO	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	344	0.0	1.5	0.5	0.3	23.2	0.5	5.27	4.26
SOLANO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	321	0.0	1.1	0.9	0.7	25.5	0.4	5.25	4.34
SOLANO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	0.3	1.5	2.0	26.2	0.6	5.05	4.33
SOLANO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	261	0.0	0.3	7.3	2.3	25.5	0.5	4.91	4.35
SOLANO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	256	0.0	0.6	0.6	0.5	27.1	3.0	5.55	4.34
SOLANO	6420, N	65	0.0	1.9	0.4	0.7	25.4	1.1	5.20	4.37	228	0.0	1.2	0.8	0.8	25.6	1.0	5.04	4.38
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	209	0.0	0.4	0.7	0.4	25.2	2.4	5.30	4.41
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	199	0.0	0.5	0.6	0.4	29.2	0.7	5.22	4.28
SOLANO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	198	0.0	0.6	0.5	0.1	25.7	1.4	5.17	4.40
SOLANO	206, BQ	99	0.0	0.2	0.6	0.1	26.1	0.9	5.67	4.23	197	0.0	0.8	0.4	0.1	26.0	1.2	5.62	4.26
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	183	0.0	0.3	0.6	0.1	26.1	0.9	5.05	4.31
SOLANO	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	0.6	4.5	2.0	24.9	0.6	5.20	4.25
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.4	0.7	0.1	24.8	0.4	5.05	4.45
SOLANO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.0	0.4	4.8	2.0	25.8	0.2	5.39	4.28
SOLANO	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	128	0.0	1.2	0.6	0.3	24.7	0.6	6.04	4.35
SOLANO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	0.4	2.9	0.6	29.3	1.4	4.93	4.45
SOLANO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	0.7	0.6	0.4	23.7	0.7	4.87	4.28
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	0.4	0.6	0.3	27.2	1.6	5.94	4.23
SOLANO	1310, HZ	85	0.0	0.3	1.3	1.2	25.1	1.4	5.75	4.42	87	0.0	0.3	1.3	1.2	25.0	1.4	5.74	4.41
SOLANO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	1.1	0.5	0.4	23.9	0.7	5.75	4.22
SOLANO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	1.6	0.8	0.3	23.8	0.3	5.36	4.32
SOLANO	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.5	1.1	0.2	22.2	0.7	5.41	4.28
SOLANO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.0	0.1	24.7	1.6	5.29	4.36
SOLANO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.6	0.8	0.4	24.7	0.6	5.63	4.25
SOLANO	9905, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.9	0.2	0.3	23.6	0.4	5.30	4.43
SOLANO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.5	2.5	0.6	23.9	0.6	6.73	4.31
SOLANO	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.6	0.4	0.4	22.1	3.6	5.49	4.46
SOLANO	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.7	0.5	0.4	24.1	0.4	4.88	4.28
SOLANO	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.2	0.6	0.0	26.6	0.2	5.02	4.33
SOLANO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.1	0.3	30.8	1.5	5.57	4.27
SOLANO	5899, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.9	0.6	0.6	25.9	0.3	6.78	4.29
SOLANO	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.3	0.3	0.0	22.3	0.3	4.87	4.34

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	0.3	0.1	25.4	2.5	6.10	4.46
SOLANO	1539, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.0	0.3	0.5	22.3	0.1	4.78	4.49
SOLANO	58801, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.3	1.1	0.5	23.8	0.3	5.45	4.31
SOLANO	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.1	0.3	0.6	27.0	0.4	4.83	4.41
SOLANO	58871, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.5	0.6	26.0	0.1	6.58	4.28
SOLANO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.7	1.0	25.0	3.7	5.40	4.43
SOLANO	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	1.8	1.3	23.0	0.5	5.20	4.38
SOLANO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	2.0	0.0	24.0	3.0	5.00	4.48
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.5	0.5	2.0	2.0	26.0	0.0	5.40	4.25
SOLANO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	2.5	5.20	4.45
SOLANO	3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	4.0	1.0	23.0	0.5	6.50	4.30
SOLANO	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.0	21.0	1.5	5.80	4.38
SOLANO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	1.5	2.0	30.0	2.5	4.30	4.43
SOLANO	8846 HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	0.0	5.80	4.27
SOLANO		655	0.0	0.6	0.8	0.9	25.3	1.1	5.68	4.34	17,694	0.0	0.8	1.3	0.9	24.8	0.9	5.54	4.32
STANISLAUS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,132	0.0	1.5	0.8	0.3	23.2	1.1	5.83	4.30
STANISLAUS	0319, DRI	1	0.0	1.5	0.0	0.0	27.0	1.0	5.30	4.39	1,704	0.0	1.0	0.8	0.2	24.1	1.7	5.77	4.33
STANISLAUS	3887, HMX	15	0.0	2.0	2.4	0.3	24.3	0.6	5.54	4.28	1,177	0.0	0.9	1.1	0.4	25.1	1.1	5.53	4.33
STANISLAUS	19406, UG	168	0.0	1.1	1.4	0.1	24.4	0.5	5.15	4.29	1,074	0.0	1.3	3.0	0.1	25.3	0.7	5.20	4.30
STANISLAUS	1892, HMX	128	0.0	0.2	0.9	0.6	23.0	0.3	6.00	4.34	986	0.0	0.7	1.3	0.8	23.5	0.7	5.70	4.37
STANISLAUS	3888, HMX	2	0.0	1.5	0.0	0.0	22.5	0.0	5.80	4.39	725	0.0	0.3	0.7	0.2	24.4	0.8	5.67	4.46
STANISLAUS	8504, HEINZ	129	0.0	0.4	4.0	3.4	26.9	0.4	5.45	4.30	658	0.0	0.4	4.3	1.3	26.2	0.6	5.21	4.28
STANISLAUS	6415, N	62	0.0	0.3	1.2	2.5	26.1	0.5	5.70	4.30	562	0.0	0.3	1.7	0.7	25.4	1.0	5.35	4.28
STANISLAUS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	284	0.0	0.6	2.9	0.6	25.0	0.7	5.40	4.46
STANISLAUS	141, BQ	45	0.0	4.2	2.1	0.0	24.0	0.1	5.26	4.32	267	0.0	2.2	2.5	1.0	23.3	3.0	5.51	4.37
STANISLAUS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.4	1.0	0.5	23.0	0.7	4.96	4.30
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.4	0.5	0.0	23.1	2.3	5.59	4.46
STANISLAUS	6407, N	103	0.0	1.0	0.8	0.2	27.5	0.4	5.47	4.32	155	0.0	0.8	0.9	0.2	27.6	0.3	5.55	4.33
STANISLAUS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	145	0.0	1.0	1.5	0.2	25.0	1.2	4.79	4.46
STANISLAUS	206, BQ	63	0.0	1.2	0.3	0.2	25.3	0.9	5.49	4.35	115	0.0	0.9	0.6	0.2	25.6	1.1	5.58	4.33
STANISLAUS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	1.1	3.2	2.1	21.7	1.4	6.51	4.30
STANISLAUS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.1	2.1	0.6	24.1	1.0	6.00	4.44
STANISLAUS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.6	1.3	0.7	24.0	0.4	6.25	4.37
STANISLAUS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.5	1.1	0.3	24.5	0.9	5.50	4.23
STANISLAUS	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	6.9	3.0	0.1	22.6	2.8	5.33	4.36
STANISLAUS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	0.4	0.4	0.1	23.3	0.9	6.40	4.43
STANISLAUS	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	4.4	4.1	0.2	23.0	1.2	4.96	4.40
STANISLAUS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.6	1.4	0.2	23.5	1.5	5.35	4.37
STANISLAUS	4909, HMX	3	0.0	3.0	0.5	0.2	28.0	0.3	5.33	4.32	21	0.0	1.6	0.6	0.1	23.3	0.3	6.06	4.29
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.1	0.7	0.2	23.9	0.4	5.29	4.30
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.0	1.9	0.5	24.8	0.7	5.39	4.22

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STANISLAUS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	1.6	0.2	0.1	22.2	1.4	5.41	4.36
STANISLAUS	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.3	3.8	0.9	26.6	1.1	5.55	4.34
STANISLAUS	5899, HMX	2	0.0	1.3	0.5	0.3	26.0	1.3	6.00	4.34	12	0.0	1.7	1.9	0.1	26.4	0.9	5.48	4.35
STANISLAUS	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	2.5	0.6	0.1	22.7	1.7	5.05	4.43
STANISLAUS	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.7	0.6	0.1	23.4	0.4	5.87	4.35
STANISLAUS	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.4	1.9	0.1	24.6	1.7	5.35	4.38
STANISLAUS	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	2.1	1.6	0.1	26.0	0.7	4.81	4.45
STANISLAUS	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	0.7	0.3	24.7	0.3	6.10	4.24
STANISLAUS	6431, N	3	0.0	3.2	0.3	0.2	24.7	0.5	5.23	4.37	6	0.0	2.5	0.8	0.3	24.0	0.9	5.42	4.38
STANISLAUS	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.6	1.9	0.0	24.0	0.8	4.92	4.34
STANISLAUS	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.4	1.5	0.0	23.8	1.2	5.12	4.37
STANISLAUS	58871, HMX	3	0.0	1.3	2.8	0.7	29.3	0.3	5.20	4.28	5	0.0	1.4	2.1	0.6	27.0	0.3	5.54	4.31
STANISLAUS	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.9	0.8	0.0	26.0	4.6	5.25	4.37
STANISLAUS	1546, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.5	4.7	0.0	24.7	0.3	4.57	4.35
STANISLAUS	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.2	0.2	24.7	0.7	5.27	4.40
STANISLAUS	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.0	2.0	0.0	24.3	0.3	4.40	4.38
STANISLAUS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.3	1.3	0.3	24.0	1.0	5.95	4.35
STANISLAUS	1539, HZ	2	0.0	0.3	0.5	0.3	25.0	0.0	4.90	4.39	2	0.0	0.3	0.5	0.3	25.0	0.0	4.90	4.39
STANISLAUS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.5	0.0	22.5	1.0	5.85	4.40
STANISLAUS	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	1.0	0.5	25.0	1.5	4.90	4.41
STANISLAUS	1893, HMX	1	0.0	0.0	0.5	0.0	22.0	0.0	6.10	4.34	1	0.0	0.0	0.5	0.0	22.0	0.0	6.10	4.34
STANISLAUS	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	0.0	5.60	4.44
STANISLAUS	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	1.0	0.0	22.0	2.0	6.40	4.38
STANISLAUS		730	0.0	1.0	1.6	1.0	25.3	0.4	5.49	4.31	11,007	0.0	1.0	1.5	0.4	24.3	1.1	5.58	4.34
SUTTER	3888, HMX	23	0.0	1.9	3.7	0.6	29.5	0.9	4.81	4.37	2,254	0.0	1.2	4.1	1.6	27.0	1.4	5.51	4.48
SUTTER	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,674	0.0	1.2	1.8	0.8	24.8	1.8	5.80	4.36
SUTTER	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,606	0.0	1.3	4.3	2.0	25.2	0.5	4.77	4.39
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,324	0.0	1.2	1.8	1.8	26.8	2.0	5.16	4.43
SUTTER	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,285	0.0	1.7	2.9	1.1	24.7	1.0	5.31	4.39
SUTTER	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,108	0.0	1.7	1.1	0.9	24.6	1.7	4.89	4.40
SUTTER	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,096	0.0	1.7	3.3	1.3	25.4	1.5	5.53	4.35
SUTTER	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	946	0.0	2.3	2.7	1.1	26.0	1.5	5.55	4.42
SUTTER	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	782	0.0	1.4	3.5	2.0	25.7	0.9	4.88	4.36
SUTTER	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	728	0.0	1.8	3.4	2.2	24.1	0.8	5.00	4.35
SUTTER	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	685	0.0	0.7	4.8	1.3	27.6	2.0	4.94	4.52
SUTTER	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	617	0.0	2.2	3.2	2.0	25.1	0.9	4.77	4.36
SUTTER	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	494	0.0	0.4	2.9	1.4	26.5	2.3	4.74	4.42
SUTTER	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	440	0.0	1.3	2.1	1.1	23.3	1.7	5.43	4.38
SUTTER	9905, HARRIS MORAN	80	0.0	1.3	0.3	0.1	23.5	0.2	4.87	4.54	380	0.0	1.2	2.1	1.2	24.5	0.5	5.15	4.50
SUTTER	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	350	0.0	1.0	1.5	1.8	24.7	1.5	5.68	4.38
SUTTER	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	319	0.0	3.1	3.4	1.5	25.7	0.6	4.85	4.36

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	315	0.0	4.1	4.7	1.6	25.8	3.4	5.24	4.42
SUTTER	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	310	0.0	2.0	0.8	0.4	26.6	1.0	5.52	4.28
SUTTER	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	259	0.0	1.1	0.7	0.4	22.9	0.5	5.25	4.32
SUTTER	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	255	0.0	2.8	1.7	1.4	25.4	2.0	4.74	4.35
SUTTER	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	249	0.0	1.4	6.2	2.5	25.0	0.6	4.96	4.25
SUTTER	142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	239	0.0	1.9	0.8	0.2	24.5	2.9	5.50	4.42
SUTTER	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	199	0.0	4.1	4.4	2.0	24.1	0.5	5.70	4.33
SUTTER	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	177	0.0	1.1	1.5	1.9	25.9	2.7	5.29	4.49
SUTTER	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	145	0.0	2.0	2.2	1.4	26.3	1.1	5.14	4.40
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	138	0.0	0.4	1.2	1.1	24.6	1.1	5.16	4.51
SUTTER	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.9	3.9	0.9	26.8	1.0	5.57	4.38
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.5	3.4	2.7	25.5	1.2	5.03	4.31
SUTTER	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	1.0	1.6	2.2	26.5	0.8	5.05	4.33
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.5	0.7	0.5	25.6	3.8	5.03	4.34
SUTTER	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	95	0.0	0.7	1.0	0.3	24.6	0.3	5.73	4.35
SUTTER	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	1.6	2.5	0.7	26.8	1.1	5.42	4.46
SUTTER	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	90	0.0	2.3	0.9	0.5	24.1	2.5	5.72	4.45
SUTTER	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.9	2.4	0.3	24.8	0.5	5.75	4.31
SUTTER	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.1	2.2	0.4	0.2	24.5	0.6	5.89	4.42
SUTTER	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	2.2	2.7	2.6	26.1	2.3	5.05	4.46
SUTTER	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	2.6	1.8	2.3	25.9	1.7	4.96	4.44
SUTTER	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	2.7	3.3	1.9	24.6	1.5	5.66	4.42
SUTTER	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.5	0.6	0.6	24.9	2.6	5.43	4.33
SUTTER	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.8	0.4	0.4	26.3	0.8	5.22	4.50
SUTTER	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	2.2	0.3	0.3	25.4	0.7	5.70	4.37
SUTTER	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.7	0.4	0.6	24.9	1.3	5.34	4.31
SUTTER	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.4	2.8	1.5	26.2	1.0	4.89	4.38
SUTTER	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.3	0.3	0.5	23.2	1.9	5.19	4.36
SUTTER	1539, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	2.0	1.3	0.7	24.7	0.4	5.11	4.39
SUTTER	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	3.5	3.1	0.7	24.1	2.0	6.02	4.37
SUTTER	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	2.0	1.6	0.3	25.0	0.9	5.70	4.40
SUTTER	26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	3.6	1.4	0.9	24.6	1.5	5.19	4.41
SUTTER	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.3	1.3	0.9	25.5	1.0	4.83	4.36
SUTTER	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.0	2.6	0.7	26.4	0.6	5.38	4.42
SUTTER	5899, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.8	1.1	0.2	24.6	0.6	5.82	4.46
SUTTER	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.5	1.5	0.1	24.8	0.3	5.03	4.51
SUTTER	24, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.9	1.0	1.0	27.5	0.6	5.45	4.30
SUTTER	28, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.3	1.8	0.5	25.0	0.5	5.10	4.39
SUTTER	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
SUTTER	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	0.0	26.5	0.8	5.35	4.43
SUTTER	58801, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.5	1.3	0.3	29.0	1.3	5.65	4.38

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.0	24.0	0.5	5.50	4.45
SUTTER	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	23.0	1.5	5.10	4.52
SUTTER	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	25.0	0.5	5.10	4.43
SUTTER	1659, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	2.5	1.0	30.0	0.0	5.10	4.39
SUTTER	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	3.0	1.0	25.0	0.5	6.30	4.50
SUTTER	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	6.5	1.0	0.5	23.0	3.5	5.90	4.41
SUTTER	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.5	4.20	4.46
SUTTER	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	0.5	23.0	0.0	5.30	4.25
SUTTER		103	0.0	1.4	1.0	0.2	24.8	0.3	4.86	4.50	19,707	0.0	1.5	2.9	1.4	25.5	1.4	5.25	4.40
TULARE	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	202	0.0	3.1	0.6	0.3	22.2	1.6	6.36	4.42
TULARE	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	197	0.0	3.0	1.7	0.2	26.6	1.1	4.67	4.42
TULARE	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	158	0.0	7.6	1.4	0.3	25.3	1.7	5.16	4.43
TULARE	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	7.2	1.0	0.3	28.3	0.7	4.68	4.30
TULARE	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	6.0	2.5	0.5	20.0	4.0	6.40	4.45
TULARE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	584	0.0	4.5	1.2	0.3	24.8	1.4	5.39	4.42
YOLO	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,730	0.0	1.3	1.1	0.6	26.2	0.7	5.13	4.36
YOLO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,953	0.0	1.2	0.8	0.5	24.0	1.2	5.53	4.32
YOLO	5608, HZ	10	0.0	2.2	1.9	0.4	21.2	1.3	5.64	4.47	6,085	0.0	1.7	1.4	1.0	23.6	0.8	4.82	4.38
YOLO	3888, HMX	322	0.0	0.7	1.8	0.6	25.9	0.8	5.43	4.44	3,676	0.0	1.2	1.5	0.6	25.8	0.8	5.39	4.47
YOLO	9905, HARRIS MORAN	172	0.0	0.8	0.6	0.6	23.7	1.4	5.27	4.43	2,926	0.0	0.7	1.7	1.0	24.6	0.8	5.17	4.40
YOLO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,711	0.0	1.3	1.5	0.9	25.2	1.5	5.57	4.34
YOLO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,175	0.0	0.7	1.6	0.8	25.6	1.8	5.14	4.40
YOLO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,998	0.0	1.6	2.9	0.7	24.1	2.7	4.84	4.40
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,863	0.0	0.3	3.7	1.2	27.4	1.4	4.91	4.37
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,813	0.0	0.4	0.7	0.3	24.8	1.7	5.23	4.41
YOLO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,549	0.0	0.8	3.2	1.9	26.7	1.9	5.11	4.48
YOLO	5508, HZ	98	0.0	0.3	0.5	0.1	22.8	0.1	4.65	4.28	1,486	0.0	0.6	1.1	0.3	23.6	0.2	4.90	4.28
YOLO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,465	0.0	1.8	0.6	0.4	25.5	0.5	5.42	4.25
YOLO	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,444	0.0	1.3	2.7	1.3	25.3	0.9	4.96	4.30
YOLO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,279	0.0	1.2	1.0	0.5	24.5	0.6	5.21	4.27
YOLO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,253	0.0	1.1	0.8	0.3	26.4	1.1	5.11	4.35
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,082	0.0	0.6	1.7	0.6	26.1	2.6	5.34	4.23
YOLO	4885, HMX	11	0.0	1.1	0.7	0.6	23.4	0.1	5.13	4.25	1,045	0.0	1.4	1.2	0.4	24.8	0.3	4.99	4.30
YOLO	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,029	0.0	0.9	2.5	1.9	24.3	0.5	4.74	4.31
YOLO	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,000	0.0	0.7	3.2	2.0	24.4	0.5	5.09	4.33
YOLO	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	991	0.0	0.8	1.1	0.9	24.7	1.2	4.99	4.38
YOLO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	981	0.0	0.7	3.0	1.3	26.3	1.5	5.19	4.44
YOLO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	950	0.0	0.5	6.2	2.0	24.8	0.4	4.94	4.35
YOLO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	943	0.0	0.3	1.9	2.0	25.5	0.8	4.95	4.33
YOLO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	879	0.0	0.4	1.6	1.4	25.6	2.5	5.33	4.44

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	816	0.0	0.3	1.1	0.3	25.9	0.8	5.16	4.34
YOLO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	711	0.0	1.4	1.0	0.8	24.0	2.3	5.53	4.41
YOLO	849, HYPEEL	108	0.0	1.1	0.2	0.2	23.8	0.6	5.16	4.33	688	0.0	2.1	0.7	0.7	23.8	0.8	5.19	4.32
YOLO	1015, HEINZ	16	0.0	0.8	0.5	0.1	22.1	1.0	5.64	4.50	529	0.0	0.3	2.0	1.8	25.1	1.1	5.09	4.44
YOLO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	478	0.0	0.7	3.9	2.6	25.3	0.8	5.29	4.29
YOLO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	465	0.0	1.3	0.3	0.8	24.1	1.0	5.72	4.36
YOLO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	448	0.0	0.3	0.9	0.2	26.3	2.5	5.08	4.32
YOLO	1310, HZ	91	0.0	0.5	0.7	0.3	22.5	0.4	4.81	4.40	407	0.0	1.2	1.9	0.6	23.2	0.4	5.38	4.36
YOLO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	406	0.0	0.9	0.9	0.2	24.7	1.7	5.15	4.29
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.4	0.6	0.3	28.3	1.0	5.11	4.33
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	320	0.0	0.8	1.8	1.4	26.3	3.3	4.49	4.42
YOLO	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	312	0.0	1.3	3.0	1.7	24.9	1.0	5.61	4.35
YOLO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	272	0.0	0.6	0.5	0.5	24.2	0.9	5.25	4.37
YOLO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	254	0.0	0.5	3.6	2.5	28.4	1.6	4.78	4.46
YOLO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	242	0.0	1.0	3.3	1.7	24.2	0.7	5.00	4.34
YOLO	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	229	0.0	1.4	1.9	1.7	25.2	1.8	4.61	4.32
YOLO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	228	0.0	2.1	0.4	0.2	24.5	0.9	5.15	4.36
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	209	0.0	0.2	2.0	1.0	28.1	0.6	4.56	4.25
YOLO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	198	0.0	0.9	1.7	0.3	25.1	0.5	5.13	4.40
YOLO	2756, SV	4	0.3	1.3	1.4	1.0	24.8	0.3	4.95	4.31	145	0.0	0.7	0.2	0.4	23.4	0.7	5.20	4.37
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	138	0.0	0.9	3.0	2.1	26.5	3.5	4.76	4.47
YOLO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	120	0.0	0.6	0.1	0.1	24.8	2.0	5.36	4.35
YOLO	650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28
YOLO	6428, N	7	0.0	1.4	0.4	0.2	24.4	0.7	5.06	4.31	108	0.0	1.0	0.9	0.2	24.5	0.5	5.01	4.35
YOLO	142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	1.1	1.4	0.3	24.0	2.7	5.26	4.41
YOLO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.5	0.8	0.0	23.7	2.5	5.04	4.41
YOLO	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	0.4	1.6	0.5	23.2	1.6	5.89	4.44
YOLO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.3	0.8	0.7	23.8	1.2	5.73	4.44
YOLO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.6	0.1	0.1	24.5	1.0	5.17	4.27
YOLO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	0.9	0.4	0.6	23.6	0.5	4.87	4.41
YOLO	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.0	0.7	0.2	25.9	0.9	5.81	4.42
YOLO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	1.6	1.9	0.4	27.3	1.1	5.50	4.34
YOLO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.9	3.4	2.0	24.4	0.9	4.99	4.36
YOLO	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	1.2	0.2	0.1	24.6	1.3	5.32	4.38
YOLO	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.7	0.2	0.2	22.9	0.4	4.70	4.34
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.8	3.3	2.8	26.3	2.0	5.49	4.35
YOLO	9905, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.4	0.7	0.2	25.9	0.2	4.87	4.39
YOLO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.7	0.5	0.2	24.0	1.8	5.39	4.32
YOLO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	1.7	0.3	0.1	24.0	1.0	5.12	4.32
YOLO	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.8	0.4	0.2	23.2	0.8	4.97	4.42
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.6	0.5	0.1	24.1	1.1	5.06	4.33

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - County by Variety



County	Variety Name	Week Ending 10/8/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.2	1.3	0.2	27.9	2.8	5.07	4.35
YOLO	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.9	0.8	0.6	25.7	0.2	5.28	4.31
YOLO	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.8	0.3	0.2	23.1	0.3	5.32	4.35
YOLO	58871, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.7	1.8	0.4	25.1	0.0	5.59	4.27
YOLO	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.5	0.6	0.3	25.7	0.1	4.98	4.31
YOLO	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	1.3	1.0	0.4	22.0	0.2	5.01	4.30
YOLO	5899, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.6	0.8	0.2	25.7	0.0	5.79	4.23
YOLO	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.7	0.3	0.0	23.8	0.1	5.05	4.36
YOLO	CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42
YOLO	1546, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	2.0	0.1	24.0	0.0	5.16	4.25
YOLO	58801, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.0	0.2	0.1	22.2	1.0	5.24	4.37
YOLO	1175, HEINZ	4	0.0	0.8	1.0	0.3	23.3	0.8	4.90	4.30	4	0.0	0.8	1.0	0.3	23.3	0.8	4.90	4.30
YOLO	24, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.0	0.5	0.8	24.3	0.2	5.03	4.39
YOLO	28, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.2	0.8	0.7	24.0	0.8	4.87	4.45
YOLO	145, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	0.3	0.0	22.7	3.5	6.30	4.38
YOLO	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.3	0.3	22.3	1.5	6.00	4.43
YOLO	1539, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.2	0.3	22.0	0.8	4.80	4.37
YOLO	4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.8	0.2	24.3	0.0	5.30	4.27
YOLO	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.7	1.0	0.8	23.7	0.5	5.73	4.37
YOLO	002, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.3	0.3	0.3	24.5	1.0	4.75	4.43
YOLO	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.8	0.3	0.5	24.0	0.3	4.65	4.43
YOLO	26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.3	0.5	24.0	0.0	4.95	4.48
YOLO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	0.0	25.0	0.5	5.85	4.29
YOLO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	1.0	2.0	25.0	4.0	5.80	4.34
YOLO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.0	24.0	1.0	5.30	4.36
YOLO	2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	1.5	23.0	0.5	5.60	4.27
YOLO	2718, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	1.5	26.0	0.5	4.90	4.40
YOLO		843	0.0	0.8	1.0	0.4	24.3	0.8	5.20	4.40	64,594	0.0	1.1	1.6	0.8	25.1	1.1	5.16	4.36