

2016 Processing Tomato Season
PTAB Analysis (7/23/16) - County by Variety



County	Variety Name	Week Ending 7/23/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	1015, HEINZ	895	0.0	0.4	3.2	1.9	26.4	0.9	4.73	4.43	895	0.0	0.4	3.2	1.9	26.4	0.9	4.73	4.43
COLUSA	6366, SUN	283	0.0	0.6	2.2	1.2	27.6	1.5	5.04	4.35	555	0.0	0.5	1.6	0.9	28.4	1.3	4.94	4.34
COLUSA	410, APT	369	0.0	0.6	1.9	1.6	26.3	1.6	4.64	4.38	531	0.0	0.6	1.7	1.2	27.2	2.1	4.66	4.36
COLUSA	6416, N	406	0.0	0.4	2.4	0.6	25.1	0.6	5.27	4.27	406	0.0	0.4	2.4	0.6	25.1	0.6	5.27	4.27
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	350	0.0	0.3	1.9	0.7	28.7	4.1	4.74	4.25
COLUSA	273, BQ	71	0.0	0.3	1.4	0.3	26.1	0.4	5.47	4.27	71	0.0	0.3	1.4	0.3	26.1	0.4	5.47	4.27
COLUSA	6397, N	44	0.0	2.4	2.6	0.7	25.7	1.1	4.65	4.40	44	0.0	2.4	2.6	0.7	25.7	1.1	4.65	4.40
COLUSA	16609, UG	36	0.0	0.4	1.3	0.8	25.2	1.8	5.27	4.30	36	0.0	0.4	1.3	0.8	25.2	1.8	5.56	4.30
COLUSA	5900, HMX	3	0.0	0.3	2.3	0.2	25.7	0.5	5.37	4.21	3	0.0	0.3	2.3	0.2	25.7	0.5	5.37	4.21
COLUSA	UNCODED	1	0.0	0.5	4.5	5.0	27.0	1.5	4.50	4.32	1	0.0	0.5	4.5	5.0	27.0	1.5	4.50	4.32
COLUSA		2,108	0.0	0.5	2.6	1.4	26.2	1.1	4.89	4.37	2,892	0.0	0.5	2.3	1.2	27.0	1.5	4.86	4.35
CONTRA COSTA	6366, SUN	557	0.0	0.1	0.5	0.1	24.7	1.8	5.27	4.31	883	0.0	0.1	0.5	0.1	25.2	1.7	5.72	4.29
CONTRA COSTA	410, APT	55	0.0	0.1	0.5	0.1	24.1	1.5	5.27	4.28	372	0.0	0.1	0.7	0.1	25.8	1.6	5.23	4.24
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	247	0.0	0.1	1.1	0.1	25.3	3.6	5.74	4.20
CONTRA COSTA		612	0.0	0.1	0.5	0.1	24.6	1.7	5.27	4.30	1,502	0.0	0.1	0.7	0.1	25.4	2.0	5.60	4.26
FRESNO	6366, SUN	5,029	0.0	0.5	1.5	0.7	24.3	2.8	5.27	4.38	8,779	0.0	0.5	1.2	0.5	24.8	2.6	5.74	4.38
FRESNO	6416, N	1,825	0.0	0.3	2.3	0.7	23.8	1.6	5.27	4.30	6,092	0.0	0.2	1.8	0.7	24.3	1.6	5.26	4.29
FRESNO	273, BQ	1,605	0.0	0.4	1.9	0.5	23.8	1.1	5.27	4.31	3,141	0.0	0.4	1.8	0.5	24.2	1.1	5.76	4.30
FRESNO	0311, AB	2,751	0.0	0.7	1.9	0.6	23.3	1.4	5.27	4.32	2,983	0.0	0.7	1.8	0.6	23.3	1.5	6.13	4.32
FRESNO	1015, HEINZ	775	0.0	0.6	0.7	0.3	23.6	2.1	5.27	4.48	1,471	0.0	0.5	0.7	0.3	23.6	1.5	5.37	4.43
FRESNO	1892, HMX	731	0.0	0.4	1.9	1.3	25.1	1.4	5.27	4.38	1,296	0.0	0.4	1.5	0.9	25.8	1.3	5.76	4.40
FRESNO	1292, HZ	769	0.0	0.6	1.2	0.6	22.8	2.5	5.27	4.44	1,243	0.0	0.5	1.2	0.6	22.8	2.2	5.76	4.44
FRESNO	6402, N	458	0.0	0.5	0.9	0.6	23.6	2.1	5.27	4.38	851	0.0	0.5	0.7	0.5	23.8	1.8	5.81	4.37
FRESNO	3887, HMX	801	0.0	0.3	4.2	1.4	25.0	2.1	5.27	4.38	809	0.0	0.3	4.2	1.4	25.0	2.1	5.98	4.38
FRESNO	0599, SV	203	0.0	0.5	0.5	0.2	26.0	1.4	5.27	4.34	648	0.0	0.4	0.6	0.2	25.7	0.8	5.22	4.32
FRESNO	9491, HEINZ	383	0.0	0.2	3.2	0.4	24.7	3.2	5.27	4.40	599	0.0	0.3	3.3	0.3	25.2	2.6	5.08	4.38
FRESNO	1293, HZ	379	0.0	0.3	1.9	0.8	23.2	1.1	5.27	4.48	479	0.0	0.3	1.8	0.9	23.2	1.0	5.68	4.47
FRESNO	6397, N	167	0.0	0.7	1.8	0.6	24.6	0.7	5.27	4.43	470	0.0	0.5	1.1	0.7	24.6	0.8	5.53	4.37
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	427	0.0	0.4	1.1	0.4	24.6	3.1	5.62	4.39
FRESNO	5608, HZ	382	0.0	0.1	2.5	0.3	23.7	0.5	5.27	4.37	400	0.0	0.1	2.5	0.3	23.7	0.5	5.37	4.37
FRESNO	16609, UG	301	0.0	0.1	2.0	0.2	23.4	2.1	5.27	4.34	381	0.0	0.1	2.3	0.2	23.5	1.9	5.73	4.33
FRESNO	373, U	53	0.0	2.0	0.8	0.6	24.1	3.3	5.27	4.37	358	0.0	1.0	0.9	0.5	24.1	2.4	4.90	4.35
FRESNO	187, CXD	24	0.0	0.4	0.4	0.1	24.5	2.3	5.27	4.31	291	0.0	0.1	1.4	0.5	23.1	1.6	5.04	4.33
FRESNO	0319, DRI	280	0.0	0.8	1.3	0.3	24.3	1.1	5.27	4.29	280	0.0	0.8	1.3	0.3	24.3	1.1	6.13	4.29
FRESNO	6415, N	219	0.0	0.5	2.8	0.1	24.7	2.7	5.27	4.42	219	0.0	0.5	2.8	0.1	24.7	2.7	5.73	4.42
FRESNO	7885, HMX	166	0.0	1.1	0.3	0.4	25.7	1.3	5.27	4.56	200	0.0	1.1	0.4	0.5	25.9	1.2	5.27	4.56
FRESNO	6394, N	185	0.0	0.6	1.7	0.6	25.1	2.8	5.27	4.41	185	0.0	0.6	1.7	0.6	25.1	2.8	5.34	4.41
FRESNO	400, BQ	60	0.0	0.2	0.8	0.6	23.3	0.5	5.27	4.36	166	0.0	0.3	0.7	0.4	23.0	0.7	5.45	4.36
FRESNO	19406, UG	143	0.0	0.7	0.8	0.2	26.1	0.5	5.27	4.28	143	0.0	0.7	0.8	0.2	26.1	0.5	5.84	4.28
FRESNO	5900, HMX	38	0.0	0.4	2.6	0.4	25.0	3.7	5.27	4.37	125	0.0	0.3	1.8	0.6	25.3	3.0	6.07	4.28
FRESNO	1893, HMX	108	0.0	0.2	0.5	0.4	24.2	4.0	5.27	4.32	108	0.0	0.2	0.5	0.4	24.2	4.0	5.59	4.32

2016 Processing Tomato Season
PTAB Analysis (7/23/16) - County by Variety



County	Variety Name	Week Ending 7/23/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	1161, HEINZ	103	0.0	0.2	4.5	0.3	26.5	6.3	5.27	4.49	103	0.0	0.2	4.5	0.3	26.5	6.3	6.39	4.49
FRESNO	313, BQ	86	0.0	0.4	1.8	0.2	24.5	2.5	5.27	4.39	86	0.0	0.4	1.8	0.2	24.5	2.5	5.02	4.39
FRESNO	205, BQ	68	0.0	0.5	1.1	0.6	24.7	2.4	5.27	4.39	81	0.0	0.5	1.1	0.6	25.1	2.4	6.50	4.39
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	79	0.0	0.1	1.0	0.7	25.5	1.1	5.68	4.25
FRESNO	9436, UG	62	0.0	0.6	0.9	0.3	23.9	1.5	5.27	4.40	62	0.0	0.6	0.9	0.3	23.9	1.5	5.62	4.40
FRESNO	9663, HEINZ	52	0.0	0.7	1.8	0.6	24.6	2.5	5.27	4.39	52	0.0	0.7	1.8	0.6	24.6	2.5	5.15	4.39
FRESNO	4909, HMX	23	0.0	0.1	1.3	0.8	26.7	1.0	5.27	4.21	51	0.0	0.4	1.1	1.0	26.4	1.5	5.95	4.22
FRESNO	6404, N	42	0.0	0.3	0.2	0.1	24.5	1.0	5.27	4.34	42	0.0	0.3	0.2	0.1	24.5	1.0	5.13	4.34
FRESNO	4885, HMX	28	0.0	0.1	2.3	0.0	24.8	0.8	5.27	4.29	28	0.0	0.1	2.3	0.0	24.8	0.8	6.12	4.29
FRESNO	6420, N	26	0.0	1.0	0.4	0.7	23.9	1.3	5.27	4.43	26	0.0	1.0	0.4	0.7	23.9	1.3	5.28	4.43
FRESNO	2756, SV	20	0.0	0.0	1.7	0.5	25.7	0.2	5.27	4.32	20	0.0	0.0	1.7	0.5	25.7	0.2	5.29	4.32
FRESNO	1311, HZ	14	0.0	0.8	0.5	0.6	23.8	1.1	5.27	4.30	16	0.0	0.7	0.4	0.7	23.8	1.1	5.99	4.31
FRESNO	2930, K	4	0.0	0.1	1.0	1.4	23.3	0.9	5.27	4.46	4	0.0	0.1	1.0	1.4	23.3	0.9	5.65	4.46
FRESNO	MIX	2	0.0	0.8	0.8	0.0	24.0	2.0	5.27	4.31	2	0.0	0.8	0.8	0.0	24.0	2.0	5.40	4.31
FRESNO	108, HYPEEL	2	0.0	0.3	0.5	0.0	23.5	3.0	5.27	4.53	2	0.0	0.3	0.5	0.0	23.5	3.0	5.05	4.53
FRESNO	8504, HEINZ	2	0.0	0.0	4.3	0.3	25.0	0.8	5.27	4.46	2	0.0	0.0	4.3	0.3	25.0	0.8	5.90	4.46
FRESNO	9280, HEINZ	1	0.0	0.0	1.5	3.0	25.0	0.5	5.27	4.47	2	0.0	0.3	1.3	1.8	23.5	1.5	5.50	4.48
FRESNO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	1	0.0	1.0	0.5	0.5	27.0	2.5	6.20	4.43
FRESNO	129, BQ	1	0.0	0.5	2.0	0.5	23.0	0.0	5.27	4.57	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
FRESNO	163, BQ	1	0.0	0.5	0.0	0.0	26.0	1.5	5.27	4.37	1	0.0	0.5	0.0	0.0	26.0	1.5	5.40	4.37
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
FRESNO	329, BQ	1	0.0	0.0	2.0	0.5	22.0	0.5	5.27	4.52	1	0.0	0.0	2.0	0.5	22.0	0.5	6.00	4.52
FRESNO	1421, HZ	1	0.0	0.0	2.0	0.0	23.0	0.5	5.27	4.40	1	0.0	0.0	2.0	0.0	23.0	0.5	6.00	4.40
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	1	0.0	1.5	0.0	1.5	25.0	1.5	5.30	4.38
FRESNO	8011, SV	1	0.0	1.0	0.5	0.5	22.0	0.5	5.27	4.43	1	0.0	1.0	0.5	0.5	22.0	0.5	5.80	4.43
FRESNO		18,375	0.0	0.5	1.8	0.6	24.0	2.0	5.27	4.37	32,810	0.0	0.4	1.6	0.6	24.3	1.9	5.63	4.35
KERN	6366, SUN	208	0.0	1.3	1.8	1.2	25.6	2.3	5.27	4.37	4,221	0.0	0.7	1.9	0.9	26.0	2.2	5.13	4.42
KERN	273, BQ	1,282	0.0	0.8	2.9	1.1	24.4	2.4	5.27	4.41	4,002	0.0	0.7	2.8	1.0	25.4	1.9	5.16	4.37
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	1,862	0.0	0.5	1.5	0.4	24.5	1.3	4.99	4.35
KERN	8504, HEINZ	479	0.0	0.7	2.1	0.8	25.5	1.3	5.27	4.33	1,454	0.0	0.4	2.4	0.6	25.8	0.8	4.92	4.34
KERN	6397, N	387	0.0	0.7	2.8	1.1	23.2	0.9	5.27	4.37	1,193	0.0	0.5	2.6	0.9	24.5	1.4	5.12	4.41
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	993	0.0	0.4	2.1	0.7	25.0	2.9	4.74	4.44
KERN	0311, AB	315	0.0	1.9	2.6	0.3	26.0	1.3	5.27	4.34	946	0.0	1.4	2.3	0.4	25.6	1.4	5.33	4.33
KERN	5608, HZ	154	0.0	1.3	2.8	0.3	24.7	1.4	5.27	4.40	739	0.0	1.0	2.5	0.4	23.9	1.1	4.94	4.41
KERN	0319, DRI	596	0.1	1.9	2.0	0.4	26.2	2.4	5.27	4.42	655	0.1	1.9	2.0	0.5	26.1	2.3	5.34	4.42
KERN	6402, N	80	0.0	1.7	3.2	0.7	28.2	0.7	5.27	4.34	278	0.0	1.7	3.4	0.7	28.9	0.9	4.51	4.37
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	211	0.0	0.3	0.6	0.4	24.4	0.6	4.70	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	192	0.0	0.2	3.0	0.3	24.5	1.8	5.24	4.36
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	185	0.0	0.2	3.0	0.4	25.4	2.4	5.39	4.36
KERN	1892, HMX	145	0.0	0.3	1.7	0.5	25.0	0.6	5.27	4.35	166	0.0	0.2	1.7	0.6	25.1	0.6	5.42	4.34
KERN	4885, HMX	145	0.0	0.8	0.2	0.1	23.1	0.3	5.27	4.32	149	0.0	0.8	0.2	0.1	23.1	0.3	5.30	4.32

2016 Processing Tomato Season
PTAB Analysis (7/23/16) - County by Variety



County	Variety Name	Week Ending 7/23/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	109	0.0	0.3	1.2	0.8	24.6	0.8	4.81	4.26
KERN	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	31	0.0	1.4	2.1	0.1	28.8	1.9	4.59	4.41
KERN	UNCODED	22	0.0	0.7	2.5	0.4	26.4	1.6	5.27	4.42	22	0.0	0.7	2.5	0.4	26.4	1.6	5.41	4.42
KERN	6133, SV	19	0.0	1.4	2.6	0.5	26.7	2.1	5.27	4.36	19	0.0	1.4	2.6	0.5	26.7	2.1	6.56	4.36
KERN	1428, HZ	14	0.0	0.6	2.8	0.4	24.9	2.7	5.27	4.45	14	0.0	0.6	2.8	0.4	24.9	2.7	5.23	4.45
KERN	6415, N	11	0.0	0.2	0.8	0.3	25.5	0.1	5.27	4.22	11	0.0	0.2	0.8	0.3	25.5	0.1	5.37	4.22
KERN	1170, HEINZ	8	0.1	1.1	1.3	0.5	26.3	0.2	5.27	4.21	8	0.1	1.1	1.3	0.5	26.3	0.2	5.45	4.21
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	1	0.0	0.0	0.0	0.0	25.0	2.0	5.20	4.25
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	1	0.0	1.0	0.0	1.0	26.0	0.0	4.80	4.39
KERN		3,865	0.0	1.1	2.4	0.8	25.0	1.8	5.27	4.38	17,462	0.0	0.7	2.2	0.7	25.4	1.7	5.08	4.39
KINGS	6416, N	571	0.0	0.6	2.1	1.2	24.4	2.6	5.27	4.36	5,843	0.0	0.2	1.9	0.7	25.5	1.7	4.98	4.32
KINGS	273, BQ	1,883	0.0	0.4	2.8	0.5	25.0	1.8	5.27	4.34	2,973	0.0	0.3	2.9	0.6	25.7	1.4	5.28	4.31
KINGS	5608, HZ	1,377	0.0	0.4	2.2	0.7	24.7	0.9	5.27	4.37	1,940	0.0	0.4	2.4	0.6	24.8	0.8	4.99	4.36
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	1,297	0.0	0.4	2.0	0.7	24.3	2.5	4.63	4.43
KINGS	6366, SUN	508	0.0	0.4	1.5	0.3	25.6	3.1	5.27	4.43	1,101	0.0	0.5	1.4	0.3	24.9	2.8	5.93	4.41
KINGS	6397, N	322	0.0	0.4	1.8	0.4	24.5	1.5	5.27	4.42	966	0.0	0.3	3.2	0.7	24.7	1.1	5.41	4.40
KINGS	1892, HMX	420	0.0	0.2	1.3	0.4	25.7	0.8	5.27	4.37	611	0.0	0.2	1.9	0.7	26.0	0.7	5.34	4.36
KINGS	1015, HEINZ	307	0.0	0.8	3.7	1.6	25.0	2.3	5.27	4.44	549	0.0	0.5	4.0	1.5	24.7	1.8	5.05	4.42
KINGS	0311, AB	313	0.0	0.8	0.8	0.2	25.2	0.9	5.27	4.34	358	0.0	0.7	0.7	0.2	25.4	0.8	5.39	4.33
KINGS	9491, HEINZ	22	0.0	0.5	1.6	0.3	24.4	6.0	5.27	4.44	212	0.0	0.9	3.2	0.6	26.0	3.2	4.77	4.38
KINGS	3887, HMX	185	0.0	0.5	1.8	1.0	24.5	2.2	5.27	4.40	193	0.0	0.5	1.9	0.9	24.5	2.2	6.41	4.39
KINGS	1292, HZ	149	0.0	0.5	1.4	0.3	24.4	4.1	5.27	4.52	165	0.0	0.5	1.3	0.3	24.3	4.1	5.51	4.51
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	147	0.0	0.1	1.4	0.4	23.6	1.6	6.25	4.30
KINGS	6402, N	87	0.0	0.3	0.5	0.1	25.3	0.6	5.27	4.44	127	0.0	0.4	0.6	0.1	25.5	1.0	5.48	4.43
KINGS	16609, UG	38	0.0	0.2	2.0	0.5	26.8	1.1	5.27	4.27	114	0.0	0.6	2.8	0.8	25.5	2.9	5.42	4.33
KINGS	0319, DRI	41	0.0	1.0	0.9	0.1	26.0	1.9	5.27	4.33	41	0.0	1.0	0.9	0.1	26.0	1.9	5.72	4.33
KINGS	4886, HMX	41	0.0	0.9	1.0	0.3	27.0	2.8	5.27	4.43	41	0.0	0.9	1.0	0.3	27.0	2.8	6.66	4.43
KINGS	400, BQ	22	0.0	0.5	0.2	0.0	22.1	1.5	5.27	4.45	29	0.0	0.5	0.5	0.1	22.2	1.4	5.48	4.45
KINGS	1161, HEINZ	23	0.0	0.0	0.8	0.5	26.3	2.5	5.27	4.23	23	0.0	0.0	0.8	0.5	26.3	2.5	6.29	4.23
KINGS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	21	0.0	0.3	0.8	0.2	29.7	0.0	5.31	4.23
KINGS	UNCODED	18	0.0	0.4	1.9	0.9	24.3	1.7	5.27	4.44	18	0.0	0.4	1.9	0.9	24.3	1.7	4.92	4.44
KINGS	1115,FM	2	0.0	0.5	2.0	0.0	23.0	1.5	5.27	4.47	2	0.0	0.5	2.0	0.0	23.0	1.5	5.40	4.47
KINGS	1293, HZ	2	0.0	0.8	1.8	0.5	25.0	3.0	5.27	4.48	2	0.0	0.8	1.8	0.5	25.0	3.0	5.20	4.48
KINGS		6,331	0.0	0.4	2.1	0.6	25.0	1.7	5.27	4.38	16,773	0.0	0.3	2.2	0.6	25.2	1.6	5.16	4.35
MADERA	6394, N	133	0.0	0.3	4.2	0.6	24.7	4.1	5.27	4.42	133	0.0	0.3	4.2	0.6	24.7	4.1	5.46	4.42
MADERA	6415, N	4	0.0	0.4	6.0	3.1	22.8	1.0	5.27	4.24	4	0.0	0.4	6.0	3.1	22.8	1.0	5.93	4.24
MADERA		137	0.0	0.4	4.2	0.7	24.6	4.0	5.27	4.42	137	0.0	0.4	4.2	0.7	24.6	4.0	5.48	4.42
MERCED	6416, N	195	0.0	0.1	0.7	0.2	25.0	1.0	5.27	4.25	195	0.0	0.1	0.7	0.2	25.0	1.0	4.94	4.25
MERCED		195	0.0	0.1	0.7	0.2	25.0	1.0	5.27	4.25	195	0.0	0.1	0.7	0.2	25.0	1.0	4.94	4.25
SAN BENITO	6416, N	21	0.0	0.3	2.4	1.0	24.2	1.3	5.27	4.27	330	0.0	0.6	2.5	0.8	23.8	2.4	5.36	4.28

2016 Processing Tomato Season
PTAB Analysis (7/23/16) - County by Variety



County	Variety Name	Week Ending 7/23/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN BENITO		21	0.0	0.3	2.4	1.0	24.2	1.3	5.27	4.27	330	0.0	0.6	2.5	0.8	23.8	2.4	5.36	4.28
SOLANO	109, CXD (SHASTA)	45	0.0	0.5	0.4	0.3	26.5	1.5	5.27	4.27	89	0.0	0.4	0.6	0.3	27.2	1.6	5.94	4.23
SOLANO	6416, N	61	0.0	0.4	0.7	0.2	27.7	0.3	5.27	4.23	61	0.0	0.4	0.7	0.2	27.7	0.3	5.27	4.23
SOLANO	0599, SV	59	0.0	0.1	0.4	0.3	31.1	0.6	5.27	4.23	59	0.0	0.1	0.4	0.3	31.1	0.6	5.25	4.23
SOLANO	16609, UG	16	0.0	0.5	0.7	0.1	29.3	1.7	5.27	4.28	16	0.0	0.5	0.7	0.1	29.3	1.7	5.23	4.28
SOLANO	6366, SUN	9	0.0	0.4	2.6	1.2	33.3	0.2	5.27	4.21	9	0.0	0.4	2.6	1.2	33.3	0.2	5.28	4.21
SOLANO	6397, N	8	0.0	0.0	2.1	1.1	29.6	0.2	5.27	4.24	8	0.0	0.0	2.1	1.1	29.6	0.2	5.29	4.24
SOLANO	273, BQ	5	0.0	0.4	1.7	0.0	29.6	1.4	5.27	4.26	5	0.0	0.4	1.7	0.0	29.6	1.4	5.42	4.26
SOLANO	312, BQ	3	0.0	0.3	1.0	0.0	25.0	1.2	5.27	4.30	3	0.0	0.3	1.0	0.0	25.0	1.2	5.30	4.30
SOLANO	1015, HEINZ	3	0.0	0.5	1.2	0.2	28.3	0.3	5.27	4.34	3	0.0	0.5	1.2	0.2	28.3	0.3	5.30	4.34
SOLANO	410, APT	1	0.5	0.5	2.0	2.0	26.0	0.0	5.27	4.25	1	0.5	0.5	2.0	2.0	26.0	0.0	5.40	4.25
SOLANO		210	0.0	0.3	0.7	0.3	28.9	0.8	5.27	4.24	254	0.0	0.3	0.8	0.3	28.7	0.9	5.50	4.24
STANISLAUS	0311, AB	49	0.0	0.7	3.2	0.2	23.0	0.8	5.27	4.25	55	0.0	0.6	2.9	0.2	23.0	0.9	5.65	4.26
STANISLAUS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	43	0.0	0.5	1.1	0.3	24.5	0.9	5.50	4.23
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	19	0.0	0.1	0.7	0.2	23.9	0.4	5.29	4.30
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	5.27	0.00	16	0.0	0.0	1.9	0.5	24.8	0.7	5.39	4.22
STANISLAUS		49	0.0	0.7	3.2	0.2	23.0	0.8	5.27	4.25	133	0.0	0.4	1.9	0.3	23.8	0.8	5.52	4.25
SUTTER	410, APT	78	0.0	0.5	3.7	2.7	25.3	1.1	5.27	4.30	78	0.0	0.5	3.7	2.7	25.3	1.1	5.07	4.30
SUTTER	0311, AB	20	0.0	1.5	0.5	0.5	24.5	1.2	5.27	4.28	20	0.0	1.5	0.5	0.5	24.5	1.2	6.37	4.28
SUTTER		98	0.0	0.7	3.1	2.3	25.2	1.1	5.27	4.29	98	0.0	0.7	3.1	2.3	25.2	1.1	5.34	4.29
TULARE	400, BQ	114	0.0	0.5	1.7	0.7	22.4	1.5	5.27	4.45	114	0.0	0.5	1.7	0.7	22.4	1.5	6.02	4.45
TULARE	273, BQ	2	0.0	0.5	0.5	0.5	22.0	0.8	5.27	4.42	2	0.0	0.5	0.5	0.5	22.0	0.8	6.80	4.42
TULARE		116	0.0	0.5	1.7	0.7	22.4	1.5	5.27	4.45	116	0.0	0.5	1.7	0.7	22.4	1.5	6.03	4.45
YOLO	109, CXD (SHASTA)	567	0.0	0.6	1.5	0.6	25.9	2.3	5.27	4.24	1,049	0.0	0.6	1.7	0.6	26.1	2.6	5.34	4.23
YOLO	13, BP	488	0.0	0.3	4.3	1.0	28.0	1.1	5.27	4.33	488	0.0	0.3	4.3	1.0	28.0	1.1	4.89	4.33
YOLO	6397, N	230	0.0	0.2	0.9	0.2	26.0	1.0	5.27	4.31	235	0.0	0.2	1.0	0.2	26.0	1.0	5.06	4.31
YOLO	410, APT	211	0.0	0.5	1.5	0.7	25.7	2.7	5.27	4.37	211	0.0	0.5	1.5	0.7	25.7	2.7	4.59	4.37
YOLO	6416, N	200	0.0	0.2	2.0	1.0	28.2	0.6	5.27	4.25	200	0.0	0.2	2.0	1.0	28.2	0.6	4.56	4.25
YOLO	1015, HEINZ	182	0.0	0.2	3.9	0.7	26.4	0.4	5.27	4.43	182	0.0	0.2	3.9	0.7	26.4	0.4	4.65	4.43
YOLO	6366, SUN	164	0.0	0.3	0.5	0.1	23.6	1.6	5.27	4.33	164	0.0	0.3	0.5	0.1	23.6	1.6	6.06	4.33
YOLO	0599, SV	148	0.0	0.3	0.5	0.1	28.5	1.1	5.27	4.30	148	0.0	0.3	0.5	0.1	28.5	1.1	5.61	4.30
YOLO	273, BQ	120	0.0	0.1	1.6	0.2	27.6	0.3	5.27	4.30	120	0.0	0.1	1.6	0.2	27.6	0.3	5.13	4.30
YOLO	16609, UG	91	0.0	0.1	0.6	0.1	27.5	1.2	5.27	4.30	91	0.0	0.1	0.6	0.1	27.5	1.2	4.71	4.30
YOLO	6402, N	18	0.0	0.5	9.1	0.7	29.8	0.7	5.27	4.35	18	0.0	0.5	9.1	0.7	29.8	0.7	5.01	4.35
YOLO	2, BP	15	0.0	0.8	11.2	1.2	30.7	1.2	5.27	4.40	15	0.0	0.8	11.2	1.2	30.7	1.2	4.82	4.40
YOLO	255, CXD	9	0.0	0.2	8.2	0.7	32.7	0.8	5.27	4.36	9	0.0	0.2	8.2	0.7	32.7	0.8	4.68	4.36
YOLO		2,443	0.0	0.3	2.2	0.6	26.8	1.4	5.27	4.31	2,930	0.0	0.4	2.2	0.6	26.7	1.7	5.11	4.29