

2016 Processing Tomato Season
PTAB Analysis (7/30/16) - County by Variety



County	Variety Name	Week Ending 7/30/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	1015, HEINZ	750	0.0	0.4	3.1	1.4	26.2	1.8	4.83	4.44	1,645	0.0	0.4	3.2	1.7	26.3	1.3	4.77	4.43
COLUSA	6366, SUN	679	0.0	0.8	4.8	2.2	27.9	2.2	5.07	4.38	1,234	0.0	0.7	3.4	1.6	28.2	1.8	5.01	4.36
COLUSA	410, APT	349	0.0	0.9	3.6	1.5	29.3	2.7	4.66	4.40	880	0.0	0.7	2.5	1.3	28.0	2.3	4.66	4.38
COLUSA	6416, N	104	0.0	0.4	1.2	0.6	24.8	1.6	4.90	4.33	510	0.0	0.4	2.1	0.6	25.0	0.8	5.19	4.28
COLUSA	6397, N	317	0.0	0.6	1.6	1.1	25.5	1.1	5.04	4.41	361	0.0	0.8	1.8	1.1	25.6	1.1	4.99	4.41
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	350	0.0	0.3	1.9	0.7	28.7	4.1	4.74	4.25
COLUSA	5003, HEINZ	262	0.0	0.7	3.3	1.1	26.4	4.8	4.77	4.43	262	0.0	0.7	3.3	1.1	26.4	4.8	4.77	4.43
COLUSA	273, BQ	132	0.0	0.5	1.7	0.5	25.4	0.6	5.22	4.31	203	0.0	0.4	1.6	0.4	25.7	0.5	5.30	4.30
COLUSA	6402, N	165	0.0	1.0	5.0	1.7	28.6	1.4	4.89	4.37	165	0.0	1.0	5.0	1.7	28.6	1.4	4.89	4.37
COLUSA	0311, AB	136	0.0	0.7	3.0	1.1	25.4	2.0	5.44	4.32	136	0.0	0.7	3.0	1.1	25.4	2.0	5.44	4.32
COLUSA	UNCODED	94	0.0	0.5	4.5	2.2	27.6	1.9	4.87	4.35	95	0.0	0.5	4.5	2.2	27.6	1.9	4.87	4.35
COLUSA	5900, HMX	80	0.0	0.3	3.5	1.0	26.1	1.9	5.34	4.29	83	0.0	0.3	3.4	1.0	26.0	1.8	5.34	4.29
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.4	1.3	0.8	25.2	1.8	5.56	4.30
COLUSA	255, CXD	27	0.0	0.4	1.3	0.7	27.7	0.9	5.19	4.28	27	0.0	0.4	1.3	0.7	27.7	0.9	5.19	4.28
COLUSA	0319, DRI	19	0.0	0.5	3.7	0.9	27.2	2.7	5.55	4.41	19	0.0	0.5	3.7	0.9	27.2	2.7	5.55	4.41
COLUSA		3,114	0.0	0.6	3.4	1.5	27.0	2.1	4.95	4.39	6,006	0.0	0.6	2.9	1.3	27.0	1.8	4.91	4.37
CONTRA COSTA	6366, SUN	677	0.0	0.2	0.9	0.1	25.2	1.6	5.56	4.35	1,562	0.0	0.1	0.7	0.1	25.2	1.6	5.65	4.31
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	370	0.0	0.1	0.7	0.1	25.7	1.6	5.23	4.24
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	247	0.0	0.1	1.1	0.1	25.3	3.6	5.74	4.20
CONTRA COSTA	6402, N	77	0.0	0.0	0.4	0.1	24.0	0.5	5.87	4.36	77	0.0	0.0	0.4	0.1	24.0	0.5	5.87	4.36
CONTRA COSTA	273, BQ	34	0.0	0.2	0.7	0.1	24.2	0.4	6.24	4.25	34	0.0	0.2	0.7	0.1	24.2	0.4	6.24	4.25
CONTRA COSTA	5900, HMX	21	0.0	0.0	0.7	0.1	24.1	1.7	6.10	4.28	21	0.0	0.0	0.7	0.1	24.1	1.7	6.10	4.28
CONTRA COSTA	402, BQ	5	0.0	0.1	0.3	0.1	25.2	0.4	5.90	4.31	5	0.0	0.1	0.3	0.1	25.2	0.4	5.90	4.31
CONTRA COSTA	400, BQ	4	0.0	0.1	0.4	0.0	23.3	0.3	5.48	4.36	4	0.0	0.1	0.4	0.0	23.3	0.3	5.48	4.36
CONTRA COSTA	403, BQ	3	0.0	0.2	0.5	0.2	23.3	0.2	5.80	4.29	3	0.0	0.2	0.5	0.2	23.3	0.2	5.80	4.29
CONTRA COSTA	6416, N	1	0.0	0.0	0.0	0.0	23.0	0.0	5.90	4.32	1	0.0	0.0	0.0	0.0	23.0	0.0	5.90	4.32
CONTRA COSTA		822	0.0	0.1	0.8	0.1	25.0	1.4	5.63	4.34	2,324	0.0	0.1	0.7	0.1	25.2	1.8	5.61	4.29
FRESNO	6366, SUN	2,276	0.0	0.5	1.3	0.7	24.3	2.3	5.65	4.38	11,043	0.0	0.5	1.2	0.6	24.7	2.5	5.72	4.38
FRESNO	6416, N	935	0.0	0.4	1.8	0.9	24.3	1.8	5.14	4.32	7,027	0.0	0.2	1.8	0.7	24.3	1.6	5.24	4.30
FRESNO	273, BQ	2,033	0.0	0.3	2.6	1.4	24.0	1.6	5.66	4.32	5,174	0.0	0.4	2.1	0.8	24.1	1.3	5.72	4.31
FRESNO	0311, AB	1,818	0.0	0.9	1.7	0.4	23.7	2.2	6.04	4.35	4,801	0.0	0.8	1.8	0.5	23.5	1.8	6.10	4.33
FRESNO	1892, HMX	1,877	0.0	0.4	2.9	1.8	25.0	1.7	5.83	4.40	3,174	0.0	0.4	2.3	1.4	25.3	1.6	5.80	4.40
FRESNO	1292, HZ	582	0.0	0.5	1.4	0.9	22.5	2.5	5.95	4.49	1,825	0.0	0.5	1.2	0.7	22.7	2.3	5.82	4.46
FRESNO	3887, HMX	971	0.0	0.6	2.9	1.3	25.9	2.4	6.06	4.41	1,780	0.0	0.5	3.5	1.3	25.5	2.3	6.03	4.40
FRESNO	0319, DRI	1,416	0.0	0.8	1.1	0.5	24.5	2.4	6.24	4.37	1,696	0.0	0.8	1.1	0.4	24.5	2.2	6.22	4.36
FRESNO	1015, HEINZ	210	0.0	0.6	1.3	0.5	23.8	3.2	5.75	4.47	1,681	0.0	0.5	0.8	0.4	23.6	1.7	5.42	4.44
FRESNO	6402, N	560	0.0	0.6	1.0	1.6	23.5	1.4	6.35	4.41	1,411	0.0	0.5	0.8	1.0	23.7	1.7	6.02	4.38
FRESNO	6415, N	955	0.0	0.3	2.0	0.3	24.7	1.5	5.25	4.33	1,174	0.0	0.3	2.1	0.3	24.7	1.7	5.34	4.35
FRESNO	16609, UG	713	0.0	0.3	1.1	0.3	23.4	2.7	5.65	4.35	1,094	0.0	0.2	1.5	0.2	23.4	2.4	5.68	4.34
FRESNO	19406, UG	911	0.0	1.0	0.9	0.2	25.6	1.5	6.12	4.32	1,054	0.0	0.9	0.9	0.2	25.7	1.3	6.08	4.32
FRESNO	6394, N	678	0.0	0.4	1.8	1.0	24.7	2.4	5.58	4.40	874	0.0	0.5	1.8	0.9	24.8	2.5	5.53	4.40

2016 Processing Tomato Season
PTAB Analysis (7/30/16) - County by Variety



County	Variety Name	Week Ending 7/30/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	5608, HZ	438	0.0	0.6	1.4	0.4	24.4	1.5	5.22	4.42	838	0.0	0.4	2.0	0.3	24.1	1.0	5.29	4.40
FRESNO	9491, HEINZ	189	0.0	0.2	1.9	0.3	24.0	2.8	5.81	4.45	788	0.0	0.3	3.0	0.3	24.9	2.6	5.26	4.39
FRESNO	1293, HZ	277	0.0	0.6	1.5	0.5	23.8	0.9	5.77	4.45	756	0.0	0.4	1.7	0.8	23.4	1.0	5.71	4.47
FRESNO	0599, SV	38	0.0	0.8	0.4	0.2	25.5	1.3	5.41	4.41	686	0.0	0.4	0.5	0.2	25.7	0.9	5.23	4.33
FRESNO	6397, N	205	0.0	0.3	0.8	0.5	23.9	1.8	5.82	4.45	675	0.0	0.4	1.0	0.6	24.4	1.1	5.62	4.40
FRESNO	9663, HEINZ	552	0.0	0.9	4.9	0.6	23.7	1.7	5.29	4.37	604	0.0	0.9	4.7	0.6	23.7	1.8	5.27	4.37
FRESNO	7885, HMX	354	0.0	1.2	0.6	0.2	25.4	1.5	5.12	4.56	554	0.0	1.2	0.5	0.3	25.5	1.4	5.18	4.56
FRESNO	4885, HMX	505	0.0	0.2	1.7	0.2	23.9	0.9	5.50	4.31	533	0.0	0.2	1.7	0.2	23.9	0.8	5.53	4.31
FRESNO	373, U	125	0.0	1.8	1.5	0.7	24.4	2.9	4.83	4.36	483	0.0	1.2	1.0	0.5	24.2	2.5	4.88	4.36
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	427	0.0	0.4	1.1	0.4	24.6	3.1	5.62	4.39
FRESNO	9436, UG	323	0.0	0.3	1.4	0.3	24.0	2.2	6.05	4.42	385	0.0	0.4	1.3	0.3	23.9	2.0	5.98	4.42
FRESNO	205, BQ	271	0.0	0.4	1.0	0.5	24.7	2.4	6.09	4.40	352	0.0	0.5	1.0	0.5	24.8	2.4	6.19	4.40
FRESNO	187, CXD	10	0.0	0.5	0.6	0.4	23.2	4.1	5.83	4.37	301	0.0	0.2	1.4	0.5	23.1	1.7	5.07	4.33
FRESNO	6404, N	180	0.0	0.5	0.3	0.1	24.2	1.4	5.13	4.37	222	0.0	0.5	0.2	0.1	24.2	1.3	5.13	4.36
FRESNO	4909, HMX	170	0.0	0.7	1.4	0.5	25.8	1.0	5.57	4.26	221	0.0	0.6	1.3	0.6	25.9	1.1	5.65	4.25
FRESNO	6420, N	192	0.0	1.1	0.9	0.7	25.0	1.3	5.20	4.44	218	0.0	1.1	0.8	0.7	24.8	1.3	5.21	4.44
FRESNO	1161, HEINZ	84	0.0	0.4	2.3	0.1	25.1	5.3	5.98	4.39	187	0.0	0.3	3.5	0.2	25.9	5.9	6.21	4.44
FRESNO	313, BQ	82	0.0	1.0	0.3	0.2	24.7	4.5	4.66	4.45	168	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.3	0.7	0.4	23.0	0.7	5.45	4.36
FRESNO	5900, HMX	39	0.0	0.4	1.9	0.3	25.2	3.7	5.64	4.29	164	0.0	0.3	1.8	0.5	25.3	3.1	5.97	4.28
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.2	0.5	0.4	24.2	4.0	5.59	4.32
FRESNO	2756, SV	76	0.0	0.1	1.1	0.3	25.2	0.4	5.31	4.32	96	0.0	0.1	1.2	0.3	25.3	0.3	5.31	4.32
FRESNO	8504, HEINZ	85	0.0	0.2	2.0	0.3	25.3	3.2	5.88	4.36	87	0.0	0.2	2.1	0.3	25.3	3.1	5.88	4.36
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	1.0	0.7	25.5	1.1	5.68	4.25
FRESNO	4707, HEINZ	40	0.0	0.1	3.5	0.5	26.7	0.3	5.34	4.33	40	0.0	0.1	3.5	0.5	26.7	0.3	5.34	4.33
FRESNO	403, BQ	30	0.0	0.4	1.4	0.5	24.7	1.2	5.71	4.29	30	0.0	0.4	1.4	0.5	24.7	1.2	5.71	4.29
FRESNO	108, HYPEEL	25	0.0	1.2	0.3	0.4	24.7	3.5	5.34	4.64	27	0.0	1.1	0.3	0.4	24.6	3.4	5.31	4.63
FRESNO	002, PS	23	0.0	1.0	1.4	0.3	25.2	1.9	5.52	4.45	23	0.0	1.0	1.4	0.3	25.2	1.9	5.52	4.45
FRESNO	1311, HZ	3	0.0	0.3	1.8	0.2	23.3	1.0	5.73	4.31	19	0.0	0.7	0.7	0.6	23.7	1.1	5.95	4.31
FRESNO	MIX	3	0.0	1.0	0.8	1.0	24.3	1.5	5.03	4.39	5	0.0	0.9	0.8	0.6	24.2	1.7	5.18	4.36
FRESNO	2930, K	1	0.0	0.5	0.5	0.0	23.0	0.5	5.90	4.50	5	0.0	0.2	0.9	1.1	23.2	0.8	5.70	4.47
FRESNO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.3	1.8	23.5	1.5	5.50	4.48
FRESNO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	27.0	2.5	6.20	4.43
FRESNO	129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.5	5.40	4.37
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
FRESNO	323, BQ	1	0.0	0.0	0.5	0.0	26.0	3.5	5.60	4.39	1	0.0	0.0	0.5	0.0	26.0	3.5	5.60	4.39
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	22.0	0.5	6.00	4.52
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.0	23.0	0.5	6.00	4.40
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	1.5	25.0	1.5	5.30	4.38
FRESNO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	22.0	0.5	5.80	4.43

2016 Processing Tomato Season
PTAB Analysis (7/30/16) - County by Variety



County	Variety Name	Week Ending 7/30/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO		20,256	0.0	0.6	1.8	0.8	24.4	2.0	5.74	4.38	53,066	0.0	0.5	1.7	0.6	24.4	1.9	5.67	4.36
GLENN	1015, HEINZ	138	0.0	0.3	2.2	1.4	27.1	0.6	4.75	4.44	138	0.0	0.3	2.2	1.4	27.1	0.6	4.75	4.44
GLENN	6366, SUN	100	0.0	0.4	1.8	2.2	26.4	2.2	4.94	4.44	100	0.0	0.4	1.8	2.2	26.4	2.2	4.94	4.44
GLENN		238	0.0	0.4	2.0	1.7	26.8	1.3	4.83	4.44	238	0.0	0.4	2.0	1.7	26.8	1.3	4.83	4.44
KERN	6366, SUN	218	0.0	2.4	3.9	0.7	27.3	3.7	4.65	4.40	4,439	0.0	0.8	2.0	0.9	26.1	2.3	5.11	4.42
KERN	273, BQ	5	0.0	1.1	3.3	1.1	24.4	2.3	4.98	4.51	4,007	0.0	0.7	2.8	1.0	25.4	1.9	5.16	4.37
KERN	8504, HEINZ	909	0.0	0.4	2.0	0.5	25.4	2.0	5.60	4.40	2,363	0.0	0.4	2.2	0.6	25.7	1.3	5.18	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,193	0.0	0.5	1.6	0.5	24.4	1.4	5.04	4.34
KERN	6397, N	343	0.0	1.1	2.4	1.3	24.5	1.2	5.00	4.38	1,536	0.0	0.7	2.5	1.0	24.5	1.3	5.09	4.40
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	0.4	2.1	0.7	25.0	2.9	4.74	4.44
KERN	0311, AB	2	0.3	4.0	2.3	0.5	25.5	1.0	5.35	4.43	948	0.0	1.4	2.3	0.4	25.6	1.4	5.33	4.33
KERN	0319, DRI	218	0.1	2.3	2.1	0.5	26.1	2.3	5.21	4.41	873	0.1	2.0	2.0	0.5	26.1	2.3	5.31	4.42
KERN	5608, HZ	71	0.0	0.3	0.4	0.2	24.1	1.3	5.26	4.34	810	0.0	1.0	2.3	0.4	23.9	1.1	4.97	4.40
KERN	6402, N	140	0.0	1.8	0.7	0.2	25.7	2.1	5.13	4.46	418	0.0	1.7	2.5	0.5	27.8	1.3	4.72	4.40
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	0.3	0.6	0.4	24.4	0.6	4.70	4.42
KERN	1170, HEINZ	192	0.0	1.0	0.9	0.2	26.1	0.7	5.19	4.30	200	0.0	1.0	0.9	0.2	26.1	0.7	5.20	4.29
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.2	3.0	0.3	24.5	1.8	5.24	4.36
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	0.2	3.0	0.4	25.4	2.4	5.39	4.36
KERN	1892, HMX	1	0.0	0.5	2.0	0.5	27.0	2.5	5.90	4.60	167	0.0	0.2	1.7	0.6	25.1	0.6	5.43	4.35
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	0.8	0.2	0.1	23.1	0.3	5.30	4.32
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	0.3	1.2	0.8	24.6	0.8	4.81	4.26
KERN	6133, SV	18	0.0	1.1	2.7	1.3	25.8	4.0	6.41	4.41	37	0.0	1.3	2.7	0.9	26.3	3.0	6.49	4.39
KERN	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	1.4	2.1	0.1	28.8	1.9	4.59	4.41
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.7	2.5	0.4	26.4	1.6	5.41	4.42
KERN	6415, N	7	0.0	0.1	0.2	0.3	25.4	0.5	5.34	4.28	18	0.0	0.2	0.6	0.3	25.5	0.3	5.36	4.24
KERN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	2.8	0.4	24.9	2.7	5.23	4.45
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	2.0	5.20	4.25
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	1.0	26.0	0.0	4.80	4.39
KERN		2,124	0.0	1.1	2.0	0.6	25.6	1.9	5.29	4.39	19,916	0.0	0.8	2.2	0.7	25.4	1.8	5.11	4.38
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,843	0.0	0.2	1.9	0.7	25.5	1.7	4.98	4.32
KINGS	273, BQ	144	0.0	0.3	1.5	0.6	25.4	2.7	5.21	4.43	3,117	0.0	0.3	2.8	0.6	25.7	1.4	5.28	4.32
KINGS	5608, HZ	1,096	0.0	0.7	1.9	0.5	23.8	1.5	4.90	4.43	3,036	0.0	0.5	2.2	0.6	24.4	1.0	4.96	4.39
KINGS	6366, SUN	841	0.0	0.4	2.4	0.4	25.2	1.8	6.01	4.38	1,942	0.0	0.4	1.8	0.4	25.1	2.4	5.96	4.40
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,297	0.0	0.4	2.0	0.7	24.3	2.5	4.63	4.43
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	964	0.0	0.3	3.3	0.7	24.7	1.1	5.41	4.40
KINGS	1892, HMX	260	0.0	0.4	1.4	0.4	26.8	1.8	5.30	4.51	871	0.0	0.3	1.8	0.6	26.2	1.1	5.33	4.40
KINGS	0311, AB	468	0.0	1.0	1.0	0.6	24.8	1.7	5.50	4.36	826	0.0	0.9	0.9	0.4	25.1	1.3	5.45	4.35
KINGS	0319, DRI	783	0.0	0.6	1.8	0.3	25.5	2.1	5.93	4.34	824	0.0	0.6	1.8	0.3	25.5	2.1	5.92	4.34
KINGS	3887, HMX	551	0.0	0.2	5.3	0.7	24.9	0.9	5.87	4.33	744	0.0	0.3	4.4	0.8	24.8	1.2	6.01	4.35
KINGS	1015, HEINZ	87	0.0	0.4	1.6	0.7	24.0	2.6	5.69	4.48	638	0.0	0.5	3.6	1.4	24.6	2.0	5.14	4.42

2016 Processing Tomato Season
PTAB Analysis (7/30/16) - County by Variety



County	Variety Name	Week Ending 7/30/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	1161, HEINZ	389	0.0	0.5	1.1	0.3	25.8	3.2	5.96	4.32	412	0.0	0.5	1.1	0.3	25.8	3.2	5.97	4.31
KINGS	6402, N	101	0.0	2.3	0.8	0.0	25.5	1.2	5.17	4.48	228	0.0	1.2	0.7	0.1	25.5	1.1	5.35	4.45
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.9	3.2	0.6	26.0	3.2	4.77	4.38
KINGS	16609, UG	98	0.0	0.3	4.0	0.4	24.0	2.2	6.30	4.30	212	0.0	0.5	3.4	0.6	24.8	2.6	5.83	4.31
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	0.5	1.3	0.3	24.3	4.1	5.51	4.51
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	0.1	1.4	0.4	23.6	1.6	6.25	4.30
KINGS	4909, HMX	33	0.0	0.8	2.7	0.9	26.5	1.3	5.27	4.27	54	0.0	0.6	2.0	0.6	27.7	0.8	5.29	4.26
KINGS	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.9	1.0	0.3	27.0	2.8	6.66	4.43
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.5	0.5	0.1	22.2	1.4	5.48	4.45
KINGS	1424, HZ	27	0.0	1.2	4.6	1.0	26.2	2.9	5.25	4.37	27	0.0	1.2	4.6	1.0	26.2	2.9	5.25	4.37
KINGS	8504, HEINZ	20	0.0	0.1	2.6	0.2	25.4	0.6	5.64	4.34	20	0.0	0.1	2.6	0.2	25.4	0.6	5.64	4.34
KINGS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.4	1.9	0.9	24.3	1.7	4.92	4.44
KINGS	1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.0	0.0	23.0	1.5	5.40	4.47
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	1.8	0.5	25.0	3.0	5.20	4.48
KINGS		4,898	0.0	0.6	2.2	0.5	25.0	1.8	5.59	4.38	21,671	0.0	0.4	2.2	0.6	25.2	1.7	5.26	4.36
MADERA	6394, N	282	0.0	0.6	2.5	1.4	23.9	5.3	5.60	4.49	415	0.0	0.5	3.0	1.1	24.2	4.9	5.55	4.46
MADERA	6415, N	219	0.0	0.4	3.6	0.7	25.2	0.9	5.09	4.31	223	0.0	0.4	3.6	0.7	25.2	0.9	5.10	4.31
MADERA	6416, N	223	0.0	1.3	2.1	0.2	24.9	1.4	4.74	4.34	223	0.0	1.3	2.1	0.2	24.9	1.4	4.74	4.34
MADERA	373, U	12	0.0	0.8	2.8	0.5	27.6	2.1	4.08	4.36	12	0.0	0.8	2.8	0.5	27.6	2.1	4.08	4.36
MADERA	1892, HMX	4	0.0	0.1	4.3	1.0	25.0	1.9	6.10	4.47	4	0.0	0.1	4.3	1.0	25.0	1.9	6.10	4.47
MADERA		740	0.0	0.7	2.7	0.8	24.7	2.8	5.17	4.39	877	0.0	0.7	2.9	0.8	24.7	2.9	5.21	4.39
MERCED	0311, AB	499	0.0	0.5	0.7	0.1	23.4	2.4	5.76	4.33	499	0.0	0.5	0.7	0.1	23.4	2.4	5.76	4.33
MERCED	6416, N	164	0.0	0.2	0.5	0.3	24.1	1.7	5.03	4.29	358	0.0	0.1	0.6	0.3	24.6	1.3	4.98	4.27
MERCED	0319, DRI	99	0.0	1.7	1.3	0.3	24.8	3.9	5.87	4.41	100	0.0	1.6	1.3	0.3	24.8	3.9	5.87	4.41
MERCED	6415, N	29	0.0	0.2	0.4	0.0	24.6	2.3	4.48	4.35	29	0.0	0.2	0.4	0.0	24.6	2.3	4.48	4.35
MERCED	6366, SUN	4	0.0	0.5	1.1	0.1	22.8	1.8	5.93	4.33	4	0.0	0.5	1.1	0.1	22.8	1.8	5.93	4.33
MERCED		795	0.0	0.6	0.7	0.2	23.7	2.5	5.57	4.33	990	0.0	0.5	0.7	0.2	24.0	2.2	5.45	4.32
SOLANO	0599, SV	140	0.0	0.7	0.7	0.4	28.3	0.8	5.18	4.30	199	0.0	0.5	0.6	0.4	29.2	0.7	5.20	4.28
SOLANO	6416, N	122	0.0	0.3	0.6	0.1	25.3	1.2	4.84	4.35	183	0.0	0.3	0.6	0.1	26.1	0.9	4.98	4.31
SOLANO	273, BQ	123	0.0	0.5	0.5	0.1	25.8	1.5	5.07	4.41	128	0.0	0.5	0.5	0.1	25.9	1.5	5.09	4.41
SOLANO	6366, SUN	104	0.0	0.6	0.9	0.6	27.4	1.7	5.54	4.36	113	0.0	0.6	1.1	0.6	27.9	1.6	5.52	4.34
SOLANO	16609, UG	88	0.0	0.7	0.7	0.4	27.7	2.7	5.49	4.33	104	0.0	0.7	0.7	0.4	28.0	2.6	5.45	4.32
SOLANO	1015, HEINZ	98	0.0	0.5	0.6	0.0	24.8	0.4	4.95	4.44	101	0.0	0.5	0.7	0.0	24.9	0.4	4.96	4.44
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	0.4	0.6	0.3	27.2	1.6	5.94	4.23
SOLANO	6397, N	69	0.0	0.4	0.7	0.6	24.4	3.6	5.36	4.40	77	0.0	0.3	0.8	0.7	24.9	3.2	5.36	4.38
SOLANO	312, BQ	29	0.0	0.4	1.1	0.1	24.7	1.6	5.17	4.36	32	0.0	0.4	1.0	0.1	24.7	1.6	5.18	4.36
SOLANO	5900, HMX	11	0.0	0.5	1.1	0.3	30.8	1.5	5.57	4.27	11	0.0	0.5	1.1	0.3	30.8	1.5	5.57	4.27
SOLANO	0311, AB	1	0.0	0.5	0.5	0.0	23.0	0.5	5.70	4.35	1	0.0	0.5	0.5	0.0	23.0	0.5	5.70	4.35
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.5	0.5	2.0	2.0	26.0	0.0	5.40	4.25
SOLANO	6394, N	1	0.0	0.0	1.0	0.0	24.0	4.5	5.10	4.38	1	0.0	0.0	1.0	0.0	24.0	4.5	5.10	4.38

2016 Processing Tomato Season
PTAB Analysis (7/30/16) - County by Variety



County	Variety Name	Week Ending 7/30/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO		786	0.0	0.5	0.7	0.3	26.4	1.6	5.19	4.36	1,040	0.0	0.5	0.7	0.3	26.9	1.4	5.26	4.33
STANISLAUS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	2.8	0.2	23.0	0.9	5.65	4.26
STANISLAUS	6415, N	46	0.0	0.2	0.2	0.1	24.7	1.0	5.19	4.24	46	0.0	0.2	0.2	0.1	24.7	1.0	5.19	4.24
STANISLAUS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.5	1.1	0.3	24.5	0.9	5.50	4.23
STANISLAUS	0319, DRI	19	0.0	0.4	0.4	0.1	24.3	1.1	5.71	4.24	19	0.0	0.4	0.4	0.1	24.3	1.1	5.71	4.24
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.1	0.7	0.2	23.9	0.4	5.29	4.30
STANISLAUS	3887, HMX	18	0.0	0.3	2.7	0.1	28.0	1.0	5.78	4.29	18	0.0	0.3	2.7	0.1	28.0	1.0	5.78	4.29
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.0	1.9	0.5	24.8	0.7	5.39	4.22
STANISLAUS		83	0.0	0.3	0.8	0.1	25.3	1.0	5.43	4.25	216	0.0	0.4	1.4	0.2	24.4	0.9	5.49	4.25
SUTTER	13, BP	463	0.0	0.4	3.1	1.5	26.6	2.2	4.73	4.42	463	0.0	0.4	3.1	1.5	26.6	2.2	4.73	4.42
SUTTER	410, APT	40	0.0	0.4	2.9	2.8	25.8	1.4	4.94	4.32	118	0.0	0.5	3.4	2.7	25.5	1.2	5.03	4.31
SUTTER	2, BP	110	0.0	0.3	3.5	1.1	27.2	2.2	5.15	4.52	110	0.0	0.3	3.5	1.1	27.2	2.2	5.15	4.52
SUTTER	6366, SUN	107	0.0	0.6	0.6	0.7	24.8	1.2	5.24	4.36	107	0.0	0.6	0.6	0.7	24.8	1.2	5.24	4.36
SUTTER	142, BQ	84	0.0	1.3	0.9	0.1	24.2	3.7	5.89	4.37	84	0.0	1.3	0.9	0.1	24.2	3.7	5.89	4.37
SUTTER	0311, AB	25	0.0	1.9	1.1	0.4	23.0	1.3	6.24	4.36	45	0.0	1.7	0.9	0.4	23.7	1.3	6.30	4.32
SUTTER	1893, HMX	31	0.0	0.4	1.2	0.3	26.5	2.7	4.81	4.35	31	0.0	0.4	1.2	0.3	26.5	2.7	4.81	4.35
SUTTER	5900, HMX	31	0.0	0.6	0.7	0.6	25.0	1.0	5.42	4.32	31	0.0	0.6	0.7	0.6	25.0	1.0	5.42	4.32
SUTTER	0599, SV	17	0.0	0.5	0.4	0.6	24.8	0.9	5.32	4.31	17	0.0	0.5	0.4	0.6	24.8	0.9	5.32	4.31
SUTTER	25, BP	2	0.0	0.5	0.8	0.0	24.5	1.8	4.55	4.44	2	0.0	0.5	0.8	0.0	24.5	1.8	4.55	4.44
SUTTER	401, BQ	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
SUTTER	402, BQ	2	0.0	0.5	0.3	0.0	26.5	0.8	5.35	4.43	2	0.0	0.5	0.3	0.0	26.5	0.8	5.35	4.43
SUTTER	273, BQ	1	0.0	0.5	1.0	0.0	24.0	0.5	5.50	4.45	1	0.0	0.5	1.0	0.0	24.0	0.5	5.50	4.45
SUTTER	400, BQ	1	0.0	0.5	0.5	0.0	23.0	1.5	5.10	4.52	1	0.0	0.5	0.5	0.0	23.0	1.5	5.10	4.52
SUTTER	403, BQ	1	0.0	0.0	0.5	0.5	25.0	0.5	5.10	4.43	1	0.0	0.0	0.5	0.5	25.0	0.5	5.10	4.43
SUTTER	6416, N	1	0.0	0.0	0.0	0.0	25.0	1.5	4.20	4.46	1	0.0	0.0	0.0	0.0	25.0	1.5	4.20	4.46
SUTTER		918	0.0	0.6	2.4	1.2	26.0	2.1	5.04	4.41	1,016	0.0	0.6	2.4	1.3	25.9	2.0	5.07	4.39
TULARE	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	114	0.0	0.5	1.7	0.7	22.4	1.5	6.02	4.45
TULARE	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.5	0.5	22.0	0.8	6.80	4.42
TULARE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	0.5	1.7	0.7	22.4	1.5	6.03	4.45
YOLO	13, BP	781	0.0	0.3	4.1	1.2	27.4	1.2	4.95	4.37	1,269	0.0	0.3	4.2	1.1	27.6	1.2	4.93	4.36
YOLO	109, CXD (SHASTA)	33	0.0	0.5	1.6	0.8	25.3	3.4	5.44	4.26	1,082	0.0	0.6	1.7	0.6	26.1	2.6	5.34	4.23
YOLO	6366, SUN	658	0.0	0.4	1.2	0.4	25.4	1.3	5.04	4.35	822	0.0	0.3	1.1	0.3	25.1	1.4	5.24	4.34
YOLO	6397, N	586	0.0	0.3	0.9	0.4	25.3	1.3	5.08	4.39	821	0.0	0.2	0.9	0.4	25.5	1.2	5.08	4.37
YOLO	273, BQ	306	0.0	0.3	1.1	0.3	25.9	1.1	5.14	4.32	426	0.0	0.2	1.2	0.3	26.4	0.9	5.14	4.32
YOLO	0599, SV	223	0.0	0.5	0.7	0.4	28.2	0.9	4.71	4.36	371	0.0	0.4	0.6	0.3	28.3	1.0	5.07	4.33
YOLO	6394, N	345	0.0	0.3	1.9	1.2	26.5	2.3	4.99	4.43	345	0.0	0.3	1.9	1.2	26.5	2.3	4.99	4.43
YOLO	410, APT	109	0.0	1.4	2.5	2.8	27.3	4.3	4.29	4.50	320	0.0	0.8	1.8	1.4	26.3	3.3	4.49	4.42
YOLO	1015, HEINZ	53	0.0	0.3	0.7	0.5	24.3	2.5	4.82	4.50	235	0.0	0.2	3.2	0.7	25.9	0.8	4.69	4.45
YOLO	16609, UG	123	0.0	0.3	1.3	0.4	26.0	3.1	4.97	4.34	214	0.0	0.2	1.0	0.3	26.6	2.3	4.86	4.32
YOLO	6416, N	7	0.0	0.1	1.8	0.1	28.4	0.6	4.71	4.27	207	0.0	0.2	2.0	1.0	28.2	0.6	4.56	4.25

2016 Processing Tomato Season
PTAB Analysis (7/30/16) - County by Variety



County	Variety Name	Week Ending 7/30/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	2, BP	186	0.0	0.5	5.6	0.6	27.4	3.3	4.99	4.47	201	0.0	0.5	6.0	0.7	27.6	3.1	4.98	4.46
YOLO	6402, N	183	0.0	0.3	5.8	0.5	27.4	2.5	5.04	4.44	201	0.0	0.4	6.1	0.6	27.6	2.3	5.04	4.44
YOLO	0319, DRI	187	0.0	0.4	2.6	1.9	26.3	1.5	6.20	4.36	187	0.0	0.4	2.6	1.9	26.3	1.5	6.20	4.36
YOLO	0311, AB	142	0.0	0.4	0.6	0.2	23.7	2.1	5.69	4.31	142	0.0	0.4	0.6	0.2	23.7	2.1	5.69	4.31
YOLO	5003, HEINZ	138	0.0	0.9	3.0	2.1	26.5	3.5	4.76	4.47	138	0.0	0.9	3.0	2.1	26.5	3.5	4.76	4.47
YOLO	255, CXD	36	0.0	0.2	1.5	0.2	26.4	2.6	5.22	4.32	45	0.0	0.2	2.8	0.3	27.7	2.3	5.11	4.33
YOLO	3887, HMX	24	0.0	0.6	1.7	0.5	25.6	0.8	6.36	4.43	24	0.0	0.6	1.7	0.5	25.6	0.8	6.36	4.43
YOLO	5608, HZ	18	0.0	0.4	0.3	0.2	23.6	3.3	4.66	4.45	18	0.0	0.4	0.3	0.2	23.6	3.3	4.66	4.45
YOLO	9436, UG	15	0.0	0.2	0.8	0.2	24.9	3.4	4.87	4.42	15	0.0	0.2	0.8	0.2	24.9	3.4	4.87	4.42
YOLO	1311, HZ	4	0.0	0.1	0.1	0.3	23.0	4.8	5.38	4.35	4	0.0	0.1	0.1	0.3	23.0	4.8	5.38	4.35
YOLO	5900, HMX	4	0.0	0.8	0.8	0.4	30.5	0.5	4.93	4.28	4	0.0	0.8	0.8	0.4	30.5	0.5	4.93	4.28
YOLO	MIX	1	0.0	0.5	1.0	0.0	25.0	2.0	5.00	4.46	1	0.0	0.5	1.0	0.0	25.0	2.0	5.00	4.46
YOLO		4,162	0.0	0.4	2.3	0.8	26.3	1.8	5.06	4.38	7,092	0.0	0.4	2.2	0.7	26.5	1.7	5.08	4.34