

2016 Processing Tomato Season
PTAB Analysis (8/6/16) - County by Variety



County	Variety Name	Week Ending 8/6/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	1015, HEINZ	805	0.0	0.8	3.1	1.6	26.7	1.1	4.98	4.48	2,449	0.0	0.6	3.1	1.7	26.4	1.3	4.84	4.45
COLUSA	6366, SUN	211	0.0	0.5	2.0	1.5	26.7	4.0	5.09	4.47	1,446	0.0	0.7	3.2	1.6	28.0	2.1	5.02	4.38
COLUSA	410, APT	133	0.0	0.9	5.6	1.0	26.2	5.8	4.74	4.62	1,013	0.0	0.8	2.9	1.3	27.8	2.8	4.67	4.41
COLUSA	0311, AB	563	0.0	0.7	2.1	1.1	25.1	2.3	5.36	4.39	699	0.0	0.7	2.3	1.1	25.1	2.2	5.38	4.38
COLUSA	6416, N	133	0.0	0.9	4.8	2.8	28.9	2.0	4.51	4.44	643	0.0	0.5	2.7	1.0	25.8	1.0	5.05	4.32
COLUSA	6397, N	230	0.0	0.3	2.2	2.0	26.7	1.1	4.94	4.45	591	0.0	0.6	1.9	1.4	26.0	1.1	4.97	4.43
COLUSA	0319, DRI	384	0.0	1.0	2.0	0.9	26.1	2.3	5.73	4.37	403	0.0	1.0	2.1	0.9	26.1	2.3	5.72	4.37
COLUSA	6402, N	196	0.0	0.8	2.8	2.0	26.1	1.7	5.56	4.42	361	0.0	0.9	3.8	1.9	27.2	1.6	5.25	4.40
COLUSA	5003, HEINZ	91	0.0	0.8	2.4	1.2	26.7	3.8	4.79	4.46	353	0.0	0.7	3.0	1.2	26.5	4.5	4.77	4.44
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	350	0.0	0.3	1.9	0.7	28.7	4.1	4.74	4.25
COLUSA	205, BQ	309	0.0	0.5	2.0	1.3	27.2	2.9	5.23	4.39	309	0.0	0.5	2.0	1.3	27.2	2.9	5.23	4.39
COLUSA	13, BP	303	0.0	0.3	3.5	1.2	29.4	2.2	4.82	4.42	303	0.0	0.3	3.5	1.2	29.4	2.2	4.82	4.42
COLUSA	273, BQ	77	0.0	0.2	0.3	0.1	26.1	0.8	4.55	4.40	280	0.0	0.3	1.2	0.3	25.8	0.6	5.10	4.33
COLUSA	6394, N	234	0.0	0.7	2.3	1.5	26.5	3.0	5.01	4.49	234	0.0	0.7	2.3	1.5	26.5	3.0	5.01	4.49
COLUSA	5900, HMX	133	0.0	0.8	1.8	1.3	27.3	3.7	5.33	4.38	216	0.0	0.6	2.4	1.2	26.8	3.0	5.33	4.34
COLUSA	UNCODED	32	0.0	0.3	6.0	1.2	29.4	1.3	4.95	4.36	127	0.0	0.5	4.9	1.9	28.1	1.7	4.89	4.35
COLUSA	163, BQ	101	0.0	0.5	3.1	1.6	29.7	2.5	5.09	4.42	101	0.0	0.5	3.1	1.6	29.7	2.5	5.09	4.42
COLUSA	255, CXD	42	0.0	0.5	0.9	0.6	26.9	1.0	5.07	4.29	69	0.0	0.4	1.0	0.7	27.2	0.9	5.12	4.29
COLUSA	3887, HMX	40	0.0	0.8	2.2	1.1	29.2	1.9	5.02	4.45	40	0.0	0.8	2.2	1.1	29.2	1.9	5.02	4.45
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.4	1.3	0.8	25.2	1.8	5.56	4.30
COLUSA	5608, HZ	15	0.0	0.2	0.1	0.1	25.5	0.4	4.47	4.29	15	0.0	0.2	0.1	0.1	25.5	0.4	4.47	4.29
COLUSA	0599, SV	1	0.0	0.0	1.0	0.0	26.0	1.5	5.60	4.47	1	0.0	0.0	1.0	0.0	26.0	1.5	5.60	4.47
COLUSA		4,033	0.0	0.7	2.6	1.4	26.8	2.3	5.12	4.43	10,039	0.0	0.6	2.8	1.4	26.9	2.0	4.99	4.40
CONTRA COSTA	6366, SUN	540	0.0	0.2	0.8	0.1	24.5	1.3	5.51	4.34	2,102	0.0	0.2	0.7	0.1	25.0	1.6	5.61	4.32
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	370	0.0	0.1	0.7	0.1	25.7	1.6	5.23	4.24
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	247	0.0	0.1	1.1	0.1	25.3	3.6	5.74	4.20
CONTRA COSTA	6402, N	99	0.0	0.2	0.5	0.0	24.6	0.5	6.01	4.34	177	0.0	0.1	0.4	0.0	24.3	0.5	5.95	4.35
CONTRA COSTA	273, BQ	130	0.0	0.2	1.3	0.1	24.3	0.7	5.51	4.24	164	0.0	0.2	1.1	0.1	24.3	0.6	5.66	4.24
CONTRA COSTA	0311, AB	94	0.0	0.0	0.6	0.0	23.4	1.1	6.50	4.27	94	0.0	0.0	0.6	0.0	23.4	1.1	6.50	4.27
CONTRA COSTA	3884, HMX	92	0.0	0.2	0.3	0.1	26.3	1.6	5.89	4.33	92	0.0	0.2	0.3	0.1	26.3	1.6	5.89	4.33
CONTRA COSTA	5900, HMX	37	0.0	0.1	0.5	0.0	24.8	0.6	5.64	4.25	57	0.0	0.1	0.6	0.1	24.6	0.9	5.81	4.26
CONTRA COSTA	0319, DRI	24	0.0	0.6	1.3	0.0	23.2	0.5	6.35	4.25	24	0.0	0.6	1.3	0.0	23.2	0.5	6.35	4.25
CONTRA COSTA	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.3	0.1	25.2	0.4	5.90	4.31
CONTRA COSTA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.4	0.0	23.3	0.3	5.48	4.36
CONTRA COSTA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.5	0.2	23.3	0.2	5.80	4.29
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.90	4.32
CONTRA COSTA		1,016	0.0	0.2	0.8	0.1	24.5	1.1	5.71	4.32	3,340	0.0	0.1	0.7	0.1	25.0	1.6	5.64	4.30
FRESNO	6366, SUN	770	0.0	0.6	1.4	1.8	24.3	3.2	5.92	4.45	11,813	0.0	0.5	1.3	0.7	24.7	2.6	5.74	4.39
FRESNO	0311, AB	4,165	0.0	1.5	2.1	0.9	23.3	2.1	5.99	4.38	8,964	0.0	1.1	1.9	0.7	23.4	1.9	6.05	4.35
FRESNO	6416, N	1	0.0	0.0	0.5	0.5	22.0	3.0	6.20	4.42	7,030	0.0	0.2	1.8	0.7	24.3	1.6	5.24	4.30
FRESNO	273, BQ	407	0.0	0.6	1.6	0.3	23.1	1.7	5.41	4.38	5,582	0.0	0.4	2.1	0.8	24.1	1.3	5.70	4.31

2016 Processing Tomato Season
PTAB Analysis (8/6/16) - County by Variety



County	Variety Name	Week Ending 8/6/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	1892, HMX	1,607	0.0	0.6	2.7	1.6	24.1	1.5	5.84	4.44	4,781	0.0	0.5	2.5	1.5	24.9	1.5	5.81	4.41
FRESNO	3887, HMX	2,006	0.0	0.8	3.6	1.3	25.5	2.4	5.69	4.45	3,786	0.0	0.6	3.5	1.3	25.5	2.3	5.85	4.42
FRESNO	0319, DRI	1,872	0.0	1.1	1.1	0.4	24.7	3.4	6.06	4.44	3,568	0.0	1.0	1.1	0.4	24.6	2.8	6.14	4.40
FRESNO	6415, N	1,415	0.0	0.4	1.6	0.4	24.4	1.5	5.18	4.36	2,589	0.0	0.4	1.9	0.4	24.5	1.6	5.25	4.35
FRESNO	1292, HZ	126	0.0	0.6	1.1	1.6	22.7	7.5	6.34	4.71	1,951	0.0	0.5	1.2	0.7	22.7	2.6	5.86	4.47
FRESNO	1015, HEINZ	81	0.0	0.7	1.1	0.8	23.0	4.1	6.07	4.48	1,762	0.0	0.5	0.8	0.4	23.6	1.8	5.45	4.44
FRESNO	6394, N	752	0.0	0.6	1.6	2.1	23.3	2.8	5.93	4.50	1,626	0.0	0.6	1.7	1.5	24.1	2.7	5.72	4.45
FRESNO	6402, N	199	0.0	1.2	0.9	1.0	23.3	2.5	6.00	4.46	1,610	0.0	0.6	0.8	1.0	23.6	1.8	6.02	4.39
FRESNO	5608, HZ	697	0.0	1.0	2.2	2.3	23.2	2.0	5.40	4.40	1,535	0.0	0.7	2.1	1.2	23.7	1.5	5.34	4.40
FRESNO	16609, UG	406	0.0	0.3	1.0	0.2	23.3	2.4	5.71	4.34	1,499	0.0	0.3	1.4	0.2	23.4	2.4	5.69	4.34
FRESNO	19406, UG	381	0.0	0.7	1.0	0.2	24.3	2.0	6.08	4.39	1,435	0.0	0.9	1.0	0.2	25.3	1.5	6.08	4.34
FRESNO	9663, HEINZ	719	0.0	2.3	3.4	0.4	23.5	3.2	5.35	4.40	1,323	0.0	1.6	4.0	0.5	23.6	2.6	5.31	4.39
FRESNO	7885, HMX	532	0.0	1.0	0.6	0.4	25.7	2.0	5.10	4.58	1,103	0.0	1.1	0.5	0.3	25.6	1.7	5.14	4.57
FRESNO	1293, HZ	314	0.0	0.8	1.6	0.6	23.3	1.3	5.73	4.49	1,070	0.0	0.5	1.7	0.7	23.4	1.1	5.72	4.47
FRESNO	4885, HMX	434	0.0	0.4	1.5	0.2	24.5	1.5	5.22	4.35	967	0.0	0.3	1.6	0.2	24.2	1.1	5.39	4.33
FRESNO	9491, HEINZ	151	0.0	1.1	3.6	0.5	24.5	4.1	4.91	4.36	939	0.0	0.4	3.1	0.4	24.9	2.9	5.20	4.39
FRESNO	0599, SV	34	0.0	0.6	0.3	0.3	24.7	1.4	5.56	4.46	720	0.0	0.4	0.5	0.2	25.6	0.9	5.25	4.33
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	675	0.0	0.4	1.0	0.6	24.4	1.1	5.62	4.40
FRESNO	9436, UG	183	0.0	0.3	1.9	0.2	24.4	2.2	5.86	4.41	568	0.0	0.3	1.5	0.3	24.1	2.1	5.94	4.41
FRESNO	4707, HEINZ	525	0.0	0.2	3.0	0.5	26.3	1.0	5.37	4.36	565	0.0	0.2	3.0	0.5	26.3	1.0	5.37	4.36
FRESNO	8504, HEINZ	455	0.0	0.3	3.7	0.6	24.7	2.6	5.91	4.34	542	0.0	0.3	3.4	0.6	24.8	2.7	5.91	4.34
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	483	0.0	1.2	1.0	0.5	24.2	2.5	4.88	4.36
FRESNO	205, BQ	127	0.0	1.4	0.8	0.8	24.4	1.8	6.12	4.38	479	0.0	0.7	1.0	0.6	24.7	2.2	6.17	4.39
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	427	0.0	0.4	1.1	0.4	24.6	3.1	5.62	4.39
FRESNO	6420, N	170	0.0	0.5	2.1	0.4	24.0	1.7	5.43	4.50	388	0.0	0.8	1.4	0.6	24.5	1.5	5.31	4.47
FRESNO	4909, HMX	110	0.0	1.2	0.8	0.2	24.5	1.3	5.56	4.29	331	0.0	0.8	1.1	0.5	25.5	1.2	5.62	4.26
FRESNO	6404, N	88	0.0	1.4	1.5	2.2	24.8	3.9	5.09	4.48	309	0.0	0.7	0.6	0.7	24.4	2.1	5.12	4.40
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	1.4	0.5	23.1	1.7	5.07	4.33
FRESNO	1161, HEINZ	11	0.0	1.1	0.4	0.4	23.6	3.9	6.56	4.44	198	0.0	0.3	3.3	0.2	25.7	5.7	6.23	4.44
FRESNO	313, BQ	2	0.0	1.3	0.8	0.0	24.0	5.3	4.90	4.50	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.3	0.7	0.4	23.0	0.7	5.45	4.36
FRESNO	5900, HMX	2	0.0	0.3	1.5	0.3	24.5	1.3	5.55	4.33	166	0.0	0.3	1.8	0.5	25.2	3.1	5.97	4.28
FRESNO	2756, SV	29	0.0	0.1	1.0	0.4	24.9	0.2	5.31	4.42	125	0.0	0.1	1.2	0.3	25.2	0.3	5.31	4.34
FRESNO	2401, HEINZ	111	0.0	0.3	0.9	0.7	24.3	1.9	5.11	4.36	111	0.0	0.3	0.9	0.7	24.3	1.9	5.11	4.36
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.2	0.5	0.4	24.2	4.0	5.59	4.32
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	1.0	0.7	25.5	1.1	5.68	4.25
FRESNO	002, PS	43	0.0	0.9	1.2	0.2	24.9	2.3	5.49	4.41	66	0.0	0.9	1.3	0.2	25.0	2.2	5.50	4.43
FRESNO	8516, SV	53	0.0	0.3	1.2	0.2	25.8	3.2	6.02	4.38	53	0.0	0.3	1.2	0.2	25.8	3.2	6.02	4.38
FRESNO	1428, HZ	52	0.0	0.0	1.7	0.2	22.4	0.3	5.66	4.33	52	0.0	0.0	1.7	0.2	22.4	0.3	5.66	4.33
FRESNO	1311, HZ	18	0.0	1.3	0.7	0.3	24.3	1.9	5.28	4.42	37	0.0	0.9	0.7	0.5	24.0	1.5	5.62	4.36
FRESNO	4886, HMX	34	0.0	2.1	0.8	0.6	24.8	2.3	6.02	4.42	34	0.0	2.1	0.8	0.6	24.8	2.3	6.02	4.42

2016 Processing Tomato Season
PTAB Analysis (8/6/16) - County by Variety



County	Variety Name	Week Ending 8/6/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	18806, UG	32	0.0	0.9	0.9	0.5	25.8	3.0	6.43	4.39	32	0.0	0.9	0.9	0.5	25.8	3.0	6.43	4.39
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.4	1.4	0.5	24.7	1.2	5.71	4.29
FRESNO	8232, SV	16	0.0	1.8	3.5	0.5	23.1	4.9	5.40	4.37	16	0.0	1.8	3.5	0.5	23.1	4.9	5.40	4.37
FRESNO	108, HYPEEL	1	0.0	3.0	0.5	0.0	25.0	3.0	5.10	4.72	12	0.0	1.0	0.3	0.5	24.5	2.3	5.21	4.60
FRESNO	2930, K	1	0.0	0.5	3.0	1.0	23.0	1.5	5.90	4.46	6	0.0	0.3	1.3	1.1	23.2	0.9	5.73	4.47
FRESNO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	0.8	0.6	24.2	1.7	5.18	4.36
FRESNO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.3	1.8	23.5	1.5	5.50	4.48
FRESNO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	27.0	2.5	6.20	4.43
FRESNO	129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.5	5.40	4.37
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
FRESNO	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	3.5	5.60	4.39
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	22.0	0.5	6.00	4.52
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.0	23.0	0.5	6.00	4.40
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	1.5	25.0	1.5	5.30	4.38
FRESNO	5234, IVF	1	0.0	0.0	0.5	0.0	24.0	1.5	6.90	4.31	1	0.0	0.0	0.5	0.0	24.0	1.5	6.90	4.31
FRESNO	7883, HM	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
FRESNO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	22.0	0.5	5.80	4.43
FRESNO		19,134	0.0	0.9	2.1	0.9	24.2	2.3	5.73	4.41	72,200	0.0	0.6	1.8	0.7	24.3	2.0	5.69	4.38
GLENN	1015, HEINZ	239	0.0	0.4	1.6	1.4	26.6	0.8	4.88	4.45	377	0.0	0.3	1.8	1.4	26.8	0.7	4.83	4.44
GLENN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.4	1.8	2.2	26.4	2.2	4.94	4.44
GLENN		239	0.0	0.4	1.6	1.4	26.6	0.8	4.88	4.45	477	0.0	0.4	1.8	1.6	26.7	1.0	4.86	4.44
KERN	6366, SUN	2	0.0	1.8	0.8	0.0	25.5	1.0	5.40	4.37	4,441	0.0	0.8	2.0	0.9	26.1	2.3	5.11	4.42
KERN	273, BQ	14	0.0	1.9	3.1	1.5	24.1	1.5	4.99	4.49	4,021	0.0	0.7	2.8	1.0	25.4	1.9	5.16	4.38
KERN	8504, HEINZ	1,027	0.0	0.6	1.7	0.6	25.9	1.6	5.24	4.41	3,390	0.0	0.4	2.1	0.6	25.7	1.4	5.20	4.37
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,193	0.0	0.5	1.6	0.5	24.4	1.4	5.04	4.34
KERN	6397, N	2	0.0	2.0	1.5	2.0	22.0	2.0	4.85	4.50	1,538	0.0	0.7	2.5	1.0	24.5	1.3	5.09	4.40
KERN	0319, DRI	331	0.0	2.0	0.6	0.3	24.7	3.9	5.61	4.47	1,204	0.0	2.0	1.6	0.5	25.7	2.8	5.39	4.43
KERN	5608, HZ	203	0.0	1.7	0.7	0.2	24.2	1.3	4.87	4.40	1,013	0.0	1.1	2.0	0.4	24.0	1.2	4.95	4.40
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	0.4	2.1	0.7	25.0	2.9	4.74	4.44
KERN	0311, AB	10	0.0	2.9	0.4	0.1	24.7	2.6	5.30	4.45	958	0.0	1.5	2.3	0.4	25.6	1.5	5.33	4.33
KERN	6402, N	50	0.0	1.2	0.3	0.2	23.3	2.7	5.64	4.54	468	0.0	1.7	2.3	0.5	27.3	1.4	4.82	4.42
KERN	1170, HEINZ	153	0.0	0.8	0.8	0.2	25.6	1.6	5.01	4.43	353	0.0	0.9	0.9	0.2	25.9	1.1	5.12	4.35
KERN	1892, HMX	101	0.0	0.6	0.2	0.2	26.0	3.9	5.32	4.59	268	0.0	0.4	1.1	0.4	25.5	1.9	5.39	4.44
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	0.3	0.6	0.4	24.4	0.6	4.70	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.2	3.0	0.3	24.5	1.8	5.24	4.36
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	0.2	3.0	0.4	25.4	2.4	5.39	4.36
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	0.8	0.2	0.1	23.1	0.3	5.30	4.32
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	0.3	1.2	0.8	24.6	0.8	4.81	4.26
KERN	3887, HMX	103	0.0	0.2	1.4	0.2	24.2	3.8	5.54	4.49	103	0.0	0.2	1.4	0.2	24.2	3.8	5.54	4.49

2016 Processing Tomato Season
PTAB Analysis (8/6/16) - County by Variety



County	Variety Name	Week Ending 8/6/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	6133, SV	18	0.0	2.5	0.4	0.0	24.2	0.8	4.96	4.56	55	0.0	1.7	1.9	0.6	25.6	2.3	5.99	4.44
KERN	4909, HMX	38	0.0	1.0	0.3	0.4	25.9	2.1	5.61	4.34	38	0.0	1.0	0.3	0.4	25.9	2.1	5.61	4.34
KERN	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	1.4	2.1	0.1	28.8	1.9	4.59	4.41
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.7	2.5	0.4	26.4	1.6	5.41	4.42
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.2	0.6	0.3	25.5	0.3	5.36	4.24
KERN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	2.8	0.4	24.9	2.7	5.23	4.45
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	2.0	5.20	4.25
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	1.0	26.0	0.0	4.80	4.39
KERN		2,052	0.0	1.0	1.2	0.4	25.4	2.2	5.28	4.44	21,968	0.0	0.8	2.1	0.7	25.4	1.8	5.13	4.39
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,843	0.0	0.2	1.9	0.7	25.5	1.7	4.98	4.32
KINGS	5608, HZ	269	0.0	0.8	0.9	0.5	23.9	2.2	4.96	4.44	3,304	0.0	0.5	2.1	0.6	24.4	1.1	4.96	4.39
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,117	0.0	0.3	2.8	0.6	25.7	1.4	5.28	4.32
KINGS	6366, SUN	426	0.0	0.7	1.6	0.4	23.7	2.9	5.66	4.44	2,368	0.0	0.5	1.8	0.4	24.8	2.5	5.91	4.41
KINGS	0319, DRI	1,255	0.0	1.4	2.2	0.4	25.3	3.0	5.82	4.40	2,080	0.0	1.1	2.0	0.4	25.4	2.6	5.86	4.38
KINGS	3887, HMX	757	0.0	1.7	2.7	0.4	25.7	1.8	5.42	4.43	1,501	0.0	1.0	3.6	0.6	25.3	1.5	5.71	4.39
KINGS	1892, HMX	555	0.0	0.9	1.2	0.4	25.9	2.7	5.65	4.58	1,426	0.0	0.5	1.5	0.5	26.1	1.7	5.45	4.47
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,297	0.0	0.4	2.0	0.7	24.3	2.5	4.63	4.43
KINGS	0311, AB	214	0.0	1.5	1.0	0.7	24.7	2.4	5.27	4.43	1,040	0.0	1.0	0.9	0.5	25.0	1.5	5.42	4.36
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	964	0.0	0.3	3.3	0.7	24.7	1.1	5.41	4.40
KINGS	1015, HEINZ	70	0.0	0.3	0.8	0.4	23.0	2.5	5.81	4.48	708	0.0	0.5	3.3	1.3	24.4	2.0	5.21	4.43
KINGS	8504, HEINZ	554	0.0	0.7	1.7	0.6	25.4	1.3	5.47	4.43	574	0.0	0.7	1.7	0.5	25.4	1.3	5.47	4.43
KINGS	1161, HEINZ	4	0.0	0.6	2.8	0.1	24.8	2.4	5.00	4.38	416	0.0	0.5	1.1	0.3	25.8	3.2	5.97	4.32
KINGS	6402, N	162	0.0	0.9	0.5	0.3	23.6	1.9	5.97	4.50	390	0.0	1.1	0.6	0.2	24.7	1.4	5.60	4.47
KINGS	16609, UG	138	0.0	0.9	1.7	0.3	24.7	1.7	5.27	4.34	350	0.0	0.6	2.7	0.5	24.8	2.2	5.61	4.33
KINGS	8516, SV	244	0.0	3.4	1.4	0.3	24.2	3.1	5.25	4.42	244	0.0	3.4	1.4	0.3	24.2	3.1	5.25	4.42
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.9	3.2	0.6	26.0	3.2	4.77	4.38
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	0.5	1.3	0.3	24.3	4.1	5.51	4.51
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	0.1	1.4	0.4	23.6	1.6	6.25	4.30
KINGS	7885, HMX	138	0.0	0.4	0.5	0.1	26.8	1.0	5.28	4.53	138	0.0	0.4	0.5	0.1	26.8	1.0	5.28	4.53
KINGS	4909, HMX	13	0.0	1.3	0.9	0.2	23.5	4.7	6.49	4.46	67	0.0	0.7	1.8	0.6	26.9	1.6	5.52	4.30
KINGS	UNCODED	46	0.0	0.3	1.6	0.3	23.8	1.8	6.21	4.41	64	0.0	0.3	1.7	0.5	23.9	1.8	5.85	4.42
KINGS	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.9	1.0	0.3	27.0	2.8	6.66	4.43
KINGS	4885, HMX	33	0.0	0.9	1.1	0.2	23.8	0.9	4.98	4.33	33	0.0	0.9	1.1	0.2	23.8	0.9	4.98	4.33
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.5	0.5	0.1	22.2	1.4	5.48	4.45
KINGS	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	1.2	4.6	1.0	26.2	2.9	5.25	4.37
KINGS	8011, SV	19	0.1	6.7	2.3	0.6	25.2	1.8	4.74	4.39	19	0.1	6.7	2.3	0.6	25.2	1.8	4.74	4.39
KINGS	6428, N	9	0.0	0.4	0.9	0.3	26.8	1.9	4.84	4.47	9	0.0	0.4	0.9	0.3	26.8	1.9	4.84	4.47
KINGS	18806, UG	7	0.0	1.4	2.9	0.4	27.9	1.7	5.16	4.29	7	0.0	1.4	2.9	0.4	27.9	1.7	5.16	4.29
KINGS	141, BQ	5	0.0	3.3	1.9	1.2	26.4	3.3	4.68	4.45	5	0.0	3.3	1.9	1.2	26.4	3.3	4.68	4.45
KINGS	1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.0	0.0	23.0	1.5	5.40	4.47
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	1.8	0.5	25.0	3.0	5.20	4.48

2016 Processing Tomato Season
PTAB Analysis (8/6/16) - County by Variety



County	Variety Name	Week Ending 8/6/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS		4,918	0.0	1.2	1.7	0.4	25.1	2.3	5.55	4.44	26,589	0.0	0.5	2.1	0.6	25.1	1.8	5.31	4.37
MADERA	6415, N	361	0.0	0.7	4.2	2.0	24.1	1.6	5.49	4.38	584	0.0	0.5	4.0	1.5	24.5	1.4	5.34	4.35
MADERA	6394, N	95	0.0	0.8	2.3	1.8	23.3	4.2	6.07	4.56	510	0.0	0.6	2.9	1.3	24.0	4.8	5.65	4.48
MADERA	1892, HMX	279	0.0	0.6	4.1	3.5	27.0	2.1	5.56	4.50	283	0.0	0.5	4.1	3.5	27.0	2.1	5.57	4.50
MADERA	6416, N	52	0.0	1.8	1.9	0.5	24.6	1.5	4.71	4.35	275	0.0	1.4	2.1	0.3	24.8	1.4	4.73	4.34
MADERA	373, U	118	0.0	3.4	2.3	0.8	26.1	3.4	4.35	4.46	130	0.0	3.2	2.3	0.8	26.2	3.3	4.33	4.45
MADERA	5608, HZ	92	0.0	0.4	0.3	0.1	24.1	0.8	5.13	4.36	92	0.0	0.4	0.3	0.1	24.1	0.8	5.13	4.36
MADERA	3887, HMX	7	0.0	1.1	7.9	0.2	28.0	0.9	5.77	4.42	7	0.0	1.1	7.9	0.2	28.0	0.9	5.77	4.42
MADERA		1,004	0.0	1.0	3.3	2.0	25.1	2.1	5.36	4.43	1,881	0.0	0.9	3.1	1.4	24.9	2.5	5.29	4.41
MERCED	6415, N	742	0.0	0.3	0.7	0.5	24.3	2.7	5.00	4.35	771	0.0	0.3	0.6	0.4	24.3	2.7	4.98	4.35
MERCED	0311, AB	119	0.0	0.3	0.8	0.3	23.8	0.9	5.88	4.29	618	0.0	0.4	0.7	0.1	23.4	2.1	5.78	4.32
MERCED	0319, DRI	355	0.0	0.8	0.8	0.3	24.7	2.7	5.85	4.36	455	0.0	1.0	0.9	0.3	24.7	3.0	5.85	4.37
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	0.1	0.6	0.3	24.6	1.3	4.98	4.27
MERCED	6404, N	260	0.0	1.2	2.4	1.9	25.9	3.6	5.49	4.53	260	0.0	1.2	2.4	1.9	25.9	3.6	5.49	4.53
MERCED	6366, SUN	173	0.0	1.0	0.9	0.8	24.6	4.6	5.15	4.39	177	0.0	1.0	0.9	0.8	24.5	4.5	5.16	4.39
MERCED	2401, HEINZ	126	0.0	0.3	2.3	1.1	26.3	1.2	4.53	4.29	126	0.0	0.3	2.3	1.1	26.3	1.2	4.53	4.29
MERCED	6397, N	64	0.0	0.4	0.4	0.4	22.7	2.9	5.58	4.42	64	0.0	0.4	0.4	0.4	22.7	2.9	5.58	4.42
MERCED	4707, HEINZ	56	0.0	0.1	2.5	1.6	27.1	0.3	4.65	4.27	56	0.0	0.1	2.5	1.6	27.1	0.3	4.65	4.27
MERCED	5702, HZ	31	0.0	0.1	1.8	1.3	24.7	1.7	5.15	4.36	31	0.0	0.1	1.8	1.3	24.7	1.7	5.15	4.36
MERCED	8504, HEINZ	19	0.0	0.1	1.7	0.9	26.3	0.4	4.62	4.22	19	0.0	0.1	1.7	0.9	26.3	0.4	4.62	4.22
MERCED	1892, HMX	6	0.0	0.4	3.7	4.8	24.7	1.9	5.83	4.49	6	0.0	0.4	3.7	4.8	24.7	1.9	5.83	4.49
MERCED		1,951	0.0	0.6	1.1	0.7	24.7	2.7	5.27	4.37	2,941	0.0	0.5	1.0	0.6	24.5	2.5	5.33	4.35
SAN JOAQUIN	1293, HZ	24	0.0	0.4	1.3	0.7	25.2	0.9	5.38	4.48	24	0.0	0.4	1.3	0.7	25.2	0.9	5.38	4.48
SAN JOAQUIN	6404, N	4	0.0	2.0	0.8	0.1	26.0	2.6	4.33	4.41	4	0.0	2.0	0.8	0.1	26.0	2.6	4.33	4.41
SAN JOAQUIN	108, HYPEEL	2	0.0	0.0	1.3	1.3	25.0	0.5	5.35	4.43	2	0.0	0.0	1.3	1.3	25.0	0.5	5.35	4.43
SAN JOAQUIN		30	0.0	0.6	1.2	0.7	25.3	1.1	5.24	4.47	30	0.0	0.6	1.2	0.7	25.3	1.1	5.24	4.47
SOLANO	6366, SUN	324	0.0	0.5	1.1	0.7	27.1	2.2	5.70	4.42	437	0.0	0.5	1.1	0.7	27.3	2.0	5.65	4.40
SOLANO	16609, UG	152	0.0	0.6	0.6	0.5	26.5	3.3	5.57	4.35	256	0.0	0.6	0.6	0.5	27.1	3.0	5.52	4.34
SOLANO	6397, N	132	0.0	0.4	0.7	0.3	25.4	1.9	5.26	4.44	209	0.0	0.4	0.7	0.4	25.2	2.4	5.29	4.41
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	199	0.0	0.5	0.6	0.4	29.2	0.7	5.20	4.28
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	183	0.0	0.3	0.6	0.1	26.1	0.9	4.98	4.31
SOLANO	273, BQ	36	0.0	0.7	0.8	0.2	25.4	1.1	5.28	4.33	164	0.0	0.5	0.6	0.1	25.8	1.4	5.13	4.39
SOLANO	1015, HEINZ	41	0.0	0.4	0.8	0.1	24.6	0.3	5.11	4.48	142	0.0	0.4	0.7	0.1	24.8	0.4	5.01	4.45
SOLANO	0311, AB	122	0.0	0.6	0.5	0.4	24.5	1.1	5.69	4.27	123	0.0	0.6	0.5	0.4	24.5	1.1	5.69	4.27
SOLANO	6402, N	116	0.0	0.4	2.9	0.6	29.3	1.4	4.93	4.45	116	0.0	0.4	2.9	0.6	29.3	1.4	4.93	4.45
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	0.4	0.6	0.3	27.2	1.6	5.94	4.23
SOLANO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.0	0.1	24.7	1.6	5.18	4.36
SOLANO	5234, IVF	15	0.0	0.1	1.0	0.3	29.5	0.9	5.69	4.27	15	0.0	0.1	1.0	0.3	29.5	0.9	5.69	4.27
SOLANO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.1	0.3	30.8	1.5	5.57	4.27
SOLANO	6431, N	5	0.0	0.4	0.3	0.1	25.4	2.5	6.10	4.46	5	0.0	0.4	0.3	0.1	25.4	2.5	6.10	4.46

2016 Processing Tomato Season
PTAB Analysis (8/6/16) - County by Variety



County	Variety Name	Week Ending 8/6/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	6394, N	2	0.0	0.0	0.5	1.5	25.5	3.3	5.55	4.45	3	0.0	0.0	0.7	1.0	25.0	3.7	5.40	4.43
SOLANO	9905, HARRIS MORAN	3	0.0	0.2	1.2	1.3	28.7	0.3	5.33	4.34	3	0.0	0.2	1.2	1.3	28.7	0.3	5.33	4.34
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.5	0.5	2.0	2.0	26.0	0.0	5.40	4.25
SOLANO		948	0.0	0.5	1.1	0.5	26.6	1.9	5.48	4.39	1,988	0.0	0.5	0.9	0.4	26.8	1.7	5.37	4.36
STANISLAUS	6415, N	112	0.0	0.3	0.8	0.2	24.7	2.3	5.07	4.32	158	0.0	0.3	0.6	0.2	24.7	1.9	5.11	4.30
STANISLAUS	3887, HMX	100	0.0	0.3	0.4	0.1	25.8	1.8	5.74	4.37	118	0.0	0.3	0.8	0.1	26.1	1.7	5.74	4.36
STANISLAUS	6397, N	96	0.0	0.3	0.4	0.1	23.0	2.2	5.72	4.46	96	0.0	0.3	0.4	0.1	23.0	2.2	5.72	4.46
STANISLAUS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	2.8	0.2	23.0	0.9	5.65	4.26
STANISLAUS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.5	1.1	0.3	24.5	0.9	5.50	4.23
STANISLAUS	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.4	0.4	0.1	24.3	1.1	5.71	4.24
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.1	0.7	0.2	23.9	0.4	5.29	4.30
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.0	1.9	0.5	24.8	0.7	5.39	4.22
STANISLAUS	1892, HMX	15	0.0	0.0	0.8	0.0	24.4	0.4	6.16	4.26	15	0.0	0.0	0.8	0.0	24.4	0.4	6.16	4.26
STANISLAUS	6394, N	2	0.0	0.0	0.5	0.0	22.5	1.0	5.85	4.40	2	0.0	0.0	0.5	0.0	22.5	1.0	5.85	4.40
STANISLAUS		325	0.0	0.3	0.6	0.1	24.5	2.0	5.52	4.37	541	0.0	0.3	0.9	0.2	24.5	1.6	5.51	4.32
SUTTER	6366, SUN	422	0.0	0.9	1.8	2.3	26.1	1.5	5.36	4.43	529	0.0	0.8	1.6	1.9	25.8	1.4	5.33	4.42
SUTTER	13, BP	7	0.0	0.4	0.5	0.2	24.6	3.1	4.89	4.46	470	0.0	0.4	3.1	1.5	26.6	2.2	4.74	4.42
SUTTER	2, BP	131	0.0	0.5	3.5	2.0	27.4	2.6	5.11	4.54	241	0.0	0.4	3.5	1.6	27.3	2.4	5.13	4.53
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.5	3.4	2.7	25.5	1.2	5.03	4.31
SUTTER	0311, AB	72	0.0	1.2	1.5	0.8	24.6	1.0	6.02	4.27	117	0.0	1.4	1.2	0.6	24.3	1.1	6.12	4.29
SUTTER	5608, HZ	113	0.0	1.0	0.4	0.5	24.5	2.3	5.08	4.38	113	0.0	1.0	0.4	0.5	24.5	2.3	5.08	4.38
SUTTER	142, BQ	23	0.0	1.0	1.5	0.4	27.1	0.6	5.18	4.40	107	0.0	1.2	1.0	0.2	24.8	3.0	5.74	4.38
SUTTER	3888, HMX	69	0.0	0.5	3.0	4.6	29.6	5.9	5.25	4.59	69	0.0	0.5	3.0	4.6	29.6	5.9	5.25	4.59
SUTTER	1892, HMX	63	0.0	0.7	1.2	0.4	24.8	0.3	5.69	4.36	63	0.0	0.7	1.2	0.4	24.8	0.3	5.69	4.36
SUTTER	1893, HMX	22	0.0	0.3	0.9	0.4	26.5	2.3	4.93	4.32	53	0.0	0.3	1.1	0.3	26.5	2.5	4.86	4.34
SUTTER	5900, HMX	4	0.0	0.5	0.4	1.0	25.0	4.0	5.53	4.31	35	0.0	0.6	0.7	0.6	25.0	1.3	5.43	4.32
SUTTER	4909, HMX	23	0.0	0.8	0.5	0.4	28.1	0.5	5.49	4.25	23	0.0	0.8	0.5	0.4	28.1	0.5	5.49	4.25
SUTTER	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.5	0.4	0.6	24.8	0.9	5.32	4.31
SUTTER	3887, HMX	12	0.0	0.6	3.3	1.6	29.5	1.3	5.57	4.44	12	0.0	0.6	3.3	1.6	29.5	1.3	5.57	4.44
SUTTER	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.0	24.5	1.8	4.55	4.44
SUTTER	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
SUTTER	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	0.0	26.5	0.8	5.35	4.43
SUTTER	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.0	24.0	0.5	5.50	4.45
SUTTER	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	23.0	1.5	5.10	4.52
SUTTER	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	25.0	0.5	5.10	4.43
SUTTER	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.5	4.20	4.46
SUTTER		961	0.0	0.8	1.9	1.8	26.2	1.9	5.34	4.43	1,977	0.0	0.7	2.2	1.5	26.1	2.0	5.20	4.41
TULARE	0311, AB	116	0.0	3.5	0.6	0.3	22.5	1.6	6.07	4.41	116	0.0	3.5	0.6	0.3	22.5	1.6	6.07	4.41
TULARE	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	114	0.0	0.5	1.7	0.7	22.4	1.5	6.02	4.45
TULARE	6415, N	92	0.0	2.5	1.8	0.1	27.1	0.6	4.57	4.39	92	0.0	2.5	1.8	0.1	27.1	0.6	4.57	4.39

2016 Processing Tomato Season
PTAB Analysis (8/6/16) - County by Variety



County	Variety Name	Week Ending 8/6/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
TULARE	4909, HMX	26	0.0	7.2	1.0	0.3	28.3	0.7	4.68	4.30	26	0.0	7.2	1.0	0.3	28.3	0.7	4.68	4.30
TULARE	0319, DRI	3	0.0	5.0	0.8	0.3	26.3	0.8	4.60	4.41	3	0.0	5.0	0.8	0.3	26.3	0.8	4.60	4.41
TULARE	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.5	0.5	22.0	0.8	6.80	4.42
TULARE		237	0.0	3.6	1.1	0.2	24.9	1.1	5.32	4.39	353	0.0	2.5	1.3	0.4	24.1	1.2	5.55	4.41
YOLO	0311, AB	1,705	0.0	0.7	0.8	0.5	24.7	1.3	5.44	4.32	1,847	0.0	0.6	0.8	0.5	24.7	1.3	5.45	4.32
YOLO	13, BP	243	0.0	0.3	3.8	0.9	27.4	2.3	5.01	4.42	1,512	0.0	0.3	4.1	1.1	27.6	1.4	4.94	4.37
YOLO	6397, N	608	0.0	0.2	0.5	0.3	24.2	2.5	5.29	4.45	1,429	0.0	0.2	0.7	0.3	24.9	1.8	5.17	4.40
YOLO	6366, SUN	486	0.0	0.6	1.3	0.8	26.7	1.9	4.83	4.45	1,308	0.0	0.4	1.2	0.5	25.7	1.6	5.09	4.38
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,082	0.0	0.6	1.7	0.6	26.1	2.6	5.34	4.23
YOLO	273, BQ	267	0.0	0.4	1.2	0.3	25.9	0.7	5.09	4.40	693	0.0	0.3	1.2	0.3	26.2	0.8	5.12	4.35
YOLO	6394, N	278	0.0	0.4	0.8	0.7	24.7	2.4	5.08	4.44	623	0.0	0.3	1.4	1.0	25.7	2.3	5.03	4.44
YOLO	5608, HZ	485	0.0	0.4	0.7	0.2	24.8	1.8	4.84	4.39	503	0.0	0.4	0.7	0.2	24.8	1.8	4.83	4.40
YOLO	3887, HMX	443	0.0	0.3	1.7	0.5	28.8	0.9	5.23	4.35	467	0.0	0.3	1.7	0.5	28.7	0.9	5.28	4.36
YOLO	0319, DRI	263	0.0	0.2	1.5	1.3	26.7	1.9	5.37	4.35	450	0.0	0.3	2.0	1.5	26.5	1.7	5.72	4.36
YOLO	1015, HEINZ	211	0.0	0.2	1.1	3.7	25.5	1.7	5.21	4.45	446	0.0	0.2	2.2	2.1	25.7	1.2	4.93	4.45
YOLO	6402, N	207	0.0	0.5	2.3	0.9	25.9	1.8	5.40	4.45	416	0.0	0.4	4.3	0.7	26.8	2.1	5.22	4.44
YOLO	255, CXD	349	0.0	0.7	0.6	0.2	26.5	1.3	4.83	4.35	394	0.0	0.6	0.8	0.2	26.6	1.4	4.87	4.35
YOLO	16609, UG	165	0.0	0.3	0.6	0.1	26.3	2.2	5.18	4.32	379	0.0	0.2	0.8	0.2	26.5	2.3	5.00	4.32
YOLO	2, BP	180	0.0	0.2	2.4	0.7	26.9	2.0	5.28	4.40	373	0.0	0.4	4.2	0.7	27.2	2.6	5.12	4.43
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.4	0.6	0.3	28.3	1.0	5.07	4.33
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	320	0.0	0.8	1.8	1.4	26.3	3.3	4.49	4.42
YOLO	6404, N	254	0.0	0.5	3.6	2.5	28.4	1.6	4.78	4.46	254	0.0	0.5	3.6	2.5	28.4	1.6	4.78	4.46
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	207	0.0	0.2	2.0	1.0	28.2	0.6	4.56	4.25
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	138	0.0	0.9	3.0	2.1	26.5	3.5	4.76	4.47
YOLO	141, BQ	94	0.0	0.7	0.6	0.3	23.5	4.2	4.96	4.46	94	0.0	0.7	0.6	0.3	23.5	4.2	4.96	4.46
YOLO	5234, IVF	78	0.0	0.4	0.6	0.2	24.8	2.1	5.17	4.26	78	0.0	0.4	0.6	0.2	24.8	2.1	5.17	4.26
YOLO	4909, HMX	68	0.1	0.6	0.7	0.1	27.6	0.5	5.32	4.29	68	0.1	0.6	0.7	0.1	27.6	0.5	5.32	4.29
YOLO	8516, SV	51	0.0	0.6	0.1	0.1	25.4	2.6	5.29	4.34	51	0.0	0.6	0.1	0.1	25.4	2.6	5.29	4.34
YOLO	9436, UG	35	0.0	0.3	1.2	0.3	23.3	1.5	5.31	4.43	50	0.0	0.3	1.1	0.3	23.8	2.1	5.18	4.43
YOLO	19406, UG	42	0.0	0.2	0.3	0.1	26.3	1.9	5.31	4.29	42	0.0	0.2	0.3	0.1	26.3	1.9	5.31	4.29
YOLO	8011, SV	41	0.0	0.7	0.4	0.0	27.0	0.4	5.55	4.38	41	0.0	0.7	0.4	0.0	27.0	0.4	5.55	4.38
YOLO	6133, SV	39	0.0	1.0	0.5	0.1	26.6	0.6	5.59	4.42	39	0.0	1.0	0.5	0.1	26.6	0.6	5.59	4.42
YOLO	1892, HMX	33	0.0	0.1	1.0	0.0	28.9	0.8	5.32	4.40	33	0.0	0.1	1.0	0.0	28.9	0.8	5.32	4.40
YOLO	UNCODED	24	0.0	0.2	4.3	2.9	28.3	1.6	5.15	4.34	24	0.0	0.2	4.3	2.9	28.3	1.6	5.15	4.34
YOLO	1311, HZ	14	0.0	0.5	0.6	0.3	25.1	1.8	5.32	4.34	18	0.0	0.4	0.5	0.3	24.6	2.4	5.33	4.34
YOLO	5900, HMX	14	0.0	0.0	1.5	0.1	27.1	3.5	5.11	4.37	18	0.0	0.2	1.3	0.2	27.9	2.8	5.07	4.35
YOLO	MIX	2	0.0	0.5	0.0	0.0	26.0	0.8	4.90	4.32	3	0.0	0.5	0.3	0.0	25.7	1.2	4.93	4.36
YOLO	402, BQ	2	0.0	0.5	0.3	0.3	22.5	2.0	6.15	4.46	2	0.0	0.5	0.3	0.3	22.5	2.0	6.15	4.46
YOLO	6420, N	1	0.0	0.5	0.0	0.0	22.0	1.5	6.30	4.41	1	0.0	0.5	0.0	0.0	22.0	1.5	6.30	4.41
YOLO		6,682	0.0	0.5	1.2	0.7	25.8	1.7	5.19	4.38	13,774	0.0	0.4	1.7	0.7	26.1	1.7	5.13	4.36