

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - Statewide by Variety



Variety Name	Week Ending 10/8/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
8504, HEINZ	2,446	0.0	0.6	2.4	0.7	25.4	0.4	5.12	4.29	47,498	0.0	0.9	2.2	0.7	24.5	0.9	5.27	4.33
0311, AB	104	0.0	1.6	1.6	0.8	25.5	1.1	5.65	4.26	40,496	0.0	1.4	1.5	0.6	23.8	1.6	5.81	4.34
0319, DRI	642	0.0	0.7	0.3	0.4	24.7	1.8	5.42	4.33	33,198	0.0	1.3	1.3	0.5	24.7	2.1	5.81	4.37
6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32,261	0.0	0.7	1.6	0.8	25.2	2.4	5.53	4.40
1892, HMX	1,102	0.0	0.8	1.2	1.2	25.0	0.9	5.13	4.40	29,113	0.0	0.9	2.1	1.3	24.6	1.5	5.55	4.44
5608, HZ	11	0.0	2.0	1.7	0.4	21.3	1.1	5.61	4.46	26,731	0.0	1.8	1.9	0.8	23.9	1.5	4.95	4.40
6415, N	1,525	0.0	1.7	2.3	1.0	25.2	0.6	5.08	4.35	22,248	0.0	1.2	1.7	0.5	24.5	1.1	5.20	4.36
3887, HMX	96	0.0	1.3	0.6	0.1	24.4	0.2	5.32	4.38	21,748	0.0	1.3	2.3	0.8	25.8	1.3	5.47	4.39
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16,810	0.0	0.3	1.8	0.7	24.9	1.6	5.10	4.31
273, BQ	40	0.0	0.3	1.3	0.8	27.1	1.2	5.72	4.24	14,900	0.0	0.5	2.3	0.7	24.9	1.5	5.41	4.34
4707, HEINZ	198	0.0	2.1	1.5	0.4	24.3	0.4	5.46	4.40	13,214	0.0	1.0	2.6	1.0	25.5	0.9	5.12	4.38
3888, HMX	1,028	0.0	0.6	1.2	0.4	25.7	0.6	5.39	4.45	12,695	0.0	1.2	2.5	1.2	25.9	1.2	5.54	4.48
19406, UG	718	0.0	1.2	1.6	0.7	25.1	0.5	5.46	4.30	11,585	0.0	1.1	1.6	0.4	24.4	0.9	5.60	4.30
6410, N	409	0.0	1.2	1.6	1.4	26.3	0.9	5.23	4.42	10,843	0.0	1.5	2.9	1.7	24.8	1.5	5.35	4.40
2401, HEINZ	700	0.0	3.1	1.9	0.5	23.6	0.8	5.27	4.34	9,204	0.0	1.6	2.7	0.9	24.7	1.2	5.12	4.34
1428, HZ	50	0.0	1.6	1.6	0.5	22.6	0.3	5.30	4.39	7,971	0.0	1.2	2.7	1.0	23.8	0.7	4.94	4.33
9905, HARRIS MORAN	747	0.0	0.7	0.8	0.5	24.7	0.9	5.16	4.47	7,582	0.0	0.8	1.8	1.3	24.9	1.0	5.19	4.42
1015, HEINZ	16	0.0	0.8	0.5	0.1	22.1	1.0	5.64	4.50	7,465	0.0	0.6	2.2	1.1	25.1	1.3	5.11	4.44
4885, HMX	156	0.0	1.4	0.8	0.2	23.7	0.3	5.22	4.30	7,257	0.0	1.7	1.4	0.4	24.0	0.8	5.38	4.33
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,836	0.0	0.5	1.8	0.7	24.8	1.4	5.25	4.41
5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,614	0.0	0.8	3.9	1.7	24.7	0.6	4.90	4.36
5508, HZ	824	0.0	0.8	1.5	0.2	24.6	0.3	4.68	4.33	5,828	0.0	0.8	2.1	0.3	24.4	0.4	4.87	4.34
6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,279	0.0	1.0	1.9	1.0	25.2	1.6	5.61	4.42
9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,771	0.0	2.8	4.7	0.6	23.7	3.4	5.13	4.42
7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,735	0.0	0.8	0.8	0.3	25.0	1.2	5.22	4.54
6394, N	113	0.0	2.2	0.4	0.2	23.6	1.0	5.84	4.44	4,466	0.0	0.8	2.0	1.7	24.4	2.8	5.62	4.47
1293, HZ	14	0.0	0.6	0.3	0.4	24.7	1.3	5.44	4.38	4,361	0.0	0.9	1.6	0.6	23.6	0.9	5.61	4.48
141, BQ	45	0.0	4.2	2.1	0.0	24.0	0.1	5.26	4.32	4,140	0.0	2.0	4.4	1.2	24.6	3.7	4.98	4.42
4909, HMX	28	0.0	1.2	0.7	0.9	25.1	0.3	5.92	4.29	3,892	0.0	2.1	0.8	0.4	25.7	0.8	5.51	4.27
6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,503	0.0	2.1	1.6	1.1	25.3	2.6	5.28	4.46
5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,369	0.0	1.0	3.7	2.2	25.4	0.9	4.93	4.33
2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,368	0.0	0.8	3.6	1.6	26.7	2.1	4.97	4.49
5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,346	0.0	0.7	3.5	1.8	24.6	0.6	4.96	4.35
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,038	0.0	0.4	3.5	1.2	27.4	1.8	4.86	4.39
16609, UG	22	0.0	1.1	1.7	2.9	24.4	3.4	4.80	4.37	2,933	0.0	0.4	1.5	0.3	24.4	2.4	5.54	4.34
1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,623	0.0	0.7	1.3	0.7	23.1	2.5	5.78	4.47

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - Statewide by Variety



Variety Name	Week Ending 10/8/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,590	0.0	0.4	1.9	0.7	24.4	2.6	4.72	4.43
6420, N	398	0.0	2.0	1.4	0.4	26.8	0.8	5.00	4.39	2,493	0.0	1.4	1.5	0.5	25.3	1.1	5.19	4.45
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,295	0.0	0.6	2.1	1.0	26.5	2.7	4.93	4.37
18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,187	0.0	1.4	1.4	0.4	26.5	2.2	5.32	4.35
1310, HZ	176	0.0	0.4	1.0	0.7	23.7	0.9	5.26	4.41	2,138	0.0	1.6	2.6	1.2	24.5	0.9	5.30	4.40
255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,079	0.0	1.1	0.9	0.5	26.2	1.0	5.21	4.34
1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,782	0.0	1.1	2.2	0.8	25.1	0.7	5.42	4.35
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,769	0.0	0.4	1.6	0.5	26.6	3.0	5.31	4.23
849, HYPEEL	135	0.0	1.2	0.2	0.2	25.1	0.6	4.99	4.31	1,683	0.0	1.4	0.9	0.8	24.7	0.7	5.19	4.31
9780, HEINZ	136	0.0	0.7	0.9	0.4	22.3	0.4	5.71	4.34	1,571	0.0	0.7	0.6	0.3	22.8	1.0	5.65	4.35
5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,535	0.0	1.5	0.8	0.4	24.8	1.9	5.50	4.33
205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,533	0.0	1.1	1.0	0.8	25.4	2.0	5.68	4.38
1175, HEINZ	164	0.0	2.9	1.9	0.4	23.6	0.7	4.74	4.54	1,328	0.0	1.7	1.2	0.4	23.5	0.7	4.98	4.51
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,310	0.0	0.4	0.6	0.3	26.9	0.9	5.21	4.33
UNCODED	186	0.0	1.3	2.9	0.9	25.7	1.3	4.72	4.39	1,219	0.0	1.4	2.7	1.1	25.4	1.4	5.32	4.39
2756, SV	37	0.0	1.4	2.9	0.7	27.2	0.4	5.06	4.37	1,187	0.0	1.0	1.9	0.5	24.5	0.8	5.20	4.39
1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,174	0.0	0.6	1.8	0.4	25.5	2.9	5.90	4.34
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,151	0.0	0.5	3.1	0.4	25.1	2.9	5.12	4.39
206, BQ	162	0.0	0.6	0.5	0.1	25.8	0.9	5.60	4.28	1,113	0.0	1.0	0.8	0.2	25.4	1.8	5.59	4.35
2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,010	0.0	2.3	1.4	0.8	24.2	2.4	5.43	4.42
9436, UG	10	0.0	0.6	2.1	1.7	23.6	1.6	4.74	4.36	1,009	0.0	1.0	1.6	0.4	23.8	1.8	5.83	4.41
1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	662	0.0	1.2	2.2	1.8	24.8	1.2	5.64	4.37
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	639	0.0	0.6	1.9	0.7	26.1	2.9	5.58	4.32
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	613	0.0	1.6	1.3	0.6	24.6	2.7	4.77	4.38
4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	557	0.0	1.4	1.2	0.5	25.4	1.9	6.42	4.39
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	526	0.0	2.3	1.0	0.3	24.3	2.7	5.50	4.39
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	491	0.0	0.8	3.0	1.4	26.5	4.2	4.77	4.45
8011, SV	16	0.0	1.4	0.1	0.1	23.1	0.5	5.49	4.32	483	0.0	2.1	0.6	0.2	23.9	1.1	5.25	4.37
282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	480	0.0	1.3	2.0	1.0	23.3	1.6	5.37	4.38
6428, N	20	0.0	1.3	1.2	1.7	24.5	1.4	5.32	4.34	411	0.0	1.6	1.4	0.7	25.5	0.9	5.09	4.39
16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	2.3	3.7	0.6	25.6	1.5	5.35	4.46
1893, HMX	1	0.0	0.0	0.5	0.0	22.0	0.0	6.10	4.34	370	0.0	0.2	0.9	0.4	24.4	3.0	5.69	4.31
142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	1.6	1.0	0.3	24.3	3.0	5.42	4.42
6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	3.6	1.4	0.4	25.4	1.3	5.42	4.42
400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	314	0.0	0.4	1.0	0.5	22.7	1.0	5.66	4.40
002, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	287	0.0	4.7	0.8	0.2	24.5	2.3	5.04	4.46

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - Statewide by Variety



Variety Name	Week Ending 10/8/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6407, N	103	0.0	1.0	0.8	0.2	27.5	0.4	5.47	4.32	260	0.0	0.6	1.5	0.6	26.3	0.3	5.86	4.33
MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.9	1.0	0.3	23.2	1.2	5.52	4.34
67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	221	0.0	1.8	1.2	0.5	24.0	2.2	5.36	4.40
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	0.3	0.3	0.1	26.1	1.2	5.68	4.34
6426, N	2	0.0	3.5	0.0	0.0	23.0	0.0	5.00	4.46	203	0.0	1.8	1.2	0.7	22.0	1.0	5.30	4.39
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.2	1.1	0.8	25.0	0.9	5.18	4.26
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
HEINZ TRIAL	29	0.0	2.3	0.9	0.2	23.9	0.8	5.74	4.42	169	0.0	1.2	3.2	1.2	25.3	1.0	5.06	4.36
296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.1	1.6	1.6	0.3	27.2	1.3	5.91	4.33
2303, SV	32	0.0	0.5	0.1	1.2	24.6	0.3	5.04	4.33	128	0.0	1.5	0.7	0.5	23.8	1.1	5.22	4.41
6431, N	3	0.0	3.2	0.3	0.2	24.7	0.5	5.23	4.37	121	0.0	1.6	0.7	1.1	22.6	1.3	6.03	4.43
1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	1.1	0.7	0.4	24.1	1.3	5.60	4.32
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	102	0.0	0.5	3.1	1.5	29.7	2.5	5.09	4.42
9905, HEINZ	16	0.0	0.4	2.1	0.3	26.1	0.3	4.79	4.46	91	0.0	0.7	1.0	0.3	25.1	0.5	5.11	4.44
16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.6	1.7	0.6	23.9	0.4	5.43	4.36
6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	2.3	1.6	1.8	25.7	1.5	4.94	4.44
5655, SV	28	0.0	0.2	0.0	0.6	23.5	0.5	4.99	4.37	88	0.0	1.8	1.1	0.6	24.9	0.8	5.24	4.38
5899, HMX	2	0.0	1.3	0.5	0.3	26.0	1.3	6.00	4.34	73	0.0	1.0	1.2	0.6	25.1	0.8	6.17	4.32
1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.8	2.3	0.8	24.8	1.7	5.60	4.31
8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	1.5	2.0	0.3	22.8	4.9	5.46	4.40
58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	1.5	1.1	0.5	25.7	0.8	5.52	4.37
25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.8	2.1	0.7	26.7	0.7	4.66	4.37
58871, HMX	9	0.0	1.2	2.4	0.4	27.9	0.3	5.49	4.34	50	0.0	1.1	1.9	0.3	26.2	0.4	5.72	4.32
58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	1.0	1.1	0.3	26.1	0.9	5.36	4.36
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.5	1.1	0.2	24.7	1.5	5.34	4.36
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.4	1.3	0.5	24.6	1.0	5.70	4.30
MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	3.1	0.5	26.6	0.6	5.21	4.32
1539, HZ	2	0.0	0.3	0.5	0.3	25.0	0.0	4.90	4.39	30	0.0	1.1	1.0	0.4	23.8	0.7	4.94	4.40
00241, BCSV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.2	6.9	0.5	25.6	0.7	5.67	4.48
1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	2.9	2.9	0.6	24.8	2.3	5.13	4.46
217, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	3.8	1.0	23.2	5.8	5.99	4.47
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.8	1.3	0.6	25.4	1.6	5.17	4.55
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	2.2	0.3	0.3	25.4	0.7	5.70	4.37
5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	3.1	2.2	0.5	24.4	1.5	5.47	4.40
26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	2.6	1.4	0.5	25.1	1.7	4.85	4.43

2016 Processing Tomato Season
PTAB Analysis (10/8/16) - Statewide by Variety



Variety Name	Week Ending 10/8/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
LYCOMECH UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.0	10.5	1.9	27.4	0.5	5.52	4.22
10109, UG	2	0.0	1.5	1.8	0.8	25.0	1.3	4.35	4.36	15	0.0	0.6	1.0	1.2	24.6	2.3	4.58	4.38
24, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.6	1.3	0.6	26.6	0.7	5.01	4.39
28, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	2.2	1.8	0.3	26.2	2.1	4.95	4.41
1662, HZ	8	0.0	0.9	1.2	1.0	24.0	0.7	5.68	4.26	13	0.0	1.3	1.7	0.9	24.9	0.7	5.56	4.32
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.3	0.3	0.2	24.4	1.1	5.86	4.37
58801, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	2.2	0.7	0.3	24.0	0.8	5.39	4.35
NEMA CRIMSON UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.0	6.7	1.6	24.6	0.3	4.89	4.18
1546, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.9	3.0	0.1	24.3	0.1	4.94	4.29
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.2	1.1	0.9	23.0	0.9	5.73	4.48
1538, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.5	0.5	0.5	23.5	0.8	5.15	4.33
2349, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.8	1.9	0.4	25.5	0.8	4.83	4.32
15212, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.6	2.3	0.8	25.5	0.6	4.70	4.33
CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.3	0.3	0.0	24.6	1.3	5.88	4.36
3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	0.9	0.4	24.8	0.6	5.53	4.43
8163, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.9	0.8	0.0	24.5	0.6	5.65	4.37
145, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	0.3	0.0	22.7	3.5	6.30	4.38
2340, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	5.2	2.2	0.5	24.7	2.2	4.77	4.41
4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.8	0.2	24.3	0.0	5.30	4.27
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	2.8	0.3	24.7	3.8	5.73	4.42
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
9015, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	1.5	0.8	24.0	1.5	4.60	4.39
2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	1.0	2.0	25.0	4.0	5.80	4.34
129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
1659, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	2.5	1.0	30.0	0.0	5.10	4.39
2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	1.5	23.0	0.5	5.60	4.27
2718, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	1.5	26.0	0.5	4.90	4.40
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	4.0	1.0	23.0	0.5	6.50	4.30
4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	23.0	0.0	5.00	4.42
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
8846 HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	0.0	5.80	4.27
19306, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.5	0.0	25.0	4.5	4.60	4.50
STATEWIDE	12,711	0.0	1.1	1.6	0.6	25.1	0.7	5.19	4.36	490,600	0.0	1.1	2.0	0.8	24.7	1.5	5.37	4.38