

2016 Processing Tomato Season
PTAB Analysis (8/27/16) - Statewide by Variety



Variety Name	Week Ending 8/27/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
0311, AB	3,844	0.0	1.5	1.5	0.6	24.1	1.0	5.78	4.32	31,238	0.0	1.4	1.6	0.6	24.0	1.7	5.79	4.34
6366, SUN	596	0.0	0.8	3.3	1.1	24.7	2.1	5.68	4.43	31,185	0.0	0.7	1.6	0.8	25.2	2.4	5.54	4.40
5608, HZ	4,276	0.0	2.2	1.9	1.0	24.3	1.5	4.97	4.41	18,829	0.0	1.5	1.7	0.7	24.1	1.6	4.99	4.40
0319, DRI	2,326	0.0	1.5	1.1	0.5	24.7	1.5	5.96	4.36	17,722	0.0	1.4	1.6	0.6	25.0	2.4	5.88	4.38
6416, N	33	0.0	2.0	1.5	1.5	22.5	3.8	6.87	4.58	16,792	0.0	0.3	1.8	0.7	24.9	1.6	5.10	4.31
1892, HMX	3,456	0.0	0.9	2.4	1.0	24.4	1.2	5.58	4.45	16,293	0.0	0.8	2.4	1.2	24.9	1.5	5.67	4.45
3887, HMX	2,709	0.0	1.5	1.7	0.7	25.4	0.9	5.37	4.39	16,119	0.0	1.1	2.4	0.8	26.2	1.5	5.46	4.40
8504, HEINZ	4,617	0.0	1.3	1.9	0.6	25.1	1.3	5.29	4.36	14,941	0.0	0.9	2.1	0.6	25.3	1.4	5.33	4.37
273, BQ	27	0.0	1.5	1.1	0.1	25.0	1.5	5.43	4.34	14,550	0.0	0.5	2.3	0.7	24.9	1.5	5.41	4.33
6415, N	2,059	0.0	0.9	1.3	0.3	24.3	1.2	5.12	4.38	9,839	0.0	0.7	1.5	0.4	24.4	1.4	5.16	4.36
1015, HEINZ	161	0.0	0.1	0.6	0.2	24.5	0.5	5.28	4.36	7,298	0.0	0.6	2.2	1.2	25.2	1.3	5.10	4.44
6397, N	143	0.0	1.7	1.0	0.4	24.1	1.1	5.12	4.50	6,583	0.0	0.5	1.8	0.7	24.7	1.4	5.25	4.41
4707, HEINZ	2,696	0.0	0.5	2.2	1.3	25.6	1.1	5.02	4.38	5,437	0.0	0.4	2.3	1.0	25.8	1.1	5.16	4.36
6402, N	56	0.0	2.3	2.3	0.4	25.1	3.1	6.02	4.46	5,103	0.0	1.0	1.9	1.0	25.2	1.6	5.59	4.42
6394, N	2	0.0	2.8	1.5	0.5	23.0	6.0	7.55	4.71	4,059	0.0	0.7	2.0	1.8	24.5	2.9	5.59	4.47
9663, HEINZ	769	0.0	2.3	5.8	0.8	24.5	3.8	5.17	4.44	3,765	0.0	2.5	4.5	0.6	23.7	3.4	5.16	4.42
7885, HMX	397	0.0	1.1	0.8	0.2	25.6	1.0	5.00	4.54	3,258	0.0	0.8	0.7	0.3	25.7	1.4	5.17	4.55
1428, HZ	1,456	0.0	0.7	2.2	0.7	23.9	0.9	4.80	4.34	3,105	0.0	0.6	1.7	0.6	23.5	0.9	4.93	4.33
19406, UG	1,051	0.0	1.2	1.1	0.4	24.1	0.7	5.36	4.30	3,090	0.0	0.9	1.1	0.3	24.7	1.2	5.82	4.33
13, BP	6	0.0	1.1	6.0	0.3	24.2	3.6	5.50	4.50	3,038	0.0	0.4	3.5	1.2	27.4	1.8	4.86	4.39
2, BP	245	0.0	1.1	4.9	1.5	25.4	2.0	5.32	4.50	3,034	0.0	0.8	3.8	1.6	27.1	2.0	4.99	4.50
4885, HMX	355	0.0	2.4	0.8	0.2	23.3	1.0	5.53	4.37	2,937	0.0	1.3	1.2	0.3	23.7	1.0	5.39	4.34
16609, UG	18	0.0	1.8	1.1	0.5	24.9	2.0	5.03	4.33	2,910	0.0	0.4	1.5	0.3	24.4	2.4	5.54	4.34
3888, HMX	1,234	0.0	0.9	5.8	2.0	27.3	1.3	5.58	4.47	2,680	0.0	0.7	4.8	1.9	27.6	1.4	5.52	4.48
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,590	0.0	0.4	1.9	0.7	24.4	2.6	4.72	4.43
1292, HZ	102	0.0	1.0	1.1	0.3	24.1	1.0	5.31	4.43	2,576	0.0	0.6	1.3	0.7	23.1	2.5	5.78	4.47
6410, N	748	0.0	1.4	4.5	1.9	25.5	1.6	5.53	4.47	2,566	0.0	1.1	4.4	1.5	25.7	1.4	5.45	4.43
4909, HMX	797	0.0	2.3	0.5	0.4	25.4	0.7	5.47	4.26	2,420	0.0	1.8	0.7	0.4	25.7	0.9	5.58	4.27
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,295	0.0	0.6	2.1	1.0	26.5	2.7	4.93	4.37
6404, N	508	0.0	2.8	2.0	0.9	25.4	3.1	5.33	4.48	2,280	0.0	1.7	1.7	1.1	25.7	3.0	5.22	4.46
1293, HZ	156	0.0	0.6	2.3	0.7	24.5	0.9	5.83	4.46	1,996	0.0	0.8	1.7	0.6	23.8	1.1	5.66	4.47
18806, UG	134	0.0	1.4	1.4	0.7	26.4	2.3	5.15	4.34	1,905	0.0	1.3	1.3	0.3	26.5	2.2	5.34	4.34
5702, HZ	1,019	0.0	0.5	3.7	1.6	25.3	0.6	4.81	4.34	1,807	0.0	0.4	3.1	1.4	24.8	0.7	4.96	4.34
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,769	0.0	0.4	1.6	0.5	26.6	3.0	5.31	4.23
141, BQ	823	0.0	1.6	3.9	1.2	24.4	3.5	4.96	4.45	1,721	0.0	1.2	2.8	0.9	24.5	3.6	4.91	4.43
255, CXD	253	0.0	1.9	0.6	0.6	25.3	1.0	5.35	4.38	1,373	0.0	0.9	0.8	0.3	26.4	1.2	5.17	4.35

2016 Processing Tomato Season
PTAB Analysis (8/27/16) - Statewide by Variety



Variety Name	Week Ending 8/27/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,310	0.0	0.4	0.6	0.3	26.9	0.9	5.21	4.33
5234, IVF	457	0.0	1.2	0.6	0.5	25.3	1.2	5.29	4.36	1,264	0.0	1.5	0.8	0.4	25.2	1.9	5.49	4.34
5706, HZ	722	0.0	0.4	3.2	1.6	25.6	0.6	4.73	4.34	1,229	0.0	0.5	2.9	1.5	25.0	0.8	4.82	4.34
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,151	0.0	0.5	3.1	0.4	25.1	2.9	5.12	4.39
2401, HEINZ	583	0.0	0.8	2.2	0.8	25.1	1.7	5.42	4.35	1,130	0.0	0.6	1.9	0.8	25.2	1.5	5.11	4.33
5701, HZ	787	0.0	0.3	2.4	2.4	26.0	0.8	4.94	4.32	1,130	0.0	0.3	2.3	2.0	25.9	1.2	4.98	4.33
205, BQ	138	0.0	1.7	0.3	0.3	24.7	1.9	5.49	4.34	1,005	0.0	0.8	1.2	0.8	25.7	2.4	5.70	4.38
1161, HEINZ	100	0.0	1.7	1.6	1.0	26.3	1.7	6.02	4.28	953	0.0	0.6	2.0	0.4	25.6	3.4	5.95	4.36
9436, UG	114	0.0	0.4	1.6	0.4	23.8	1.5	6.47	4.35	870	0.0	0.8	1.5	0.3	24.0	1.9	5.89	4.41
6420, N	67	0.0	1.0	2.0	0.4	25.3	1.1	5.12	4.46	770	0.0	1.0	1.8	0.5	24.6	1.5	5.32	4.48
UNCODED	91	0.0	1.7	1.4	0.6	23.6	0.9	5.49	4.43	692	0.0	1.4	2.9	0.9	26.1	1.5	5.34	4.40
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	613	0.0	1.6	1.3	0.6	24.6	2.7	4.77	4.38
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	601	0.0	0.5	1.9	0.8	26.2	3.0	5.56	4.31
2756, SV	217	0.0	0.7	2.0	0.3	24.8	0.6	5.39	4.42	534	0.0	0.6	2.6	0.7	24.6	1.0	5.27	4.38
1170, HEINZ	152	0.0	2.8	1.1	0.2	26.1	0.3	5.42	4.40	526	0.0	1.4	0.9	0.2	25.9	0.9	5.20	4.37
9905, HARRIS MORAN	321	0.0	1.1	1.0	0.3	25.8	0.9	5.36	4.49	523	0.0	0.8	1.0	0.4	26.3	0.7	5.37	4.44
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	513	0.0	2.3	1.0	0.3	24.3	2.7	5.50	4.39
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	491	0.0	0.8	3.0	1.4	26.5	4.2	4.77	4.45
2493, SV	327	0.0	1.2	0.9	0.4	24.0	2.1	5.40	4.40	489	0.0	1.1	0.9	0.3	24.2	2.4	5.42	4.41
5508, HZ	393	0.0	0.3	3.9	0.3	24.1	0.6	5.36	4.38	414	0.0	0.3	4.0	0.3	24.1	0.6	5.35	4.38
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	0.2	0.9	0.4	24.4	3.0	5.68	4.31
142, BQ	19	0.0	2.5	4.5	0.8	23.5	1.3	6.05	4.43	354	0.0	1.6	1.0	0.3	24.3	3.0	5.42	4.42
4886, HMX	96	0.0	2.2	0.8	0.7	26.3	3.8	6.13	4.51	335	0.0	1.5	0.6	0.4	25.6	2.3	5.93	4.42
400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	314	0.0	0.4	1.0	0.5	22.7	1.0	5.66	4.40
6133, SV	39	0.0	1.3	0.6	0.6	23.8	0.3	5.29	4.40	307	0.0	3.6	1.5	0.4	25.4	1.3	5.44	4.42
002, PS	109	0.0	8.6	0.7	0.2	25.1	2.2	4.60	4.45	286	0.0	4.7	0.8	0.2	24.5	2.3	5.04	4.46
1422, HZ	281	0.0	0.9	1.4	1.7	25.0	1.6	5.58	4.38	281	0.0	0.9	1.4	1.7	25.0	1.6	5.58	4.38
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.3	0.3	0.1	26.2	1.2	5.68	4.33
206, BQ	42	0.0	2.3	1.5	0.4	27.3	2.0	5.22	4.30	197	0.0	1.3	0.5	0.2	25.8	1.5	5.36	4.29
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.2	1.1	0.8	25.0	0.9	5.18	4.26
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
16, BP	22	0.0	1.7	1.0	0.0	26.7	1.0	5.38	4.51	165	0.0	0.8	1.8	0.2	25.2	1.8	5.16	4.43
282, CXD	78	0.0	0.7	0.8	0.2	23.0	1.0	5.40	4.39	134	0.0	0.6	1.1	0.2	22.9	0.8	5.71	4.36
6428, N	48	0.0	0.9	0.4	0.2	24.6	0.9	5.01	4.39	133	0.0	1.2	0.7	0.2	24.9	0.8	5.02	4.41
8011, SV	15	0.0	1.6	0.2	0.1	22.2	1.4	5.41	4.36	130	0.0	2.0	0.9	0.3	25.2	2.0	5.60	4.41
67212, BOS	85	0.0	1.4	1.5	0.9	23.5	2.3	5.47	4.38	116	0.0	1.4	1.7	0.7	25.0	2.2	5.24	4.39

2016 Processing Tomato Season
PTAB Analysis (8/27/16) - Statewide by Variety



Variety Name	Week Ending 8/27/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	102	0.0	0.5	3.1	1.5	29.7	2.5	5.09	4.42
1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	1.0	2.1	0.1	23.7	0.9	5.25	4.44
1311, HZ	5	0.0	1.1	1.7	0.7	26.2	0.7	5.48	4.27	82	0.0	1.0	0.8	0.4	24.3	1.6	5.60	4.33
849, HYPEEL	39	0.0	0.9	0.3	0.2	24.4	2.4	5.18	4.39	77	0.0	0.6	0.3	0.2	24.2	1.9	5.21	4.39
HEINZ TRIAL	67	0.0	0.9	5.3	1.9	26.3	0.9	4.63	4.30	67	0.0	0.9	5.3	1.9	26.3	0.9	4.63	4.30
8232, SV	18	0.0	0.6	0.4	0.4	22.1	3.6	5.49	4.46	64	0.0	1.5	2.0	0.3	22.8	4.9	5.46	4.40
25, BP	2	0.0	2.8	0.3	0.5	24.0	0.3	4.65	4.43	48	0.0	0.7	2.2	0.6	26.8	0.7	4.64	4.38
2303, SV	18	0.0	1.9	0.7	0.6	22.4	1.6	5.27	4.42	44	0.0	1.6	0.6	0.4	23.8	1.6	5.42	4.42
6431, N	26	0.0	1.2	0.2	0.8	21.9	0.9	6.47	4.44	43	0.0	1.2	0.2	0.5	22.9	1.6	6.29	4.44
6426, N	25	0.0	0.6	0.2	0.6	22.0	0.6	5.78	4.40	39	0.0	2.1	1.1	0.6	22.6	0.9	5.34	4.39
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.4	1.3	0.5	24.6	1.0	5.70	4.30
312, BQ	1	0.0	3.5	2.0	2.0	23.0	0.0	6.20	4.42	33	0.0	0.5	1.1	0.2	24.7	1.5	5.32	4.36
00241, BCSV	29	0.0	1.2	6.9	0.5	25.6	0.7	5.67	4.48	29	0.0	1.2	6.9	0.5	25.6	0.7	5.67	4.48
1424, HZ	1	0.0	1.5	0.5	0.0	22.0	1.0	5.10	4.46	28	0.0	1.2	4.5	0.9	26.1	2.9	5.24	4.37
MIX	10	0.0	1.1	0.7	0.5	23.8	1.4	5.61	4.31	26	0.0	0.9	0.6	0.3	24.5	1.6	5.30	4.34
217, USAT	26	0.0	0.8	3.8	1.0	23.2	5.8	5.99	4.47	26	0.0	0.8	3.8	1.0	23.2	5.8	5.99	4.47
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.8	0.5	0.5	24.6	1.8	5.28	4.57
9905, HEINZ	6	0.0	0.2	0.3	0.1	26.7	0.3	4.77	4.43	12	0.0	0.2	0.4	0.2	27.3	0.4	4.85	4.43
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.3	0.3	0.2	24.4	1.1	5.86	4.37
58871, HMX	1	0.0	0.0	1.5	1.5	26.0	0.5	6.70	4.30	8	0.0	0.8	1.1	0.4	27.3	0.6	6.31	4.32
1539, HZ	3	0.0	0.5	0.2	0.3	22.0	0.8	4.80	4.37	7	0.0	0.4	1.3	0.1	22.6	1.5	5.14	4.38
28, BP	3	0.0	3.2	0.8	0.7	24.0	0.8	4.87	4.45	6	0.0	1.7	2.8	0.3	25.2	2.2	5.13	4.41
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.3	1.1	23.2	0.9	5.73	4.47
5899, HMX	6	0.0	0.7	0.7	0.3	27.5	0.2	6.32	4.22	6	0.0	0.7	0.7	0.3	27.5	0.2	6.32	4.22
CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42
26, BP	2	0.0	1.0	0.3	0.5	24.0	0.0	4.95	4.48	5	0.0	1.1	2.1	0.6	23.6	2.1	5.18	4.48
5655, SV	4	0.0	1.3	1.9	0.3	22.3	3.0	5.48	4.37	4	0.0	1.3	1.9	0.3	22.3	3.0	5.48	4.37
58841, HMX	4	0.0	0.3	0.5	0.3	25.8	0.1	5.05	4.29	4	0.0	0.3	0.5	0.3	25.8	0.1	5.05	4.29
24, BP	3	0.0	1.0	0.5	0.8	24.3	0.2	5.03	4.39	3	0.0	1.0	0.5	0.8	24.3	0.2	5.03	4.39
316, C	1	0.0	1.5	0.0	0.0	25.0	0.5	6.00	4.31	3	0.0	0.8	0.2	0.0	25.0	0.5	5.90	4.30
9780, HEINZ	3	0.0	0.7	0.8	0.2	22.0	1.5	7.13	4.37	3	0.0	0.7	0.8	0.2	22.0	1.5	7.13	4.37
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	2.8	0.3	24.7	3.8	5.73	4.42
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.0	0.0	23.0	1.5	5.40	4.47
1538, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.3	0.0	24.5	1.0	5.60	4.32

2016 Processing Tomato Season
PTAB Analysis (8/27/16) - Statewide by Variety



Variety Name	Week Ending 8/27/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
5235, HM	2	0.0	2.0	1.0	1.3	23.5	0.3	5.25	4.38	2	0.0	2.0	1.0	1.3	23.5	0.3	5.25	4.38
6429, N	2	0.0	1.3	0.3	0.0	25.0	0.3	4.80	4.46	2	0.0	1.3	0.3	0.0	25.0	0.3	4.80	4.46
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.3	1.8	23.5	1.5	5.50	4.48
2, AB	1	0.0	1.5	1.0	2.0	25.0	4.0	5.80	4.34	1	0.0	1.5	1.0	2.0	25.0	4.0	5.80	4.34
129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	3.5	5.60	4.39
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	22.0	0.5	6.00	4.52
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.0	23.0	0.5	6.00	4.40
2718, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	1.5	26.0	0.5	4.90	4.40
2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	1.5	25.0	1.5	5.30	4.38
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
8163, HMX	1	0.0	0.5	1.0	0.0	26.0	0.0	5.90	4.36	1	0.0	0.5	1.0	0.0	26.0	0.0	5.90	4.36
STATEWIDE	42,684	0.0	1.3	2.1	0.8	24.8	1.3	5.33	4.38	290,062	0.0	0.9	2.0	0.8	25.0	1.8	5.41	4.38