

2016 Processing Tomato Season
PTAB Analysis (9/17/16) - Statewide by Variety



Variety Name	Week Ending 9/17/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
0311, AB	1,669	0.0	1.8	1.1	0.4	22.5	1.1	5.83	4.32	38,453	0.0	1.5	1.5	0.6	23.8	1.6	5.81	4.34
8504, HEINZ	7,595	0.0	0.8	2.3	0.8	23.7	0.7	5.38	4.31	33,511	0.0	1.0	2.2	0.7	24.5	1.1	5.33	4.34
6366, SUN	49	0.0	1.0	1.8	0.6	25.4	2.8	4.54	4.33	31,770	0.0	0.7	1.6	0.8	25.2	2.4	5.54	4.40
0319, DRI	3,045	0.0	1.4	0.9	0.4	23.9	1.7	5.80	4.36	26,963	0.0	1.4	1.4	0.5	24.7	2.1	5.87	4.37
5608, HZ	2,287	0.0	3.0	2.8	1.5	23.9	1.2	4.71	4.43	25,727	0.0	1.7	1.9	0.8	23.9	1.5	4.96	4.40
1892, HMX	1,539	0.0	1.1	2.1	1.3	24.7	1.5	5.34	4.42	24,504	0.0	0.9	2.2	1.2	24.7	1.5	5.60	4.45
3887, HMX	1,318	0.0	2.1	1.6	0.5	24.6	0.9	5.55	4.36	20,730	0.0	1.3	2.2	0.7	25.9	1.3	5.45	4.39
6416, N	1	0.0	2.5	2.0	0.0	29.0	0.5	5.80	4.25	16,809	0.0	0.3	1.8	0.7	24.9	1.6	5.10	4.31
6415, N	1,580	0.0	1.9	1.6	0.4	24.5	1.0	5.29	4.36	15,311	0.0	1.0	1.6	0.4	24.3	1.3	5.23	4.36
273, BQ	81	0.0	1.4	2.4	0.1	23.0	3.7	5.93	4.40	14,860	0.0	0.5	2.3	0.7	24.9	1.5	5.41	4.34
4707, HEINZ	1,333	0.0	1.4	2.9	1.0	25.0	0.7	5.23	4.41	12,160	0.0	0.8	2.6	1.1	25.5	1.0	5.12	4.37
1015, HEINZ	82	0.0	1.3	1.5	0.6	22.7	0.5	5.57	4.41	7,389	0.0	0.6	2.2	1.1	25.2	1.3	5.11	4.44
6410, N	2,089	0.0	2.6	2.5	1.6	24.9	1.7	4.96	4.41	7,307	0.0	1.6	3.2	1.7	25.0	1.6	5.34	4.42
3888, HMX	2,522	0.0	1.4	1.5	0.7	25.4	1.0	5.50	4.48	7,304	0.0	1.1	2.7	1.2	26.1	1.3	5.57	4.48
19406, UG	1,750	0.0	0.9	2.1	0.4	24.5	0.8	5.53	4.28	7,266	0.0	1.2	1.8	0.4	24.4	1.0	5.64	4.30
1428, HZ	580	0.0	1.8	3.1	1.4	24.5	0.5	4.68	4.37	7,114	0.0	1.0	2.7	1.0	23.9	0.7	4.93	4.33
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,773	0.0	0.5	1.8	0.7	24.7	1.4	5.25	4.41
2401, HEINZ	1,576	0.0	1.9	3.1	1.1	24.7	1.1	5.15	4.36	6,724	0.0	1.3	2.9	1.0	24.8	1.3	5.13	4.34
5702, HZ	1,251	0.0	1.0	3.3	1.9	25.0	0.5	4.79	4.40	6,467	0.0	0.8	3.8	1.7	24.7	0.6	4.90	4.36
4885, HMX	1,026	0.0	1.5	1.8	0.6	25.1	1.0	5.24	4.36	5,362	0.0	1.6	1.4	0.4	23.9	0.9	5.40	4.34
6402, N	17	0.0	1.2	0.4	0.9	22.1	1.4	6.75	4.50	5,277	0.0	1.0	1.9	1.0	25.2	1.6	5.61	4.42
9663, HEINZ	23	0.0	5.9	2.4	0.8	25.5	1.9	4.37	4.37	4,771	0.0	2.8	4.7	0.6	23.7	3.4	5.13	4.42
6394, N	65	0.0	0.6	4.2	1.2	24.0	1.5	5.94	4.39	4,210	0.0	0.7	2.1	1.8	24.5	2.9	5.60	4.47
7885, HMX	172	0.0	0.4	0.4	0.2	23.8	0.6	5.27	4.46	4,081	0.0	0.8	0.7	0.3	25.4	1.3	5.19	4.54
1293, HZ	693	0.0	1.2	1.4	0.6	22.4	0.7	5.65	4.48	3,587	0.0	1.0	1.6	0.6	23.4	0.9	5.64	4.48
6404, N	139	0.0	3.2	0.8	0.2	23.4	2.4	5.72	4.47	3,485	0.0	2.0	1.6	1.1	25.3	2.6	5.28	4.46
141, BQ	796	0.0	2.3	6.4	1.9	25.2	5.0	5.04	4.43	3,310	0.0	1.7	3.8	1.1	24.5	3.9	4.97	4.43
4909, HMX	216	0.0	1.3	0.5	0.3	26.8	0.3	5.52	4.23	3,285	0.0	1.9	0.7	0.3	25.8	0.8	5.53	4.26
5706, HZ	566	0.0	0.9	4.5	2.6	24.6	0.5	5.12	4.39	3,277	0.0	0.7	3.5	1.8	24.6	0.6	4.96	4.35
5701, HZ	439	0.0	1.1	4.2	1.9	25.3	0.5	5.00	4.36	3,195	0.0	1.0	3.7	2.2	25.5	0.9	4.92	4.33
2, BP	32	0.0	0.6	5.0	0.6	25.7	1.4	4.55	4.41	3,189	0.0	0.8	3.7	1.5	26.9	2.0	5.00	4.50
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,038	0.0	0.4	3.5	1.2	27.4	1.8	4.86	4.39
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,911	0.0	0.4	1.5	0.3	24.4	2.4	5.54	4.34
9905, HARRIS MORAN	1,205	0.0	0.8	2.1	0.9	25.9	0.7	5.03	4.42	2,800	0.0	0.9	1.6	0.8	25.4	0.7	5.17	4.42
1292, HZ	2	0.0	1.0	1.3	0.5	25.0	0.5	5.75	4.44	2,623	0.0	0.7	1.3	0.7	23.1	2.5	5.78	4.47
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,590	0.0	0.4	1.9	0.7	24.4	2.6	4.72	4.43

2016 Processing Tomato Season
PTAB Analysis (9/17/16) - Statewide by Variety



Variety Name	Week Ending 9/17/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,295	0.0	0.6	2.1	1.0	26.5	2.7	4.93	4.37
18806, UG	136	0.0	2.4	1.6	0.4	26.5	2.6	5.31	4.46	2,158	0.0	1.4	1.3	0.3	26.5	2.2	5.32	4.35
5508, HZ	712	0.0	1.0	2.4	0.2	23.3	0.2	5.04	4.29	2,131	0.0	0.9	2.5	0.3	24.0	0.6	5.02	4.34
255, CXD	87	0.0	1.2	1.4	0.6	27.2	0.7	5.23	4.29	1,953	0.0	1.1	0.9	0.5	26.2	1.0	5.19	4.34
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,769	0.0	0.4	1.6	0.5	26.6	3.0	5.31	4.23
5234, IVF	1	0.0	6.5	1.0	0.5	23.0	3.5	5.90	4.41	1,535	0.0	1.5	0.8	0.4	24.8	1.9	5.50	4.33
205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,533	0.0	1.1	1.0	0.8	25.4	2.0	5.68	4.38
6420, N	154	0.0	0.9	0.8	0.4	24.6	1.1	5.15	4.42	1,517	0.0	1.2	1.7	0.5	24.6	1.2	5.28	4.47
1170, HEINZ	523	0.0	0.9	3.8	1.3	25.3	0.5	5.37	4.35	1,458	0.0	1.2	2.1	0.7	25.3	0.7	5.39	4.36
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,310	0.0	0.4	0.6	0.3	26.9	0.9	5.21	4.33
1161, HEINZ	94	0.0	1.0	1.2	0.4	24.2	0.8	5.82	4.28	1,155	0.0	0.6	1.8	0.4	25.5	2.9	5.91	4.34
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,151	0.0	0.5	3.1	0.4	25.1	2.9	5.12	4.39
1310, HZ	484	0.0	1.2	2.2	1.0	25.0	0.7	5.15	4.39	1,135	0.0	1.6	3.2	1.1	24.5	0.9	5.28	4.39
9436, UG	26	0.0	4.4	4.1	0.2	23.0	1.2	4.96	4.40	949	0.0	0.9	1.7	0.4	23.8	1.9	5.88	4.41
2756, SV	32	0.0	0.8	3.5	1.3	23.6	0.6	5.40	4.41	890	0.0	0.7	2.0	0.5	24.4	0.8	5.26	4.39
UNCODED	33	0.0	2.0	2.3	2.8	24.2	2.1	5.45	4.42	837	0.0	1.4	2.7	1.0	25.8	1.4	5.39	4.40
849, HYPEEL	403	0.0	1.2	1.0	0.8	24.6	0.5	5.34	4.28	754	0.0	1.1	0.9	0.7	25.1	0.6	5.34	4.29
2493, SV	85	0.0	3.6	1.1	1.8	23.4	3.3	5.91	4.45	745	0.0	2.0	1.1	0.5	24.2	2.3	5.41	4.42
1175, HEINZ	190	0.0	0.6	0.3	0.6	21.8	1.0	5.19	4.47	648	0.0	1.0	1.4	0.4	23.3	0.8	5.29	4.47
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	639	0.0	0.6	1.9	0.7	26.1	2.9	5.58	4.32
206, BQ	160	0.0	0.7	0.6	0.1	24.7	1.4	5.86	4.35	635	0.0	1.3	0.4	0.1	25.0	2.3	5.54	4.35
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	613	0.0	1.6	1.3	0.6	24.6	2.7	4.77	4.38
4886, HMX	142	0.0	1.2	2.3	0.5	25.8	1.6	7.15	4.36	556	0.0	1.4	1.2	0.5	25.4	1.9	6.42	4.39
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	526	0.0	2.3	1.0	0.3	24.3	2.7	5.50	4.39
1422, HZ	53	0.0	1.2	3.9	1.5	25.7	0.8	5.93	4.32	498	0.0	1.0	2.0	1.8	24.6	1.3	5.70	4.36
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	491	0.0	0.8	3.0	1.4	26.5	4.2	4.77	4.45
9780, HEINZ	159	0.0	0.6	0.3	0.5	22.8	1.3	5.78	4.32	442	0.0	0.7	0.6	0.3	23.6	1.1	5.67	4.33
8011, SV	168	0.0	2.8	0.6	0.2	24.0	0.8	5.03	4.35	400	0.0	2.3	0.7	0.2	24.2	1.2	5.28	4.37
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	369	0.0	0.2	0.9	0.4	24.4	3.0	5.68	4.31
142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	1.6	1.0	0.3	24.3	3.0	5.42	4.42
6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	3.6	1.4	0.4	25.4	1.3	5.42	4.42
400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	314	0.0	0.4	1.0	0.5	22.7	1.0	5.66	4.40
002, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	287	0.0	4.7	0.8	0.2	24.5	2.3	5.04	4.46
6428, N	26	0.0	1.9	2.8	1.2	25.0	0.3	6.18	4.27	266	0.0	1.3	1.1	0.3	25.0	0.7	5.20	4.39
282, CXD	8	0.0	1.1	3.6	1.0	25.4	4.9	5.46	4.25	254	0.0	1.1	1.2	0.2	23.2	1.3	5.37	4.38
67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	221	0.0	1.8	1.2	0.5	24.0	2.2	5.36	4.40

2016 Processing Tomato Season
PTAB Analysis (9/17/16) - Statewide by Variety



Variety Name	Week Ending 9/17/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	0.3	0.3	0.1	26.1	1.2	5.68	4.34
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.2	1.1	0.8	25.0	0.9	5.18	4.26
16, BP	6	0.0	1.3	3.3	3.9	26.2	0.8	5.90	4.40	171	0.0	0.8	1.8	0.4	25.2	1.8	5.19	4.43
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
6426, N	6	0.0	1.3	1.0	0.6	23.0	0.3	5.07	4.27	156	0.0	2.0	1.2	0.9	21.8	1.1	5.31	4.41
296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.1	1.6	1.6	0.3	27.2	1.3	5.91	4.33
MIX	64	0.0	0.7	0.3	0.3	22.8	0.7	5.19	4.31	127	0.0	0.9	0.9	0.4	23.3	1.0	5.54	4.33
HEINZ TRIAL	16	0.0	1.0	2.2	1.9	23.8	1.6	5.56	4.39	111	0.0	1.0	4.0	1.6	25.7	1.0	4.89	4.33
6431, N	5	0.0	1.5	0.2	0.3	23.2	0.1	5.40	4.32	111	0.0	1.6	0.7	1.2	22.5	1.4	6.08	4.44
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28
1311, HZ	3	0.0	3.0	0.3	0.2	21.3	0.8	5.73	4.31	106	0.0	1.1	0.7	0.4	24.1	1.3	5.62	4.32
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	102	0.0	0.5	3.1	1.5	29.7	2.5	5.09	4.42
6407, N	69	0.0	0.3	2.1	1.3	23.9	0.3	6.34	4.34	97	0.0	0.3	2.4	1.3	24.3	0.3	6.35	4.35
2303, SV	4	0.0	2.4	1.0	0.3	24.8	0.4	4.80	4.41	87	0.0	1.7	0.9	0.3	23.6	1.4	5.33	4.43
9905, HEINZ	27	0.0	0.9	1.5	0.3	25.3	0.4	5.09	4.41	74	0.0	0.8	0.8	0.3	24.9	0.5	5.19	4.43
1424, HZ	41	0.0	0.5	0.9	0.7	24.0	0.8	5.85	4.27	69	0.0	0.8	2.3	0.8	24.8	1.7	5.60	4.31
8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	1.5	2.0	0.3	22.8	4.9	5.46	4.40
25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.8	2.2	0.7	26.8	0.7	4.67	4.37
16112, UG	19	0.0	0.8	0.4	1.1	25.3	0.8	5.06	4.36	52	0.0	0.6	1.5	0.7	24.3	0.6	5.51	4.36
5655, SV	17	0.0	1.8	0.2	0.2	24.0	1.2	5.06	4.31	41	0.0	1.7	1.1	0.5	25.0	1.2	5.34	4.35
5899, HMX	20	0.0	1.6	1.5	1.2	24.3	0.7	6.34	4.33	37	0.0	1.1	1.3	1.0	25.1	0.5	6.55	4.29
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.5	1.1	0.2	24.7	1.5	5.34	4.36
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.4	1.3	0.5	24.6	1.0	5.70	4.30
58811, HMX	8	0.0	0.4	0.6	0.5	25.0	0.2	4.98	4.32	31	0.0	0.7	0.7	0.3	25.6	0.5	5.34	4.33
58841, HMX	16	0.0	1.8	0.9	0.8	26.0	0.4	5.41	4.34	30	0.0	1.8	0.9	0.5	26.2	0.6	5.37	4.33
00241, BCSV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.2	6.9	0.5	25.6	0.7	5.67	4.48
58871, HMX	5	0.0	0.7	2.2	1.0	25.6	0.0	5.52	4.27	29	0.0	0.8	1.6	0.4	26.0	0.3	5.79	4.30
217, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	3.8	1.0	23.2	5.8	5.99	4.47
602, BOS	23	0.0	2.2	0.3	0.3	25.4	0.7	5.70	4.37	23	0.0	2.2	0.3	0.3	25.4	0.7	5.70	4.37
1539, HZ	4	0.0	1.0	0.3	0.5	22.3	0.1	4.78	4.49	18	0.0	1.5	1.1	0.6	23.4	0.9	5.17	4.39
1115, FM	15	0.0	2.7	1.9	0.4	25.3	2.2	5.16	4.45	17	0.0	2.4	1.9	0.3	25.1	2.1	5.19	4.45
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.8	0.5	0.5	24.6	1.8	5.28	4.57
6429, N	2	0.3	0.5	0.5	0.0	24.0	0.0	5.25	4.26	13	0.1	2.4	1.0	0.3	24.6	0.6	5.30	4.36
26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	2.6	1.7	0.8	24.2	1.8	5.18	4.44
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.3	0.3	0.2	24.4	1.1	5.86	4.37
58801, HMX	1	0.0	2.5	0.5	0.5	23.0	0.5	5.70	4.25	11	0.0	2.2	0.7	0.3	24.0	0.8	5.39	4.35

2016 Processing Tomato Season
PTAB Analysis (9/17/16) - Statewide by Variety



Variety Name	Week Ending 9/17/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
28, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.8	2.6	0.4	25.1	1.8	5.13	4.41
5235, HM	1	0.0	5.5	0.0	2.0	24.0	2.0	5.70	4.53	8	0.0	3.3	1.6	0.9	24.0	1.1	5.61	4.40
24, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.5	0.8	0.9	26.1	0.4	5.27	4.34
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.2	1.1	0.9	23.0	0.9	5.73	4.48
1538, HZ	4	0.0	0.8	0.6	0.8	23.0	0.8	4.93	4.34	6	0.0	0.5	0.5	0.5	23.5	0.8	5.15	4.33
CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42
1546, HZ	2	0.0	0.8	3.0	0.3	24.5	0.0	4.95	4.26	5	0.0	0.5	2.0	0.1	24.0	0.0	5.16	4.25
1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.0	2.6	0.7	26.4	0.6	5.38	4.42
8163, HMX	3	0.0	1.0	0.7	0.0	24.0	0.8	5.57	4.37	4	0.0	0.9	0.8	0.0	24.5	0.6	5.65	4.37
145, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	0.3	0.0	22.7	3.5	6.30	4.38
316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.8	0.2	0.0	25.0	0.5	5.90	4.30
3885, HMX	3	0.0	0.3	0.2	0.2	24.7	0.7	5.27	4.40	3	0.0	0.3	0.2	0.2	24.7	0.7	5.27	4.40
4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.8	0.2	24.3	0.0	5.30	4.27
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	2.8	0.3	24.7	3.8	5.73	4.42
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	1.0	2.0	25.0	4.0	5.80	4.34
129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
1659, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	2.5	1.0	30.0	0.0	5.10	4.39
2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	1.5	23.0	0.5	5.60	4.27
2718, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	1.5	26.0	0.5	4.90	4.40
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	4.0	1.0	23.0	0.5	6.50	4.30
4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	23.0	0.0	5.00	4.42
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
8846 HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	0.0	5.80	4.27
STATEWIDE	39,798	0.0	1.5	2.2	0.9	24.4	1.1	5.32	4.37	413,944	0.0	1.1	2.0	0.8	24.8	1.6	5.39	4.38