

2016 Processing Tomato Season
PTAB Analysis (9/24/16) - Statewide by Variety



Variety Name	Week Ending 9/24/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
0311, AB	1,086	0.0	1.3	1.1	0.5	23.3	1.6	5.91	4.30	39,539	0.0	1.4	1.5	0.6	23.8	1.6	5.81	4.34
8504, HEINZ	5,823	0.0	0.7	2.3	0.9	23.5	0.6	5.27	4.30	39,334	0.0	1.0	2.2	0.7	24.4	1.0	5.32	4.33
6366, SUN	330	0.0	1.0	2.7	1.8	24.5	3.4	4.82	4.31	32,100	0.0	0.7	1.6	0.8	25.2	2.4	5.53	4.40
0319, DRI	3,333	0.0	1.0	0.9	0.4	24.3	1.9	5.60	4.37	30,296	0.0	1.3	1.3	0.5	24.7	2.1	5.84	4.37
1892, HMX	2,177	0.0	1.0	1.9	1.9	24.1	1.4	5.47	4.39	26,705	0.0	0.9	2.2	1.3	24.6	1.5	5.58	4.44
5608, HZ	774	0.0	3.1	2.5	1.1	23.1	1.3	4.71	4.43	26,501	0.0	1.8	1.9	0.8	23.9	1.5	4.96	4.40
3887, HMX	768	0.0	2.6	6.5	1.8	23.9	1.3	6.00	4.37	21,498	0.0	1.3	2.3	0.8	25.8	1.3	5.47	4.39
6415, N	2,932	0.0	1.8	2.2	0.7	24.7	0.8	5.14	4.35	18,243	0.0	1.1	1.7	0.4	24.4	1.2	5.22	4.36
6416, N	4	0.0	0.9	0.9	0.5	25.3	2.4	4.80	4.37	16,812	0.0	0.3	1.8	0.7	24.9	1.6	5.10	4.31
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14,860	0.0	0.5	2.3	0.7	24.9	1.5	5.41	4.34
4707, HEINZ	676	0.0	4.0	3.1	0.3	25.9	0.5	5.06	4.39	12,836	0.0	1.0	2.6	1.0	25.5	0.9	5.11	4.38
3888, HMX	2,150	0.0	1.9	2.0	1.1	25.2	1.2	5.57	4.50	9,454	0.0	1.3	2.5	1.2	25.9	1.2	5.57	4.48
6410, N	1,925	0.0	1.4	2.2	1.8	24.0	1.6	5.41	4.34	9,209	0.0	1.5	3.0	1.7	24.8	1.6	5.36	4.40
19406, UG	1,935	0.0	0.9	1.0	0.4	23.7	0.8	5.61	4.29	9,201	0.0	1.1	1.6	0.4	24.3	0.9	5.63	4.30
1428, HZ	596	0.0	2.2	2.9	0.9	23.5	0.5	5.16	4.38	7,710	0.0	1.1	2.7	1.0	23.8	0.7	4.95	4.33
2401, HEINZ	769	0.0	2.7	2.4	0.8	24.8	1.3	4.99	4.36	7,493	0.0	1.4	2.8	1.0	24.8	1.3	5.11	4.34
1015, HEINZ	47	0.0	0.3	0.6	0.7	21.8	0.2	5.74	4.40	7,436	0.0	0.6	2.2	1.1	25.1	1.3	5.11	4.44
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,773	0.0	0.5	1.8	0.7	24.7	1.4	5.25	4.41
5702, HZ	147	0.0	1.4	5.5	2.1	25.2	0.6	4.80	4.39	6,614	0.0	0.8	3.9	1.7	24.7	0.6	4.90	4.36
4885, HMX	965	0.0	1.9	1.1	0.5	24.4	0.5	5.18	4.31	6,327	0.0	1.7	1.4	0.4	24.0	0.9	5.37	4.34
6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,277	0.0	1.0	1.9	1.0	25.2	1.6	5.61	4.42
9905, HARRIS MORAN	2,291	0.0	0.9	2.0	1.7	24.4	1.0	5.24	4.41	5,093	0.0	0.9	1.7	1.2	25.0	0.8	5.20	4.42
9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,771	0.0	2.8	4.7	0.6	23.7	3.4	5.13	4.42
7885, HMX	482	0.0	0.8	1.1	0.5	23.2	0.6	5.38	4.51	4,563	0.0	0.8	0.8	0.3	25.1	1.2	5.21	4.54
6394, N	25	0.0	0.8	0.6	1.8	21.8	2.7	6.56	4.42	4,235	0.0	0.7	2.1	1.8	24.5	2.9	5.60	4.47
1293, HZ	455	0.0	0.7	2.0	1.0	23.8	0.9	5.55	4.47	4,042	0.0	0.9	1.7	0.6	23.5	0.9	5.63	4.47
4909, HMX	530	0.0	2.7	0.8	0.5	25.3	0.7	5.41	4.29	3,815	0.0	2.0	0.7	0.4	25.8	0.8	5.51	4.27
5508, HZ	1,417	0.0	1.0	1.8	0.3	24.2	0.3	4.89	4.34	3,548	0.0	0.9	2.3	0.3	24.1	0.4	4.97	4.34
6404, N	18	0.0	17.2	0.1	0.0	26.6	0.2	4.42	4.47	3,503	0.0	2.1	1.6	1.1	25.3	2.6	5.28	4.46
141, BQ	101	0.0	5.0	4.2	1.8	25.2	4.4	5.26	4.41	3,411	0.0	1.8	3.8	1.1	24.5	3.9	4.98	4.43
2, BP	179	0.0	0.6	3.0	2.6	24.6	3.5	4.45	4.40	3,368	0.0	0.8	3.6	1.6	26.7	2.1	4.97	4.49
5701, HZ	173	0.0	0.6	2.8	3.2	24.3	0.7	5.02	4.33	3,368	0.0	1.0	3.7	2.2	25.4	0.9	4.93	4.33
5706, HZ	69	0.0	1.3	3.5	1.0	24.5	0.4	5.09	4.38	3,346	0.0	0.7	3.5	1.8	24.6	0.6	4.96	4.35
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,038	0.0	0.4	3.5	1.2	27.4	1.8	4.86	4.39
16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,911	0.0	0.4	1.5	0.3	24.4	2.4	5.54	4.34
1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,623	0.0	0.7	1.3	0.7	23.1	2.5	5.78	4.47

2016 Processing Tomato Season
PTAB Analysis (9/24/16) - Statewide by Variety



Variety Name	Week Ending 9/24/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,590	0.0	0.4	1.9	0.7	24.4	2.6	4.72	4.43
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,295	0.0	0.6	2.1	1.0	26.5	2.7	4.93	4.37
18806, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,158	0.0	1.4	1.3	0.3	26.5	2.2	5.32	4.35
255, CXD	25	0.0	0.9	1.3	0.7	25.1	0.8	5.86	4.23	1,978	0.0	1.1	0.9	0.5	26.2	1.0	5.20	4.34
1170, HEINZ	324	0.0	0.6	2.9	1.6	24.0	0.4	5.55	4.32	1,782	0.0	1.1	2.2	0.8	25.1	0.7	5.42	4.35
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,769	0.0	0.4	1.6	0.5	26.6	3.0	5.31	4.23
6420, N	230	0.0	1.2	0.9	0.5	25.3	0.8	5.25	4.45	1,747	0.0	1.2	1.6	0.5	24.7	1.1	5.28	4.47
1310, HZ	535	0.0	2.1	2.1	1.7	24.8	1.1	5.43	4.42	1,669	0.0	1.8	2.8	1.3	24.6	0.9	5.33	4.40
5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,535	0.0	1.5	0.8	0.4	24.8	1.9	5.50	4.33
205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,533	0.0	1.1	1.0	0.8	25.4	2.0	5.68	4.38
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,310	0.0	0.4	0.6	0.3	26.9	0.9	5.21	4.33
849, HYPEEL	515	0.0	1.3	0.8	1.0	24.5	0.6	5.13	4.32	1,270	0.0	1.2	0.9	0.8	24.8	0.6	5.25	4.30
1161, HEINZ	19	0.0	1.2	1.9	0.7	24.7	1.3	5.32	4.31	1,174	0.0	0.6	1.8	0.4	25.5	2.9	5.90	4.34
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,151	0.0	0.5	3.1	0.4	25.1	2.9	5.12	4.39
9780, HEINZ	614	0.0	1.0	0.5	0.4	22.6	1.2	5.66	4.36	1,056	0.0	0.8	0.6	0.4	23.0	1.2	5.66	4.35
2756, SV	152	0.0	1.6	1.1	0.4	24.0	0.8	5.08	4.42	1,042	0.0	0.8	1.9	0.5	24.3	0.8	5.24	4.39
9436, UG	50	0.0	3.0	0.7	0.4	22.3	1.3	5.15	4.42	999	0.0	1.0	1.6	0.4	23.8	1.8	5.84	4.41
UNCODED	69	0.0	2.0	2.9	1.6	23.3	1.0	5.76	4.36	906	0.0	1.4	2.7	1.0	25.6	1.4	5.42	4.40
2493, SV	136	0.0	3.6	2.0	1.0	23.5	2.7	5.53	4.42	881	0.0	2.2	1.2	0.6	24.1	2.3	5.43	4.42
1175, HEINZ	200	0.0	1.7	0.5	0.2	23.5	0.5	4.66	4.53	848	0.0	1.2	1.2	0.3	23.3	0.8	5.14	4.48
206, BQ	198	0.0	0.7	1.9	0.3	26.0	1.2	5.51	4.36	833	0.0	1.1	0.8	0.2	25.3	2.0	5.54	4.35
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	639	0.0	0.6	1.9	0.7	26.1	2.9	5.58	4.32
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	613	0.0	1.6	1.3	0.6	24.6	2.7	4.77	4.38
1422, HZ	73	0.0	1.2	2.6	2.1	24.9	0.6	5.78	4.36	571	0.0	1.0	2.0	1.9	24.6	1.3	5.71	4.36
4886, HMX	1	0.0	1.0	0.0	0.0	25.0	0.0	4.10	4.41	557	0.0	1.4	1.2	0.5	25.4	1.9	6.42	4.39
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	526	0.0	2.3	1.0	0.3	24.3	2.7	5.50	4.39
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	491	0.0	0.8	3.0	1.4	26.5	4.2	4.77	4.45
282, CXD	226	0.0	1.4	2.8	1.9	23.4	2.0	5.38	4.37	480	0.0	1.3	2.0	1.0	23.3	1.6	5.37	4.38
8011, SV	54	0.0	1.4	0.1	0.0	22.4	0.5	4.93	4.39	454	0.0	2.2	0.6	0.2	24.0	1.1	5.24	4.37
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	369	0.0	0.2	0.9	0.4	24.4	3.0	5.68	4.31
142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	1.6	1.0	0.3	24.3	3.0	5.42	4.42
6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	3.6	1.4	0.4	25.4	1.3	5.42	4.42
6428, N	58	0.0	3.0	1.6	0.6	26.9	1.3	4.66	4.45	324	0.0	1.6	1.2	0.4	25.3	0.8	5.11	4.40
400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	314	0.0	0.4	1.0	0.5	22.7	1.0	5.66	4.40
002, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	287	0.0	4.7	0.8	0.2	24.5	2.3	5.04	4.46
67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	221	0.0	1.8	1.2	0.5	24.0	2.2	5.36	4.40

2016 Processing Tomato Season
PTAB Analysis (9/24/16) - Statewide by Variety



Variety Name	Week Ending 9/24/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	0.3	0.3	0.1	26.1	1.2	5.68	4.34
MIX	77	0.0	0.9	1.1	0.1	23.0	1.4	5.45	4.34	204	0.0	0.9	1.0	0.3	23.2	1.2	5.51	4.33
16, BP	24	0.0	2.3	1.5	1.3	26.8	1.8	5.43	4.44	195	0.0	1.0	1.8	0.5	25.4	1.8	5.22	4.43
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.2	1.1	0.8	25.0	0.9	5.18	4.26
6426, N	19	0.0	1.3	1.9	0.1	23.8	0.5	5.16	4.30	175	0.0	1.9	1.3	0.8	22.0	1.0	5.30	4.40
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.1	1.6	1.6	0.3	27.2	1.3	5.91	4.33
HEINZ TRIAL	15	0.0	0.9	3.4	0.6	24.1	0.8	5.40	4.37	126	0.0	1.0	4.0	1.5	25.5	1.0	4.95	4.34
6431, N	6	0.0	2.3	1.8	0.2	23.8	1.4	5.45	4.39	117	0.0	1.6	0.7	1.1	22.5	1.4	6.04	4.43
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28
1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	1.1	0.7	0.4	24.1	1.3	5.62	4.32
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	102	0.0	0.5	3.1	1.5	29.7	2.5	5.09	4.42
6407, N	5	0.0	0.7	0.6	1.4	24.8	0.2	5.78	4.33	102	0.0	0.3	2.3	1.3	24.3	0.3	6.32	4.35
2303, SV	6	0.0	3.8	2.4	0.1	24.2	1.0	4.60	4.41	93	0.0	1.8	1.0	0.3	23.6	1.4	5.28	4.43
9905, HEINZ	3	0.0	1.0	0.0	0.0	23.3	0.2	5.00	4.40	75	0.0	0.8	0.8	0.3	24.9	0.5	5.18	4.43
16112, UG	22	0.0	0.4	2.0	0.5	22.8	0.3	5.30	4.35	74	0.0	0.5	1.6	0.7	23.9	0.5	5.45	4.35
1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.8	2.3	0.8	24.8	1.7	5.60	4.31
8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	1.5	2.0	0.3	22.8	4.9	5.46	4.40
25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.8	2.2	0.7	26.8	0.7	4.67	4.37
5899, HMX	15	0.0	1.2	2.0	0.2	26.7	0.5	5.60	4.33	52	0.0	1.1	1.5	0.8	25.5	0.5	6.28	4.30
5655, SV	6	0.0	1.6	4.3	0.0	28.2	0.3	5.10	4.38	47	0.0	1.7	1.5	0.4	25.4	1.1	5.31	4.35
58871, HMX	8	0.0	1.9	3.0	0.1	25.9	0.9	5.54	4.36	37	0.0	1.0	1.9	0.3	26.0	0.4	5.73	4.31
58811, HMX	5	0.0	3.5	1.4	0.0	25.2	4.0	5.20	4.37	36	0.0	1.1	0.8	0.3	25.6	1.0	5.32	4.33
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.5	1.1	0.2	24.7	1.5	5.34	4.36
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.4	1.3	0.5	24.6	1.0	5.70	4.30
58841, HMX	2	0.0	3.8	2.3	0.3	24.0	1.3	5.50	4.43	32	0.0	1.9	0.9	0.5	26.1	0.6	5.38	4.34
00241, BCSV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.2	6.9	0.5	25.6	0.7	5.67	4.48
1115, FM	11	0.1	3.6	4.4	1.0	24.4	2.6	5.03	4.47	28	0.0	2.9	2.9	0.6	24.8	2.3	5.13	4.46
217, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	3.8	1.0	23.2	5.8	5.99	4.47
602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	2.2	0.3	0.3	25.4	0.7	5.70	4.37
108, HYPEEL	4	0.0	0.8	1.1	0.6	23.0	1.4	5.28	4.62	20	0.0	0.8	0.6	0.6	24.3	1.7	5.28	4.58
6429, N	6	0.0	2.7	1.9	0.0	27.0	0.6	4.70	4.43	19	0.1	2.5	1.3	0.2	25.4	0.6	5.11	4.38
1539, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.5	1.1	0.6	23.4	0.9	5.17	4.39
LYCOMECH UG	17	0.0	0.0	10.5	1.9	27.4	0.5	5.52	4.22	17	0.0	0.0	10.5	1.9	27.4	0.5	5.52	4.22
5235, HM	7	0.0	3.4	3.5	0.4	23.6	2.4	6.33	4.34	15	0.0	3.4	2.5	0.7	23.8	1.7	5.95	4.37
26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	2.6	1.7	0.8	24.2	1.8	5.18	4.44

2016 Processing Tomato Season
PTAB Analysis (9/24/16) - Statewide by Variety



Variety Name	Week Ending 9/24/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.3	0.3	0.2	24.4	1.1	5.86	4.37
58801, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	2.2	0.7	0.3	24.0	0.8	5.39	4.35
NEMA CRIMSON UG	8	0.0	0.0	6.7	1.6	24.6	0.3	4.89	4.18	8	0.0	0.0	6.7	1.6	24.6	0.3	4.89	4.18
28, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	1.8	2.6	0.4	25.1	1.8	5.13	4.41
1546, HZ	3	0.0	1.5	4.7	0.0	24.7	0.3	4.57	4.35	8	0.0	0.9	3.0	0.1	24.3	0.1	4.94	4.29
24, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.5	0.8	0.9	26.1	0.4	5.27	4.34
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.2	1.1	0.9	23.0	0.9	5.73	4.48
1538, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.5	0.5	0.5	23.5	0.8	5.15	4.33
CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42
1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.0	2.6	0.7	26.4	0.6	5.38	4.42
316, C	1	0.0	1.5	0.5	0.0	24.0	2.5	6.00	4.42	4	0.0	1.0	0.3	0.0	24.8	1.0	5.93	4.33
3885, HMX	1	0.0	1.5	3.0	1.0	25.0	0.5	6.30	4.50	4	0.0	0.6	0.9	0.4	24.8	0.6	5.53	4.43
8163, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.9	0.8	0.0	24.5	0.6	5.65	4.37
145, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	0.3	0.0	22.7	3.5	6.30	4.38
4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.8	0.2	24.3	0.0	5.30	4.27
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	2.8	0.3	24.7	3.8	5.73	4.42
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	1.0	2.0	25.0	4.0	5.80	4.34
129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
1659, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	2.5	1.0	30.0	0.0	5.10	4.39
2005, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	1.5	23.0	0.5	5.60	4.27
2718, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	1.5	26.0	0.5	4.90	4.40
3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	4.0	1.0	23.0	0.5	6.50	4.30
4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	23.0	0.0	5.00	4.42
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
8846 HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	0.0	5.80	4.27
STATEWIDE	35,927	0.0	1.4	2.0	1.0	24.1	1.1	5.34	4.36	449,871	0.0	1.1	2.0	0.8	24.7	1.5	5.39	4.38