

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



		Week Ending 8/26/17										Year to Date									
County	Variety Name	Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH		
COLUSA	1015, HEINZ	417	0.0	0.8	7.0	2.2	23.8	0.5	5.11	4.48	2,615	0.0	0.5	3.4	1.3	24.0	0.7	5.15	4.48		
COLUSA	13, BP	263	0.0	0.8	5.8	1.1	23.8	0.7	5.25	4.45	1,683	0.0	0.6	4.1	1.1	25.2	0.9	5.08	4.44		
COLUSA	6366, SUN	355	0.0	1.5	3.8	1.5	25.4	0.9	5.16	4.44	1,211	0.0	1.2	3.6	1.9	24.4	1.1	5.24	4.44		
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,032	0.0	1.2	1.6	0.7	24.9	1.1	5.14	4.40		
COLUSA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	838	0.0	0.6	2.7	1.2	25.2	1.6	5.53	4.38		
COLUSA	0311, AB	115	0.0	1.8	7.4	3.1	23.8	1.0	6.14	4.42	678	0.0	1.7	4.3	1.9	23.2	1.1	5.81	4.41		
COLUSA	6402, N	117	0.0	3.9	3.7	1.2	24.6	0.8	5.65	4.53	448	0.0	1.9	2.6	1.5	25.1	1.1	5.70	4.50		
COLUSA	273, BQ	17	0.0	0.5	1.2	0.5	23.9	0.9	5.08	4.34	417	0.0	0.7	0.8	0.2	25.6	0.6	5.07	4.37		
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	388	0.0	0.8	2.8	1.1	25.6	2.6	5.04	4.38		
COLUSA	3887, HMX	93	0.0	1.5	8.3	1.7	12.9	0.9	5.95	4.51	359	0.0	1.7	7.7	1.6	23.1	0.8	5.15	4.48		
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	0.6	1.1	0.5	29.0	2.2	4.90	4.39		
COLUSA	0319, DRI	227	0.0	3.8	3.7	0.9	26.2	1.4	5.62	4.41	327	0.0	3.2	3.6	0.9	26.7	1.3	5.71	4.39		
COLUSA	2401, HEINZ	319	0.0	3.0	7.4	1.4	19.1	0.5	5.07	4.35	319	0.0	3.0	7.4	1.4	19.1	0.5	5.07	4.35		
COLUSA	4885, HMX	20	0.0	1.0	4.1	3.0	24.1	0.5	5.22	4.40	311	0.0	0.9	3.6	1.0	24.9	0.4	5.01	4.38		
COLUSA	16, BP	91	0.0	4.1	12.3	1.7	27.6	0.9	5.12	4.49	309	0.0	2.1	6.9	1.1	25.9	0.7	5.32	4.47		
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.3	1.7	1.3	24.2	4.1	5.00	4.46		
COLUSA	5608, HZ	56	0.0	2.0	6.1	1.3	25.5	0.4	4.69	4.43	236	0.0	1.9	3.9	2.0	23.3	0.8	5.58	4.44		
COLUSA	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	183	0.0	1.1	7.0	1.0	26.3	1.9	4.40	4.51		
COLUSA	1422, HZ	174	0.0	0.7	5.0	0.8	23.2	1.0	5.76	4.44	174	0.0	0.7	5.0	0.8	23.2	1.0	5.76	4.44		
COLUSA	1310, HZ	45	0.0	5.9	2.7	1.8	24.8	1.2	5.26	4.60	146	0.0	2.7	5.7	1.1	25.5	0.8	5.12	4.59		
COLUSA	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	1.3	1.3	0.6	27.1	1.5	5.41	4.36		
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	1.2	0.7	0.6	27.6	1.9	4.94	4.39		
COLUSA	32, BP	22	0.0	0.4	0.0	0.0	25.3	1.9	5.19	4.46	124	0.0	0.3	0.1	0.1	25.0	1.2	5.06	4.49		
COLUSA	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	0.7	1.2	0.7	25.8	1.1	4.49	4.41		
COLUSA	205, BQ	14	0.0	4.7	11.4	1.3	28.1	1.3	5.01	4.48	86	0.0	2.0	9.7	2.5	24.9	1.0	5.93	4.42		
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	1.5	1.4	0.4	26.3	2.8	4.91	4.44		
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	1.2	4.0	1.7	26.0	1.8	4.81	4.42		
COLUSA	6428, N	27	0.0	0.2	0.2	0.1	25.7	0.8	4.93	4.43	44	0.0	0.2	0.2	0.1	25.9	0.6	4.95	4.42		
COLUSA	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.7	4.0	1.3	24.1	1.4	5.36	4.49		
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.3	2.8	0.7	25.3	1.2	5.16	4.34		
COLUSA	4707, HEINZ	24	0.0	1.0	3.0	1.5	26.6	3.0	4.65	4.57	31	0.0	1.0	2.9	3.0	26.6	3.0	4.67	4.55		
COLUSA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.5	0.2	0.2	22.7	1.0	5.07	4.40		
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.3	3.8	1.6	28.2	0.6	5.34	4.40		
COLUSA	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.9	0.6	0.1	25.6	0.8	5.10	4.44		
COLUSA	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	0.8	0.2	26.8	0.8	5.37	4.47		
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.2	0.2	24.8	0.9	5.58	4.40		
COLUSA	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.0	25.7	0.0	5.33	4.36		
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.3	0.0	25.7	0.7	5.53	4.33		
COLUSA	6420, N	3	0.0	0.3	0.0	0.0	26.0	0.5	4.77	4.51	3	0.0	0.3	0.0	0.0	26.0	0.5	4.77	4.51		

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.0	0.0	23.3	2.7	5.23	4.40
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.5	0.3	24.5	0.5	5.40	4.43
COLUSA		2,399	0.0	2.0	5.8	1.5	23.5	0.8	5.32	4.44	13,144	0.0	1.1	3.5	1.2	24.7	1.1	5.23	4.44
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,901	0.0	0.3	0.5	0.3	26.4	0.8	5.63	4.41
CONTRA COSTA	0311, AB	541	0.0	0.6	1.2	0.5	23.1	0.9	6.20	4.34	1,101	0.0	0.6	0.9	0.3	23.6	0.8	5.91	4.34
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	638	0.0	0.4	0.3	0.1	26.4	1.1	5.53	4.46
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	419	0.0	0.2	0.7	0.1	26.9	1.9	5.28	4.24
CONTRA COSTA	5900, HMX	9	0.0	0.2	0.6	0.0	22.7	1.7	5.87	4.47	266	0.0	0.6	0.8	0.1	25.4	1.8	5.40	4.38
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	244	0.0	0.1	0.6	0.0	26.6	1.2	5.11	4.36
CONTRA COSTA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.1	0.7	0.1	26.1	1.1	5.66	4.34
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	0.3	0.9	0.7	25.8	0.8	5.17	4.36
CONTRA COSTA	1293, HZ	9	0.0	1.6	1.3	1.4	23.6	0.9	5.34	4.51	66	0.0	0.4	0.7	0.4	22.2	0.6	6.07	4.59
CONTRA COSTA	400, BQ	32	0.0	0.2	1.1	0.1	22.5	0.6	5.33	4.48	54	0.0	0.1	0.9	0.1	24.4	0.6	5.49	4.42
CONTRA COSTA	403, BQ	12	0.0	0.0	1.0	0.1	22.8	1.7	5.56	4.39	53	0.0	0.1	0.5	0.6	25.7	1.4	5.45	4.40
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.5	0.7	0.0	26.2	1.1	5.21	4.45
CONTRA COSTA	0319, DRI	44	0.0	0.3	0.8	0.2	23.4	0.6	6.68	4.33	44	0.0	0.3	0.8	0.2	23.4	0.6	6.68	4.33
CONTRA COSTA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.0	0.5	0.1	25.1	0.3	5.48	4.44
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.5	0.0	25.0	0.3	4.90	4.42
CONTRA COSTA	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	6.20	4.57
CONTRA COSTA	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	22.0	0.0	6.50	4.53
CONTRA COSTA		647	0.0	0.5	1.1	0.5	23.1	0.9	6.16	4.35	5,080	0.0	0.4	0.6	0.2	25.7	1.0	5.61	4.38
FRESNO	273, BQ	79	0.0	4.6	2.4	0.9	23.5	2.4	5.22	4.50	13,393	0.0	0.5	1.3	0.5	24.7	1.5	5.38	4.39
FRESNO	0311, AB	485	0.0	2.7	1.8	0.3	23.0	1.5	5.99	4.46	12,952	0.0	2.6	1.1	0.5	23.9	2.3	5.78	4.44
FRESNO	6366, SUN	70	0.0	0.9	1.0	1.2	23.1	3.0	5.44	4.52	7,726	0.0	0.8	0.7	0.4	24.9	2.9	5.53	4.48
FRESNO	6415, N	1,727	0.0	3.0	1.4	0.4	24.0	1.2	5.09	4.49	7,645	0.0	1.9	1.2	0.4	24.8	1.1	5.07	4.47
FRESNO	0319, DRI	1,577	0.0	2.9	1.3	0.5	24.1	2.4	5.80	4.48	6,946	0.0	2.6	1.0	0.4	24.5	2.7	5.79	4.48
FRESNO	5608, HZ	1,465	0.0	2.1	1.5	0.5	23.5	1.5	5.07	4.52	5,295	0.0	1.2	1.1	0.4	23.7	1.2	5.13	4.46
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,168	0.0	0.2	0.9	0.3	25.2	1.5	4.96	4.37
FRESNO	1892, HMX	530	0.0	2.1	1.0	0.6	24.3	2.3	5.28	4.56	4,692	0.0	1.2	1.0	0.5	24.9	1.6	5.44	4.52
FRESNO	3887, HMX	435	0.0	2.1	2.4	0.5	24.9	1.5	5.47	4.48	4,512	0.0	1.3	1.7	0.6	25.4	1.3	5.57	4.46
FRESNO	4909, HMX	356	0.0	5.6	1.0	0.6	25.1	1.1	5.44	4.39	4,235	0.0	2.0	1.1	0.8	26.0	1.2	5.52	4.35
FRESNO	2401, HEINZ	2,062	0.0	1.3	2.4	0.6	24.6	1.3	5.17	4.41	3,935	0.0	1.0	1.9	0.6	24.8	1.3	5.15	4.41
FRESNO	9663, HEINZ	592	0.0	6.5	2.5	0.8	23.5	2.4	4.88	4.52	3,400	0.0	3.6	2.3	0.7	23.5	3.1	4.93	4.49
FRESNO	1293, HZ	336	0.0	3.4	1.7	0.5	22.9	1.3	5.53	4.58	2,759	0.0	1.7	1.4	0.5	23.7	1.4	5.50	4.57
FRESNO	4885, HMX	655	0.0	2.3	0.9	0.3	23.1	0.6	5.38	4.41	2,752	0.0	1.5	0.6	0.2	23.7	0.7	5.23	4.41
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,187	0.0	0.4	0.9	0.7	23.4	1.0	5.22	4.43
FRESNO	1428, HZ	1,278	0.0	1.4	3.4	0.4	23.8	0.9	4.94	4.50	2,109	0.0	1.0	2.7	0.4	23.7	0.9	5.01	4.50
FRESNO	7885, HMX	499	0.0	1.5	0.5	0.1	23.2	1.2	4.89	4.64	2,006	0.0	1.4	0.5	0.2	25.9	1.2	4.89	4.63
FRESNO	4707, HEINZ	520	0.0	0.8	2.7	0.6	25.8	1.0	4.98	4.47	1,720	0.0	0.5	2.0	0.6	25.7	0.9	5.09	4.46

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	6402, N	106	0.0	1.8	1.0	0.5	23.0	2.0	5.98	4.50	1,597	0.0	1.3	0.7	0.4	24.6	2.1	5.80	4.50
FRESNO	16609, UG	207	0.0	2.8	1.5	0.3	22.4	2.0	5.52	4.41	1,573	0.0	0.7	0.8	0.3	24.2	2.2	5.42	4.41
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,428	0.0	0.5	0.8	0.5	24.2	2.0	5.42	4.54
FRESNO	2756, SV	483	0.0	1.3	1.7	0.4	25.3	1.0	4.90	4.50	1,337	0.0	0.8	1.4	0.3	25.8	1.0	4.92	4.46
FRESNO	19406, UG	259	0.0	7.8	0.8	0.2	24.8	1.2	5.11	4.44	1,297	0.0	3.7	0.9	0.3	25.3	0.8	5.29	4.39
FRESNO	6420, N	64	0.0	1.1	1.0	0.3	24.8	0.8	4.98	4.50	1,179	0.0	2.0	0.7	0.3	24.9	1.6	4.89	4.54
FRESNO	8011, SV	31	0.0	2.7	1.6	0.1	22.4	0.4	5.48	4.43	925	0.0	0.8	0.7	0.2	24.7	0.4	5.51	4.40
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	0.2	1.0	0.2	25.3	1.5	4.88	4.39
FRESNO	5900, HMX	117	0.0	4.1	0.9	0.4	24.2	3.1	5.26	4.51	707	0.0	1.3	1.6	1.2	24.5	3.0	5.68	4.44
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	516	0.0	0.1	1.4	0.8	25.0	1.4	5.34	4.29
FRESNO	15212, UG	152	0.0	1.7	1.5	0.1	24.9	0.3	4.80	4.42	442	0.0	1.7	1.4	0.1	26.3	0.7	4.74	4.44
FRESNO	2493, SV	244	0.0	4.7	1.5	0.3	23.1	2.1	4.83	4.54	377	0.0	5.2	1.4	0.2	23.4	1.9	4.79	4.54
FRESNO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	345	0.0	0.4	0.5	0.3	24.2	0.7	5.45	4.50
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	337	0.0	0.4	2.3	0.2	26.0	0.6	5.07	4.47
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	330	0.0	0.5	1.2	0.4	24.9	6.4	4.81	4.50
FRESNO	8232, SV	102	0.0	5.8	1.7	0.1	22.5	2.1	5.38	4.58	327	0.0	3.3	1.2	0.2	23.4	4.3	5.47	4.55
FRESNO	8504, HEINZ	291	0.0	1.8	2.4	0.4	25.9	1.2	5.08	4.40	291	0.0	1.8	2.4	0.4	25.9	1.2	5.08	4.40
FRESNO	6394, N	193	0.0	7.3	0.8	0.5	22.1	5.0	5.47	4.66	251	0.0	6.0	0.8	0.5	22.0	4.8	5.53	4.65
FRESNO	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	241	0.0	1.1	1.6	0.4	24.5	2.5	5.17	4.49
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	0.5	0.3	23.7	4.4	5.20	4.51
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	228	0.0	0.3	0.8	0.2	25.8	1.0	5.41	4.39
FRESNO	5702, HZ	171	0.0	0.4	2.3	0.9	23.4	0.5	5.08	4.48	222	0.0	0.4	2.4	1.0	23.5	0.9	5.27	4.50
FRESNO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	3.3	0.4	0.5	24.5	2.4	4.79	4.45
FRESNO	6404, N	3	0.0	2.0	0.7	0.2	24.0	2.7	5.43	4.54	195	0.0	1.4	0.3	0.2	23.4	1.4	5.45	4.47
FRESNO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	182	0.0	2.9	2.8	1.8	27.5	1.6	5.32	4.54
FRESNO	6428, N	57	0.0	2.2	2.6	0.1	24.1	0.8	5.03	4.54	181	0.0	1.7	1.7	0.2	25.5	1.3	4.92	4.49
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	0.2	0.7	0.3	25.4	1.6	5.60	4.37
FRESNO	141, BQ	125	0.0	2.5	1.4	0.1	22.8	3.4	4.94	4.54	125	0.0	2.5	1.4	0.1	22.8	3.4	4.94	4.54
FRESNO	4886, HMX	1	0.0	1.0	0.5	0.5	23.0	0.5	5.50	4.42	116	0.0	1.8	1.1	0.3	25.8	1.5	5.95	4.46
FRESNO	MIX	21	0.0	2.5	2.1	0.1	23.5	0.6	5.09	4.45	92	0.0	3.1	1.1	0.2	23.4	1.1	5.25	4.44
FRESNO	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.3	1.2	0.0	26.7	0.2	5.50	4.38
FRESNO	19306, UG	79	0.0	2.0	1.1	0.2	23.5	1.4	5.19	4.44	79	0.0	2.0	1.1	0.2	23.5	1.4	5.19	4.44
FRESNO	2828, SVTM	3	0.0	1.8	1.3	0.5	24.0	2.2	6.27	4.55	69	0.0	1.1	0.7	0.2	25.4	1.1	5.39	4.44
FRESNO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	1.5	0.4	0.1	24.8	1.4	5.04	4.48
FRESNO	1659, HZ	36	0.0	2.3	2.1	1.4	25.4	4.0	5.09	4.55	36	0.0	2.3	2.1	1.4	25.4	4.0	5.09	4.55
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.1	0.8	0.1	24.5	2.0	6.02	4.50
FRESNO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.8	1.5	0.6	24.7	2.8	5.40	4.56
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	4.2	0.3	0.5	24.2	2.8	4.90	4.51
FRESNO	16112, UG	29	0.0	0.4	0.3	0.0	22.7	0.5	5.61	4.41	30	0.0	0.4	0.3	0.0	22.8	0.6	5.61	4.41

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	0.8	0.2	26.4	0.8	5.52	4.35
FRESNO	6426, N	28	0.0	1.1	0.8	0.1	21.5	0.3	5.14	4.47	28	0.0	1.1	0.8	0.1	21.5	0.3	5.14	4.47
FRESNO	5655, SV	25	0.0	2.1	0.6	0.0	26.5	0.8	5.13	4.50	25	0.0	2.1	0.6	0.0	26.5	0.8	5.13	4.50
FRESNO	1082, SVTM	5	0.0	2.1	3.0	0.8	24.4	1.2	5.66	4.49	23	0.0	0.8	0.9	0.2	24.3	1.7	5.66	4.42
FRESNO	7791, SVTM	6	0.0	4.9	1.0	0.5	24.3	1.3	5.30	4.64	22	0.0	2.6	0.6	0.2	23.3	1.4	5.73	4.58
FRESNO	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.5	0.5	0.2	26.6	2.4	5.15	4.54
FRESNO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	2.4	1.1	0.7	27.3	3.1	5.02	4.52
FRESNO	0811, BOS	12	0.0	0.4	0.5	0.1	24.3	0.8	5.11	4.43	12	0.0	0.4	0.5	0.1	24.3	0.8	5.11	4.43
FRESNO	UNCODED	4	0.0	5.9	0.9	0.0	28.0	1.5	4.95	4.55	11	0.0	3.0	0.7	0.5	25.2	3.4	5.39	4.49
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.4	0.6	24.6	1.8	5.55	4.57
FRESNO	HEINZ TRIAL	7	0.0	1.9	1.5	0.3	23.9	3.0	5.97	4.58	7	0.0	1.9	1.5	0.3	23.9	3.0	5.97	4.58
FRESNO	MISC TRIAL	7	0.0	1.4	1.5	0.8	25.6	0.9	5.61	4.50	7	0.0	1.4	1.5	0.8	25.6	0.9	5.61	4.50
FRESNO	1662, HZ	5	0.0	4.6	0.6	0.6	25.2	1.2	5.12	4.62	5	0.0	4.6	0.6	0.6	25.2	1.2	5.12	4.62
FRESNO	32, BP	4	0.0	2.8	1.4	0.1	24.8	2.4	5.68	4.49	4	0.0	2.8	1.4	0.1	24.8	2.4	5.68	4.49
FRESNO	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	1.7	0.5	23.3	0.7	6.33	4.49
FRESNO	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.0	22.5	1.8	5.00	4.52
FRESNO	20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	23.0	9.0	5.90	4.48
FRESNO	26, BP	1	0.0	2.5	4.5	0.5	26.0	0.5	4.40	4.67	1	0.0	2.5	4.5	0.5	26.0	0.5	4.40	4.67
FRESNO	228, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.5	0.0	0.0	24.0	5.0	5.60	4.51
FRESNO	1100, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	24.0	1.5	5.70	4.37
FRESNO	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	0.0	4.40	4.46
FRESNO	2693, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52
FRESNO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	0.0	27.0	7.5	4.80	4.71
FRESNO	5897, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.53
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	23.0	1.5	7.80	4.45
FRESNO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	1.5	22.0	0.0	6.50	4.51
FRESNO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	1.0	27.0	0.5	5.60	4.48
FRESNO		15,544	0.0	2.6	1.8	0.5	24.0	1.5	5.23	4.48	110,342	0.0	1.5	1.2	0.5	24.6	1.7	5.36	4.45
GLENN	6366, SUN	219	0.0	3.8	5.4	3.2	18.7	1.3	4.99	4.56	219	0.0	3.8	5.4	3.2	18.7	1.3	4.99	4.56
GLENN		219	0.0	3.8	5.4	3.2	18.7	1.3	4.99	4.56	219	0.0	3.8	5.4	3.2	18.7	1.3	4.99	4.56
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,371	0.0	1.2	0.6	0.5	24.5	1.7	5.03	4.49
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,055	0.0	0.7	0.7	0.4	24.2	1.7	5.10	4.39
KERN	4885, HMX	558	0.0	4.7	1.5	0.7	24.9	1.0	5.04	4.46	2,410	0.0	2.9	1.0	0.8	24.4	1.1	5.03	4.45
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,298	0.0	1.0	0.8	0.5	23.4	0.8	4.80	4.48
KERN	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	763	0.0	2.5	1.0	0.3	25.8	1.3	5.00	4.47
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	622	0.0	1.2	0.6	0.5	24.8	1.6	4.69	4.42
KERN	8504, HEINZ	163	0.0	3.2	2.0	0.3	25.7	1.0	4.56	4.39	608	0.0	2.1	1.8	0.5	28.1	0.9	4.62	4.39
KERN	2756, SV	284	0.0	3.3	0.7	0.5	25.3	1.0	5.15	4.60	605	0.0	2.5	0.6	0.5	25.1	1.1	5.14	4.59
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	499	0.1	2.1	2.3	0.4	26.5	1.3	5.04	4.51

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	416	0.0	3.3	0.6	0.3	23.4	2.9	5.40	4.54
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	414	0.0	1.2	0.5	0.4	23.9	1.1	5.11	4.42
KERN	6415, N	188	0.0	3.5	0.4	0.7	24.7	0.2	4.48	4.45	329	0.0	2.8	0.5	0.6	25.2	0.7	4.59	4.46
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	1.7	0.5	0.3	22.8	1.9	5.20	4.52
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	0.4	1.3	0.4	24.4	3.3	5.24	4.43
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	3.7	1.6	1.8	26.4	1.2	4.68	4.46
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	0.7	4.3	1.1	23.9	1.3	5.43	4.32
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	1.5	1.1	0.6	21.9	1.9	5.31	4.49
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.1	2.0	0.3	0.5	22.9	1.2	5.29	4.39
KERN	58841, HMX	89	0.0	5.9	2.3	1.3	25.3	1.6	5.27	4.61	115	0.0	5.4	1.9	1.4	25.0	1.4	5.40	4.60
KERN	58811, HMX	105	0.0	2.1	1.8	0.3	26.2	0.8	5.12	4.56	105	0.0	2.1	1.8	0.3	26.2	0.8	5.12	4.56
KERN	58871, HMX	48	0.0	6.8	1.4	0.9	24.8	1.0	5.55	4.57	48	0.0	6.8	1.4	0.9	24.8	1.0	5.55	4.57
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	2.7	0.4	0.6	23.4	1.8	5.76	4.60
KERN	2401, HEINZ	32	0.0	5.0	1.4	0.2	26.5	1.3	4.50	4.40	32	0.0	5.0	1.4	0.2	26.5	1.3	4.50	4.40
KERN	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.0	1.8	1.1	26.0	0.7	4.93	4.32
KERN	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.9	1.1	0.7	23.5	1.8	5.18	4.42
KERN	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	2.4	0.6	1.0	22.9	1.4	5.23	4.42
KERN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.3	1.5	0.3	24.3	0.5	4.51	4.43
KERN	6426, N	2	0.0	3.8	1.0	2.5	24.5	2.8	5.10	4.68	2	0.0	3.8	1.0	2.5	24.5	2.8	5.10	4.68
KERN		1,469	0.0	4.1	1.3	0.6	25.2	0.9	4.96	4.50	15,809	0.0	1.7	0.9	0.5	24.6	1.4	5.02	4.46
KINGS	3887, HMX	1,308	0.0	5.7	2.9	1.0	25.1	2.0	5.60	4.58	10,064	0.0	2.0	1.7	0.5	26.0	1.6	5.61	4.53
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,386	0.0	0.2	1.9	0.5	26.1	1.3	5.01	4.40
KINGS	5608, HZ	14	0.0	2.5	1.9	0.5	23.2	2.0	5.21	4.52	4,823	0.0	0.6	2.1	0.4	25.0	1.0	4.89	4.49
KINGS	2756, SV	1,308	0.0	2.0	1.9	0.7	25.5	0.9	5.02	4.56	2,591	0.0	1.3	2.0	0.5	26.3	1.1	5.02	4.55
KINGS	4885, HMX	357	0.0	3.4	1.4	0.9	23.8	1.4	5.59	4.49	2,371	0.0	1.6	1.0	0.4	24.8	1.2	5.31	4.46
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,975	0.0	0.4	1.2	0.5	25.8	1.4	4.82	4.35
KINGS	6415, N	77	0.0	3.4	0.8	0.8	24.1	2.6	5.52	4.54	1,617	0.0	0.9	1.8	0.6	25.1	1.4	5.05	4.44
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,293	0.0	2.8	0.9	0.4	23.8	1.9	5.64	4.53
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,135	0.0	1.5	0.8	0.4	24.1	3.5	5.42	4.58
KINGS	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	2.6	1.5	0.7	24.0	2.2	5.72	4.49
KINGS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	721	0.0	1.3	0.8	0.7	24.8	2.0	5.45	4.44
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	651	0.0	3.5	1.5	0.8	23.3	1.6	6.02	4.46
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	599	0.0	0.1	1.2	0.8	23.4	0.7	5.01	4.41
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	455	0.0	1.7	1.7	0.3	25.1	3.3	4.50	4.48
KINGS	6428, N	114	0.0	2.2	2.4	0.4	24.8	1.4	5.27	4.57	399	0.0	1.9	2.4	0.4	26.1	1.4	4.81	4.57
KINGS	8504, HEINZ	379	0.0	2.9	1.3	0.3	24.9	1.1	5.01	4.43	379	0.0	2.9	1.3	0.3	24.9	1.1	5.01	4.43
KINGS	1428, HZ	202	0.0	5.0	3.2	0.4	25.2	0.7	4.60	4.50	355	0.0	3.3	2.1	0.4	24.6	0.9	4.59	4.53
KINGS	9663, HEINZ	90	0.0	8.8	8.7	0.7	24.2	1.4	4.40	4.51	290	0.0	5.1	5.4	0.4	24.3	2.6	4.55	4.47
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	288	0.0	0.3	1.9	0.7	24.9	2.6	5.18	4.53

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	202	0.0	0.3	1.2	0.3	25.7	1.4	4.86	4.43
KINGS	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	198	0.0	5.0	1.3	1.0	23.7	2.4	5.76	4.54
KINGS	6410, N	134	0.0	6.5	1.3	0.8	26.6	1.4	5.05	4.54	137	0.0	6.4	1.3	0.8	26.6	1.4	5.05	4.54
KINGS	UNCODED	34	0.0	4.7	2.1	1.9	25.2	1.3	5.35	4.53	135	0.0	1.7	1.5	0.6	25.4	1.1	5.34	4.46
KINGS	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	0.5	1.1	0.7	24.2	4.2	5.69	4.46
KINGS	2401, HEINZ	64	0.0	1.4	2.8	0.6	23.5	0.9	5.95	4.38	119	0.0	3.5	2.6	0.4	24.6	0.9	5.25	4.40
KINGS	6426, N	81	0.0	3.4	2.5	0.8	22.6	2.2	5.59	4.58	116	0.0	3.9	2.7	1.0	22.6	2.0	5.33	4.58
KINGS	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	1.8	1.7	0.6	24.7	0.6	5.23	4.52
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	83	0.0	1.0	1.5	0.0	23.9	1.0	5.37	4.47
KINGS	58841, HMX	32	0.0	2.8	1.5	1.0	23.5	0.8	5.60	4.54	58	0.0	2.8	1.4	0.9	23.5	0.9	5.63	4.53
KINGS	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.5	1.2	0.3	24.0	2.6	5.07	4.55
KINGS	58871, HMX	14	0.0	3.3	1.5	0.7	23.5	1.0	5.74	4.52	50	0.0	3.4	1.9	1.1	23.8	1.1	5.74	4.52
KINGS	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.7	0.5	0.1	24.5	2.8	5.27	4.54
KINGS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	1.9	0.7	0.4	22.6	1.3	5.44	4.52
KINGS	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.5	2.0	0.4	28.7	0.3	5.41	4.38
KINGS	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	2.8	1.4	0.7	24.1	0.9	5.64	4.58
KINGS	22693, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.5	1.5	1.0	23.1	0.5	5.36	4.55
KINGS	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.8	0.4	0.2	24.7	1.4	5.41	4.50
KINGS	0811, BOS	12	0.0	1.7	1.6	0.8	22.3	0.8	5.68	4.53	12	0.0	1.7	1.6	0.8	22.3	0.8	5.68	4.53
KINGS	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.1	0.9	3.9	0.2	26.4	0.9	5.39	4.56
KINGS	7791, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.0	0.3	0.3	23.3	0.3	5.63	4.61
KINGS	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	7.3	0.0	0.0	24.7	0.5	5.03	4.58
KINGS	4707, HEINZ	2	0.0	1.0	12.0	0.5	27.5	1.0	4.40	4.50	2	0.0	1.0	12.0	0.5	27.5	1.0	4.40	4.50
KINGS		4,222	0.0	3.8	2.3	0.8	25.0	1.4	5.27	4.54	39,962	0.0	1.4	1.7	0.5	25.4	1.5	5.23	4.48
MADERA	6415, N	416	0.0	8.6	3.8	1.5	23.6	1.2	5.20	4.53	954	0.0	4.7	3.1	1.2	24.3	1.0	5.06	4.49
MADERA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	557	0.0	0.8	0.6	0.4	26.4	0.8	5.49	4.45
MADERA	1892, HMX	88	0.0	4.1	2.1	0.6	23.2	1.1	5.61	4.51	401	0.0	1.5	2.0	0.9	23.8	0.8	5.52	4.47
MADERA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	331	0.0	2.6	2.5	1.7	22.7	0.7	5.11	4.47
MADERA	4707, HEINZ	186	0.0	0.5	4.4	1.3	24.3	0.4	5.15	4.38	294	0.0	0.5	3.3	1.6	24.5	0.5	5.16	4.40
MADERA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	246	0.0	1.6	3.2	1.0	23.6	2.1	5.73	4.42
MADERA	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	1.5	0.5	0.5	24.2	1.0	5.71	4.43
MADERA	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	120	0.0	0.9	0.3	0.4	23.9	0.3	4.95	4.39
MADERA	2401, HEINZ	46	0.0	0.9	0.9	0.2	24.1	0.4	4.85	4.35	106	0.0	0.7	1.4	0.8	24.4	0.7	5.09	4.35
MADERA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.5	0.3	0.0	25.5	0.5	5.55	4.37
MADERA	8504, HEINZ	69	0.0	0.7	0.8	0.1	24.7	0.6	4.87	4.31	69	0.0	0.7	0.8	0.1	24.7	0.6	4.87	4.31
MADERA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	0.9	0.1	0.1	25.4	1.9	5.78	4.44
MADERA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.0	1.7	0.2	24.6	1.0	5.41	4.38
MADERA	1428, HZ	58	0.0	1.0	1.5	0.1	23.8	0.3	4.65	4.41	58	0.0	1.0	1.5	0.1	23.8	0.3	4.65	4.41
MADERA	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.0	2.2	2.3	26.7	0.7	5.08	4.49

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MADERA		863	0.0	4.8	3.2	1.1	23.8	0.9	5.15	4.46	3,570	0.0	2.2	2.0	1.0	24.5	0.9	5.29	4.44
MERCED	273, BQ	416	0.0	1.1	2.6	0.6	24.9	2.0	5.21	4.44	1,685	0.0	0.7	1.6	1.1	25.1	2.1	5.30	4.44
MERCED	3887, HMX	340	0.0	2.9	6.3	0.7	25.4	1.7	5.35	4.52	1,108	0.0	1.8	3.3	0.6	26.0	1.6	5.26	4.48
MERCED	0311, AB	227	0.0	4.9	4.9	1.2	23.2	1.9	5.76	4.48	1,071	0.0	2.7	2.1	0.6	23.9	1.4	5.64	4.41
MERCED	4707, HEINZ	684	0.0	0.4	2.0	1.0	25.4	0.8	5.04	4.41	1,037	0.0	0.3	1.9	1.1	25.2	0.7	5.06	4.40
MERCED	5702, HZ	362	0.0	0.7	2.1	1.9	22.9	0.4	4.88	4.44	930	0.0	0.4	1.6	1.6	23.3	0.6	5.09	4.45
MERCED	6415, N	376	0.0	2.5	3.5	0.9	25.1	1.4	4.95	4.45	890	0.0	1.6	2.5	1.3	24.7	1.4	5.23	4.44
MERCED	2401, HEINZ	732	0.0	0.8	2.0	0.7	24.9	1.0	5.23	4.38	863	0.0	0.7	1.9	0.7	24.7	0.9	5.27	4.37
MERCED	8011, SV	374	0.0	2.6	3.7	1.0	23.5	1.5	5.26	4.50	693	0.0	2.1	2.5	1.7	23.7	1.5	5.38	4.50
MERCED	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	646	0.0	1.1	0.5	1.0	24.4	4.6	5.37	4.49
MERCED	0319, DRI	112	0.0	3.5	4.1	1.5	24.2	3.3	5.76	4.52	629	0.0	2.4	2.1	0.8	24.9	2.2	5.70	4.46
MERCED	2756, SV	369	0.0	1.1	1.9	0.7	24.8	1.3	5.60	4.49	625	0.0	1.3	1.8	1.4	24.8	1.3	5.48	4.49
MERCED	1892, HMX	56	0.0	3.0	1.0	0.3	24.0	1.0	5.20	4.56	617	0.0	1.7	1.2	0.9	25.6	1.5	5.24	4.53
MERCED	4909, HMX	163	0.0	3.9	1.3	0.4	25.6	1.6	5.45	4.39	509	0.0	2.0	1.1	0.5	25.9	1.2	5.49	4.34
MERCED	1428, HZ	236	0.0	0.7	2.0	1.4	23.3	0.8	4.79	4.47	370	0.0	0.6	1.6	1.0	23.4	0.7	4.86	4.46
MERCED	5608, HZ	98	0.0	2.4	2.6	0.9	24.5	0.5	4.62	4.46	287	0.0	1.8	1.6	0.5	24.6	1.0	4.84	4.48
MERCED	6404, N	145	0.0	8.5	0.9	0.6	24.5	2.2	4.75	4.61	263	0.0	6.8	0.5	0.4	24.6	1.8	4.85	4.61
MERCED	4885, HMX	84	0.0	2.2	0.9	0.2	24.4	0.6	5.45	4.40	182	0.0	1.5	0.6	0.1	25.0	1.1	5.28	4.42
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	151	0.0	0.3	0.6	0.2	25.0	2.0	5.28	4.50
MERCED	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	135	0.0	1.1	1.3	0.4	23.9	1.2	5.35	4.44
MERCED	16, BP	106	0.0	2.9	1.6	1.0	25.1	2.0	5.35	4.51	129	0.0	2.6	1.7	1.0	25.2	1.9	5.33	4.52
MERCED	6429, N	50	0.0	1.8	0.9	1.3	24.7	1.3	5.05	4.55	50	0.0	1.8	0.9	1.3	24.7	1.3	5.05	4.55
MERCED	UNCODED	33	0.0	2.8	5.5	1.5	24.4	1.5	4.98	4.50	34	0.0	2.8	5.4	1.5	24.4	1.5	4.99	4.50
MERCED	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	3.8	1.4	0.5	26.3	1.5	5.06	4.59
MERCED	9663, HEINZ	26	0.0	1.9	5.2	1.6	22.8	0.8	5.48	4.40	26	0.0	1.9	5.2	1.6	22.8	0.8	5.48	4.40
MERCED	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.9	0.5	0.4	25.0	1.3	5.78	4.37
MERCED	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	1.1	0.3	0.3	24.7	1.3	5.09	4.48
MERCED		4,989	0.0	1.9	2.7	0.9	24.6	1.3	5.19	4.45	12,984	0.0	1.5	1.8	1.0	24.7	1.5	5.29	4.45
SAN JOAQUIN	0311, AB	186	0.0	1.0	1.2	0.2	22.5	1.1	5.86	4.35	195	0.0	1.0	1.1	0.2	22.6	1.1	5.86	4.35
SAN JOAQUIN	3887, HMX	152	0.0	2.4	1.6	0.1	24.4	1.7	5.24	4.48	152	0.0	2.4	1.6	0.1	24.4	1.7	5.24	4.48
SAN JOAQUIN	1292, HZ	9	0.0	0.1	0.2	0.2	22.4	0.7	5.31	4.44	68	0.0	0.3	0.1	0.1	22.4	1.5	5.27	4.45
SAN JOAQUIN	1293, HZ	57	0.0	0.2	1.7	0.4	23.1	0.6	5.62	4.46	58	0.0	0.2	1.6	0.4	23.1	0.6	5.62	4.46
SAN JOAQUIN	1892, HMX	55	0.0	1.8	1.2	0.2	26.1	0.6	5.35	4.45	55	0.0	1.8	1.2	0.2	26.1	0.6	5.35	4.45
SAN JOAQUIN	5900, HMX	40	0.0	0.5	1.9	0.6	24.4	1.1	5.85	4.32	40	0.0	0.5	1.9	0.6	24.4	1.1	5.85	4.32
SAN JOAQUIN	0319, DRI	14	0.0	0.9	0.8	0.3	23.7	1.8	5.59	4.41	38	0.0	1.0	1.5	0.4	24.5	1.3	5.68	4.39
SAN JOAQUIN	403, BQ	18	0.0	0.5	2.0	0.9	25.6	0.9	5.74	4.33	26	0.0	0.6	2.3	0.8	25.2	1.2	5.81	4.31
SAN JOAQUIN	273, BQ	12	0.0	2.0	1.3	0.3	24.8	0.5	5.07	4.36	12	0.0	2.0	1.3	0.3	24.8	0.5	5.07	4.36
SAN JOAQUIN	2756, SV	1	0.0	2.0	1.0	0.5	26.0	0.0	5.10	4.35	1	0.0	2.0	1.0	0.5	26.0	0.0	5.10	4.35
SAN JOAQUIN		544	0.0	1.3	1.4	0.2	23.8	1.2	5.57	4.41	645	0.0	1.2	1.3	0.2	23.7	1.2	5.56	4.41

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	273, BQ	20	0.0	1.6	0.5	0.3	23.1	0.6	5.56	4.33	548	0.0	0.7	0.8	0.3	25.2	1.0	5.64	4.35
SOLANO	19406, UG	76	0.0	4.1	0.7	0.4	19.2	0.7	6.07	4.38	343	0.0	1.9	0.8	0.5	23.4	0.5	5.97	4.31
SOLANO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	274	0.0	0.5	0.5	0.3	23.1	0.4	5.31	4.42
SOLANO	0311, AB	210	0.0	2.7	1.9	0.6	19.3	1.0	6.19	4.39	253	0.0	2.6	2.3	0.6	20.0	0.9	6.14	4.39
SOLANO	8011, SV	231	0.0	1.7	1.2	0.3	12.0	0.2	5.32	4.46	231	0.0	1.7	1.2	0.3	12.0	0.2	5.32	4.46
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.3	0.7	0.5	26.4	4.1	5.72	4.33
SOLANO	255, CXD	144	0.0	1.9	2.0	0.3	25.6	2.3	4.60	4.41	168	0.0	1.9	2.2	0.3	25.9	2.2	4.59	4.40
SOLANO	16609, UG	103	0.0	1.9	1.2	0.6	24.4	1.2	5.71	4.33	157	0.0	1.6	1.1	0.6	25.2	1.1	5.74	4.32
SOLANO	5234, IVF	97	0.0	1.1	1.1	0.3	21.6	1.3	5.95	4.31	155	0.0	1.1	1.2	0.5	22.5	1.0	6.09	4.30
SOLANO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	1.4	3.7	2.4	25.4	1.1	5.56	4.47
SOLANO	0319, DRI	119	0.0	1.3	10.2	1.7	18.4	0.9	5.71	4.36	119	0.0	1.3	10.2	1.7	18.4	0.9	5.71	4.36
SOLANO	5608, HZ	1	0.0	2.0	1.5	1.5	0.0	0.5	5.30	4.56	106	0.0	1.2	1.7	0.3	23.5	0.3	5.22	4.41
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.6	0.5	0.5	29.0	0.2	5.46	4.39
SOLANO	9905, HARRIS MORAN	92	0.0	1.6	1.1	0.2	7.1	0.3	5.38	4.53	92	0.0	1.6	1.1	0.2	7.1	0.3	5.38	4.53
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	0.4	0.4	0.2	24.7	0.5	5.18	4.40
SOLANO	206, BQ	88	0.0	2.2	0.5	0.2	18.6	1.7	6.00	4.45	88	0.0	2.2	0.5	0.2	18.6	1.7	6.00	4.45
SOLANO	5701, HZ	81	0.0	0.7	8.2	1.6	24.3	0.6	5.35	4.36	81	0.0	0.7	8.2	1.6	24.3	0.6	5.35	4.36
SOLANO	4885, HMX	42	0.0	0.8	0.3	0.1	19.4	0.3	5.12	4.35	73	0.0	1.7	0.4	0.2	21.1	0.3	5.35	4.34
SOLANO	5655, SV	65	0.0	1.2	0.4	0.1	15.4	0.5	5.28	4.41	65	0.0	1.2	0.4	0.1	15.4	0.5	5.28	4.41
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	0.4	0.4	0.1	24.0	3.0	5.34	4.40
SOLANO	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	1.1	0.7	0.5	28.1	0.9	5.79	4.42
SOLANO	4909, HMX	11	0.0	1.7	1.3	0.3	0.0	0.0	5.85	4.28	11	0.0	1.7	1.3	0.3	0.0	0.0	5.85	4.28
SOLANO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.1	1.8	1.1	0.5	23.4	2.9	5.54	4.46
SOLANO	4707, HEINZ	3	0.0	0.2	16.7	4.7	29.7	0.5	4.53	4.33	3	0.0	0.2	16.7	4.7	29.7	0.5	4.53	4.33
SOLANO	58801, HMX	3	0.0	1.5	0.8	0.3	18.3	1.2	5.37	4.43	3	0.0	1.5	0.8	0.3	18.3	1.2	5.37	4.43
SOLANO	2401, HEINZ	2	0.0	0.8	13.3	4.5	27.0	0.5	5.20	4.33	2	0.0	0.8	13.3	4.5	27.0	0.5	5.20	4.33
SOLANO	0811, BOS	1	0.0	0.5	0.5	0.5	0.0	0.5	5.10	4.58	1	0.0	0.5	0.5	0.5	0.0	0.5	5.10	4.58
SOLANO		1,389	0.0	1.9	2.5	0.6	18.4	0.9	5.57	4.40	3,358	0.0	1.3	1.7	0.5	22.3	1.0	5.59	4.38
STANISLAUS	0311, AB	482	0.0	3.1	0.4	0.1	23.0	1.3	5.70	4.40	816	0.0	2.4	0.4	0.1	23.2	1.3	5.65	4.40
STANISLAUS	0319, DRI	134	0.0	1.0	1.0	0.2	23.8	1.6	5.53	4.41	198	0.0	0.9	0.9	0.2	24.0	1.9	5.53	4.41
STANISLAUS	273, BQ	11	0.0	0.5	2.3	0.1	23.1	0.1	5.88	4.34	165	0.0	1.3	0.8	0.2	24.7	1.1	5.49	4.36
STANISLAUS	5900, HMX	43	0.0	1.2	0.4	0.0	24.6	1.6	5.54	4.36	153	0.0	0.6	0.4	0.1	25.1	1.1	5.62	4.35
STANISLAUS	1293, HZ	26	0.0	0.6	2.1	0.4	22.5	1.3	5.31	4.55	129	0.0	0.5	1.4	0.3	23.9	1.7	5.27	4.54
STANISLAUS	4909, HMX	79	0.0	0.4	0.7	0.2	25.5	0.4	5.76	4.25	108	0.0	0.5	0.6	0.1	25.6	0.4	5.77	4.25
STANISLAUS	403, BQ	16	0.0	0.3	0.5	0.1	24.3	1.2	5.33	4.35	60	0.0	0.7	0.3	0.2	25.0	1.2	5.38	4.35
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.8	1.1	0.6	24.6	3.9	4.91	4.46
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.3	0.6	0.0	23.5	0.5	6.06	4.41
STANISLAUS	6420, N	41	0.0	0.9	1.7	0.2	24.1	0.3	4.92	4.46	41	0.0	0.9	1.7	0.2	24.1	0.3	4.92	4.46
STANISLAUS	2493, SV	26	0.0	2.1	1.7	0.0	22.3	4.1	5.48	4.41	26	0.0	2.1	1.7	0.0	22.3	4.1	5.48	4.41

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



		Week Ending 8/26/17									Year to Date								
County	Variety Name	Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STANISLAUS	3888, HMX	16	0.0	0.5	0.4	0.0	25.5	2.2	5.31	4.59	16	0.0	0.5	0.4	0.0	25.5	2.2	5.31	4.59
STANISLAUS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	3.0	0.0	23.0	1.0	5.50	4.58
STANISLAUS		874	0.0	2.1	0.7	0.1	23.5	1.3	5.60	4.40	1,805	0.0	1.5	0.7	0.2	23.9	1.4	5.56	4.40
SUTTER	3887, HMX	88	0.0	1.2	1.7	0.3	19.5	0.9	5.76	4.47	608	0.0	1.4	3.3	1.4	23.2	0.8	5.47	4.46
SUTTER	16, BP	176	0.0	2.4	6.3	1.4	19.7	0.8	5.51	4.49	392	0.0	2.5	4.7	1.6	24.3	1.3	5.27	4.53
SUTTER	25, BP	191	0.0	2.1	7.5	1.8	22.1	0.6	4.82	4.51	197	0.0	2.1	7.6	1.8	22.2	0.6	4.82	4.51
SUTTER	0319, DRI	38	0.0	0.5	3.0	1.4	24.0	0.4	5.87	4.28	171	0.0	0.7	2.0	1.1	24.4	0.6	5.75	4.30
SUTTER	5608, HZ	104	0.0	1.5	3.8	0.9	20.5	0.9	5.09	4.44	147	0.0	1.4	2.8	0.8	20.8	0.8	5.07	4.43
SUTTER	32, BP	73	0.0	2.2	7.2	1.6	26.4	1.9	5.26	4.52	119	0.0	1.9	7.0	1.6	26.3	1.7	5.14	4.51
SUTTER	4909, HMX	1	0.0	2.5	2.0	0.0	0.0	0.0	5.30	4.53	114	0.0	1.8	0.3	0.4	23.0	0.7	5.68	4.31
SUTTER	5900, HMX	4	0.0	1.4	1.5	0.9	24.8	0.6	6.73	4.26	85	0.0	0.5	0.3	0.5	24.4	3.5	5.78	4.32
SUTTER	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	1.1	0.4	0.2	25.7	1.1	5.36	4.42
SUTTER	3888, HMX	74	0.0	1.0	0.9	0.4	25.9	1.3	6.45	4.41	77	0.0	1.0	0.9	0.4	26.1	1.2	6.42	4.41
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.4	0.1	0.9	25.6	2.5	5.29	4.49
SUTTER	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	0.4	0.1	0.4	25.8	1.1	5.41	4.38
SUTTER	282, CXD	29	0.0	2.1	0.8	0.1	23.8	0.6	5.27	4.34	58	0.0	2.1	1.2	0.2	24.5	0.5	5.27	4.34
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	0.3	0.4	26.0	3.8	5.23	4.30
SUTTER	58801, HMX	19	0.0	2.6	1.2	0.3	27.1	1.7	5.77	4.35	54	0.0	2.5	0.9	0.3	26.2	1.3	5.61	4.44
SUTTER	1892, HMX	4	0.0	0.8	0.6	0.1	24.3	0.6	5.50	4.48	48	0.0	1.6	0.4	0.3	25.2	1.3	5.68	4.47
SUTTER	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	3.0	1.7	0.4	25.5	1.0	5.40	4.38
SUTTER	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.9	5.4	1.0	25.2	0.7	5.09	4.34
SUTTER	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	1.9	0.5	0.1	25.4	0.4	5.14	4.43
SUTTER	141, BQ	26	0.0	2.8	12.1	2.0	0.9	3.0	4.55	4.56	26	0.0	2.8	12.1	2.0	0.9	3.0	4.55	4.56
SUTTER	1292, HZ	14	0.0	3.5	0.8	1.3	24.5	2.1	5.59	4.48	14	0.0	3.5	0.8	1.3	24.5	2.1	5.59	4.48
SUTTER	1310, HZ	13	0.0	1.6	18.2	4.7	24.3	0.7	5.29	4.57	13	0.0	1.6	18.2	4.7	24.3	0.7	5.29	4.57
SUTTER	1422, HZ	11	0.0	1.0	22.1	2.4	17.4	0.6	5.25	4.48	11	0.0	1.0	22.1	2.4	17.4	0.6	5.25	4.48
SUTTER	255, CXD	10	0.0	0.8	1.5	0.8	20.4	0.6	5.67	4.37	10	0.0	0.8	1.5	0.8	20.4	0.6	5.67	4.37
SUTTER	13, BP	3	0.0	1.5	5.3	1.3	25.7	0.8	4.97	4.42	3	0.0	1.5	5.3	1.3	25.7	0.8	4.97	4.42
SUTTER	2828, SVTM	2	0.0	1.8	0.8	0.0	22.5	1.3	5.30	4.37	2	0.0	1.8	0.8	0.0	22.5	1.3	5.30	4.37
SUTTER	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	0.0	26.0	0.5	5.30	4.36
SUTTER	5655, SV	1	0.0	1.5	2.0	2.0	0.0	0.0	5.70	4.41	1	0.0	1.5	2.0	2.0	0.0	0.0	5.70	4.41
SUTTER		881	0.0	1.9	5.3	1.2	21.5	1.0	5.38	4.47	2,535	0.0	1.6	3.3	1.1	23.7	1.2	5.38	4.44
YOLO	0311, AB	615	0.0	3.2	1.5	0.4	19.2	0.8	5.57	4.38	3,061	0.0	1.6	1.0	0.5	22.2	0.8	5.64	4.35
YOLO	3887, HMX	512	0.0	1.5	1.5	0.3	21.6	0.5	5.20	4.41	2,525	0.0	0.9	1.1	0.8	24.6	0.6	5.09	4.39
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,355	0.0	0.5	0.6	0.3	24.8	0.9	5.24	4.36
YOLO	4909, HMX	494	0.0	2.0	1.2	0.4	18.5	0.6	5.71	4.27	1,290	0.0	1.5	0.7	0.3	22.4	0.6	5.59	4.27
YOLO	5608, HZ	569	0.0	2.3	2.3	0.9	19.3	0.4	4.90	4.45	1,074	0.0	1.5	1.5	0.6	20.7	0.5	4.95	4.43
YOLO	0319, DRI	306	0.0	1.4	1.5	0.4	20.5	1.2	5.70	4.39	900	0.0	1.2	2.7	0.7	23.6	1.1	5.57	4.38
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	864	0.0	0.5	0.8	0.3	26.9	2.5	5.33	4.29

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



CountyVariety Name		Week Ending 8/26/17										Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH		
YOLO	5900, HMX	26	0.0	0.5	0.3	0.4	25.0	1.3	5.79	4.32	851	0.0	0.4	1.4	1.3	25.4	1.4	5.29	4.36		
YOLO	6397, N	74	0.0	0.8	0.1	0.3	22.9	0.5	5.73	4.36	587	0.0	0.7	1.3	0.9	24.3	1.6	5.50	4.49		
YOLO	400, BQ	70	0.0	0.8	2.1	0.4	20.2	0.5	5.48	4.45	563	0.0	0.4	0.8	0.3	23.8	0.4	5.20	4.43		
YOLO	16, BP	230	0.0	2.7	7.9	2.1	25.0	0.8	6.08	4.47	545	0.0	1.6	5.3	2.0	26.0	0.7	5.67	4.45		
YOLO	2, BP	294	0.0	1.6	1.1	0.3	20.8	0.5	4.95	4.56	535	0.0	1.8	1.1	0.4	22.7	0.4	4.93	4.55		
YOLO	6402, N	2	0.0	1.3	0.5	0.8	22.0	0.5	6.15	4.44	497	0.0	0.5	2.0	1.7	24.7	0.8	5.36	4.41		
YOLO	141, BQ	126	0.0	1.0	3.3	0.9	19.2	0.7	4.73	4.46	484	0.0	0.7	2.8	0.7	22.0	1.3	5.01	4.44		
YOLO	6366, SUN	289	0.0	1.1	2.5	2.0	19.2	1.4	5.63	4.45	476	0.0	0.9	2.2	2.0	21.4	1.3	5.44	4.43		
YOLO	19406, UG	319	0.0	0.8	1.2	0.4	22.3	0.4	4.96	4.27	441	0.0	0.8	1.0	0.4	22.5	0.4	5.09	4.28		
YOLO	5234, IVF	77	0.0	1.2	1.4	0.3	18.7	1.5	5.31	4.32	399	0.0	0.7	0.6	0.3	22.2	0.9	5.42	4.26		
YOLO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	355	0.0	1.9	4.5	0.8	25.3	1.0	4.90	4.48		
YOLO	6429, N	56	0.0	2.4	0.4	0.1	20.7	0.6	5.08	4.49	311	0.0	0.7	0.2	0.1	24.6	0.7	4.87	4.46		
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	302	0.0	0.4	1.8	1.6	25.4	0.8	4.92	4.38		
YOLO	8011, SV	64	0.0	1.5	1.3	0.2	12.4	0.5	5.57	4.41	284	0.0	1.0	0.6	0.2	21.1	0.8	5.66	4.37		
YOLO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	0.1	1.7	1.0	25.8	3.5	5.43	4.43		
YOLO	6416, N	4	0.0	1.4	1.0	2.5	23.3	2.1	5.15	4.49	245	0.0	0.3	2.6	0.9	25.7	1.0	4.94	4.35		
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	0.3	0.4	0.2	28.0	1.2	5.36	4.38		
YOLO	255, CXD	162	0.0	2.0	1.0	0.4	24.5	0.8	5.20	4.36	220	0.0	1.7	0.8	0.4	24.8	0.8	5.14	4.35		
YOLO	4885, HMX	58	0.0	3.1	2.1	0.4	18.2	0.5	6.24	4.36	213	0.0	2.5	1.0	0.3	22.4	0.5	6.03	4.36		
YOLO	2493, SV	156	0.0	1.4	1.4	0.5	23.3	0.7	5.48	4.46	182	0.0	1.6	1.3	0.4	23.3	0.8	5.63	4.46		
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	160	0.0	0.2	3.7	0.6	27.8	2.3	4.44	4.36		
YOLO	6428, N	21	0.0	1.4	1.1	0.2	22.9	0.9	6.10	4.43	156	0.0	0.5	0.6	0.2	25.0	0.5	5.14	4.43		
YOLO	1292, HZ	115	0.0	0.9	1.0	0.8	21.8	0.3	5.30	4.51	115	0.0	0.9	1.0	0.8	21.8	0.3	5.30	4.51		
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	114	0.0	1.5	2.2	2.2	23.4	1.1	5.72	4.60		
YOLO	16609, UG	1	0.0	2.0	0.5	1.5	0.0	0.0	5.80	4.44	103	0.0	0.5	0.6	0.4	23.9	1.3	5.35	4.35		
YOLO	2401, HEINZ	92	0.0	0.6	4.1	1.5	23.7	0.4	4.93	4.32	92	0.0	0.6	4.1	1.5	23.7	0.4	4.93	4.32		
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	0.5	4.5	3.1	25.0	0.6	5.18	4.37		
YOLO	MIX	52	0.0	3.0	0.7	0.1	8.6	0.8	5.60	4.43	56	0.0	2.9	0.7	0.1	9.7	0.8	5.61	4.42		
YOLO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	0.4	0.2	0.1	25.3	2.6	5.39	4.28		
YOLO	5235, HM	13	0.0	1.2	0.5	0.1	20.3	1.1	5.57	4.34	50	0.0	1.0	0.4	0.1	22.6	1.3	5.70	4.37		
YOLO	1293, HZ	48	0.0	1.4	2.1	0.2	21.4	0.5	6.06	4.51	48	0.0	1.4	2.1	0.2	21.4	0.5	6.06	4.51		
YOLO	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.2	0.2	0.0	23.8	0.8	4.58	4.44		
YOLO	8504, HEINZ	40	0.0	1.9	6.6	0.8	26.7	0.7	5.28	4.31	40	0.0	1.9	6.6	0.8	26.7	0.7	5.28	4.31		
YOLO	6133, SV	36	0.1	1.2	2.9	0.1	17.8	0.4	5.24	4.40	36	0.1	1.2	2.9	0.1	17.8	0.4	5.24	4.40		
YOLO	1082, SVTM	1	0.0	1.0	0.0	0.0	0.0	0.5	6.10	4.43	29	0.0	0.5	0.3	0.1	23.8	0.7	5.66	4.34		
YOLO	6436, N	20	0.0	3.2	1.2	0.3	23.9	0.3	5.44	4.40	25	0.0	3.9	1.5	0.4	24.2	0.5	5.49	4.42		
YOLO	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.4	0.1	0.1	19.3	1.0	5.30	4.34		
YOLO	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.7	0.1	0.0	23.6	1.0	5.22	4.41		
YOLO	58871, HMX	8	0.0	0.8	1.8	0.1	8.9	0.3	6.08	4.33	8	0.0	0.8	1.8	0.1	8.9	0.3	6.08	4.33		

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - County by Variety



County	Variety Name	Week Ending 8/26/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	32, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.8	0.4	0.0	23.0	1.5	4.85	4.42
YOLO	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.0	0.1	26.2	0.0	5.40	4.44
YOLO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.8	0.2	0.3	27.0	0.7	4.77	4.50
YOLO	58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.0	0.0	23.7	0.5	4.53	4.49
YOLO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.8	25.0	0.0	5.45	4.37
YOLO	6415, N	2	0.0	2.8	0.8	0.3	12.0	0.0	5.75	4.45	2	0.0	2.8	0.8	0.3	12.0	0.0	5.75	4.45
YOLO	58841, HMX	2	0.0	1.0	1.3	0.3	24.0	0.0	5.55	4.41	2	0.0	1.0	1.3	0.3	24.0	0.0	5.55	4.41
YOLO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	2.0	5.10	4.46
YOLO	2, AB	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29
YOLO	20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	28.0	1.0	5.10	4.49
YOLO	29, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.0	23.0	0.5	4.80	4.41
YOLO	35, P	1	0.0	2.5	1.0	1.0	0.0	0.5	5.70	4.48	1	0.0	2.5	1.0	1.0	0.0	0.5	5.70	4.48
YOLO	313, BQ	1	0.0	1.0	0.0	0.0	24.0	0.5	5.90	4.36	1	0.0	1.0	0.0	0.0	24.0	0.5	5.90	4.36
YOLO	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	25.0	0.5	5.00	4.36
YOLO	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	28.0	0.0	5.20	4.39
YOLO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	1.5	0.0	24.0	0.0	4.70	4.55
YOLO		4,957	0.0	1.8	1.9	0.6	20.5	0.7	5.38	4.40	20,326	0.0	1.0	1.4	0.7	23.6	0.9	5.32	4.38