

2017 Processing Tomato Season
PTAB Analysis (8/19/17) - Statewide by Variety



Variety Name	Week Ending 8/19/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
273, BQ	1,313	0.0	1.4	1.3	0.9	24.4	1.6	5.27	4.43	27,708	0.0	0.5	1.3	0.5	25.1	1.4	5.24	4.39
0311, AB	4,363	0.0	2.8	1.1	0.4	23.2	1.6	5.72	4.42	18,116	0.0	2.3	1.1	0.5	23.8	2.0	5.74	4.42
3887, HMX	4,663	0.0	2.2	2.3	0.7	25.0	1.4	5.43	4.51	17,719	0.0	1.3	1.6	0.6	25.8	1.3	5.48	4.48
6366, SUN	2,056	0.0	1.1	1.8	1.3	24.0	1.6	5.38	4.48	15,960	0.0	0.9	0.8	0.6	24.9	2.4	5.40	4.48
5608, HZ	2,016	0.0	1.4	1.2	0.5	23.0	1.0	5.11	4.48	11,290	0.0	0.8	1.5	0.5	24.1	1.0	5.00	4.46
6416, N	273	0.0	2.1	2.4	1.1	23.4	1.7	5.46	4.47	9,196	0.0	0.5	1.0	0.4	25.3	1.5	4.94	4.37
6415, N	3,411	0.0	2.2	1.3	0.6	24.8	1.2	5.10	4.47	8,647	0.0	1.4	1.4	0.6	25.0	1.2	5.07	4.45
0319, DRI	3,240	0.0	2.4	1.4	0.5	24.6	2.4	5.65	4.47	8,276	0.0	2.3	1.2	0.5	24.6	2.5	5.73	4.47
4885, HMX	2,610	0.0	1.8	0.9	0.5	24.1	1.0	5.17	4.42	6,658	0.0	1.6	0.9	0.5	24.4	1.0	5.17	4.43
4909, HMX	1,096	0.0	1.8	0.8	0.4	25.0	0.8	5.47	4.32	6,042	0.0	1.5	1.0	0.7	25.7	1.2	5.51	4.34
1892, HMX	1,735	0.0	1.9	1.3	0.6	24.4	1.3	5.37	4.53	5,586	0.0	1.2	1.2	0.6	25.1	1.4	5.40	4.51
6402, N	604	0.0	4.0	1.4	0.9	23.2	2.1	5.76	4.56	4,248	0.0	1.5	1.0	0.6	24.7	1.7	5.65	4.49
400, BQ	73	0.0	0.7	0.4	0.2	21.4	0.3	5.52	4.49	3,723	0.0	0.4	0.9	0.6	23.5	0.9	5.19	4.43
5900, HMX	501	0.0	1.0	2.1	0.8	24.4	1.7	5.41	4.42	3,102	0.0	0.6	1.8	1.1	25.0	2.0	5.53	4.39
9663, HEINZ	1,006	0.0	4.8	3.1	0.7	23.7	2.6	4.77	4.51	3,008	0.0	3.0	2.4	0.7	23.6	3.3	4.92	4.48
1015, HEINZ	384	0.0	0.8	3.9	1.9	23.6	0.4	5.33	4.51	2,768	0.0	0.5	2.3	1.1	24.1	0.7	5.22	4.49
2756, SV	1,066	0.0	1.4	1.2	0.8	25.3	1.1	5.05	4.55	2,714	0.0	0.8	1.6	0.5	26.3	1.2	5.03	4.51
1293, HZ	747	0.0	2.1	1.4	0.5	23.2	1.3	5.48	4.60	2,584	0.0	1.4	1.4	0.5	23.8	1.4	5.50	4.57
2401, HEINZ	1,125	0.0	1.2	1.6	0.4	25.2	1.5	4.98	4.42	2,159	0.0	0.7	1.4	0.6	24.9	1.3	5.14	4.40
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,829	0.0	0.4	0.8	0.3	27.3	2.4	5.27	4.31
13, BP	595	0.0	0.9	4.8	1.1	24.7	0.8	4.84	4.48	1,722	0.0	0.6	3.4	1.2	25.5	0.9	5.03	4.43
16609, UG	73	0.0	0.8	0.6	0.3	23.2	1.2	5.41	4.38	1,687	0.0	0.4	0.7	0.3	24.7	2.0	5.41	4.40
4707, HEINZ	1,367	0.0	0.3	1.9	0.9	25.3	0.8	5.15	4.44	1,668	0.0	0.3	1.7	0.8	25.4	0.8	5.13	4.44
6397, N	77	0.0	1.2	1.6	0.3	23.2	1.0	6.29	4.56	1,619	0.0	0.7	1.4	0.5	24.7	1.7	5.29	4.50
19406, UG	724	0.0	3.0	0.9	0.3	24.6	0.8	5.40	4.38	1,510	0.0	2.2	0.9	0.3	25.0	0.7	5.45	4.36
7885, HMX	418	0.0	2.1	0.3	0.2	26.3	1.4	4.85	4.65	1,508	0.0	1.4	0.5	0.2	26.8	1.2	4.89	4.62
1292, HZ	60	0.0	0.4	0.1	0.1	22.4	1.6	5.26	4.46	1,487	0.0	0.5	0.8	0.4	24.1	2.0	5.42	4.54
8011, SV	231	0.0	1.7	1.0	0.6	24.5	0.7	5.39	4.44	1,473	0.0	1.0	0.7	0.7	24.4	0.7	5.54	4.42
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,176	0.0	0.8	1.1	0.5	25.5	1.5	4.85	4.41
6420, N	279	0.0	2.2	1.0	0.2	24.2	1.9	5.18	4.60	1,144	0.0	2.0	0.7	0.3	24.9	1.7	4.89	4.54
1428, HZ	600	0.0	0.6	1.6	0.3	23.5	0.9	4.96	4.51	1,139	0.0	0.5	1.4	0.5	23.6	0.9	5.02	4.50
16, BP	796	0.0	1.8	3.6	1.7	26.5	1.0	5.31	4.50	1,005	0.0	1.7	3.5	1.7	26.8	1.1	5.29	4.49
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	932	0.0	0.4	2.0	0.6	26.2	2.0	5.04	4.37
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	785	0.0	1.2	1.5	0.3	25.0	4.6	4.63	4.49

2017 Processing Tomato Season
PTAB Analysis (8/19/17) - Statewide by Variety



Variety Name	Week Ending 8/19/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
403, BQ	23	0.0	0.8	1.1	0.4	25.0	1.1	5.58	4.33	759	0.0	0.3	1.8	0.8	24.9	1.4	5.37	4.31
5702, HZ	470	0.0	0.3	1.3	1.3	23.5	0.8	5.23	4.46	619	0.0	0.3	1.4	1.4	23.6	0.9	5.27	4.46
6428, N	324	0.0	1.3	1.2	0.3	25.3	0.9	4.95	4.47	595	0.0	1.4	1.6	0.3	26.2	1.1	4.80	4.50
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	583	0.0	0.4	0.7	0.3	27.3	0.9	5.39	4.39
141, BQ	193	0.0	1.1	5.3	0.9	24.3	1.8	4.68	4.51	541	0.0	0.7	4.1	0.8	24.1	1.6	4.87	4.46
4886, HMX	208	0.0	2.1	1.2	1.0	23.5	1.8	5.87	4.48	484	0.0	3.0	1.0	0.6	24.4	1.7	5.79	4.48
8504, HEINZ	96	0.0	1.9	0.8	0.5	27.9	1.0	4.66	4.40	445	0.0	1.6	1.7	0.6	28.9	0.8	4.64	4.38
1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	414	0.0	1.2	0.5	0.4	23.9	1.1	5.11	4.42
6394, N	201	0.0	3.0	8.0	1.2	24.5	1.7	5.17	4.57	413	0.0	1.9	4.0	0.7	24.8	1.4	5.02	4.50
5234, IVF	136	0.0	1.0	0.8	0.7	22.7	0.5	5.94	4.26	381	0.0	0.7	0.5	0.4	23.2	0.7	5.57	4.26
9436, UG	53	0.0	1.1	1.5	0.5	23.6	1.6	5.43	4.46	376	0.0	1.1	1.5	0.4	24.3	2.0	5.23	4.47
6404, N	142	0.0	3.7	0.2	0.3	23.9	1.3	5.30	4.54	309	0.0	2.6	0.2	0.2	23.9	1.4	5.27	4.52
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	0.2	1.9	1.1	25.6	3.2	5.42	4.44
2493, SV	207	0.0	5.1	1.3	0.1	24.1	1.4	5.10	4.50	301	0.0	3.7	1.2	0.3	24.6	1.3	4.91	4.47
15212, UG	255	0.0	1.7	1.3	0.2	26.9	0.8	4.73	4.44	291	0.0	1.7	1.4	0.2	27.0	0.9	4.71	4.45
6429, N	115	0.0	0.6	0.1	0.1	23.7	1.0	4.99	4.48	269	0.0	0.4	0.2	0.2	25.5	0.8	4.84	4.45
UNCODED	45	0.0	2.6	0.4	0.6	23.3	1.8	5.70	4.59	247	0.0	1.0	2.1	1.1	24.9	1.2	5.35	4.43
2, BP	241	0.0	2.0	1.2	0.4	25.0	0.4	4.89	4.54	241	0.0	2.0	1.2	0.4	25.0	0.4	4.89	4.54
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.3	1.7	1.3	24.2	4.1	5.00	4.46
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	0.5	0.3	23.7	4.4	5.20	4.51
8232, SV	126	0.0	3.1	0.8	0.1	24.1	6.6	5.50	4.55	225	0.0	2.2	1.1	0.2	23.8	5.3	5.50	4.53
8516, SV	72	0.0	3.5	0.4	0.5	24.3	2.5	4.83	4.48	213	0.0	3.3	0.4	0.5	24.5	2.4	4.79	4.45
255, CXD	75	0.0	1.0	1.1	0.4	25.9	1.0	4.81	4.34	207	0.0	1.2	0.8	0.6	27.1	1.5	4.90	4.37
1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	0.4	1.3	0.4	24.4	3.3	5.24	4.43
32, BP	132	0.0	0.8	2.4	0.6	25.1	1.1	5.00	4.49	154	0.0	0.7	2.1	0.6	25.2	1.1	5.00	4.49
6436, N	45	0.0	0.8	0.7	0.2	24.3	1.0	5.27	4.48	147	0.0	1.3	0.8	0.2	24.5	1.8	5.11	4.50
2828, SVTM	2	0.0	0.3	0.0	0.0	23.5	0.0	5.30	4.53	133	0.0	0.9	0.6	0.2	25.6	1.5	5.38	4.47
1310, HZ	66	0.0	1.3	10.7	1.0	25.4	0.5	4.99	4.57	101	0.0	1.2	7.0	0.7	25.9	0.7	5.06	4.58
1082, SVTM	57	0.0	0.5	0.3	0.1	24.6	1.1	5.67	4.36	95	0.0	0.5	1.0	0.2	26.1	0.8	5.58	4.37
58811, HMX	82	0.0	1.8	1.7	0.6	24.9	0.6	5.20	4.52	94	0.0	1.7	1.6	0.5	24.6	0.7	5.22	4.52
6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.3	1.2	0.0	26.7	0.2	5.50	4.38
MIX	52	0.0	4.1	0.8	0.2	23.1	0.9	5.28	4.42	77	0.0	3.1	0.8	0.2	23.5	1.2	5.32	4.43
205, BQ	72	0.0	1.5	9.4	2.8	24.3	0.9	6.11	4.41	72	0.0	1.5	9.4	2.8	24.3	0.9	6.11	4.41
5235, HM	64	0.0	1.7	0.8	0.4	23.7	1.1	5.70	4.46	64	0.0	1.7	0.8	0.4	23.7	1.1	5.70	4.46

2017 Processing Tomato Season
PTAB Analysis (8/19/17) - Statewide by Variety



Variety Name	Week Ending 8/19/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	0.3	0.4	26.0	3.8	5.23	4.30
206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	0.4	0.2	0.1	25.3	2.6	5.39	4.28
1311, HZ	1	0.0	1.5	2.0	0.0	21.0	0.0	6.50	4.55	54	0.0	1.6	0.7	0.5	23.9	1.7	5.71	4.47
58841, HMX	52	0.1	3.1	1.0	1.3	23.7	1.0	5.75	4.54	52	0.1	3.1	1.0	1.3	23.7	1.0	5.75	4.54
25, BP	46	0.0	0.3	1.4	0.3	23.9	0.8	4.64	4.45	46	0.0	0.3	1.4	0.3	23.9	0.8	4.64	4.45
282, CXD	46	0.0	1.6	1.0	0.2	24.6	0.7	5.25	4.37	46	0.0	1.6	1.0	0.2	24.6	0.7	5.25	4.37
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	1.2	4.0	1.7	26.0	1.8	4.81	4.42
58871, HMX	36	0.0	3.5	2.0	1.2	23.9	1.1	5.74	4.51	36	0.0	3.5	2.0	1.2	23.9	1.1	5.74	4.51
6426, N	35	0.0	5.2	3.3	1.5	22.5	1.5	4.74	4.58	35	0.0	5.2	3.3	1.5	22.5	1.5	4.74	4.58
58801, HMX	8	0.0	4.8	0.7	0.4	25.8	1.2	5.54	4.49	35	0.0	2.4	0.7	0.2	25.8	1.1	5.52	4.49
108, HYPEEL	8	0.0	1.3	1.6	0.6	23.9	1.0	5.54	4.57	32	0.0	0.8	1.6	0.6	24.7	2.7	5.41	4.57
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	4.2	0.3	0.5	24.2	2.8	4.90	4.51
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	0.8	0.2	26.4	0.8	5.52	4.35
0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.4	0.1	0.1	19.3	1.0	5.30	4.34
22693, ISI	23	0.0	0.5	1.5	1.0	23.1	0.5	5.36	4.55	23	0.0	0.5	1.5	1.0	23.1	0.5	5.36	4.55
7791, SVTM	20	0.0	1.8	0.4	0.2	23.0	1.2	5.84	4.57	20	0.0	1.8	0.4	0.2	23.0	1.2	5.84	4.57
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.8	0.8	0.5	27.0	2.2	5.03	4.49
402, BQ	1	0.0	0.0	2.5	0.5	23.0	1.0	7.10	4.54	17	0.0	1.6	0.6	0.2	24.5	1.2	5.58	4.50
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.4	0.6	24.6	1.8	5.55	4.57
3888, HMX	6	0.0	0.9	1.2	0.8	28.8	1.4	5.55	4.49	6	0.0	0.9	1.2	0.8	28.8	1.4	5.55	4.49
6410, N	3	0.0	5.2	0.5	0.5	26.3	1.7	5.13	4.54	4	0.0	4.0	0.5	0.5	25.8	1.3	5.30	4.52
HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.3	0.2	24.7	1.0	5.30	4.44
3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	7.3	0.0	0.0	24.7	0.5	5.03	4.58
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.0	0.0	23.7	0.5	4.53	4.49
20, BP	1	0.0	1.0	0.0	0.0	28.0	1.0	5.10	4.49	2	0.0	1.8	0.0	0.0	25.5	5.0	5.50	4.49
29, BP	1	0.0	0.0	1.5	0.0	23.0	0.5	4.80	4.41	1	0.0	0.0	1.5	0.0	23.0	0.5	4.80	4.41
228, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.5	0.0	0.0	24.0	5.0	5.60	4.51
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	6.20	4.57
1100, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	24.0	1.5	5.70	4.37
1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	0.0	4.40	4.46
1662, HZ	1	0.0	0.5	0.5	0.0	25.0	0.5	5.00	4.36	1	0.0	0.5	0.5	0.0	25.0	0.5	5.00	4.36
2693, K	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52
3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	28.0	0.0	5.20	4.39
5897, HMX	1	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.53	1	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.53

2017 Processing Tomato Season
PTAB Analysis (8/19/17) - Statewide by Variety



Variety Name	Week Ending 8/19/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	23.0	1.5	7.80	4.45
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	1.5	22.0	0.0	6.50	4.51
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	1.0	27.0	0.5	5.60	4.48
16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	1.0	26.0	4.0	5.60	4.43
STATEWIDE	41,346	0.0	2.0	1.6	0.7	24.3	1.4	5.32	4.47	190,781	0.0	1.2	1.3	0.6	24.9	1.6	5.32	4.44