

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - Statewide by Variety



Variety Name	Week Ending 8/26/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
273, BQ	555	0.0	1.6	2.4	0.6	24.6	1.9	5.23	4.44	28,263	0.0	0.5	1.3	0.5	25.1	1.4	5.24	4.39
0311, AB	2,861	0.0	2.5	1.8	0.5	21.9	1.1	5.89	4.40	20,977	0.0	2.3	1.2	0.5	23.5	1.8	5.76	4.42
3887, HMX	2,928	0.0	3.7	3.0	0.7	23.9	1.5	5.48	4.52	20,648	0.0	1.7	1.8	0.6	25.5	1.3	5.48	4.49
6366, SUN	933	0.0	1.8	3.6	2.0	21.7	1.3	5.29	4.48	16,892	0.0	0.9	1.0	0.7	24.7	2.3	5.40	4.48
5608, HZ	2,307	0.0	2.2	2.0	0.7	22.4	1.1	5.00	4.50	13,597	0.0	1.1	1.6	0.5	23.8	1.0	5.00	4.47
6415, N	2,786	0.0	3.8	1.9	0.7	24.1	1.2	5.06	4.49	11,437	0.0	2.0	1.5	0.6	24.8	1.2	5.07	4.46
0319, DRI	2,571	0.0	2.6	2.1	0.6	23.6	2.0	5.77	4.45	10,847	0.0	2.4	1.4	0.5	24.4	2.4	5.74	4.47
6416, N	4	0.0	1.4	1.0	2.5	23.3	2.1	5.15	4.49	9,197	0.0	0.5	1.0	0.4	25.3	1.5	4.94	4.37
4885, HMX	1,774	0.0	3.2	1.3	0.6	23.6	0.9	5.34	4.44	8,432	0.0	1.9	0.9	0.5	24.2	1.0	5.21	4.44
4909, HMX	1,104	0.0	3.3	1.1	0.5	22.0	0.9	5.59	4.32	7,147	0.0	1.8	1.0	0.7	25.2	1.1	5.52	4.34
1892, HMX	733	0.0	2.4	1.1	0.6	24.3	1.9	5.32	4.55	6,319	0.0	1.3	1.2	0.6	25.0	1.5	5.39	4.51
2401, HEINZ	3,349	0.0	1.4	2.8	0.7	24.1	1.1	5.17	4.39	5,508	0.0	1.1	2.3	0.7	24.4	1.2	5.16	4.40
2756, SV	2,445	0.0	1.9	1.7	0.6	25.3	1.0	5.10	4.54	5,159	0.0	1.3	1.7	0.6	25.9	1.1	5.06	4.53
6402, N	225	0.0	2.9	2.4	0.9	23.8	1.4	5.81	4.52	4,473	0.0	1.6	1.0	0.6	24.7	1.7	5.66	4.49
400, BQ	102	0.0	0.6	1.8	0.3	20.9	0.5	5.43	4.46	3,825	0.0	0.4	0.9	0.6	23.4	0.9	5.19	4.43
9663, HEINZ	708	0.0	6.6	3.4	0.8	23.5	2.2	4.84	4.51	3,716	0.0	3.7	2.6	0.7	23.6	3.1	4.90	4.48
5900, HMX	239	0.0	2.4	0.9	0.4	24.4	2.2	5.52	4.42	3,341	0.0	0.7	1.8	1.0	24.9	2.0	5.53	4.39
1015, HEINZ	417	0.0	0.8	7.0	2.2	23.8	0.5	5.11	4.48	3,185	0.0	0.5	2.9	1.2	24.1	0.7	5.20	4.49
4707, HEINZ	1,419	0.0	0.6	2.6	0.9	25.5	0.9	5.02	4.43	3,087	0.0	0.4	2.1	0.9	25.4	0.8	5.08	4.43
1293, HZ	476	0.0	2.6	1.7	0.5	22.8	1.1	5.58	4.55	3,060	0.0	1.6	1.4	0.5	23.6	1.3	5.51	4.57
1428, HZ	1,774	0.0	1.7	3.1	0.5	23.9	0.9	4.87	4.49	2,913	0.0	1.2	2.4	0.5	23.8	0.9	4.93	4.50
8011, SV	700	0.0	2.2	2.6	0.7	18.6	0.9	5.32	4.48	2,173	0.0	1.4	1.3	0.7	22.5	0.8	5.47	4.44
19406, UG	654	0.0	4.0	1.0	0.3	22.9	0.7	5.15	4.35	2,164	0.0	2.7	0.9	0.3	24.4	0.7	5.36	4.36
7885, HMX	499	0.0	1.5	0.5	0.1	23.2	1.2	4.89	4.64	2,007	0.0	1.4	0.5	0.2	25.9	1.2	4.89	4.63
16609, UG	311	0.0	2.5	1.4	0.4	23.0	1.7	5.59	4.38	1,998	0.0	0.7	0.8	0.3	24.5	2.0	5.44	4.40
13, BP	266	0.0	0.8	5.8	1.1	23.8	0.7	5.24	4.45	1,988	0.0	0.6	3.7	1.2	25.2	0.9	5.06	4.43
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,829	0.0	0.4	0.8	0.3	27.3	2.4	5.27	4.31
6397, N	74	0.0	0.8	0.1	0.3	22.9	0.5	5.73	4.36	1,693	0.0	0.7	1.4	0.5	24.7	1.6	5.31	4.49
1292, HZ	138	0.0	1.1	0.9	0.8	22.1	0.5	5.33	4.50	1,625	0.0	0.5	0.8	0.5	23.9	1.9	5.41	4.53
16, BP	603	0.0	2.9	7.0	1.7	23.9	1.0	5.64	4.49	1,608	0.0	2.1	4.8	1.7	25.7	1.1	5.42	4.49
8504, HEINZ	942	0.0	2.4	1.9	0.4	25.4	1.1	4.95	4.40	1,387	0.0	2.2	1.9	0.4	26.5	1.0	4.85	4.40
6420, N	108	0.0	1.0	1.2	0.2	24.6	0.6	4.95	4.48	1,252	0.0	2.0	0.7	0.3	24.9	1.6	4.90	4.54
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,176	0.0	0.8	1.1	0.5	25.5	1.5	4.85	4.41
5702, HZ	533	0.0	0.6	2.2	1.6	23.1	0.4	4.95	4.45	1,152	0.0	0.4	1.8	1.5	23.4	0.7	5.12	4.46

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - Statewide by Variety



Variety Name	Week Ending 8/26/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	932	0.0	0.4	2.0	0.6	26.2	2.0	5.04	4.37
141, BQ	277	0.0	1.8	3.3	0.6	19.1	2.1	4.81	4.50	818	0.0	1.1	3.8	0.7	22.4	1.8	4.85	4.47
6428, N	219	0.0	1.9	2.0	0.2	24.5	1.1	5.25	4.53	814	0.0	1.5	1.7	0.3	25.7	1.1	4.92	4.51
403, BQ	46	0.0	0.3	1.2	0.4	24.4	1.2	5.55	4.35	805	0.0	0.3	1.8	0.8	24.9	1.4	5.38	4.31
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	785	0.0	1.2	1.5	0.3	25.0	4.6	4.63	4.49
2493, SV	426	0.0	3.3	1.5	0.3	23.1	1.7	5.11	4.50	727	0.0	3.5	1.4	0.3	23.8	1.5	5.02	4.49
6394, N	193	0.0	7.3	0.8	0.5	22.1	5.0	5.47	4.66	606	0.0	3.6	3.0	0.7	23.9	2.5	5.16	4.55
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	583	0.0	0.4	0.7	0.3	27.3	0.9	5.39	4.39
5234, IVF	174	0.0	1.1	1.3	0.3	20.3	1.4	5.67	4.31	555	0.0	0.8	0.7	0.4	22.3	0.9	5.60	4.27
2, BP	294	0.0	1.6	1.1	0.3	20.8	0.5	4.95	4.56	535	0.0	1.8	1.1	0.4	22.7	0.4	4.93	4.55
255, CXD	316	0.0	1.9	1.5	0.3	24.9	1.5	4.94	4.38	523	0.0	1.6	1.2	0.4	25.7	1.5	4.92	4.38
4886, HMX	1	0.0	1.0	0.5	0.5	23.0	0.5	5.50	4.42	485	0.0	3.0	0.9	0.6	24.4	1.7	5.79	4.48
6404, N	148	0.0	8.4	0.8	0.6	24.5	2.2	4.77	4.61	458	0.0	4.5	0.4	0.3	24.1	1.7	5.11	4.55
15212, UG	152	0.0	1.7	1.5	0.1	24.9	0.3	4.80	4.42	442	0.0	1.7	1.4	0.1	26.3	0.7	4.74	4.44
1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	414	0.0	1.2	0.5	0.4	23.9	1.1	5.11	4.42
9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	376	0.0	1.1	1.5	0.4	24.3	2.0	5.23	4.47
6429, N	106	0.0	2.1	0.6	0.7	22.6	0.9	5.06	4.52	375	0.0	0.8	0.3	0.3	24.7	0.8	4.91	4.47
8232, SV	102	0.0	5.8	1.7	0.1	22.5	2.1	5.38	4.58	327	0.0	3.3	1.2	0.2	23.4	4.3	5.47	4.55
UNCODED	71	0.0	3.9	3.6	1.6	25.0	1.4	5.16	4.51	318	0.0	1.6	2.5	1.2	24.9	1.2	5.31	4.45
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	0.2	1.9	1.1	25.6	3.2	5.42	4.44
32, BP	99	0.0	1.8	5.4	1.2	26.1	1.9	5.26	4.51	253	0.0	1.1	3.4	0.8	25.5	1.4	5.10	4.50
25, BP	191	0.0	2.1	7.5	1.8	22.1	0.6	4.82	4.51	237	0.0	1.8	6.3	1.5	22.4	0.6	4.78	4.50
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.3	1.7	1.3	24.2	4.1	5.00	4.46
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	0.5	0.3	23.7	4.4	5.20	4.51
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	3.3	0.4	0.5	24.5	2.4	4.79	4.45
58811, HMX	105	0.0	2.1	1.8	0.3	26.2	0.8	5.12	4.56	199	0.0	1.9	1.7	0.4	25.4	0.7	5.17	4.54
1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	0.4	1.3	0.4	24.4	3.3	5.24	4.43
1422, HZ	185	0.0	0.7	6.0	0.9	22.8	1.0	5.73	4.45	185	0.0	0.7	6.0	0.9	22.8	1.0	5.73	4.45
58841, HMX	123	0.0	5.0	2.1	1.2	24.8	1.3	5.36	4.59	175	0.0	4.5	1.8	1.2	24.5	1.3	5.48	4.57
6436, N	20	0.0	3.2	1.2	0.3	23.9	0.3	5.44	4.40	167	0.0	1.5	0.9	0.2	24.4	1.7	5.15	4.49
1310, HZ	58	0.0	5.0	6.2	2.5	24.7	1.1	5.27	4.60	159	0.0	2.6	6.7	1.4	25.4	0.8	5.13	4.59
MIX	73	0.0	2.8	1.1	0.1	12.9	0.7	5.45	4.44	150	0.0	3.0	1.0	0.2	18.3	1.0	5.38	4.43
6426, N	111	0.0	2.8	2.0	0.6	22.4	1.7	5.46	4.56	146	0.0	3.4	2.3	0.8	22.4	1.7	5.29	4.56
206, BQ	88	0.0	2.2	0.5	0.2	18.6	1.7	6.00	4.45	142	0.0	1.5	0.4	0.1	21.1	2.1	5.77	4.38

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - Statewide by Variety



Variety Name	Week Ending 8/26/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
2828, SVTM	5	0.0	1.8	1.1	0.3	23.4	1.8	5.88	4.48	138	0.0	0.9	0.6	0.2	25.5	1.5	5.40	4.47
6410, N	134	0.0	6.5	1.3	0.8	26.6	1.4	5.05	4.54	137	0.0	6.4	1.3	0.8	26.6	1.4	5.05	4.54
6133, SV	36	0.1	1.2	2.9	0.1	17.8	0.4	5.24	4.40	116	0.0	0.6	1.7	0.0	24.0	0.2	5.42	4.39
58871, HMX	70	0.0	5.4	1.5	0.8	22.7	0.9	5.65	4.53	106	0.0	4.8	1.7	0.9	23.1	1.0	5.68	4.53
1082, SVTM	6	0.0	1.9	2.5	0.7	20.3	1.1	5.73	4.48	101	0.0	0.6	1.0	0.3	25.8	0.8	5.59	4.38
3888, HMX	90	0.0	0.9	0.8	0.3	25.8	1.4	6.24	4.44	96	0.0	0.9	0.8	0.4	26.0	1.4	6.20	4.45
9905, HARRIS MORAN	92	0.0	1.6	1.1	0.2	7.1	0.3	5.38	4.53	92	0.0	1.6	1.1	0.2	7.1	0.3	5.38	4.53
5655, SV	91	0.0	1.4	0.5	0.1	18.3	0.6	5.25	4.43	91	0.0	1.4	0.5	0.1	18.3	0.6	5.25	4.43
205, BQ	14	0.0	4.7	11.4	1.3	28.1	1.3	5.01	4.48	86	0.0	2.0	9.7	2.5	24.9	1.0	5.93	4.42
5701, HZ	81	0.0	0.7	8.2	1.6	24.3	0.6	5.35	4.36	81	0.0	0.7	8.2	1.6	24.3	0.6	5.35	4.36
19306, UG	79	0.0	2.0	1.1	0.2	23.5	1.4	5.19	4.44	79	0.0	2.0	1.1	0.2	23.5	1.4	5.19	4.44
5235, HM	13	0.0	1.2	0.5	0.1	20.3	1.1	5.57	4.34	77	0.0	1.6	0.7	0.3	23.1	1.1	5.68	4.44
282, CXD	29	0.0	2.1	0.8	0.1	23.8	0.6	5.27	4.34	75	0.0	1.8	0.9	0.1	24.3	0.6	5.25	4.36
58801, HMX	22	0.0	2.5	1.1	0.3	25.9	1.7	5.71	4.36	57	0.0	2.4	0.9	0.3	25.8	1.3	5.59	4.44
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	0.3	0.4	26.0	3.8	5.23	4.30
1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	1.6	0.7	0.5	23.9	1.7	5.71	4.47
0811, BOS	25	0.0	1.0	1.0	0.5	22.3	0.8	5.38	4.49	48	0.0	0.8	0.6	0.3	20.9	0.9	5.34	4.42
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	1.2	4.0	1.7	26.0	1.8	4.81	4.42
1659, HZ	36	0.0	2.3	2.1	1.4	25.4	4.0	5.09	4.55	36	0.0	2.3	2.1	1.4	25.4	4.0	5.09	4.55
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.8	1.6	0.6	24.7	2.7	5.41	4.57
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	4.2	0.3	0.5	24.2	2.8	4.90	4.51
16112, UG	29	0.0	0.4	0.3	0.0	22.7	0.5	5.61	4.41	30	0.0	0.4	0.3	0.0	22.8	0.6	5.61	4.41
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	0.8	0.2	26.4	0.8	5.52	4.35
7791, SVTM	6	0.0	4.9	1.0	0.5	24.3	1.3	5.30	4.64	26	0.0	2.5	0.5	0.2	23.3	1.2	5.72	4.58
22693, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.5	1.5	1.0	23.1	0.5	5.36	4.55
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.8	0.8	0.5	27.0	2.2	5.03	4.49
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	1.6	0.6	0.2	24.5	1.2	5.58	4.50
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.4	0.6	24.6	1.8	5.55	4.57
HEINZ TRIAL	7	0.0	1.9	1.5	0.3	23.9	3.0	5.97	4.58	10	0.0	1.4	1.2	0.3	24.1	2.4	5.77	4.53
MISC TRIAL	7	0.0	1.4	1.5	0.8	25.6	0.9	5.61	4.50	7	0.0	1.4	1.5	0.8	25.6	0.9	5.61	4.50
1662, HZ	5	0.0	4.6	0.6	0.6	25.2	1.2	5.12	4.62	6	0.0	3.9	0.6	0.5	25.2	1.1	5.10	4.58
3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	7.3	0.0	0.0	24.7	0.5	5.03	4.58
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	0.0	0.0	23.7	0.5	4.53	4.49
20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	0.0	0.0	25.5	5.0	5.50	4.49

2017 Processing Tomato Season
PTAB Analysis (8/26/17) - Statewide by Variety



Variety Name	Week Ending 8/26/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
2, AB	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29
26, BP	1	0.0	2.5	4.5	0.5	26.0	0.5	4.40	4.67	1	0.0	2.5	4.5	0.5	26.0	0.5	4.40	4.67
29, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.0	23.0	0.5	4.80	4.41
35, P	1	0.0	2.5	1.0	1.0	0.0	0.5	5.70	4.48	1	0.0	2.5	1.0	1.0	0.0	0.5	5.70	4.48
228, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.5	0.0	0.0	24.0	5.0	5.60	4.51
313, BQ	1	0.0	1.0	0.0	0.0	24.0	0.5	5.90	4.36	1	0.0	1.0	0.0	0.0	24.0	0.5	5.90	4.36
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	6.20	4.57
1100, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	24.0	1.5	5.70	4.37
1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	0.0	4.40	4.46
2693, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52
3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	28.0	0.0	5.20	4.39
5897, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.53
6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	23.0	1.5	7.80	4.45
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	1.5	22.0	0.0	6.50	4.51
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	1.0	27.0	0.5	5.60	4.48
STATEWIDE	38,997	0.0	2.5	2.3	0.7	23.4	1.2	5.28	4.47	229,779	0.0	1.4	1.5	0.6	24.6	1.5	5.31	4.45