

2017 Processing Tomato Season
PTAB Analysis (9/16/17) - Statewide by Variety



Variety Name	Week Ending 9/16/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
3887, HMX	698	0.0	3.3	2.0	0.7	26.3	2.0	5.38	4.51	29,559	0.0	2.4	2.2	0.7	25.8	1.4	5.47	4.50
273, BQ	33	0.0	1.1	2.8	0.6	26.9	0.8	5.15	4.37	28,995	0.0	0.5	1.4	0.6	25.1	1.4	5.25	4.39
0311, AB	1,199	0.0	3.0	1.1	0.8	23.9	2.1	5.74	4.42	25,870	0.0	2.4	1.3	0.5	23.7	1.8	5.77	4.42
0319, DRI	4,440	0.0	2.4	1.1	0.5	25.3	3.1	5.63	4.45	21,922	0.0	2.4	1.5	0.5	24.7	2.8	5.70	4.47
6366, SUN	48	0.0	2.2	2.7	0.4	28.1	1.3	5.77	4.34	17,606	0.0	1.0	1.1	0.7	24.9	2.3	5.40	4.48
5608, HZ	1,298	0.0	2.9	2.5	0.7	24.6	1.7	4.86	4.51	17,189	0.0	1.4	1.7	0.6	24.1	1.1	4.98	4.48
6415, N	1,363	0.0	3.0	2.4	1.2	25.6	1.3	5.26	4.49	16,397	0.0	2.3	1.7	0.6	24.8	1.3	5.10	4.48
4885, HMX	2,035	0.0	3.4	1.0	0.6	24.9	0.8	5.29	4.42	14,428	0.0	2.7	1.0	0.6	24.5	1.0	5.25	4.44
2401, HEINZ	2,079	0.0	3.0	3.2	1.0	25.9	1.3	4.99	4.45	13,217	0.0	1.9	2.6	0.7	25.2	1.4	5.04	4.43
4707, HEINZ	3,545	0.0	2.2	2.8	1.0	25.3	1.1	4.93	4.51	12,393	0.0	1.4	2.4	0.9	25.5	0.9	5.01	4.47
2756, SV	2,004	0.0	3.2	1.0	0.9	26.4	1.1	5.19	4.54	9,782	0.0	2.2	1.5	0.7	26.0	1.2	5.09	4.54
4909, HMX	381	0.0	2.9	1.0	0.4	25.8	0.6	5.86	4.36	9,622	0.0	2.2	1.1	0.7	25.6	1.1	5.58	4.35
6416, N	3	0.0	2.3	1.0	1.3	0.0	2.3	4.80	4.55	9,323	0.0	0.5	1.1	0.4	25.3	1.5	4.94	4.37
1892, HMX	962	0.0	1.5	1.9	2.1	24.8	1.5	5.36	4.53	8,908	0.0	1.7	1.4	0.9	24.9	1.6	5.39	4.53
1428, HZ	1,883	0.0	2.5	2.8	1.3	23.7	0.8	5.03	4.50	7,407	0.0	1.8	2.7	0.8	23.8	0.9	4.97	4.51
5702, HZ	2,790	0.0	1.4	3.7	1.4	24.5	0.6	4.87	4.47	5,519	0.0	1.1	3.0	1.6	24.0	0.6	5.02	4.47
19406, UG	1,170	0.0	1.7	1.2	0.3	25.8	0.8	5.47	4.38	4,829	0.0	2.2	1.1	0.3	25.2	0.8	5.37	4.38
6402, N	17	0.0	0.6	2.1	1.8	26.1	3.4	6.55	4.36	4,748	0.0	1.7	1.3	0.7	24.8	1.6	5.65	4.49
9663, HEINZ	71	0.0	6.8	2.2	1.3	24.7	4.5	5.39	4.59	4,287	0.0	4.2	2.6	0.7	23.8	3.1	4.88	4.49
1293, HZ	484	0.0	1.6	1.0	0.9	24.5	1.5	5.58	4.54	4,255	0.0	1.5	1.4	0.6	23.8	1.5	5.55	4.56
8011, SV	352	0.0	4.0	1.9	0.6	24.6	1.0	5.22	4.48	4,020	0.0	2.1	1.7	0.7	24.3	0.9	5.38	4.46
5900, HMX	80	0.0	0.9	0.6	1.7	25.6	1.6	5.37	4.37	3,860	0.0	0.9	1.7	1.0	25.0	2.0	5.54	4.39
400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,816	0.0	0.4	0.9	0.6	23.5	0.9	5.19	4.43
8504, HEINZ	652	0.0	3.4	1.9	0.7	25.2	0.8	4.93	4.41	3,341	0.0	3.0	1.7	0.5	25.6	1.0	4.90	4.42
1015, HEINZ	25	0.0	0.0	0.3	1.4	25.6	0.3	5.26	4.36	3,230	0.0	0.5	2.9	1.2	24.1	0.7	5.21	4.49
7885, HMX	164	0.0	2.4	1.2	0.8	24.7	1.0	5.11	4.64	2,935	0.0	1.4	0.6	0.3	25.8	1.1	4.94	4.62
6428, N	592	0.0	3.6	1.4	0.5	26.0	1.6	4.90	4.51	2,461	0.0	2.5	1.6	0.4	25.8	1.3	4.82	4.51
6420, N	200	0.0	2.6	2.4	1.0	26.0	2.4	4.95	4.51	2,300	0.0	2.3	1.3	0.4	25.4	1.7	5.01	4.53
16, BP	263	0.0	3.4	5.2	1.1	27.4	0.9	5.26	4.51	2,213	0.0	2.2	4.6	1.6	26.4	1.0	5.44	4.50
16609, UG	45	0.0	1.2	1.7	0.3	24.3	2.0	6.22	4.31	2,169	0.0	0.8	1.0	0.3	24.5	2.0	5.48	4.39
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,032	0.0	0.6	3.9	1.2	25.3	0.9	5.07	4.43
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,829	0.0	0.4	0.8	0.3	27.3	2.4	5.27	4.31
1292, HZ	104	0.0	3.8	2.6	0.7	27.3	1.9	4.82	4.53	1,820	0.0	0.8	0.9	0.5	24.0	1.9	5.40	4.53
141, BQ	153	0.0	2.5	7.2	2.1	25.8	3.2	5.68	4.42	1,768	0.0	2.0	6.5	1.2	24.5	2.6	4.88	4.50

2017 Processing Tomato Season
PTAB Analysis (9/16/17) - Statewide by Variety



Variety Name	Week Ending 9/16/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,743	0.0	0.7	1.4	0.5	24.6	1.6	5.31	4.49
2493, SV	220	0.0	6.3	1.6	0.4	24.5	2.2	4.88	4.52	1,621	0.0	4.4	2.0	0.4	23.9	2.6	4.97	4.51
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,176	0.0	0.8	1.1	0.5	25.5	1.5	4.85	4.41
5706, HZ	484	0.0	0.8	2.5	1.4	24.7	0.6	4.96	4.46	1,135	0.0	0.9	2.9	2.1	24.9	0.8	5.00	4.47
1310, HZ	173	0.0	3.0	6.7	1.2	26.5	0.6	5.70	4.48	1,062	0.0	2.8	8.4	1.1	26.4	0.9	5.10	4.54
3888, HMX	151	0.0	1.7	1.0	0.5	28.2	1.9	5.65	4.56	1,002	0.0	1.5	1.1	0.5	25.8	1.6	5.70	4.56
9905, HARRIS MORAN	674	0.0	1.6	1.0	0.5	24.9	1.3	5.24	4.56	968	0.0	1.4	1.1	0.5	25.0	1.2	5.28	4.56
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	932	0.0	0.4	2.0	0.6	26.2	2.0	5.04	4.37
255, CXD	54	0.0	1.4	1.1	0.5	0.0	0.8	5.43	4.36	902	0.0	1.8	1.4	0.4	25.8	1.4	5.07	4.39
6429, N	137	0.0	2.2	0.5	0.4	25.7	1.7	5.30	4.58	892	0.0	1.5	1.1	0.6	26.1	1.2	4.99	4.52
6404, N	137	0.0	5.4	0.5	0.4	27.1	1.7	5.08	4.49	890	0.0	5.0	0.8	0.5	25.5	1.7	4.98	4.55
15212, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	848	0.0	1.9	1.0	0.1	25.1	0.8	4.87	4.45
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	842	0.0	0.4	2.2	0.8	24.9	1.4	5.41	4.32
5234, IVF	124	0.0	1.6	1.1	0.8	0.0	2.5	5.61	4.47	785	0.0	1.0	0.9	0.4	23.1	1.3	5.64	4.32
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	785	0.0	1.2	1.5	0.3	25.0	4.6	4.63	4.49
1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	668	0.0	1.4	6.8	1.2	26.0	1.1	5.36	4.47
58841, HMX	234	0.0	2.7	1.1	0.8	25.6	0.8	5.29	4.48	642	0.0	2.8	1.4	0.8	24.8	1.0	5.59	4.50
1170, HEINZ	49	0.0	2.8	0.4	0.6	23.8	1.2	5.33	4.54	635	0.0	1.2	0.4	0.4	23.8	1.2	5.19	4.46
1175, HEINZ	106	0.0	3.0	0.3	0.2	23.8	1.2	4.88	4.62	612	0.0	1.5	0.3	0.1	23.6	1.2	4.90	4.66
5508, HZ	489	0.0	1.4	1.4	0.2	25.6	0.7	4.98	4.45	612	0.0	1.4	1.5	0.2	25.2	0.8	5.05	4.46
6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	606	0.0	3.6	3.0	0.7	23.9	2.5	5.16	4.55
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	583	0.0	0.4	0.7	0.3	27.3	0.9	5.39	4.39
UNCODED	118	0.0	3.3	2.3	0.6	24.7	1.5	5.29	4.48	557	0.0	2.5	2.8	1.1	25.0	1.4	5.25	4.47
2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	539	0.0	1.8	1.1	0.4	24.9	0.4	4.94	4.55
58801, HMX	188	0.0	2.2	1.0	0.3	26.2	1.6	5.51	4.52	507	0.0	2.1	0.9	0.3	25.9	1.5	5.51	4.49
4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	486	0.0	3.0	1.0	0.6	24.4	1.7	5.79	4.48
32, BP	122	0.0	3.2	3.5	1.2	29.1	1.7	5.23	4.48	444	0.0	2.0	3.0	0.8	26.2	1.5	5.08	4.49
8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	430	0.0	3.4	1.4	0.3	23.6	5.1	5.28	4.56
58811, HMX	180	0.0	1.3	0.8	0.4	25.6	0.7	5.40	4.49	423	0.0	1.6	1.3	0.4	25.5	0.7	5.27	4.52
6426, N	177	0.0	4.5	1.0	0.5	24.0	1.0	4.92	4.51	384	0.0	4.0	1.5	0.6	23.0	1.4	5.11	4.55
9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	376	0.0	1.1	1.5	0.4	24.3	2.0	5.23	4.47
25, BP	25	0.0	2.5	9.1	0.7	29.2	0.9	5.26	4.39	375	0.0	2.1	7.0	1.4	25.3	1.0	4.92	4.51
6410, N	100	0.0	5.5	1.2	1.1	0.0	1.5	4.80	4.54	337	0.0	4.9	1.7	0.9	26.4	1.6	5.11	4.53
58871, HMX	120	0.0	3.0	0.9	1.1	26.2	0.8	5.15	4.37	315	0.0	3.2	1.5	0.9	25.1	0.8	5.51	4.43

2017 Processing Tomato Season
PTAB Analysis (9/16/17) - Statewide by Variety



Variety Name	Week Ending 9/16/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	0.2	1.9	1.1	25.6	3.2	5.42	4.44
205, BQ	75	0.0	3.1	0.4	0.9	24.3	3.3	5.56	4.41	266	0.0	2.2	3.5	1.7	25.1	1.9	5.81	4.39
1161, HEINZ	34	0.0	0.9	0.8	0.4	27.6	1.1	5.54	4.38	263	0.0	0.5	1.1	0.4	25.5	2.7	5.36	4.42
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.3	1.7	1.3	24.2	4.1	5.00	4.46
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	0.5	0.3	23.7	4.4	5.20	4.51
16112, UG	155	0.0	2.2	1.1	0.9	24.3	0.6	4.85	4.42	236	0.0	1.6	1.0	0.6	24.1	0.5	5.06	4.42
6436, N	1	0.0	4.0	0.5	0.0	0.0	2.5	5.40	4.42	230	0.0	1.9	0.9	0.3	24.5	1.7	5.33	4.50
5235, HM	60	0.0	3.1	0.7	0.2	24.5	2.1	5.42	4.51	222	0.0	2.6	0.7	0.2	24.1	1.6	5.58	4.47
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	3.3	0.4	0.5	24.5	2.4	4.79	4.45
5655, SV	12	0.0	2.0	0.3	0.7	0.0	1.2	5.17	4.46	198	0.0	1.5	0.5	0.3	26.0	1.1	5.43	4.45
MIX	8	0.0	1.0	1.0	0.4	24.8	2.1	5.39	4.41	181	0.0	2.8	1.0	0.2	23.6	1.2	5.39	4.44
1082, SVTM	45	0.0	1.0	0.9	0.8	25.0	1.2	5.30	4.35	173	0.0	1.2	1.4	0.7	25.8	1.1	5.43	4.38
9780, HEINZ	56	0.0	0.6	1.8	0.6	23.2	1.3	5.94	4.40	170	0.0	0.6	1.5	0.5	23.5	1.1	5.85	4.39
849, HYPEEL	143	0.0	2.1	1.0	0.9	27.0	0.8	5.31	4.39	157	0.0	2.3	1.1	0.8	28.1	0.8	5.29	4.40
0811, BOS	3	0.0	0.7	0.3	0.0	0.0	0.2	5.20	4.39	149	0.0	1.5	0.7	0.4	22.9	0.9	5.53	4.45
2828, SVTM	1	0.0	2.0	1.0	0.0	25.0	0.5	6.10	4.40	143	0.0	0.9	0.7	0.2	25.5	1.6	5.39	4.47
206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	1.5	0.4	0.1	26.3	2.1	5.77	4.38
5701, HZ	37	0.0	2.9	8.6	1.8	29.5	0.5	4.58	4.44	137	0.0	1.6	8.4	1.7	26.4	0.6	5.07	4.39
6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.6	2.0	0.0	26.2	0.2	5.41	4.38
6434, N	54	0.0	6.0	1.9	0.5	25.6	1.5	5.19	4.55	113	0.0	5.0	1.9	0.4	26.2	1.5	5.00	4.55
282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	1.8	0.8	0.1	24.3	0.6	5.24	4.38
1421, HZ	22	0.0	2.7	1.0	0.6	24.0	5.6	5.43	4.43	86	0.0	3.1	1.1	0.4	24.1	4.3	5.14	4.47
HEINZ TRIAL	46	0.0	9.3	2.7	2.0	26.1	1.4	4.99	4.54	81	0.0	6.3	2.1	1.3	25.5	1.6	5.17	4.54
MISC TRIAL	5	0.0	2.0	3.4	0.0	25.2	2.2	5.18	4.48	81	0.0	3.1	1.0	0.3	24.3	3.1	5.60	4.59
19306, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	1.9	1.1	0.3	23.5	1.4	5.19	4.44
7791, SVTM	3	0.0	4.0	6.8	0.0	26.3	1.8	4.53	4.55	60	0.0	4.8	0.9	0.3	24.3	1.6	5.78	4.58
1311, HZ	2	0.0	2.3	0.8	0.5	24.0	3.0	5.40	4.49	57	0.0	1.7	0.7	0.5	23.9	1.8	5.69	4.47
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	0.3	0.4	26.0	3.8	5.23	4.30
1659, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.7	1.9	1.1	26.0	3.4	5.03	4.52
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	1.2	4.0	1.7	26.0	1.8	4.81	4.42
22693, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	3.6	1.0	1.1	23.4	1.0	5.14	4.60
108, HYPEEL	1	0.0	1.0	1.0	0.5	25.0	3.0	5.50	4.34	34	0.0	0.9	1.6	0.6	24.6	2.7	5.39	4.55
6407, N	29	0.0	0.9	2.0	4.6	23.7	0.8	6.15	4.31	30	0.0	0.9	2.0	4.4	23.6	0.9	6.20	4.31
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	0.8	0.2	26.4	0.8	5.52	4.35

2017 Processing Tomato Season
PTAB Analysis (9/16/17) - Statewide by Variety



Variety Name	Week Ending 9/16/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.8	0.8	0.5	27.0	2.2	5.03	4.49
1775, HZ	19	0.0	1.7	2.2	0.3	29.7	0.7	4.83	4.46	19	0.0	1.7	2.2	0.3	29.7	0.7	4.83	4.46
2349, BOS	9	0.0	1.9	0.4	0.3	23.0	0.9	5.39	4.34	19	0.0	3.3	1.2	0.4	24.3	1.9	5.27	4.43
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	1.6	0.6	0.2	24.5	1.2	5.58	4.50
1662, HZ	5	0.0	2.1	3.4	0.3	25.8	2.2	4.88	4.47	14	0.0	3.3	1.8	0.5	25.5	1.4	4.96	4.54
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.4	0.6	24.6	1.8	5.55	4.57
58881, HMX	3	0.0	2.8	0.5	0.2	0.0	1.0	5.37	4.58	7	0.0	1.7	0.3	0.1	23.7	0.7	5.04	4.54
1776, HZ	3	0.0	1.7	2.0	0.5	25.0	1.5	5.37	4.43	6	0.0	0.9	2.5	0.8	25.8	0.9	5.15	4.41
29, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.2	1.0	0.1	23.0	1.0	4.50	4.57
61P4326	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	3.1	3.3	0.5	28.0	1.2	5.38	4.38
8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	0.9	0.1	24.8	1.0	5.78	4.54
3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	7.3	0.0	0.0	24.7	0.5	5.03	4.58
20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	0.0	0.0	25.5	5.0	5.50	4.49
26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.8	3.0	1.0	25.0	1.5	4.40	4.67
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	3.5	1.8	0.5	24.0	6.8	6.15	4.50
3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.0	0.3	27.0	2.0	5.30	4.41
000, MISC	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.0	0.0	1.0	4.70	4.52
2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29
35, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	1.0	1.0	0.0	0.5	5.70	4.48
228, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.5	0.0	0.0	24.0	5.0	5.60	4.51
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	24.0	0.5	5.90	4.36
1100, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	24.0	1.5	5.70	4.37
1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	0.0	4.40	4.46
1770, HZ	1	0.0	6.5	2.5	1.0	28.0	5.5	5.00	4.54	1	0.0	6.5	2.5	1.0	28.0	5.5	5.00	4.54
1772, HZ	1	0.0	6.5	5.0	1.0	30.0	1.0	5.10	4.40	1	0.0	6.5	5.0	1.0	30.0	1.0	5.10	4.40
2693, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52
4887, HMX	1	0.0	0.5	0.5	0.5	0.0	1.0	5.10	4.26	1	0.0	0.5	0.5	0.5	0.0	1.0	5.10	4.26
5897, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.53
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	1.5	22.0	0.0	6.50	4.51
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	1.0	27.0	0.5	5.60	4.48
STATEWIDE	34,029	0.0	2.6	2.0	0.9	25.0	1.4	5.22	4.48	334,035	0.0	1.8	1.7	0.7	24.9	1.5	5.29	4.46