

2017 Processing Tomato Season
PTAB Analysis (9/9/17) - Statewide by Variety



Variety Name	Week Ending 9/9/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
273, BQ	401	0.0	1.1	2.2	2.1	24.4	1.9	5.43	4.48	28,962	0.0	0.5	1.4	0.6	25.1	1.4	5.25	4.39
3887, HMX	3,640	0.0	3.9	3.7	1.2	25.9	1.9	5.42	4.53	28,861	0.0	2.4	2.2	0.7	25.7	1.4	5.47	4.50
0311, AB	1,522	0.0	2.9	1.7	0.6	24.0	2.0	5.82	4.42	24,671	0.0	2.4	1.3	0.5	23.7	1.8	5.77	4.42
6366, SUN	223	0.0	2.8	3.9	2.3	24.9	2.6	5.79	4.52	17,558	0.0	1.0	1.1	0.7	24.9	2.3	5.40	4.48
0319, DRI	3,267	0.0	2.5	2.2	0.6	25.0	3.4	5.59	4.48	17,482	0.0	2.5	1.6	0.5	24.6	2.7	5.72	4.47
5608, HZ	935	0.0	1.7	2.0	0.6	24.4	1.5	5.03	4.53	15,891	0.0	1.2	1.7	0.6	24.1	1.0	4.99	4.48
6415, N	1,813	0.0	2.9	2.1	0.6	25.3	1.9	5.08	4.55	15,034	0.0	2.2	1.6	0.6	24.7	1.3	5.08	4.48
4885, HMX	2,282	0.0	3.8	1.0	0.7	25.5	1.0	5.44	4.46	12,393	0.0	2.6	1.0	0.6	24.5	1.0	5.25	4.44
2401, HEINZ	2,828	0.0	2.3	2.7	0.7	25.9	1.7	4.89	4.47	11,142	0.0	1.7	2.4	0.7	25.1	1.5	5.06	4.43
6416, N	13	0.0	2.4	2.9	0.8	23.0	3.8	4.66	4.59	9,320	0.0	0.5	1.1	0.4	25.3	1.5	4.94	4.37
4909, HMX	1,119	0.0	3.7	1.5	0.6	25.4	0.8	5.60	4.37	9,241	0.0	2.1	1.1	0.7	25.6	1.1	5.57	4.35
4707, HEINZ	2,770	0.0	1.6	2.0	0.7	26.2	1.0	4.92	4.49	8,852	0.0	1.0	2.2	0.9	25.6	0.9	5.04	4.46
1892, HMX	592	0.0	1.7	2.2	1.5	25.1	1.9	5.41	4.58	7,946	0.0	1.7	1.4	0.8	24.9	1.7	5.40	4.53
2756, SV	1,426	0.0	3.0	1.4	0.8	26.5	1.2	5.20	4.57	7,778	0.0	1.9	1.7	0.7	25.9	1.2	5.07	4.54
1428, HZ	938	0.0	1.7	2.3	0.9	24.2	0.8	4.90	4.53	5,524	0.0	1.5	2.6	0.6	23.8	0.9	4.94	4.51
6402, N	152	0.0	2.0	6.6	1.2	27.2	1.1	5.21	4.46	4,731	0.0	1.7	1.3	0.7	24.8	1.6	5.65	4.49
9663, HEINZ	253	0.0	8.0	3.0	1.1	25.2	3.9	4.64	4.56	4,216	0.0	4.2	2.6	0.7	23.8	3.1	4.87	4.49
400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,816	0.0	0.4	0.9	0.6	23.5	0.9	5.19	4.43
5900, HMX	175	0.0	0.7	1.6	0.4	26.9	1.7	5.56	4.38	3,780	0.0	0.9	1.8	1.0	24.9	2.1	5.54	4.39
1293, HZ	460	0.0	1.2	1.7	0.5	24.6	2.3	5.69	4.52	3,771	0.0	1.5	1.5	0.5	23.7	1.5	5.55	4.56
8011, SV	524	0.0	3.0	2.0	1.2	25.3	1.3	5.19	4.52	3,668	0.0	1.9	1.7	0.7	24.2	0.9	5.39	4.46
19406, UG	780	0.0	1.5	1.4	0.3	26.6	0.7	5.22	4.40	3,659	0.0	2.4	1.1	0.3	25.0	0.8	5.33	4.38
1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,205	0.0	0.5	3.0	1.2	24.1	0.7	5.21	4.49
7885, HMX	427	0.0	1.1	1.0	0.4	24.1	1.0	5.15	4.59	2,771	0.0	1.3	0.6	0.2	25.8	1.1	4.93	4.62
5702, HZ	951	0.0	1.2	2.6	1.4	24.0	0.8	5.16	4.51	2,729	0.0	0.7	2.4	1.7	23.5	0.7	5.18	4.47
8504, HEINZ	429	0.0	4.9	1.2	0.5	25.0	1.3	4.97	4.50	2,689	0.0	2.8	1.7	0.4	25.7	1.1	4.90	4.42
16609, UG	62	0.0	1.2	2.8	1.0	25.6	3.2	5.57	4.42	2,124	0.0	0.8	1.0	0.3	24.5	2.0	5.46	4.39
6420, N	370	0.0	1.6	1.9	0.6	25.5	2.1	5.38	4.51	2,100	0.0	2.2	1.2	0.4	25.3	1.6	5.02	4.53
13, BP	44	0.0	1.2	10.7	2.4	28.3	4.1	5.69	4.40	2,032	0.0	0.6	3.9	1.2	25.3	0.9	5.07	4.43
16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,950	0.0	2.0	4.5	1.6	26.3	1.1	5.46	4.50
6428, N	866	0.0	2.8	1.7	0.4	25.9	1.1	4.67	4.51	1,869	0.0	2.1	1.7	0.3	25.8	1.2	4.79	4.51
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,829	0.0	0.4	0.8	0.3	27.3	2.4	5.27	4.31
6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,743	0.0	0.7	1.4	0.5	24.6	1.6	5.31	4.49
1292, HZ	54	0.0	2.2	1.4	0.3	22.5	2.4	5.76	4.52	1,716	0.0	0.6	0.8	0.5	23.9	1.9	5.43	4.53

2017 Processing Tomato Season
PTAB Analysis (9/9/17) - Statewide by Variety



Variety Name	Week Ending 9/9/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
141, BQ	233	0.0	2.3	5.7	2.2	25.9	3.8	5.33	4.45	1,615	0.0	2.0	6.4	1.1	24.3	2.6	4.81	4.50
2493, SV	512	0.0	4.8	2.7	0.5	23.9	4.4	4.88	4.53	1,401	0.0	4.1	2.1	0.4	23.9	2.7	4.99	4.51
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,176	0.0	0.8	1.1	0.5	25.5	1.5	4.85	4.41
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	932	0.0	0.4	2.0	0.6	26.2	2.0	5.04	4.37
1310, HZ	536	0.0	2.5	9.4	1.0	26.4	1.0	5.02	4.53	889	0.0	2.8	8.7	1.0	26.4	0.9	4.98	4.55
3888, HMX	352	0.0	1.4	1.1	0.4	26.6	1.6	5.60	4.57	851	0.0	1.4	1.1	0.5	25.5	1.6	5.70	4.56
255, CXD	216	0.0	2.7	1.6	0.3	26.8	1.3	5.04	4.43	848	0.0	1.9	1.4	0.4	25.8	1.5	5.05	4.39
15212, UG	51	0.0	3.1	0.4	0.1	23.7	0.9	4.97	4.52	848	0.0	1.9	1.0	0.1	25.1	0.8	4.87	4.45
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	842	0.0	0.4	2.2	0.8	24.9	1.4	5.41	4.32
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	785	0.0	1.2	1.5	0.3	25.0	4.6	4.63	4.49
6429, N	140	0.0	1.9	1.5	0.5	26.2	1.4	5.20	4.55	755	0.0	1.4	1.2	0.6	26.1	1.1	4.93	4.51
6404, N	101	0.0	5.7	1.7	0.6	27.7	2.1	4.75	4.55	753	0.0	4.9	0.9	0.6	25.1	1.7	4.96	4.56
1422, HZ	351	0.0	1.6	6.6	1.3	26.9	1.1	5.09	4.49	668	0.0	1.4	6.8	1.2	26.0	1.1	5.36	4.47
5234, IVF	95	0.0	1.4	1.0	0.3	22.6	2.0	5.94	4.40	661	0.0	0.9	0.8	0.4	23.1	1.1	5.65	4.29
5706, HZ	556	0.0	1.0	3.3	2.3	25.4	0.9	4.94	4.48	651	0.0	0.9	3.2	2.6	25.0	1.0	5.03	4.48
6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	606	0.0	3.6	3.0	0.7	23.9	2.5	5.16	4.55
1170, HEINZ	1	0.0	0.0	0.0	0.0	24.0	1.5	5.20	4.78	586	0.0	1.1	0.4	0.3	23.8	1.2	5.18	4.45
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	583	0.0	0.4	0.7	0.3	27.3	0.9	5.39	4.39
2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	539	0.0	1.8	1.1	0.4	24.9	0.4	4.94	4.55
1175, HEINZ	506	0.0	1.1	0.3	0.1	23.6	1.2	4.91	4.67	506	0.0	1.1	0.3	0.1	23.6	1.2	4.91	4.67
4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	486	0.0	3.0	1.0	0.6	24.4	1.7	5.79	4.48
UNCODED	29	0.0	3.9	1.1	0.8	25.7	2.3	5.46	4.50	439	0.0	2.2	3.0	1.2	25.1	1.3	5.24	4.47
8232, SV	19	0.0	3.9	1.6	0.6	25.6	4.0	4.48	4.56	430	0.0	3.4	1.4	0.3	23.6	5.1	5.28	4.56
58841, HMX	56	0.0	1.6	1.5	0.8	27.2	1.3	5.84	4.44	408	0.0	2.9	1.6	0.8	24.3	1.1	5.77	4.51
9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	376	0.0	1.1	1.5	0.4	24.3	2.0	5.23	4.47
25, BP	39	0.0	4.7	12.0	1.3	29.1	2.9	5.33	4.51	350	0.0	2.1	6.9	1.4	25.0	1.0	4.90	4.51
32, BP	63	0.0	3.0	0.9	0.3	24.8	1.1	4.75	4.45	322	0.0	1.5	2.8	0.7	25.5	1.4	5.03	4.49
58801, HMX	114	0.0	3.0	0.8	0.2	25.7	1.0	5.21	4.52	319	0.0	2.1	0.8	0.3	25.8	1.4	5.50	4.47
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	0.2	1.9	1.1	25.6	3.2	5.42	4.44
9905, HARRIS MORAN	202	0.0	0.6	1.5	0.7	25.1	1.1	5.36	4.57	294	0.0	0.9	1.4	0.6	25.2	0.8	5.36	4.56
58811, HMX	44	0.0	1.2	1.0	0.7	26.2	0.7	5.16	4.51	243	0.0	1.8	1.6	0.5	25.5	0.7	5.17	4.53
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.3	1.7	1.3	24.2	4.1	5.00	4.46
6410, N	42	0.0	2.3	2.3	0.9	24.4	2.5	5.50	4.54	237	0.0	4.6	1.9	0.8	26.4	1.6	5.24	4.52
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	0.5	0.3	23.7	4.4	5.20	4.51

2017 Processing Tomato Season
PTAB Analysis (9/9/17) - Statewide by Variety



Variety Name	Week Ending 9/9/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1161, HEINZ	39	0.0	0.5	0.8	0.3	29.2	1.1	5.79	4.38	229	0.0	0.4	1.2	0.4	25.2	2.9	5.33	4.42
6436, N	43	0.0	2.9	0.4	0.5	24.1	2.4	5.80	4.63	229	0.0	1.9	0.9	0.3	24.5	1.7	5.33	4.50
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	3.3	0.4	0.5	24.5	2.4	4.79	4.45
6426, N	28	0.0	2.9	0.8	0.1	22.5	1.7	5.20	4.58	207	0.0	3.5	1.9	0.7	22.4	1.8	5.27	4.58
58871, HMX	59	0.0	1.6	1.6	0.6	26.2	0.6	5.68	4.41	195	0.0	3.3	1.8	0.8	24.7	0.9	5.73	4.47
205, BQ	103	0.0	1.8	0.6	1.7	26.0	1.6	5.89	4.37	191	0.0	1.9	4.7	2.0	25.5	1.3	5.91	4.39
5655, SV	18	0.0	1.9	1.1	0.9	0.0	1.8	5.91	4.50	186	0.0	1.5	0.5	0.2	26.0	1.1	5.45	4.45
MIX	8	0.0	1.9	1.6	0.4	23.8	2.6	5.60	4.51	173	0.0	2.8	1.0	0.2	23.5	1.1	5.39	4.44
5235, HM	25	0.0	2.7	0.8	0.3	25.8	1.1	5.41	4.43	162	0.0	2.3	0.7	0.2	24.0	1.5	5.64	4.46
0811, BOS	65	0.0	2.2	0.7	0.3	22.8	1.1	5.72	4.49	146	0.0	1.6	0.7	0.4	22.9	0.9	5.53	4.45
206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	1.5	0.4	0.1	26.3	2.1	5.77	4.38
2828, SVTM	1	0.0	0.5	0.5	0.5	0.0	0.5	5.50	4.47	142	0.0	0.9	0.7	0.2	25.5	1.6	5.39	4.47
1082, SVTM	24	0.0	3.6	4.0	2.6	25.7	1.9	5.11	4.43	128	0.0	1.3	1.6	0.7	26.0	1.1	5.48	4.39
6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.6	2.0	0.0	26.2	0.2	5.41	4.38
5508, HZ	123	0.0	1.2	1.9	0.3	23.9	1.3	5.36	4.49	123	0.0	1.2	1.9	0.3	23.9	1.3	5.36	4.49
9780, HEINZ	114	0.0	0.6	1.3	0.4	23.6	1.1	5.81	4.39	114	0.0	0.6	1.3	0.4	23.6	1.1	5.81	4.39
5701, HZ	19	0.0	2.7	8.7	1.9	29.6	0.8	4.78	4.41	100	0.0	1.1	8.3	1.7	25.3	0.6	5.25	4.37
282, CXD	14	0.0	2.2	0.4	0.1	0.0	0.4	5.15	4.48	89	0.0	1.8	0.8	0.1	24.3	0.6	5.24	4.38
16112, UG	47	0.0	0.2	1.0	0.1	24.6	0.1	5.36	4.46	81	0.0	0.3	0.8	0.1	23.8	0.3	5.46	4.44
19306, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	1.9	1.1	0.3	23.5	1.4	5.19	4.44
MISC TRIAL	69	0.0	3.3	0.7	0.3	24.2	3.4	5.63	4.60	76	0.0	3.1	0.8	0.3	24.3	3.1	5.63	4.59
1421, HZ	34	0.0	2.4	1.9	0.3	24.1	4.8	5.16	4.47	64	0.0	3.2	1.1	0.4	24.2	3.9	5.04	4.49
6434, N	41	0.0	5.0	2.2	0.5	26.1	1.8	4.80	4.57	59	0.0	4.0	1.9	0.3	26.5	1.6	4.82	4.56
7791, SVTM	31	0.0	6.8	0.7	0.3	25.0	1.9	5.96	4.57	57	0.0	4.9	0.6	0.3	24.2	1.6	5.85	4.58
1311, HZ	1	0.0	3.0	0.5	0.5	24.0	2.0	5.20	4.40	55	0.0	1.6	0.7	0.5	23.9	1.7	5.70	4.47
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	0.3	0.4	26.0	3.8	5.23	4.30
1659, HZ	3	0.0	3.5	0.5	0.7	26.3	2.2	5.93	4.54	54	0.0	2.7	1.9	1.1	26.0	3.4	5.03	4.52
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	1.2	4.0	1.7	26.0	1.8	4.81	4.42
22693, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	3.6	1.0	1.1	23.4	1.0	5.14	4.60
HEINZ TRIAL	19	0.0	4.4	1.8	0.3	25.3	2.2	5.03	4.56	38	0.0	3.2	1.5	0.3	25.0	2.0	5.33	4.54
108, HYPEEL	1	0.0	2.5	2.0	0.5	22.0	2.0	4.90	4.37	33	0.0	0.9	1.6	0.6	24.6	2.7	5.39	4.56
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	0.8	0.2	26.4	0.8	5.52	4.35
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.8	0.8	0.5	27.0	2.2	5.03	4.49
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	1.6	0.6	0.2	24.5	1.2	5.58	4.50

2017 Processing Tomato Season
PTAB Analysis (9/9/17) - Statewide by Variety



Variety Name	Week Ending 9/9/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
849, HYPEEL	12	0.0	3.5	1.3	0.3	28.2	1.0	5.15	4.49	14	0.0	3.5	1.6	0.4	28.2	0.9	5.09	4.49
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.4	0.6	24.6	1.8	5.55	4.57
2349, BOS	6	0.0	4.1	2.3	0.0	24.8	3.7	5.15	4.53	10	0.0	4.5	1.9	0.6	24.4	2.8	5.16	4.51
1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	3.9	0.8	0.6	25.2	0.9	5.01	4.58
29, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.2	1.0	0.1	23.0	1.0	4.50	4.57
61P4326	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	3.1	3.3	0.5	28.0	1.2	5.38	4.38
8892, HEINZ	1	0.0	1.0	0.5	0.5	24.0	0.5	5.80	4.64	5	0.0	1.2	0.9	0.1	24.8	1.0	5.78	4.54
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.9	0.1	0.0	23.7	0.5	4.80	4.51
1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	3.0	1.0	26.7	0.3	4.93	4.39
3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	7.3	0.0	0.0	24.7	0.5	5.03	4.58
20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	0.0	0.0	25.5	5.0	5.50	4.49
26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.8	3.0	1.0	25.0	1.5	4.40	4.67
329, BQ	1	0.0	7.0	2.5	0.5	26.0	12.5	6.10	4.42	2	0.0	3.5	1.8	0.5	24.0	6.8	6.15	4.50
3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.0	0.3	27.0	2.0	5.30	4.41
000, MISC	1	0.0	3.0	0.5	0.0	0.0	1.0	4.70	4.52	1	0.0	3.0	0.5	0.0	0.0	1.0	4.70	4.52
2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29
35, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	1.0	1.0	0.0	0.5	5.70	4.48
228, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.5	0.0	0.0	24.0	5.0	5.60	4.51
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	24.0	0.5	5.90	4.36
1100, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	24.0	1.5	5.70	4.37
1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	0.0	4.40	4.46
2693, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52
5897, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.53
6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	23.0	1.5	7.80	4.45
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	1.5	22.0	0.0	6.50	4.51
10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	1.0	27.0	0.5	5.60	4.48
STATEWIDE	34,524	0.0	2.6	2.3	0.8	25.4	1.7	5.25	4.50	300,017	0.0	1.7	1.7	0.6	24.8	1.5	5.30	4.46