

2018 Processing Tomato Season
 PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18										Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
COLUSA	273, BQ	665	0.0	1.2	2.1	0.9	21.3	1.3	4.84	4.37	2,978	0.0	0.8	1.7	0.7	21.8	1.2	5.11	4.37	
COLUSA	1015, HEINZ	190	0.0	0.6	1.0	0.7	21.5	0.8	4.58	4.44	2,180	0.0	0.2	1.0	0.7	21.6	1.1	4.91	4.48	
COLUSA	13, BP	115	0.0	1.0	5.2	5.5	22.5	1.3	4.18	4.49	1,957	0.0	0.2	1.9	0.8	22.4	1.7	4.62	4.44	
COLUSA	6428, N	855	0.0	0.9	3.5	1.0	23.7	1.4	4.40	4.52	880	0.0	0.9	3.5	1.0	23.7	1.3	4.40	4.52	
COLUSA	6416, N	60	0.0	2.2	3.7	4.3	22.1	1.5	5.49	4.34	655	0.0	0.6	1.6	1.1	21.8	1.6	4.77	4.38	
COLUSA	5608, HZ	353	0.0	0.9	1.3	1.4	21.6	1.4	4.68	4.45	595	0.0	0.6	1.2	1.2	23.0	1.8	4.49	4.47	
COLUSA	400, BQ	376	0.0	0.3	0.8	0.4	20.8	1.4	4.94	4.53	456	0.0	0.3	0.7	0.5	20.6	1.4	4.97	4.52	
COLUSA	2493, SV	182	0.0	2.6	0.9	0.2	22.9	2.3	4.49	4.56	269	0.0	2.2	1.4	0.5	23.6	2.8	4.45	4.55	
COLUSA	4885, HMX	263	0.0	1.6	2.6	0.6	23.3	0.7	4.18	4.36	263	0.0	1.6	2.6	0.6	23.3	0.7	4.18	4.36	
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	257	0.0	0.6	0.6	0.2	23.4	1.7	4.60	4.51	
COLUSA	403, BQ	169	0.0	0.3	0.5	2.4	22.9	4.2	4.83	4.45	230	0.0	0.2	1.0	2.3	23.1	3.6	4.77	4.43	
COLUSA	141, BQ	195	0.0	2.3	6.0	1.0	22.4	2.7	4.30	4.52	195	0.0	2.3	6.0	1.0	22.4	2.7	4.30	4.52	
COLUSA	1293, HZ	43	0.0	0.8	0.5	0.2	20.3	0.4	5.02	4.46	103	0.0	0.6	0.5	0.2	20.5	0.3	5.01	4.44	
COLUSA	6426, N	86	0.0	0.3	0.7	1.8	21.7	1.2	4.45	4.42	100	0.0	0.3	0.7	1.7	21.8	1.2	4.46	4.42	
COLUSA	1310, HZ	92	0.0	0.6	1.5	1.6	22.9	1.7	4.47	4.52	92	0.0	0.6	1.5	1.6	22.9	1.7	4.47	4.52	
COLUSA	4707, HEINZ	86	0.0	0.9	1.4	2.5	26.9	4.0	5.18	4.44	86	0.0	0.9	1.4	2.5	26.9	4.0	5.18	4.44	
COLUSA	0311, AB	28	0.0	1.5	0.2	0.1	20.1	0.7	5.35	4.35	66	0.0	1.2	0.2	0.3	19.9	0.6	5.34	4.32	
COLUSA	6397, N	38	0.0	1.1	0.2	0.3	19.5	0.4	5.94	4.39	63	0.0	1.0	0.2	0.3	19.7	0.5	5.95	4.38	
COLUSA	413, BQ	14	0.0	3.4	4.8	1.1	22.1	1.5	4.39	4.60	37	0.0	1.5	3.2	1.5	21.5	1.1	4.80	4.52	
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.2	3.0	1.0	21.1	0.6	5.18	4.44	
COLUSA	8504, HEINZ	23	0.0	0.6	3.6	1.1	23.1	1.4	4.82	4.26	23	0.0	0.6	3.6	1.1	23.1	1.4	4.82	4.26	
COLUSA	5708, HZ	17	0.0	0.5	3.1	2.5	21.3	0.6	4.66	4.33	17	0.0	0.5	3.1	2.5	21.3	0.6	4.66	4.33	
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.1	0.3	19.9	0.9	5.23	4.47	
COLUSA	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	0.0	21.0	1.0	5.30	4.45	
COLUSA	2930, K	1	0.0	1.0	0.0	0.0	20.0	0.0	5.00	4.45	1	0.0	1.0	0.0	0.0	20.0	0.0	5.00	4.45	
COLUSA		3,851	0.0	1.1	2.3	1.2	22.3	1.6	4.63	4.46	11,532	0.0	0.6	1.7	0.8	22.2	1.5	4.80	4.44	
CONTRA COSTA	6366, SUN	474	0.0	0.4	0.3	0.1	20.4	1.0	5.27	4.40	1,094	0.0	0.2	0.3	0.1	21.1	1.3	5.27	4.37	
CONTRA COSTA	6402, N	307	0.0	0.3	0.5	0.1	21.0	0.8	5.48	4.40	559	0.0	0.2	0.5	0.1	20.8	0.9	5.56	4.40	
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	307	0.0	0.2	0.9	0.2	22.3	3.2	5.18	4.24	
CONTRA COSTA	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	0.1	0.6	0.1	21.5	1.9	4.78	4.35	
CONTRA COSTA	403, BQ	132	0.0	0.1	0.6	0.2	20.5	1.7	5.46	4.30	132	0.0	0.1	0.6	0.2	20.5	1.7	5.46	4.30	
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.1	0.2	0.0	22.2	3.3	4.92	4.32	
CONTRA COSTA	1293, HZ	11	0.0	0.0	0.2	0.0	20.6	0.7	5.23	4.50	11	0.0	0.0	0.2	0.0	20.6	0.7	5.23	4.50	
CONTRA COSTA		924	0.0	0.3	0.4	0.1	20.6	1.0	5.37	4.39	2,383	0.0	0.2	0.5	0.1	21.2	1.6	5.28	4.35	
FRESNO	273, BQ	3,758	0.0	0.7	1.8	0.8	21.0	1.8	5.11	4.39	18,846	0.0	0.3	1.2	0.6	21.1	1.4	5.28	4.38	
FRESNO	0311, AB	4,819	0.0	1.8	0.7	0.6	20.5	1.9	5.73	4.43	12,301	0.0	1.4	0.7	0.6	20.6	2.0	5.72	4.43	
FRESNO	6366, SUN	70	0.0	0.3	0.4	0.2	20.6	2.8	5.43	4.49	5,997	0.0	0.3	0.7	0.4	20.9	2.8	5.30	4.44	
FRESNO	8011, SV	2,103	0.0	1.3	0.7	0.6	20.7	1.0	5.18	4.42	5,285	0.0	0.8	0.7	0.6	20.6	1.0	5.40	4.44	
FRESNO	6416, N	4	0.0	0.6	0.4	1.3	20.5	2.0	4.90	4.52	4,820	0.0	0.2	0.8	0.4	21.4	1.8	4.75	4.36	

2018 Processing Tomato Season
 PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18										Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
FRESNO	400, BQ	456	0.0	0.8	1.1	1.4	20.2	1.7	5.00	4.54	4,255	0.0	0.3	1.1	0.9	20.6	1.3	5.07	4.50	
FRESNO	403, BQ	13	0.0	0.5	1.1	0.2	20.7	3.8	5.15	4.37	3,227	0.0	0.1	0.9	0.5	21.3	1.8	5.26	4.34	
FRESNO	1293, HZ	265	0.0	2.3	0.8	0.6	20.4	1.2	5.35	4.52	2,093	0.0	0.8	0.8	0.6	20.6	1.2	5.49	4.54	
FRESNO	6415, N	1,045	0.0	1.1	0.9	0.4	21.5	1.2	4.80	4.45	2,078	0.0	0.8	1.3	0.4	21.7	1.2	4.86	4.46	
FRESNO	2756, SV	631	0.0	0.9	3.1	1.1	22.4	0.4	4.57	4.50	1,844	0.0	0.5	1.6	0.6	22.0	0.7	4.82	4.48	
FRESNO	5608, HZ	331	0.0	1.1	0.9	0.5	20.9	2.0	4.71	4.43	1,837	0.0	0.7	0.9	0.4	20.7	1.1	5.01	4.44	
FRESNO	3887, HM	790	0.0	0.9	0.9	0.3	20.5	1.3	5.71	4.46	1,787	0.0	0.6	1.3	0.3	21.0	1.7	5.50	4.45	
FRESNO	6402, N	341	0.0	0.9	0.3	0.3	20.3	1.5	5.34	4.43	1,686	0.0	0.4	0.4	0.3	20.4	1.8	5.35	4.45	
FRESNO	1892, HMX	770	0.0	0.3	0.6	1.1	20.5	1.6	5.38	4.48	1,655	0.0	0.3	0.9	1.2	20.5	1.4	5.51	4.49	
FRESNO	0319, DRI	544	0.0	0.9	0.7	0.3	21.8	2.8	5.97	4.45	1,492	0.0	0.7	0.5	0.4	21.8	2.8	5.94	4.45	
FRESNO	1428, HZ	1,029	0.0	0.3	1.5	1.1	21.5	0.7	4.82	4.51	1,298	0.0	0.6	1.7	1.0	21.4	0.6	4.80	4.49	
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,039	0.0	0.4	0.7	0.6	20.6	2.3	5.52	4.53	
FRESNO	16609, UG	151	0.0	0.9	0.5	0.2	20.5	1.1	5.19	4.35	986	0.0	0.4	0.5	0.2	20.7	1.7	5.44	4.37	
FRESNO	4909, HMX	795	0.0	1.3	0.3	0.3	21.2	0.5	5.28	4.26	972	0.0	1.2	0.3	0.3	21.2	0.6	5.37	4.26	
FRESNO	6420, N	542	0.0	0.6	0.3	0.3	21.1	1.5	5.18	4.53	846	0.0	0.5	0.3	0.3	21.3	1.5	5.16	4.53	
FRESNO	9663, HEINZ	453	0.0	1.6	1.8	0.5	20.1	1.6	4.88	4.45	733	0.0	3.3	1.7	0.5	20.2	1.5	4.78	4.44	
FRESNO	2401, HEINZ	491	0.0	1.9	1.1	0.8	21.8	1.0	5.03	4.40	566	0.0	1.7	1.3	0.7	21.8	1.0	5.11	4.39	
FRESNO	6428, N	260	0.0	0.5	0.9	0.1	23.2	1.6	4.72	4.44	563	0.0	0.3	1.1	0.5	22.5	1.4	4.97	4.46	
FRESNO	1082, SVTM	513	0.0	0.7	1.2	0.7	21.4	2.0	5.33	4.36	513	0.0	0.7	1.2	0.7	21.4	2.0	5.33	4.36	
FRESNO	19406, UG	36	0.0	0.2	0.1	0.1	20.4	0.6	5.81	4.41	444	0.0	0.2	0.3	0.2	20.7	0.9	5.77	4.38	
FRESNO	108, HYPEEL	130	0.0	0.9	0.4	0.1	22.1	2.5	5.00	4.56	368	0.0	0.8	0.7	0.9	22.1	3.8	4.95	4.61	
FRESNO	7885, HMX	214	0.0	0.5	0.6	0.1	21.4	0.3	4.65	4.53	298	0.0	0.4	0.6	0.1	21.5	0.3	4.62	4.53	
FRESNO	6426, N	254	0.0	0.7	0.4	0.3	20.2	2.0	5.22	4.55	276	0.0	0.7	0.5	0.3	20.2	2.0	5.22	4.55	
FRESNO	9491, HEINZ	45	0.0	0.5	1.9	0.3	21.4	2.8	5.15	4.46	269	0.0	0.2	1.8	0.4	21.4	2.3	5.02	4.37	
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	264	0.0	0.3	1.1	0.2	20.8	3.1	5.31	4.50	
FRESNO	4885, HMX	182	0.0	0.6	0.4	0.3	20.6	0.4	5.03	4.37	263	0.0	0.5	0.3	0.3	20.9	0.7	5.05	4.38	
FRESNO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	253	0.0	0.2	0.6	0.3	21.3	0.8	5.15	4.43	
FRESNO	6133, SV	124	0.0	1.4	0.2	0.2	20.9	1.4	5.56	4.54	189	0.0	1.3	0.2	0.2	20.9	1.2	5.54	4.53	
FRESNO	6434, N	80	0.0	0.6	0.8	0.1	22.5	2.0	4.95	4.45	172	0.0	0.6	1.0	0.1	22.9	2.1	5.03	4.46	
FRESNO	4707, HEINZ	161	0.0	0.2	1.7	0.5	25.2	1.0	4.83	4.44	165	0.0	0.2	1.7	0.5	25.1	1.0	4.83	4.44	
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	0.1	0.4	0.5	20.3	0.9	5.73	4.37	
FRESNO	9000, SVTM	4	0.0	0.1	0.1	1.8	22.4	2.4	4.48	4.56	119	0.0	0.2	0.3	0.3	21.1	1.1	4.99	4.46	
FRESNO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.1	0.3	0.2	20.2	1.1	4.89	4.40	
FRESNO	0811, BOS	82	0.0	0.4	0.3	0.1	19.7	0.6	5.15	4.35	84	0.0	0.4	0.3	0.1	19.7	0.6	5.14	4.35	
FRESNO	5702, HZ	76	0.0	2.8	2.5	0.5	22.1	1.0	4.46	4.49	76	0.0	2.8	2.5	0.5	22.1	1.0	4.46	4.49	
FRESNO	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.0	0.2	1.2	0.3	24.1	3.7	5.71	4.54	
FRESNO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.6	0.8	0.8	24.1	3.2	5.04	4.54	
FRESNO	9436, UG	32	0.0	0.9	2.3	0.3	21.4	1.9	4.79	4.49	40	0.0	0.7	2.4	0.3	21.9	2.3	4.92	4.51	
FRESNO	UNCODED	39	0.0	1.1	0.5	0.3	20.9	1.1	4.62	4.40	39	0.0	1.1	0.5	0.3	20.9	1.1	4.62	4.40	

2018 Processing Tomato Season
 PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	58841, HM	39	0.0	2.2	0.5	0.4	20.9	0.5	5.02	4.44	39	0.0	2.2	0.5	0.4	20.9	0.5	5.02	4.44
FRESNO	15212, UG	7	0.0	0.8	0.1	0.4	22.2	1.1	4.44	4.46	29	0.0	0.8	0.6	0.5	22.4	1.2	4.34	4.37
FRESNO	16112, UG	28	0.0	0.6	0.2	0.0	20.5	0.4	5.05	4.37	28	0.0	0.6	0.2	0.0	20.5	0.4	5.05	4.37
FRESNO	MIX	7	0.0	2.1	0.4	0.1	21.5	1.7	5.34	4.46	19	0.0	0.8	0.2	0.3	21.1	1.6	5.47	4.46
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.4	0.2	0.1	20.8	2.1	5.08	4.35
FRESNO	8504, HEINZ	16	0.0	0.7	0.2	0.3	22.4	0.2	5.05	4.41	17	0.0	0.6	0.3	0.2	22.4	0.2	5.06	4.40
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.2	0.5	0.3	20.8	1.3	5.59	4.50
FRESNO	HEINZ TRIAL	5	0.0	0.0	0.2	1.2	20.9	1.9	4.76	4.58	10	0.0	0.2	0.4	0.7	20.7	1.5	4.95	4.55
FRESNO	1765, HZ	5	0.0	0.4	0.8	0.1	21.3	3.3	4.90	4.42	9	0.0	0.2	0.9	0.2	21.2	3.3	5.12	4.42
FRESNO	13, BP	8	0.0	1.0	1.6	0.8	20.3	4.3	4.43	4.38	8	0.0	1.0	1.6	0.8	20.3	4.3	4.43	4.38
FRESNO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.9	0.6	0.5	22.0	1.2	4.86	4.56
FRESNO	1776, HZ	7	0.0	0.5	0.3	0.3	20.9	0.6	4.90	4.33	7	0.0	0.5	0.3	0.3	20.9	0.6	4.90	4.33
FRESNO	1311, HZ	3	0.0	0.8	0.3	0.2	19.8	0.3	5.60	4.37	5	0.0	0.8	0.4	0.4	20.3	0.6	5.74	4.36
FRESNO	398, BQ	4	0.0	1.1	2.4	0.1	20.3	0.9	5.10	4.37	4	0.0	1.1	2.4	0.1	20.3	0.9	5.10	4.37
FRESNO	9003, SVTM	4	0.0	0.0	2.3	0.3	21.5	0.1	5.45	4.25	4	0.0	0.0	2.3	0.3	21.5	0.1	5.45	4.25
FRESNO	43, BP	3	0.0	3.3	2.8	1.2	20.8	1.2	5.27	4.45	3	0.0	3.3	2.8	1.2	20.8	1.2	5.27	4.45
FRESNO	5522, HMX 61P	3	0.0	0.2	0.3	0.5	19.7	0.2	5.37	4.29	3	0.0	0.2	0.3	0.5	19.7	0.2	5.37	4.29
FRESNO	6441, N	3	0.0	0.5	1.5	0.0	20.3	0.5	4.80	4.42	3	0.0	0.5	1.5	0.0	20.3	0.5	4.80	4.42
FRESNO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	5.5	0.5	21.3	0.3	5.25	4.45
FRESNO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.0	0.3	19.5	0.8	5.85	4.29
FRESNO	42, BP	2	0.0	2.3	1.5	0.3	20.5	1.5	5.00	4.47	2	0.0	2.3	1.5	0.3	20.5	1.5	5.00	4.47
FRESNO	17, P	1	0.0	1.0	1.0	1.0	20.0	0.5	5.30	4.53	1	0.0	1.0	1.0	1.0	20.0	0.5	5.30	4.53
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	1.5	19.5	3.0	5.70	4.40
FRESNO	270, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	5.50	4.29
FRESNO	329, BQ	1	0.0	0.5	1.0	0.0	19.5	0.5	5.20	4.54	1	0.0	0.5	1.0	0.0	19.5	0.5	5.20	4.54
FRESNO	1886, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	21.0	0.5	6.30	4.31
FRESNO	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	20.5	1.5	6.50	4.41
FRESNO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	20.5	2.0	5.60	4.52
FRESNO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	20.5	0.5	5.90	4.30
FRESNO		21,779	0.0	1.1	1.0	0.6	21.0	1.5	5.26	4.43	80,650	0.0	0.6	0.9	0.5	21.0	1.6	5.30	4.42
GLENN	6416, N	121	0.0	2.0	3.8	1.5	21.8	1.0	5.19	4.38	121	0.0	2.0	3.8	1.5	21.8	1.0	5.19	4.38
GLENN		121	0.0	2.0	3.8	1.5	21.8	1.0	5.19	4.38	121	0.0	2.0	3.8	1.5	21.8	1.0	5.19	4.38
KERN	273, BQ	321	0.0	0.9	1.0	0.3	21.2	1.5	5.19	4.40	3,628	0.0	0.7	1.1	0.4	21.4	1.7	5.05	4.37
KERN	5608, HZ	390	0.0	1.2	1.0	0.2	20.2	1.1	4.93	4.44	3,305	0.0	0.5	0.7	0.3	21.0	1.3	4.90	4.47
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,329	0.0	0.4	0.8	0.5	20.9	1.5	5.08	4.44
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	0.5	1.2	1.1	20.7	1.1	5.17	4.50
KERN	8011, SV	207	0.0	3.7	0.1	0.6	20.4	1.7	4.98	4.42	703	0.0	2.4	0.3	0.5	20.8	1.7	4.99	4.44
KERN	4909, HMX	36	0.0	2.1	0.1	0.1	22.6	1.8	4.91	4.39	674	0.0	1.7	0.2	0.4	22.1	1.7	5.00	4.33
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	509	0.0	0.9	2.6	0.8	21.2	1.3	4.65	4.36

2018 Processing Tomato Season
 PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	3887, HM	2	0.0	0.3	0.3	0.0	21.8	2.5	5.65	4.63	497	0.0	0.8	0.8	0.4	21.8	1.0	5.17	4.45
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	352	0.0	0.6	2.7	0.5	20.7	2.5	4.63	4.40
KERN	1170, HEINZ	201	0.0	0.7	0.9	0.1	21.5	0.8	4.88	4.41	235	0.0	0.7	1.0	0.1	21.6	0.8	4.86	4.40
KERN	6428, N	98	0.0	0.8	2.8	0.1	21.0	0.5	5.03	4.44	198	0.0	0.5	2.4	0.1	21.6	0.8	5.10	4.43
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.4	1.5	0.4	21.3	1.9	4.93	4.36
KERN	1428, HZ	57	0.0	1.1	0.1	0.2	21.7	0.5	4.44	4.47	158	0.0	0.5	0.2	0.3	22.4	0.9	4.44	4.51
KERN	2401, HEINZ	34	0.0	2.9	0.3	0.3	22.1	0.3	4.07	4.28	154	0.0	1.5	0.8	0.6	23.0	0.5	4.12	4.31
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	0.4	1.5	0.1	22.5	2.5	4.83	4.46
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	0.1	1.1	0.3	24.0	1.0	4.46	4.41
KERN	8504, HEINZ	39	0.0	3.2	0.3	0.2	24.0	1.0	4.83	4.43	48	0.0	3.0	0.3	0.3	24.0	1.0	4.79	4.42
KERN	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.6	0.7	0.3	21.2	1.8	4.61	4.54
KERN	9007, SVTM	29	0.0	0.6	0.9	0.1	21.2	0.8	5.14	4.44	29	0.0	0.6	0.9	0.1	21.2	0.8	5.14	4.44
KERN	58811, HM	27	0.0	1.3	1.5	0.3	21.0	0.8	5.62	4.43	27	0.0	1.3	1.5	0.3	21.0	0.8	5.62	4.43
KERN	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.9	1.0	0.1	22.3	3.2	4.65	4.48
KERN	6402, N	1	0.0	2.5	0.0	0.0	22.5	0.0	4.00	4.35	1	0.0	2.5	0.0	0.0	22.5	0.0	4.00	4.35
KERN		1,442	0.0	1.5	0.9	0.2	21.0	1.2	4.97	4.42	13,339	0.0	0.8	1.0	0.5	21.3	1.5	4.97	4.42
KINGS	273, BQ	302	0.0	0.4	1.1	0.5	21.9	2.6	5.27	4.49	9,221	0.0	0.2	1.7	0.5	21.8	1.4	5.14	4.37
KINGS	5608, HZ	401	0.0	1.6	2.1	0.4	20.0	1.1	5.47	4.43	3,904	0.0	0.5	1.8	0.4	20.5	0.8	5.01	4.40
KINGS	3887, HM	1,842	0.0	0.7	0.5	0.4	21.6	1.9	5.59	4.54	3,489	0.0	0.6	0.8	0.3	21.5	1.8	5.52	4.51
KINGS	4885, HMX	337	0.0	1.0	0.8	0.3	20.9	1.5	5.37	4.37	1,894	0.0	0.6	0.8	0.3	21.2	1.0	5.19	4.35
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,576	0.0	0.2	2.4	0.3	21.6	2.0	4.45	4.35
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,549	0.0	0.2	1.8	0.7	21.1	1.8	4.83	4.52
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	995	0.0	0.7	1.3	0.5	21.5	2.2	4.91	4.42
KINGS	6402, N	169	0.0	6.6	0.7	0.1	20.9	0.6	4.80	4.47	978	0.0	1.7	0.6	0.3	21.4	2.1	5.40	4.53
KINGS	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	967	0.0	0.7	0.7	0.2	22.1	1.4	4.57	4.45
KINGS	6428, N	191	0.0	1.5	0.9	0.2	25.2	1.6	4.33	4.53	584	0.0	1.1	0.9	0.3	24.2	1.6	4.58	4.53
KINGS	0311, AB	151	0.0	2.3	0.4	0.4	20.6	2.2	5.79	4.50	452	0.0	1.4	0.6	0.3	21.5	2.9	5.52	4.50
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	442	0.0	0.1	1.0	0.4	22.0	2.6	4.80	4.33
KINGS	8011, SV	44	0.0	0.9	0.1	0.0	22.1	2.5	5.55	4.52	401	0.0	0.9	0.4	0.2	20.8	1.8	5.59	4.42
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	344	0.0	0.5	1.3	0.5	20.6	0.8	4.91	4.43
KINGS	1428, HZ	203	0.0	0.4	0.9	0.3	21.9	1.7	5.02	4.52	316	0.0	0.3	1.1	0.3	21.7	1.4	5.02	4.50
KINGS	9663, HEINZ	61	0.0	3.7	1.1	0.3	19.7	2.9	4.53	4.44	294	0.0	1.8	1.1	0.4	19.7	2.9	5.21	4.50
KINGS	58801, HM	33	0.0	0.3	0.2	0.5	21.9	2.0	5.88	4.54	292	0.0	0.7	0.7	0.2	22.2	1.9	5.21	4.51
KINGS	2756, SV	277	0.0	0.2	1.2	0.3	21.2	1.1	5.46	4.46	277	0.0	0.2	1.2	0.3	21.2	1.1	5.46	4.46
KINGS	8504, HEINZ	148	0.0	0.4	0.4	0.3	22.8	1.8	5.24	4.43	205	0.0	0.3	0.4	0.3	23.0	2.2	5.21	4.46
KINGS	4707, HEINZ	201	0.0	0.2	1.9	0.4	23.1	0.1	4.43	4.43	201	0.0	0.2	1.9	0.4	23.1	0.1	4.43	4.43
KINGS	4909, HMX	46	0.0	1.0	0.3	0.3	20.5	1.0	6.05	4.23	192	0.0	0.5	0.9	0.2	21.3	1.0	5.90	4.24
KINGS	5235, HM	21	0.0	0.2	0.5	0.8	20.6	1.8	6.06	4.57	183	0.0	0.7	0.7	0.4	21.2	1.9	4.83	4.50
KINGS	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	0.2	0.3	0.2	22.4	2.4	5.13	4.53

2018 Processing Tomato Season
PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	UNCODED	11	0.0	0.4	0.4	0.1	21.5	0.6	5.43	4.48	120	0.0	0.2	1.5	0.2	21.8	1.2	5.27	4.42
KINGS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	0.1	0.2	0.3	21.4	5.3	4.83	4.51
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	2.9	2.7	0.7	23.6	2.9	3.77	4.39
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.9	0.9	0.3	22.0	4.0	4.84	4.64
KINGS	5655, SV	60	0.0	2.7	0.6	0.1	20.5	0.7	5.33	4.41	62	0.0	2.6	0.6	0.1	20.5	0.7	5.34	4.41
KINGS	1662, HZ	61	0.0	0.5	0.1	0.4	22.8	2.2	5.07	4.54	61	0.0	0.5	0.1	0.4	22.8	2.2	5.07	4.54
KINGS	6420, N	1	0.0	3.0	0.0	1.0	20.5	1.0	4.50	4.56	58	0.0	0.9	1.0	0.3	23.4	2.2	4.30	4.55
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	0.0	1.0	0.1	21.7	2.0	4.76	4.50
KINGS	1292, HZ	28	0.0	0.6	0.9	0.7	22.1	10.7	4.99	4.68	37	0.0	0.6	0.9	0.6	22.0	9.9	4.99	4.67
KINGS	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.5	0.4	0.1	22.6	4.5	4.87	4.62
KINGS	4521, HMX 61P	9	0.0	0.1	0.1	0.3	22.3	0.7	5.57	4.45	9	0.0	0.1	0.1	0.3	22.3	0.7	5.57	4.45
KINGS	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	6.10	4.28
KINGS	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	21.5	0.5	4.50	4.45
KINGS		4,597	0.0	1.1	0.9	0.3	21.6	1.7	5.35	4.49	29,639	0.0	0.5	1.4	0.4	21.5	1.5	5.09	4.42
MADERA	0311, AB	78	0.0	0.7	0.8	0.3	22.2	3.6	5.44	4.45	137	0.0	0.9	0.7	0.3	22.1	3.7	5.45	4.44
MADERA	4909, HMX	117	0.0	0.9	0.4	0.2	22.7	1.5	5.84	4.26	117	0.0	0.9	0.4	0.2	22.7	1.5	5.84	4.26
MADERA	58811, HM	29	0.0	0.2	0.1	0.2	22.0	0.6	5.10	4.35	29	0.0	0.2	0.1	0.2	22.0	0.6	5.10	4.35
MADERA	58841, HM	23	0.0	0.6	0.5	0.3	22.1	1.1	5.81	4.38	23	0.0	0.6	0.5	0.3	22.1	1.1	5.81	4.38
MADERA	8011, SV	5	0.0	0.3	1.1	0.2	22.1	3.5	5.46	4.45	5	0.0	0.3	1.1	0.2	22.1	3.5	5.46	4.45
MADERA		252	0.0	0.7	0.5	0.2	22.4	2.0	5.62	4.34	311	0.0	0.8	0.5	0.2	22.3	2.4	5.59	4.36
MERCED	1892, HMX	206	0.0	0.3	2.4	2.2	20.6	1.5	5.42	4.48	206	0.0	0.3	2.4	2.2	20.6	1.5	5.42	4.48
MERCED	0311, AB	8	0.0	1.4	0.4	2.8	21.9	5.4	5.93	4.52	171	0.0	0.9	1.1	0.4	22.5	3.1	5.55	4.46
MERCED	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.4	2.3	0.6	24.6	4.4	4.87	4.55
MERCED	6366, SUN	70	0.0	0.3	2.1	2.3	19.9	1.7	5.43	4.41	92	0.0	0.3	2.0	2.3	20.1	1.7	5.44	4.42
MERCED	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.0	0.5	1.4	0.2	21.2	1.6	4.66	4.52
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.6	2.5	0.3	23.3	3.0	4.70	4.50
MERCED	0319, DRI	49	0.0	2.5	2.6	0.3	22.3	1.8	5.09	4.43	49	0.0	2.5	2.6	0.3	22.3	1.8	5.09	4.43
MERCED	1293, HZ	40	0.0	0.1	0.7	0.2	19.9	0.7	6.11	4.45	40	0.0	0.1	0.7	0.2	19.9	0.7	6.11	4.45
MERCED	6428, N	26	0.0	0.2	3.8	2.6	22.8	2.3	5.33	4.49	26	0.0	0.2	3.8	2.6	22.8	2.3	5.33	4.49
MERCED	413, BQ	9	0.0	1.1	0.6	0.2	21.8	1.7	4.52	4.61	9	0.0	1.1	0.6	0.2	21.8	1.7	4.52	4.61
MERCED	1428, HZ	7	0.0	0.4	2.8	2.6	21.3	0.3	4.43	4.37	7	0.0	0.4	2.8	2.6	21.3	0.3	4.43	4.37
MERCED		415	0.0	0.6	2.2	1.8	20.8	1.6	5.42	4.46	843	0.0	0.6	2.0	1.1	21.8	2.3	5.25	4.48
SACRAMENTO	0319, DRI	43	0.0	0.6	1.5	0.8	21.8	1.3	6.87	4.29	43	0.0	0.6	1.5	0.8	21.8	1.3	6.87	4.29
SACRAMENTO		43	0.0	0.6	1.5	0.8	21.8	1.3	6.87	4.29	43	0.0	0.6	1.5	0.8	21.8	1.3	6.87	4.29
SAN BENITO	5608, HZ	123	0.0	0.9	0.8	0.4	19.9	2.0	5.19	4.49	154	0.0	0.8	0.8	0.5	20.0	2.1	5.22	4.49
SAN BENITO	273, BQ	34	0.0	0.6	1.8	0.5	22.3	3.8	5.70	4.50	34	0.0	0.6	1.8	0.5	22.3	3.8	5.70	4.50
SAN BENITO		157	0.0	0.8	1.0	0.4	20.4	2.4	5.30	4.49	188	0.0	0.8	1.0	0.5	20.4	2.4	5.31	4.49
SAN JOAQUIN	6366, SUN	126	0.0	0.4	0.9	0.7	21.6	1.7	5.14	4.41	192	0.0	0.3	0.9	0.6	21.5	1.6	5.06	4.40
SAN JOAQUIN	108, HYPEEL	6	0.0	0.7	1.4	0.7	21.3	3.9	7.10	4.53	6	0.0	0.7	1.4	0.7	21.3	3.9	7.10	4.53

2018 Processing Tomato Season
 PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18										Year to Date							
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SAN JOAQUIN	3887, HM	2	0.0	0.8	3.0	1.0	20.3	1.3	5.60	4.32	2	0.0	0.8	3.0	1.0	20.3	1.3	5.60	4.32
SAN JOAQUIN		134	0.0	0.4	1.0	0.7	21.6	1.8	5.23	4.42	200	0.0	0.3	1.0	0.6	21.5	1.6	5.13	4.40
SOLANO	273, BQ	273	0.0	0.7	0.4	0.3	22.3	0.6	5.25	4.29	426	0.0	0.7	0.4	0.3	22.5	0.5	5.24	4.29
SOLANO	4909, HMX	247	0.0	1.4	1.1	0.7	22.8	0.6	5.42	4.22	247	0.0	1.4	1.1	0.7	22.8	0.6	5.42	4.22
SOLANO	58881, HM	57	0.0	0.4	0.3	0.4	21.0	0.8	4.90	4.41	180	0.0	0.3	0.4	0.5	21.0	1.1	4.95	4.41
SOLANO	5608, HZ	179	0.0	0.5	1.5	1.5	22.3	0.8	4.51	4.40	179	0.0	0.5	1.5	1.5	22.3	0.8	4.51	4.40
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.5	1.1	0.8	22.6	1.8	5.27	4.28
SOLANO	6397, N	93	0.0	0.4	0.1	0.1	22.2	2.3	4.90	4.45	173	0.0	0.4	0.2	0.1	22.4	1.6	4.96	4.45
SOLANO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.3	0.1	0.1	21.7	0.5	4.77	4.44
SOLANO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	0.2	0.7	0.2	23.4	0.7	5.27	4.34
SOLANO	1082, SVTM	63	0.0	0.6	0.3	0.1	22.2	0.5	5.02	4.27	63	0.0	0.6	0.3	0.1	22.2	0.5	5.02	4.27
SOLANO	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.8	0.9	0.3	22.2	0.7	5.60	4.26
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.3	0.7	0.1	21.8	0.4	5.08	4.44
SOLANO	6416, N	55	0.0	0.5	3.3	3.2	23.9	3.1	4.75	4.48	55	0.0	0.5	3.3	3.2	23.9	3.1	4.75	4.48
SOLANO	5234, IVF	42	0.0	1.1	2.1	0.8	21.8	1.3	5.52	4.29	42	0.0	1.1	2.1	0.8	21.8	1.3	5.52	4.29
SOLANO	0811, BOS	40	0.0	0.6	1.1	1.0	21.1	0.6	5.03	4.22	40	0.0	0.6	1.1	1.0	21.1	0.6	5.03	4.22
SOLANO	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.3	0.7	0.6	20.9	1.8	5.15	4.43
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.3	0.6	0.5	22.9	0.8	5.11	4.37
SOLANO	6436, N	17	0.0	1.8	0.8	0.5	22.1	0.6	5.13	4.36	17	0.0	1.8	0.8	0.5	22.1	0.6	5.13	4.36
SOLANO	19406, UG	5	0.0	1.1	1.3	0.2	22.7	0.4	5.56	4.20	5	0.0	1.1	1.3	0.2	22.7	0.4	5.56	4.20
SOLANO	8011, SV	2	0.3	0.8	0.8	1.3	20.3	1.5	5.15	4.22	2	0.3	0.8	0.8	1.3	20.3	1.5	5.15	4.22
SOLANO		1,073	0.0	0.8	0.9	0.8	22.4	0.9	5.08	4.32	1,921	0.0	0.6	0.8	0.6	22.3	0.9	5.11	4.33
STANISLAUS	273, BQ	66	0.0	1.2	0.9	0.2	21.5	1.0	5.98	4.35	159	0.0	0.8	0.6	0.2	21.1	0.8	5.75	4.31
STANISLAUS	403, BQ	62	0.0	0.7	0.8	0.2	21.0	2.4	5.12	4.41	99	0.0	0.6	0.6	0.2	20.7	2.3	5.21	4.40
STANISLAUS	3887, HM	19	0.0	1.2	0.0	0.0	20.1	0.7	4.97	4.31	72	0.0	2.8	0.8	0.1	21.5	2.0	5.13	4.37
STANISLAUS	400, BQ	27	0.0	0.2	0.3	0.2	20.6	1.2	4.95	4.51	69	0.0	0.2	0.9	0.2	20.3	1.2	5.19	4.44
STANISLAUS	6397, N	48	0.0	0.2	0.8	0.2	20.3	1.3	5.06	4.50	60	0.0	0.2	1.0	0.1	20.4	1.7	5.04	4.50
STANISLAUS	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.2	0.3	0.1	20.2	1.3	4.94	4.43
STANISLAUS	13, BP	42	0.0	0.8	1.1	0.1	20.7	2.0	4.64	4.42	42	0.0	0.8	1.1	0.1	20.7	2.0	4.64	4.42
STANISLAUS	6366, SUN	10	0.0	0.3	0.1	0.2	20.1	1.1	5.19	4.48	26	0.0	0.2	0.2	0.1	20.0	0.9	5.19	4.42
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.4	0.5	0.3	21.1	2.7	4.83	4.26
STANISLAUS	1082, SVTM	18	0.0	0.9	0.3	0.2	20.1	1.1	4.92	4.41	18	0.0	0.9	0.3	0.2	20.1	1.1	4.92	4.41
STANISLAUS	8011, SV	17	0.0	0.9	0.0	0.0	20.3	0.1	5.01	4.23	17	0.0	0.9	0.0	0.0	20.3	0.1	5.01	4.23
STANISLAUS	108, HYPEEL	9	0.0	0.2	0.1	0.6	21.7	3.0	5.69	4.63	9	0.0	0.2	0.1	0.6	21.7	3.0	5.69	4.63
STANISLAUS	5900, HM	8	0.0	0.7	0.8	0.2	20.3	1.0	6.73	4.25	8	0.0	0.7	0.8	0.2	20.3	1.0	6.73	4.25
STANISLAUS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	2.1	0.0	0.0	20.8	3.0	5.70	4.41
STANISLAUS	1293, HZ	5	0.0	0.2	0.3	1.0	20.6	4.0	5.62	4.63	5	0.0	0.2	0.3	1.0	20.6	4.0	5.62	4.63
STANISLAUS	2493, SV	4	0.0	1.0	0.0	0.0	21.8	4.3	5.38	4.41	4	0.0	1.0	0.0	0.0	21.8	4.3	5.38	4.41
STANISLAUS	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.0	0.0	21.0	1.5	5.70	4.30

2018 Processing Tomato Season
 PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
STANISLAUS		335	0.0	0.7	0.7	0.2	20.8	1.5	5.25	4.41	673	0.0	0.8	0.6	0.2	20.8	1.6	5.26	4.39
SUTTER	273, BQ	152	0.0	1.0	1.0	0.3	21.1	1.0	5.24	4.37	443	0.0	0.7	1.0	0.3	21.8	1.2	5.33	4.39
SUTTER	5608, HZ	357	0.0	0.9	1.9	0.7	21.7	1.5	4.94	4.45	387	0.0	0.9	1.8	0.7	21.7	1.4	4.96	4.45
SUTTER	1015, HEINZ	4	0.0	0.1	1.3	1.1	20.9	0.6	5.53	4.42	367	0.0	0.4	2.7	1.0	22.2	1.1	4.71	4.49
SUTTER	1422, HZ	277	0.0	0.5	1.6	1.0	23.1	2.0	4.71	4.46	345	0.0	0.5	2.0	1.0	22.8	1.7	4.76	4.43
SUTTER	400, BQ	27	0.0	0.9	1.3	0.8	20.5	0.9	5.26	4.50	198	0.0	0.8	1.5	0.6	21.1	1.1	5.34	4.52
SUTTER	5702, HZ	144	0.0	0.4	3.6	1.0	24.4	1.1	4.81	4.44	144	0.0	0.4	3.6	1.0	24.4	1.1	4.81	4.44
SUTTER	5235, HM	123	0.0	1.4	1.5	0.8	21.4	2.4	4.98	4.48	123	0.0	1.4	1.5	0.8	21.4	2.4	4.98	4.48
SUTTER	6428, N	60	0.0	0.6	4.1	0.7	23.7	0.8	4.40	4.50	99	0.0	0.5	3.8	0.6	23.0	0.7	4.65	4.43
SUTTER	5900, HM	51	0.0	0.9	0.1	0.1	21.4	1.5	5.60	4.26	98	0.0	0.7	0.2	0.2	21.7	1.5	5.69	4.26
SUTTER	4885, HMX	65	0.0	1.2	2.4	2.9	22.3	0.8	4.83	4.38	65	0.0	1.2	2.4	2.9	22.3	0.8	4.83	4.38
SUTTER	6416, N	12	0.0	2.3	2.3	1.6	22.0	3.5	4.64	4.38	12	0.0	2.3	2.3	1.6	22.0	3.5	4.64	4.38
SUTTER	8011, SV	6	0.0	0.9	3.1	8.7	20.8	1.1	5.53	4.43	6	0.0	0.9	3.1	8.7	20.8	1.1	5.53	4.43
SUTTER	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	19.5	1.0	5.20	4.39
SUTTER		1,278	0.0	0.8	1.9	0.9	22.3	1.5	4.92	4.44	2,288	0.0	0.7	1.9	0.8	22.2	1.3	5.00	4.44
YOLO	5608, HZ	1,172	0.0	0.3	0.7	0.8	21.5	0.5	4.36	4.36	1,924	0.0	0.3	0.9	1.1	21.8	0.4	4.34	4.36
YOLO	273, BQ	451	0.0	0.5	0.9	0.9	21.4	0.7	5.08	4.32	1,698	0.0	0.4	0.7	0.4	22.5	0.9	5.00	4.34
YOLO	0311, AB	951	0.0	1.0	0.3	0.1	20.3	0.7	5.32	4.28	1,246	0.0	0.9	0.3	0.2	20.5	0.7	5.33	4.28
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,004	0.0	0.3	0.7	0.3	22.8	2.7	5.02	4.31
YOLO	13, BP	48	0.0	0.6	2.7	1.0	21.9	1.0	4.05	4.43	969	0.0	0.2	1.9	0.9	22.7	1.6	4.40	4.43
YOLO	141, BQ	266	0.0	0.1	5.0	0.6	21.3	1.8	4.74	4.42	452	0.0	0.3	3.2	0.5	21.4	2.0	4.62	4.41
YOLO	4909, HMX	348	0.0	0.6	0.4	0.1	22.8	0.7	5.19	4.24	377	0.0	0.6	0.4	0.1	22.8	0.7	5.21	4.24
YOLO	400, BQ	28	0.0	0.5	0.1	0.3	20.6	0.3	4.76	4.44	326	0.0	0.2	0.4	0.4	22.0	1.1	4.64	4.54
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.2	1.6	0.6	24.1	2.1	4.18	4.41
YOLO	6428, N	326	0.0	1.4	1.4	0.5	21.0	0.7	5.21	4.43	326	0.0	1.4	1.4	0.5	21.0	0.7	5.21	4.43
YOLO	16, BP	68	0.0	0.6	0.6	0.3	20.7	0.4	5.06	4.42	259	0.0	0.6	0.5	0.4	21.4	0.4	5.04	4.43
YOLO	3887, HM	245	0.0	0.3	0.1	0.2	21.0	0.2	5.00	4.35	245	0.0	0.3	0.1	0.2	21.0	0.2	5.00	4.35
YOLO	255, CXD	146	0.0	0.5	0.6	0.2	24.0	1.2	4.54	4.34	244	0.0	0.4	0.6	0.2	24.9	1.4	4.50	4.37
YOLO	8011, SV	176	0.0	0.6	0.3	0.1	21.3	0.4	4.98	4.32	225	0.0	0.5	0.3	0.1	21.4	0.4	5.02	4.31
YOLO	6397, N	19	0.0	0.7	0.2	0.2	20.9	0.5	4.98	4.40	201	0.0	0.3	0.3	0.1	21.2	0.4	4.81	4.36
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	200	0.0	0.2	0.8	0.4	22.0	1.3	4.80	4.33
YOLO	0319, DRI	73	0.0	1.3	0.3	0.2	19.9	0.4	4.45	4.41	174	0.0	1.0	0.4	0.2	20.5	0.3	4.28	4.41
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	158	0.0	0.1	2.6	0.3	23.7	1.5	4.58	4.42
YOLO	1310, HZ	11	0.0	0.5	4.0	0.5	23.1	0.5	4.48	4.41	132	0.0	0.3	4.4	0.6	23.1	0.6	4.50	4.42
YOLO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	0.3	0.4	0.2	20.9	1.1	4.38	4.40
YOLO	0599, SV	28	0.0	0.7	0.4	0.2	22.5	0.9	4.81	4.35	93	0.0	0.3	0.5	0.2	23.1	0.8	5.17	4.39
YOLO	58801, HM	30	0.0	0.1	0.3	0.1	20.1	0.4	5.40	4.42	82	0.0	0.1	0.3	0.0	20.5	0.5	5.42	4.43
YOLO	5708, HZ	52	0.0	0.3	2.3	1.4	22.6	0.4	4.25	4.33	52	0.0	0.3	2.3	1.4	22.6	0.4	4.25	4.33
YOLO	3842, BOS	45	0.0	0.6	0.6	0.1	22.1	0.5	5.12	4.38	46	0.0	0.6	0.6	0.1	22.0	0.5	5.11	4.38

2018 Processing Tomato Season
 PTAB Analysis (8/11/18) - County by Variety



County	Variety Name	Week Ending 8/11/18										Year to Date									
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH		
YOLO	9000, SVTM	29	0.0	0.5	0.3	0.3	21.7	0.5	4.48	4.44	43	0.0	0.4	0.3	0.2	21.5	0.3	4.60	4.43		
YOLO	1311, HZ	24	0.0	0.3	0.1	0.1	20.5	1.0	5.66	4.38	42	0.0	0.3	0.1	0.1	20.6	1.0	5.68	4.37		
YOLO	413, BQ	31	0.0	0.6	0.3	0.0	20.9	0.6	4.86	4.51	38	0.0	0.6	0.2	0.1	20.9	0.6	4.85	4.50		
YOLO	5235, HM	35	0.0	0.9	0.9	0.9	19.8	0.5	5.37	4.35	35	0.0	0.9	0.9	0.9	19.8	0.5	5.37	4.35		
YOLO	1293, HZ	32	0.0	0.1	0.3	0.2	19.3	0.4	5.82	4.47	32	0.0	0.1	0.3	0.2	19.3	0.4	5.82	4.47		
YOLO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.0	0.9	0.5	23.5	1.4	4.42	4.48		
YOLO	5234, IVF	28	0.0	0.6	0.4	0.1	21.4	1.8	5.13	4.26	28	0.0	0.6	0.4	0.1	21.4	1.8	5.13	4.26		
YOLO	4521, HMX 61P	23	0.0	0.3	0.1	0.2	22.0	0.1	5.03	4.27	23	0.0	0.3	0.1	0.2	22.0	0.1	5.03	4.27		
YOLO	16609, UG	22	0.0	0.5	0.2	0.2	21.6	1.3	5.34	4.27	22	0.0	0.5	0.2	0.2	21.6	1.3	5.34	4.27		
YOLO	1428, HZ	19	0.0	0.3	3.7	0.4	22.2	0.3	4.26	4.26	19	0.0	0.3	3.7	0.4	22.2	0.3	4.26	4.26		
YOLO	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.4	0.2	0.3	20.5	0.7	4.51	4.48		
YOLO	UNCODED	8	0.0	0.1	10.8	0.4	22.3	0.6	4.75	4.44	11	0.0	0.0	7.8	0.3	22.1	0.4	4.75	4.43		
YOLO	1422, HZ	11	0.0	0.2	3.1	0.9	22.4	0.3	4.78	4.41	11	0.0	0.2	3.1	0.9	22.4	0.3	4.78	4.41		
YOLO	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.2	0.0	22.2	0.5	5.10	4.30		
YOLO	1082, SVTM	2	0.0	0.3	0.5	0.0	22.3	0.0	5.05	4.24	2	0.0	0.3	0.5	0.0	22.3	0.0	5.05	4.24		
YOLO	MIX	1	0.0	0.5	0.5	0.0	21.0	0.5	5.00	4.24	1	0.0	0.5	0.5	0.0	21.0	0.5	5.00	4.24		
YOLO	20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.0	20.5	0.0	4.70	4.46		
YOLO	0811, BOS	1	0.0	0.5	0.0	0.0	21.0	0.0	4.60	4.33	1	0.0	0.5	0.0	0.0	21.0	0.0	4.60	4.33		
YOLO		4,749	0.0	0.6	0.9	0.5	21.3	0.7	4.89	4.34	11,244	0.0	0.4	1.0	0.5	22.0	1.0	4.79	4.36		