

**2018 Processing Tomato Season**  
**PTAB Analysis (8/11/18) - Statewide by Variety**



Variety Name	Week Ending 8/11/18									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	6,022	0.0	0.7	1.6	0.7	21.18	1.6	5.11	4.39	37,538	0.0	0.4	1.3	0.5	21.44	1.4	5.20	4.37
0311, AB	6,035	0.0	1.7	0.6	0.5	20.52	1.8	5.66	4.41	14,379	0.0	1.3	0.7	0.6	20.69	1.9	5.68	4.42
5608, HZ	3,306	0.0	0.8	1.2	0.7	21.14	1.1	4.73	4.41	12,285	0.0	0.5	1.2	0.6	21.05	1.0	4.85	4.43
6366, SUN	750	0.0	0.4	0.6	0.4	20.60	1.4	5.27	4.41	9,725	0.0	0.4	0.8	0.4	20.97	2.3	5.22	4.43
400, BQ	914	0.0	0.6	1.0	0.9	20.46	1.5	4.97	4.53	8,001	0.0	0.3	1.2	0.8	20.81	1.4	5.01	4.51
6416, N	252	0.0	1.7	3.6	2.5	22.33	1.7	5.14	4.40	7,775	0.0	0.2	1.3	0.5	21.64	1.8	4.68	4.36
8011, SV	2,560	0.0	1.4	0.6	0.6	20.72	1.0	5.16	4.42	6,644	0.0	1.0	0.6	0.6	20.69	1.1	5.35	4.43
3887, HM	2,900	0.0	0.7	0.6	0.3	21.22	1.6	5.57	4.50	6,092	0.0	0.6	0.9	0.3	21.35	1.6	5.46	4.48
403, BQ	376	0.0	0.3	0.6	1.2	21.67	3.0	5.11	4.39	4,912	0.0	0.2	1.0	0.6	21.43	1.9	5.12	4.35
6402, N	818	0.0	1.8	0.5	0.2	20.69	1.0	5.28	4.43	3,224	0.0	0.8	0.5	0.3	20.79	1.8	5.40	4.47
6415, N	1,045	0.0	1.1	0.9	0.4	21.46	1.2	4.80	4.45	3,164	0.0	0.7	1.1	0.3	21.93	1.3	4.76	4.45
13, BP	213	0.0	0.9	3.7	3.3	21.92	1.5	4.25	4.46	2,976	0.0	0.3	1.9	0.9	22.44	1.7	4.54	4.43
1015, HEINZ	194	0.0	0.5	1.0	0.7	21.45	0.8	4.60	4.44	2,763	0.0	0.2	1.3	0.7	21.84	1.1	4.87	4.47
6428, N	1,816	0.0	1.0	2.5	0.7	23.11	1.2	4.63	4.49	2,676	0.0	0.8	2.1	0.6	23.03	1.3	4.73	4.49
4909, HMX	1,589	0.0	1.1	0.4	0.3	21.92	0.7	5.34	4.25	2,579	0.0	1.2	0.4	0.3	21.90	1.0	5.31	4.27
4885, HMX	847	0.0	1.1	1.4	0.6	21.70	1.0	4.89	4.37	2,485	0.0	0.7	1.0	0.4	21.39	0.9	5.06	4.35
1293, HZ	396	0.0	1.7	0.7	0.5	20.29	1.0	5.43	4.50	2,375	0.0	0.7	0.8	0.5	20.65	1.3	5.45	4.54
2756, SV	908	0.0	0.7	2.5	0.9	22.05	0.6	4.84	4.49	2,121	0.0	0.4	1.5	0.6	21.88	0.7	4.91	4.48
1892, HMX	976	0.0	0.3	0.9	1.3	20.52	1.6	5.39	4.48	1,861	0.0	0.3	1.0	1.3	20.53	1.4	5.50	4.49
1428, HZ	1,315	0.0	0.4	1.4	0.9	21.61	0.9	4.83	4.51	1,798	0.0	0.5	1.5	0.8	21.57	0.8	4.80	4.49
0319, DRI	709	0.0	1.1	0.8	0.3	21.63	2.4	5.81	4.43	1,758	0.0	0.7	0.6	0.4	21.66	2.5	5.78	4.44
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,486	0.0	0.3	0.8	0.3	22.69	2.7	5.08	4.29
6397, N	198	0.0	0.5	0.3	0.2	21.11	1.5	5.14	4.45	1,169	0.0	0.4	0.9	0.3	21.12	1.5	5.04	4.44
1292, HZ	28	0.0	0.6	0.9	0.7	22.09	10.7	4.99	4.68	1,076	0.0	0.4	0.7	0.6	20.67	2.5	5.50	4.53
9663, HEINZ	514	0.0	1.8	1.7	0.5	20.07	1.8	4.83	4.45	1,027	0.0	2.9	1.5	0.5	20.04	1.9	4.90	4.46
16609, UG	173	0.0	0.8	0.4	0.2	20.66	1.2	5.21	4.34	1,008	0.0	0.4	0.4	0.2	20.77	1.7	5.44	4.37
6420, N	543	0.0	0.6	0.3	0.3	21.14	1.5	5.18	4.53	904	0.0	0.5	0.4	0.3	21.45	1.5	5.11	4.53
141, BQ	461	0.0	1.0	5.4	0.8	21.74	2.2	4.56	4.46	779	0.0	0.8	3.4	0.6	21.84	2.2	4.63	4.46
2401, HEINZ	525	0.0	2.0	1.1	0.7	21.82	1.0	4.97	4.39	721	0.0	1.7	1.2	0.7	22.03	0.9	4.90	4.37
1082, SVTM	596	0.0	0.7	1.1	0.6	21.49	1.8	5.28	4.35	596	0.0	0.7	1.1	0.6	21.49	1.8	5.28	4.35
4707, HEINZ	448	0.0	0.3	1.7	0.8	24.58	1.2	4.72	4.44	452	0.0	0.3	1.7	0.8	24.58	1.2	4.72	4.44
19406, UG	41	0.0	0.3	0.2	0.1	20.65	0.6	5.78	4.38	449	0.0	0.2	0.3	0.2	20.74	0.9	5.77	4.38
58801, HM	63	0.0	0.2	0.2	0.3	21.03	1.2	5.65	4.48	448	0.0	0.5	0.7	0.2	22.19	2.0	5.33	4.50
58881, HM	57	0.0	0.4	0.3	0.4	20.98	0.8	4.90	4.41	412	0.0	0.3	0.4	0.3	20.76	1.1	4.75	4.40
6426, N	340	0.0	0.6	0.5	0.7	20.57	1.8	5.03	4.52	394	0.0	0.6	0.6	0.6	20.68	1.9	5.00	4.51

**2018 Processing Tomato Season**  
**PTAB Analysis (8/11/18) - Statewide by Variety**



Variety Name	Week Ending 8/11/18									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
108, HYPEEL	145	0.0	0.8	0.4	0.1	22.01	2.6	5.13	4.57	383	0.0	0.8	0.7	0.9	22.06	3.8	5.00	4.61
9491, HEINZ	45	0.0	0.5	1.9	0.3	21.38	2.8	5.15	4.46	377	0.0	1.0	2.0	0.5	22.00	2.4	4.66	4.37
1422, HZ	288	0.0	0.5	1.6	1.0	23.11	2.0	4.72	4.46	356	0.0	0.5	2.1	1.0	22.80	1.7	4.76	4.43
187, CXD	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	352	0.0	0.6	2.7	0.5	20.74	2.5	4.63	4.40
2493, SV	186	0.0	2.6	0.9	0.2	22.91	2.4	4.51	4.56	342	0.0	1.9	1.3	0.5	23.64	2.9	4.58	4.54
5235, HM	179	0.0	1.1	1.3	0.8	21.02	2.0	5.18	4.46	341	0.0	1.0	1.0	0.6	21.12	1.9	4.94	4.48
UNCODED	58	0.0	0.8	1.9	0.3	21.18	0.9	4.79	4.42	327	0.0	0.5	1.7	0.2	21.93	1.6	4.99	4.43
410, APT	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	299	0.0	0.5	0.5	0.2	23.25	1.9	4.64	4.48
7885, HMX	214	0.0	0.5	0.6	0.1	21.43	0.3	4.65	4.53	298	0.0	0.4	0.6	0.1	21.47	0.3	4.62	4.53
8504, HEINZ	226	0.0	0.9	0.7	0.3	22.99	1.5	5.12	4.41	293	0.0	0.8	0.7	0.3	23.12	1.8	5.10	4.44
16, BP	68	0.0	0.6	0.6	0.3	20.67	0.4	5.06	4.42	261	0.0	0.6	0.5	0.4	21.40	0.4	5.05	4.43
401, BQ	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	253	0.0	0.2	0.6	0.3	21.30	0.8	5.15	4.43
255, CXD	146	0.0	0.5	0.6	0.2	24.04	1.2	4.54	4.34	244	0.0	0.4	0.6	0.2	24.89	1.4	4.50	4.37
0599, SV	28	0.0	0.7	0.4	0.2	22.48	0.9	4.81	4.35	241	0.0	0.2	0.5	0.4	21.58	0.9	5.47	4.38
66509, BOS	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	238	0.0	0.1	0.6	0.1	21.46	1.9	4.78	4.35
1170, HEINZ	201	0.0	0.7	0.9	0.1	21.53	0.8	4.88	4.41	235	0.0	0.7	1.0	0.1	21.58	0.8	4.86	4.40
1310, HZ	103	0.0	0.6	1.7	1.5	22.93	1.6	4.47	4.51	224	0.0	0.4	3.2	1.0	23.02	1.1	4.49	4.46
9000, SVTM	33	0.0	0.4	0.3	0.4	21.79	0.7	4.48	4.46	221	0.0	0.2	0.5	0.2	21.31	1.2	4.86	4.46
5702, HZ	220	0.0	1.3	3.2	0.8	23.62	1.0	4.69	4.46	220	0.0	1.3	3.2	0.8	23.62	1.0	4.69	4.46
6133, SV	124	0.0	1.4	0.2	0.2	20.94	1.4	5.56	4.54	189	0.0	1.3	0.2	0.2	20.87	1.2	5.54	4.53
6434, N	80	0.0	0.6	0.8	0.1	22.51	2.0	4.95	4.45	172	0.0	0.6	1.0	0.1	22.91	2.1	5.03	4.46
5900, HM	59	0.0	0.8	0.2	0.2	21.29	1.5	5.75	4.25	167	0.0	0.7	0.5	0.2	21.81	1.2	5.71	4.26
MIX	8	0.0	1.9	0.4	0.1	21.44	1.6	5.30	4.44	136	0.0	0.2	0.2	0.3	21.34	4.7	4.92	4.50
0811, BOS	123	0.0	0.5	0.6	0.4	20.18	0.6	5.10	4.31	125	0.0	0.5	0.6	0.4	20.17	0.6	5.10	4.30
413, BQ	54	0.0	1.4	1.5	0.3	21.34	1.0	4.68	4.55	122	0.0	0.9	1.2	0.5	21.62	1.9	4.82	4.55
3842, BOS	45	0.0	0.6	0.6	0.1	22.06	0.5	5.12	4.38	115	0.0	0.4	0.4	0.1	21.04	1.1	5.03	4.40
58811, HM	56	0.0	0.7	0.8	0.3	21.54	0.7	5.35	4.39	93	0.0	0.6	0.7	0.4	21.23	1.0	5.19	4.41
6436, N	17	0.0	1.8	0.8	0.5	22.09	0.6	5.13	4.36	89	0.0	1.0	0.8	0.4	22.10	1.5	4.65	4.49
5234, IVF	70	0.0	0.9	1.4	0.5	21.66	1.5	5.37	4.28	70	0.0	0.9	1.4	0.5	21.66	1.5	5.37	4.28
5708, HZ	69	0.0	0.4	2.5	1.7	22.25	0.4	4.35	4.33	69	0.0	0.4	2.5	1.7	22.25	0.4	4.35	4.33
5655, SV	60	0.0	2.7	0.6	0.1	20.47	0.7	5.33	4.41	63	0.0	2.5	0.6	0.1	20.49	0.7	5.34	4.41
58841, HM	62	0.0	1.6	0.5	0.4	21.34	0.7	5.31	4.42	62	0.0	1.6	0.5	0.4	21.34	0.7	5.31	4.42
1662, HZ	61	0.0	0.5	0.1	0.4	22.76	2.2	5.07	4.54	61	0.0	0.5	0.1	0.4	22.76	2.2	5.07	4.54
1311, HZ	27	0.0	0.4	0.1	0.1	20.46	0.9	5.65	4.38	47	0.0	0.4	0.1	0.2	20.59	0.9	5.69	4.37
9436, UG	32	0.0	0.9	2.3	0.3	21.42	1.9	4.79	4.49	40	0.0	0.7	2.4	0.3	21.93	2.3	4.92	4.51

**2018 Processing Tomato Season**  
**PTAB Analysis (8/11/18) - Statewide by Variety**



Variety Name	Week Ending 8/11/18									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
4521, HMX 61P	32	0.0	0.2	0.1	0.2	22.09	0.3	5.18	4.32	32	0.0	0.2	0.1	0.2	22.09	0.3	5.18	4.32
9007, SVTM	29	0.0	0.6	0.9	0.1	21.17	0.8	5.14	4.44	29	0.0	0.6	0.9	0.1	21.17	0.8	5.14	4.44
15212, UG	7	0.0	0.8	0.1	0.4	22.21	1.1	4.44	4.46	29	0.0	0.8	0.6	0.5	22.41	1.2	4.34	4.37
16112, UG	28	0.0	0.6	0.2	0.0	20.46	0.4	5.05	4.37	28	0.0	0.6	0.2	0.0	20.46	0.4	5.05	4.37
2930, K	1	0.0	1.0	0.0	0.0	20.00	0.0	5.00	4.45	17	0.0	0.2	0.5	0.3	20.74	1.2	5.55	4.49
HEINZ TRIAL	5	0.0	0.0	0.2	1.2	20.90	1.9	4.76	4.58	14	0.0	0.1	0.3	0.6	20.43	1.3	5.03	4.52
1765, HZ	5	0.0	0.4	0.8	0.1	21.30	3.3	4.90	4.42	12	0.0	0.3	0.7	0.2	21.46	2.6	5.12	4.39
1776, HZ	7	0.0	0.5	0.3	0.3	20.93	0.6	4.90	4.33	7	0.0	0.5	0.3	0.3	20.93	0.6	4.90	4.33
398, BQ	4	0.0	1.1	2.4	0.1	20.25	0.9	5.10	4.37	4	0.0	1.1	2.4	0.1	20.25	0.9	5.10	4.37
9003, SVTM	4	0.0	0.0	2.3	0.3	21.50	0.1	5.45	4.25	4	0.0	0.0	2.3	0.3	21.50	0.1	5.45	4.25
43, BP	3	0.0	3.3	2.8	1.2	20.83	1.2	5.27	4.45	3	0.0	3.3	2.8	1.2	20.83	1.2	5.27	4.45
5522, HMX 61P	3	0.0	0.2	0.3	0.5	19.67	0.2	5.37	4.29	3	0.0	0.2	0.3	0.5	19.67	0.2	5.37	4.29
6441, N	3	0.0	0.5	1.5	0.0	20.33	0.5	4.80	4.42	3	0.0	0.5	1.5	0.0	20.33	0.5	4.80	4.42
MISC TRIAL	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0.0	0.3	5.5	0.5	21.25	0.3	5.25	4.45
42, BP	2	0.0	2.3	1.5	0.3	20.50	1.5	5.00	4.47	2	0.0	2.3	1.5	0.3	20.50	1.5	5.00	4.47
17, P	1	0.0	1.0	1.0	1.0	20.00	0.5	5.30	4.53	1	0.0	1.0	1.0	1.0	20.00	0.5	5.30	4.53
20, BP	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0.0	1.0	0.5	0.0	20.50	0.0	4.70	4.46
163, BQ	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0.0	0.0	0.5	1.5	19.50	3.0	5.70	4.40
270, BQ	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.00	0.5	5.50	4.29
323, BQ	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.00	0.5	6.10	4.28
329, BQ	1	0.0	0.5	1.0	0.0	19.50	0.5	5.20	4.54	1	0.0	0.5	1.0	0.0	19.50	0.5	5.20	4.54
1886, HZ	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	21.00	0.5	6.30	4.31
2303, SV	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	20.50	1.5	6.50	4.41
6404, N	0	0.0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	20.50	0.5	5.90	4.30
<b>STATEWIDE</b>	<b>41,150</b>	<b>0.0</b>	<b>1.0</b>	<b>1.1</b>	<b>0.6</b>	<b>21.29</b>	<b>1.4</b>	<b>5.15</b>	<b>4.43</b>	<b>155,375</b>	<b>0.0</b>	<b>0.6</b>	<b>1.1</b>	<b>0.5</b>	<b>21.32</b>	<b>1.5</b>	<b>5.15</b>	<b>4.42</b>