

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
BUTTE	H2401	Heinz	Thick			X	646	51.4%	4.79	101.0%	21.68	0.9	2.2	4.38
BUTTE	HM4885	Harris Moran	Thick	X		X	312	24.8%	4.66	98.3%	20.73	0.6	1.8	4.40
BUTTE	H5702	Heinz	Thick			X	185	14.7%	4.81	101.4%	21.26	0.8	3.2	4.51
BUTTE	H5708	Heinz	Thick			X	113	9.0%	4.57	96.4%	20.65	0.9	1.5	4.41
BUTTE							1,256	100.0%	4.74	100.0%	21.29	0.8	2.2	4.41
COLUSA	H4707	Heinz	Thick			X	3,256	12.6%	4.88	102.2%	22.44	0.9	1.2	4.40
COLUSA	BQ273	Woodbridge	Early	X			3,109	12.0%	5.12	107.3%	21.69	1.2	0.8	4.37
COLUSA	H1015	Heinz	Early			X	2,180	8.4%	4.91	102.8%	21.64	1.1	0.2	4.48
COLUSA	H5702	Heinz	Thick			X	2,069	8.0%	4.73	99.0%	20.94	0.7	1.7	4.48
COLUSA	BP13	BHN Seed	Early	X	X		2,055	8.0%	4.59	96.2%	22.35	1.8	0.4	4.44
COLUSA	N6428	Nunhems	Intermediate	X	X	X	1,741	6.7%	4.62	96.7%	22.69	1.1	1.0	4.48
COLUSA	H1428	Heinz	Thick	X		X	1,502	5.8%	4.62	96.7%	21.74	0.5	4.2	4.46
COLUSA	H1662	Heinz	Thick	X	X		1,197	4.6%	5.06	106.1%	21.70	1.3	1.4	4.47
COLUSA	H1310	Heinz	Thick	X	X		1,066	4.1%	4.65	97.4%	21.78	0.9	1.4	4.49
COLUSA	H5708	Heinz	Thick			X	1,047	4.1%	4.69	98.3%	20.91	0.6	1.2	4.39
COLUSA	H2401	Heinz	Thick			X	885	3.4%	4.43	92.8%	21.97	0.9	0.9	4.31
COLUSA	H5608	Heinz	Thick	X			789	3.1%	4.45	93.2%	22.35	1.6	0.8	4.46
COLUSA	HM4885	Harris Moran	Thick	X		X	753	2.9%	4.49	94.1%	22.01	0.8	2.3	4.36
COLUSA	N6416	Nunhems	Early	X			655	2.5%	4.77	100.0%	21.80	1.6	0.6	4.38
COLUSA	BQ400	Woodbridge	Early	X			456	1.8%	4.97	104.1%	20.58	1.4	0.3	4.52
COLUSA	H1422	Heinz	Thick		X	X	451	1.7%	4.51	94.5%	21.25	1.3	1.7	4.48
COLUSA	H8504	Heinz	Thick			X	356	1.4%	4.86	101.7%	22.67	0.6	0.4	4.25
COLUSA	BQ141	Woodbridge	Intermediate	X	X		343	1.3%	4.24	88.8%	22.23	3.3	2.2	4.49
COLUSA	SV8011TM	Seminis	Intermediate	X			339	1.3%	4.55	95.4%	20.90	0.7	1.5	4.44
COLUSA	SV2493TM	Seminis	Intermediate	X	X		269	1.0%	4.45	93.2%	23.55	2.8	2.2	4.55
COLUSA	APT410	Seminis	Early				257	1.0%	4.60	96.3%	23.42	1.7	0.6	4.51
COLUSA	BQ403	Woodbridge	Early	X			230	0.9%	4.77	100.0%	23.07	3.6	0.2	4.43
COLUSA	DRI319	Seminis	Thin	X			190	0.7%	5.63	118.0%	20.92	1.9	1.1	4.37
COLUSA	AB0311	Seminis	Thin	X			111	0.4%	5.36	112.4%	19.87	0.7	1.6	4.33
COLUSA	H1293	Heinz	Pear	X			103	0.4%	5.01	104.9%	20.46	0.3	0.6	4.44
COLUSA	N6426	Nunhems	Thick	X		X	100	0.4%	4.46	93.5%	21.76	1.2	0.3	4.42
COLUSA	HM7885	Harris Moran	Pear			X	94	0.4%	4.56	95.6%	21.48	1.1	2.0	4.59
COLUSA	Misc	Misc	Misc				68	0.3%	5.08	106.4%	21.85	0.7	2.1	4.50
COLUSA	N6397	Nunhems	Early				63	0.2%	5.95	124.6%	19.72	0.5	1.0	4.38
COLUSA	BQ413	Woodbridge	Early	X	X		37	0.1%	4.80	100.5%	21.46	1.1	1.5	4.52

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
COLUSA	H5701	Heinz	Thick			X	22	0.1%	4.77	100.0%	21.61	1.2	0.9	4.46
COLUSA	Misc	Heinz	Thick				4	0.0%	5.23	109.4%	19.88	0.9	0.1	4.47
COLUSA	N6440	Nunhems	Intermediate	X	X	X	3	0.0%	4.97	104.0%	20.00	0.5	1.3	4.45
COLUSA	N6441	Nunhems	Thick	X	X	X	3	0.0%	5.03	105.4%	19.33	0.8	1.7	4.49
COLUSA							25,803	100.0%	4.77	100.0%	21.87	1.1	1.2	4.43
GLENN	H5702	Heinz	Thick			X	566	30.2%	4.45	97.9%	21.17	0.5	2.7	4.49
GLENN	H1428	Heinz	Thick	X		X	535	28.6%	4.27	94.1%	21.89	0.4	4.5	4.50
GLENN	H2401	Heinz	Thick			X	238	12.7%	4.39	96.8%	23.05	1.6	3.6	4.41
GLENN	H1015	Heinz	Early			X	140	7.5%	4.98	109.6%	22.36	1.4	4.2	4.61
GLENN	N6416	Nunhems	Early	X			121	6.5%	5.19	114.4%	21.80	1.0	2.0	4.38
GLENN	HM4885	Harris Moran	Thick	X		X	105	5.6%	4.94	108.8%	21.40	0.5	3.6	4.33
GLENN	H5708	Heinz	Thick			X	88	4.7%	4.92	108.4%	20.38	0.5	1.4	4.41
GLENN	H5608	Heinz	Thick	X			66	3.5%	4.74	104.5%	20.42	1.0	3.2	4.46
GLENN	SVTM9007	Seminis	Thick	X			13	0.7%	4.85	106.9%	21.46	0.8	2.5	4.54
GLENN							1,872	100.0%	4.54	100.0%	4.54	4.5	4.5	4.54
SACRAMENTO	DRI319	Seminis	Thin	X			540	22.2%	5.79	108.5%	21.43	1.7	1.0	4.39
SACRAMENTO	AB0311	Seminis	Thin	X			240	9.9%	5.39	101.0%	21.16	1.1	2.0	4.27
SACRAMENTO	H4707	Heinz	Thick			X	239	9.8%	5.17	97.0%	21.72	0.4	0.5	4.35
SACRAMENTO	HM4885	Harris Moran	Thick	X		X	188	7.7%	5.11	95.8%	21.17	0.7	1.7	4.35
SACRAMENTO	HM5900	Harris Moran	Intermediate	X			181	7.4%	5.27	98.8%	21.77	1.3	1.2	4.32
SACRAMENTO	H2401	Heinz	Thick			X	146	6.0%	4.50	84.3%	22.84	1.0	0.5	4.25
SACRAMENTO	HM3888	Harris Moran	Intermediate	X		X	144	5.9%	5.26	98.6%	21.65	0.5	1.2	4.47
SACRAMENTO	N6407	Nunhems	Thin	X		X	140	5.8%	5.25	98.5%	22.25	0.4	1.4	4.36
SACRAMENTO	UG19406	United Genetics	Intermediate			X	125	5.1%	5.83	109.2%	21.31	1.4	1.0	4.29
SACRAMENTO	SV2756TM	Seminis	Thick	X		X	105	4.3%	4.42	82.8%	21.27	1.1	0.5	4.55
SACRAMENTO	HM7885	Harris Moran	Pear			X	102	4.2%	4.91	92.0%	20.59	0.2	0.3	4.52
SACRAMENTO	HM3887	Harris Moran	Intermediate	X			96	3.9%	5.57	104.3%	22.33	1.0	1.0	4.33
SACRAMENTO	H1015	Heinz	Early			X	90	3.7%	5.48	102.6%	21.00	0.7	0.4	4.33
SACRAMENTO	H1293	Heinz	Pear	X			42	1.7%	6.02	112.7%	20.38	0.4	0.7	4.51
SACRAMENTO	HM4326	Harris Moran	Thin	X			27	1.1%	5.34	100.1%	22.54	1.6	1.1	4.28
SACRAMENTO	N6428	Nunhems	Intermediate	X	X	X	20	0.8%	4.96	92.8%	22.08	0.7	1.0	4.35
SACRAMENTO	Misc	Misc	Misc				3	0.1%	5.73	107.4%	21.17	2.0	0.5	4.41
SACRAMENTO	H1311VHL™	Heinz	Thick			X	2	0.1%	5.30	99.3%	22.00	1.0	1.3	4.31
SACRAMENTO	N6440	Nunhems	Intermediate	X	X	X	1	0.0%	5.10	95.6%	23.00	1.0	1.0	4.31

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
SACRAMENTO	N6441	Nunhems	Thick	X	X	X	1	0.0%	5.10	95.6%	22.00	1.0	1.5	4.30
SACRAMENTO							2,432	100.0%	5.34	100.0%	21.55	1.0	1.0	4.36
SOLANO	DRI319	Seminis	Thin	X			2,707	16.3%	5.73	109.6%	21.86	1.9	1.0	4.39
SOLANO	UG19406	United Genetics	Intermediate			X	1,663	10.0%	5.51	105.4%	21.65	0.9	1.5	4.29
SOLANO	H5702	Heinz	Thick			X	1,445	8.7%	4.90	93.6%	21.11	0.7	0.8	4.41
SOLANO	HM4885	Harris Moran	Thick	X		X	1,410	8.5%	4.99	95.5%	21.04	0.6	1.9	4.34
SOLANO	AB0311	Seminis	Thin	X			878	5.3%	5.64	107.9%	20.84	1.1	1.4	4.36
SOLANO	HP849	Seminis	Intermediate			X	710	4.3%	4.79	91.6%	21.68	0.7	1.7	4.38
SOLANO	HM4909	Harris Moran	Intermediate	X			608	3.7%	5.34	102.1%	22.35	0.7	1.7	4.25
SOLANO	H5708	Heinz	Thick			X	590	3.6%	4.87	93.1%	20.63	0.7	0.7	4.36
SOLANO	H1428	Heinz	Thick	X		X	579	3.5%	4.87	93.1%	20.38	0.6	0.8	4.40
SOLANO	BQ273	Woodbridge	Early	X			508	3.1%	5.28	101.0%	22.41	0.6	0.9	4.29
SOLANO	SV8011TM	Seminis	Intermediate	X			487	2.9%	5.00	95.6%	21.61	1.5	1.4	4.38
SOLANO	HM3887	Harris Moran	Intermediate	X			482	2.9%	5.45	104.3%	21.23	0.7	0.9	4.36
SOLANO	IVF5234	Seeds of Solution	Intermediate				392	2.4%	5.10	97.5%	22.33	2.8	0.9	4.34
SOLANO	H5608	Heinz	Thick	X			358	2.2%	4.56	87.3%	21.86	0.6	0.5	4.38
SOLANO	BOS811	Orsetti	Intermediate	X			324	2.0%	5.23	100.0%	20.76	0.5	1.0	4.34
SOLANO	HM58841	Harris Moran	Intermediate	X		X	320	1.9%	5.08	97.1%	21.67	0.5	1.6	4.38
SOLANO	N6420	Nunhems	Pear	X			265	1.6%	5.29	101.1%	20.93	1.7	1.8	4.48
SOLANO	HM58811	Harris Moran	Thick	X		X	258	1.6%	5.30	101.3%	21.04	0.9	0.8	4.39
SOLANO	CXD255	Harris Moran	Intermediate				255	1.5%	4.68	89.5%	21.76	1.5	1.1	4.36
SOLANO	N6397	Nunhems	Early				242	1.5%	5.11	97.7%	22.13	1.4	0.6	4.44
SOLANO	H4707	Heinz	Thick			X	221	1.3%	4.69	89.8%	22.32	0.4	0.3	4.36
SOLANO	H1293	Heinz	Pear	X			186	1.1%	5.69	108.8%	20.77	1.1	0.9	4.51
SOLANO	HM58881	Harris Moran	Early	X			180	1.1%	4.95	94.7%	20.99	1.1	0.3	4.41
SOLANO	Shasta	Harris Moran	Early				175	1.1%	5.27	100.7%	22.58	1.8	0.5	4.28
SOLANO	HM4521	Harris Moran	Intermediate	X		X	140	0.8%	5.17	98.8%	21.72	0.4	1.0	4.28
SOLANO	HM58871	Harris Moran	Intermediate	X			127	0.8%	4.62	88.4%	22.35	0.7	0.5	4.31
SOLANO	H5508	Heinz	Thick	X		X	124	0.7%	4.63	88.5%	20.54	0.5	1.0	4.37
SOLANO	H1015	Heinz	Early			X	123	0.7%	5.31	101.5%	21.37	0.6	0.5	4.40
SOLANO	N6434	Nunhems	Intermediate	X	X	x	105	0.6%	5.05	96.6%	21.75	0.7	1.2	4.41
SOLANO	HM5900	Harris Moran	Intermediate	X			90	0.5%	5.67	108.5%	21.93	0.8	0.8	4.25
SOLANO	BQ403	Woodbridge	Early	X			88	0.5%	5.39	103.1%	23.18	1.0	0.4	4.36
SOLANO	BQ400	Woodbridge	Early	X			82	0.5%	4.77	91.3%	21.73	0.5	0.3	4.44
SOLANO	HM9905	Harris Moran	Intermediate			X	79	0.5%	4.99	95.4%	21.68	1.2	3.1	4.55

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
SOLANO	SVTM1082	Seminis	Thin	X	X		63	0.4%	5.02	96.0%	22.19	0.5	0.6	4.27
SOLANO	N6366	Nunhems	Thin				56	0.3%	5.50	105.2%	22.34	1.2	1.4	4.55
SOLANO	N6416	Nunhems	Early	X			55	0.3%	4.75	90.8%	23.89	3.1	0.5	4.48
SOLANO	BP32	BHN Seed	Intermediate	X	X	X	38	0.2%	5.07	97.0%	21.57	0.3	0.6	4.38
SOLANO	HM4326	Harris Moran	Thin	X			35	0.2%	5.67	108.5%	20.60	0.8	0.6	4.30
SOLANO	HM7885	Harris Moran	Pear			X	29	0.2%	4.97	95.0%	20.07	0.6	0.2	4.51
SOLANO	Misc	Misc	Misc				28	0.2%	5.64	107.9%	21.16	0.7	1.1	4.37
SOLANO	N6436	Nunhems	Early	X			17	0.1%	5.13	98.1%	22.09	0.6	1.8	4.36
SOLANO	SV0599TM	Seminis	Early				16	0.1%	5.03	96.2%	22.94	0.8	0.2	4.37
SOLANO	H1310	Heinz	Thick	X	X		8	0.0%	5.23	99.9%	22.81	6.6	0.8	4.38
SOLANO	BQ401	Woodbridge	Early	X			6	0.0%	5.37	102.6%	22.50	1.1	1.3	4.55
SOLANO	HM3888	Harris Moran	Intermediate	X		X	3	0.0%	5.83	111.6%	20.67	1.2	0.7	4.39
SOLANO	Misc	Misc	Misc				2	0.0%	6.20	118.6%	21.50	1.0	1.8	4.41
SOLANO	H1311VHL™	Heinz	Thick			X	2	0.0%	5.55	106.2%	21.25	2.0	0.5	4.31
SOLANO	BQ312	Woodbridge	Early	X			1	0.0%	5.50	105.2%	21.00	1.0	0.0	4.34
SOLANO	N6428	Nunhems	Intermediate	X	X	X	1	0.0%	4.90	93.7%	21.50	1.0	5.5	4.47
SOLANO							16,561	100.0%	5.23	100.0%	21.51	1.1	1.1	4.36
SUTTER	N6428	Nunhems	Intermediate	X	X	X	3,049	17.5%	4.84	96.4%	22.01	1.1	2.0	4.47
SUTTER	H1662	Heinz	Thick	X	X		2,912	16.7%	5.08	101.2%	22.31	1.1	2.3	4.41
SUTTER	H1310	Heinz	Thick	X	X		1,376	7.9%	5.05	100.6%	21.72	1.1	2.8	4.51
SUTTER	H5608	Heinz	Thick	X			1,167	6.7%	4.86	96.8%	21.18	1.0	1.9	4.43
SUTTER	H5702	Heinz	Thick			X	1,136	6.5%	4.64	92.5%	22.14	0.8	1.4	4.44
SUTTER	H1422	Heinz	Thick		X	X	803	4.6%	4.95	98.6%	22.32	1.5	1.5	4.43
SUTTER	H1428	Heinz	Thick	X		X	757	4.3%	4.71	93.7%	21.12	0.5	0.8	4.37
SUTTER	N6434	Nunhems	Intermediate	X	X	x	721	4.1%	5.16	102.7%	21.93	1.4	3.6	4.46
SUTTER	HM4885	Harris Moran	Thick	X		X	633	3.6%	4.66	92.9%	22.17	0.9	1.4	4.36
SUTTER	HM3888	Harris Moran	Intermediate	X		X	611	3.5%	5.35	106.5%	21.86	1.6	2.2	4.51
SUTTER	H5708	Heinz	Thick			X	489	2.8%	4.48	89.2%	21.47	0.9	2.6	4.47
SUTTER	BQ273	Woodbridge	Early	X			457	2.6%	5.32	105.9%	21.78	1.1	0.7	4.39
SUTTER	DR1319	Seminis	Thin	X			414	2.4%	6.35	126.5%	21.42	1.0	1.8	4.33
SUTTER	HM5235	Harris Moran	Intermediate	X	X		398	2.3%	5.34	106.3%	20.73	2.3	1.7	4.46
SUTTER	H1015	Heinz	Early			X	367	2.1%	4.71	93.9%	22.24	1.1	0.4	4.49
SUTTER	BQ400	Woodbridge	Early	X			330	1.9%	5.24	104.4%	20.08	0.8	0.9	4.49
SUTTER	HM3887	Harris Moran	Intermediate	X			202	1.2%	5.65	112.5%	21.23	1.4	0.9	4.40
SUTTER	AB0311	Seminis	Thin	X			160	0.9%	6.01	119.6%	22.26	2.5	8.6	4.53

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
SUTTER	HM7885	Harris Moran	Pear			X	145	0.8%	4.95	98.5%	21.52	1.0	1.7	4.54
SUTTER	CXD255	Harris Moran	Intermediate				132	0.8%	5.03	100.1%	21.18	2.0	0.9	4.45
SUTTER	SVTM1082	Seminis	Thin	X	X		131	0.8%	5.57	110.9%	22.45	1.6	3.6	4.41
SUTTER	HM58811	Harris Moran	Thick	X		X	112	0.6%	4.63	92.3%	22.14	0.5	0.8	4.37
SUTTER	N6416	Nunhems	Early	X			108	0.6%	4.60	91.7%	22.19	2.5	2.4	4.43
SUTTER	HM5900	Harris Moran	Intermediate	X			98	0.6%	5.69	113.4%	21.69	1.5	0.7	4.26
SUTTER	H4707	Heinz	Thick			X	94	0.5%	5.73	114.2%	23.59	1.0	4.9	4.48
SUTTER	H2401	Heinz	Thick			X	86	0.5%	6.18	123.2%	22.22	0.7	4.4	4.34
SUTTER	HM58801	Harris Moran	Intermediate	X	X		86	0.5%	5.56	110.7%	21.55	2.1	1.9	4.52
SUTTER	UG19406	United Genetics	Intermediate			X	81	0.5%	4.91	97.8%	22.22	0.7	3.3	4.26
SUTTER	SV8011TM	Seminis	Intermediate	X			78	0.4%	5.38	107.1%	20.54	1.2	1.0	4.46
SUTTER	BQ398	Woodbridge	Intermediate	X			75	0.4%	5.63	112.1%	21.80	1.2	6.8	4.43
SUTTER	BP32	BHN Seed	Intermediate	X	X	X	61	0.4%	5.77	115.0%	21.20	1.5	2.4	4.43
SUTTER	N6440	Nunhems	Intermediate	X	X	X	36	0.2%	4.43	88.2%	22.31	1.1	3.5	4.42
SUTTER	SVTM9003	Seminis	Intermediate	X		X	27	0.2%	6.83	136.1%	21.85	0.3	0.5	4.27
SUTTER	N6420	Nunhems	Pear	X			24	0.1%	4.98	99.3%	21.33	1.1	1.7	4.51
SUTTER	Misc	Misc	Misc				20	0.1%	5.08	101.1%	21.45	2.3	2.3	4.45
SUTTER	H1776	Heinz	Thick	X			14	0.1%	4.93	98.2%	23.57	2.1	0.9	4.50
SUTTER	HM4326	Harris Moran	Thin	X			13	0.1%	4.69	93.5%	22.65	1.5	6.0	4.42
SUTTER	N6441	Nunhems	Thick	X	X	X	6	0.0%	4.77	95.0%	22.25	1.6	2.5	4.51
SUTTER	BP34	BHN Seed	Thick	X	X	X	5	0.0%	4.70	93.6%	20.30	1.8	2.6	4.45
SUTTER	BQ411	Woodbridge	Intermediate	X	X		3	0.0%	5.03	100.3%	21.67	4.2	4.3	4.57
SUTTER	BP42	BHN Seed	Intermediate	X	X		2	0.0%	5.20	103.6%	21.50	5.5	2.5	4.53
SUTTER	BQ422	Woodbridge	Intermediate	X	X		2	0.0%	4.65	92.6%	22.50	4.3	3.5	4.59
SUTTER	BP43	BHN Seed	Thin	X	X		1	0.0%	4.80	95.6%	21.50	1.0	7.0	4.44
SUTTER	SVTM9000	Seminis	Early	X			1	0.0%	5.20	103.6%	19.50	1.0	0.0	4.39
SUTTER							17,423	100.0%	5.02	100.0%	21.85	1.1	2.1	4.44
YOLO	N6428	Nunhems	Intermediate	X	X	X	9,159	15.8%	4.72	97.0%	21.58	1.0	1.3	4.44
YOLO	AB0311	Seminis	Thin	X			4,658	8.0%	5.42	111.4%	20.53	1.0	1.3	4.32
YOLO	HM3887	Harris Moran	Intermediate	X			3,667	6.3%	4.83	99.3%	20.89	0.7	1.4	4.36
YOLO	SV8011TM	Seminis	Intermediate	X			3,352	5.8%	4.87	100.0%	20.69	0.8	1.8	4.39
YOLO	H5608	Heinz	Thick	X			3,071	5.3%	4.43	91.1%	21.47	0.5	0.5	4.37
YOLO	H1662	Heinz	Thick	X	X		2,966	5.1%	4.77	97.9%	22.42	1.5	1.5	4.45
YOLO	BQ273	Woodbridge	Early	X			2,551	4.4%	5.00	102.7%	22.08	0.9	0.6	4.35
YOLO	DRI319	Seminis	Thin	X			2,436	4.2%	5.32	109.2%	20.92	1.6	1.4	4.39

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
YOLO	HM4885	Harris Moran	Thick	X		X	1,922	3.3%	4.57	93.9%	21.26	0.7	1.4	4.31
YOLO	HM4909	Harris Moran	Intermediate	X			1,646	2.8%	5.10	104.7%	21.96	0.7	1.6	4.26
YOLO	H4707	Heinz	Thick			X	1,585	2.7%	4.56	93.7%	23.10	0.9	2.3	4.41
YOLO	UG19406	United Genetics	Intermediate			X	1,485	2.6%	4.91	100.9%	21.81	1.0	3.3	4.33
YOLO	H5702	Heinz	Thick			X	1,456	2.5%	4.63	95.1%	20.89	0.5	0.6	4.40
YOLO	HM9905	Harris Moran	Intermediate			X	1,360	2.3%	4.90	100.6%	20.90	0.8	1.2	4.49
YOLO	N6434	Nunhems	Intermediate	X	X	x	1,222	2.1%	4.80	98.7%	21.98	0.8	1.8	4.41
YOLO	Shasta	Harris Moran	Early				1,004	1.7%	5.02	103.2%	22.83	2.7	0.3	4.31
YOLO	BP13	BHN Seed	Early	X	X		970	1.7%	4.40	90.3%	22.68	1.6	0.2	4.43
YOLO	HM5235	Harris Moran	Intermediate	X	X		758	1.3%	5.26	108.1%	19.69	0.9	1.8	4.45
YOLO	H1310	Heinz	Thick	X	X		735	1.3%	4.54	93.3%	21.78	0.8	1.3	4.44
YOLO	H1422	Heinz	Thick		X	X	728	1.3%	5.03	103.3%	21.25	0.9	2.7	4.43
YOLO	HM58841	Harris Moran	Intermediate	X		X	700	1.2%	5.17	106.3%	21.46	0.5	1.3	4.37
YOLO	H5708	Heinz	Thick			X	644	1.1%	4.31	88.5%	21.55	0.5	1.3	4.37
YOLO	N6415	Nunhems	Thick	X		X	631	1.1%	4.57	93.9%	21.67	0.8	0.9	4.42
YOLO	CXD255	Harris Moran	Intermediate				561	1.0%	4.82	99.1%	23.24	1.3	0.8	4.36
YOLO	SVTM1082	Seminis	Thin	X	X		526	0.9%	5.18	106.5%	21.15	0.6	1.2	4.34
YOLO	HM3888	Harris Moran	Intermediate	X		X	505	0.9%	5.24	107.8%	21.68	1.2	2.0	4.55
YOLO	H1293	Heinz	Pear	X			480	0.8%	5.43	111.5%	20.35	0.7	1.8	4.50
YOLO	HM58801	Harris Moran	Intermediate	X	X		462	0.8%	5.29	108.7%	20.90	1.1	2.3	4.47
YOLO	H1428	Heinz	Thick	X		X	458	0.8%	4.58	94.0%	21.13	0.7	0.6	4.36
YOLO	BQ141	Woodbridge	Intermediate	X	X		457	0.8%	4.62	94.9%	21.42	2.0	0.3	4.41
YOLO	HM7885	Harris Moran	Pear			X	410	0.7%	5.00	102.8%	21.26	0.8	0.9	4.51
YOLO	BQ400	Woodbridge	Early	X			398	0.7%	4.68	96.2%	21.65	1.0	0.3	4.51
YOLO	SV2493TM	Seminis	Intermediate	X	X		373	0.6%	4.55	93.6%	20.78	1.3	0.8	4.44
YOLO	N6416	Nunhems	Early	X			326	0.6%	4.18	85.9%	24.10	2.1	0.2	4.41
YOLO	HM58871	Harris Moran	Intermediate	X			315	0.5%	5.58	114.6%	21.42	0.8	1.2	4.37
YOLO	IVF5234	Seeds of Solution	Intermediate				268	0.5%	4.96	102.0%	21.49	1.9	1.0	4.28
YOLO	BP16	BHN Seed	Intermediate	X	X		259	0.4%	5.04	103.6%	21.41	0.4	0.6	4.43
YOLO	H1538	Heinz	Pear	X			232	0.4%	5.30	108.9%	20.62	0.7	0.8	4.41
YOLO	N6420	Nunhems	Pear	X			231	0.4%	4.71	96.7%	21.03	1.1	1.3	4.49
YOLO	N6397	Nunhems	Early				229	0.4%	4.85	99.7%	21.22	0.5	0.4	4.36
YOLO	HM4521	Harris Moran	Intermediate	X		X	227	0.4%	5.01	103.0%	21.87	0.4	1.2	4.33
YOLO	BQ403	Woodbridge	Early	X			200	0.3%	4.80	98.6%	21.98	1.3	0.2	4.33
YOLO	N6440	Nunhems	Intermediate	X	X	X	192	0.3%	4.64	95.4%	21.65	0.7	1.6	4.44

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
YOLO	BP2	BHN Seed	Intermediate	X	X		179	0.3%	5.10	104.9%	20.56	0.7	0.9	4.49
YOLO	SV0599TM	Seminis	Early				164	0.3%	4.97	102.2%	22.77	0.7	0.7	4.34
YOLO	H1015	Heinz	Early			X	158	0.3%	4.58	94.1%	23.73	1.5	0.1	4.42
YOLO	SV2756TM	Seminis	Thick	X		X	153	0.3%	4.66	95.9%	21.41	0.9	0.2	4.48
YOLO	BOS811	Orsetti	Intermediate	X			139	0.2%	4.74	97.3%	21.34	0.5	0.2	4.26
YOLO	H5508	Heinz	Thick	X		X	136	0.2%	4.69	96.3%	20.98	0.2	0.4	4.29
YOLO	HM58881	Harris Moran	Early	X			133	0.2%	4.38	90.0%	20.88	1.2	0.3	4.40
YOLO	H8504	Heinz	Thick			X	105	0.2%	4.70	96.5%	22.49	0.8	0.7	4.29
YOLO	H1292	Heinz	Pear	X			101	0.2%	5.10	104.8%	20.76	2.1	4.3	4.56
YOLO	H2401	Heinz	Thick			X	97	0.2%	4.87	100.2%	22.79	1.1	1.1	4.33
YOLO	SVTM9003	Seminis	Intermediate	X		X	76	0.1%	5.33	109.6%	21.33	1.3	1.0	4.33
YOLO	HM1892	Harris Moran	Intermediate			X	63	0.1%	4.89	100.5%	21.73	3.3	0.7	4.41
YOLO	N6429	Nunhems	Intermediate	X	X	X	60	0.1%	4.36	89.7%	21.88	0.6	0.3	4.48
YOLO	HM58811	Harris Moran	Thick	X		X	55	0.1%	4.44	91.2%	21.74	0.4	1.5	4.36
YOLO	HM4326	Harris Moran	Thin	X			49	0.1%	5.79	119.0%	21.84	0.9	2.3	4.34
YOLO	H1311VHL™	Heinz	Thick			X	48	0.1%	5.71	117.4%	20.66	1.0	0.4	4.36
YOLO	SVTM9000	Seminis	Early	X			48	0.1%	4.69	96.4%	21.50	0.3	0.5	4.43
YOLO	BOS3842	Orsetti	Intermediate	X			46	0.1%	5.11	104.9%	22.05	0.5	0.6	4.38
YOLO	SVTM5655	Seminis	Intermediate	X			45	0.1%	4.70	96.6%	21.98	1.0	5.9	4.46
YOLO	BQ398	Woodbridge	Intermediate	X			44	0.1%	5.43	111.6%	20.60	0.3	0.5	4.27
YOLO	Misc	Heinz	Thick				43	0.1%	4.71	96.7%	21.49	1.3	2.3	4.50
YOLO	H1776	Heinz	Thick	X			41	0.1%	5.26	108.1%	21.45	0.9	0.5	4.36
YOLO	Misc	Misc	Misc				38	0.1%	5.49	112.8%	21.43	0.8	1.6	4.40
YOLO	BQ413	Woodbridge	Early	X	X		38	0.1%	4.85	99.7%	20.89	0.6	0.6	4.50
YOLO	N6441	Nunhems	Thick	X	X	X	36	0.1%	4.67	96.0%	21.00	0.8	0.8	4.45
YOLO	UG16609	United Genetics	Thin	X			33	0.1%	5.32	109.4%	21.58	1.3	0.6	4.30
YOLO	BQ411	Woodbridge	Intermediate	X	X		30	0.1%	4.68	96.2%	20.75	2.6	2.7	4.42
YOLO	H1421	Heinz	Pear	X	X		30	0.1%	5.32	109.4%	20.28	2.2	2.2	4.46
YOLO	BQ422	Woodbridge	Intermediate	X	X		29	0.0%	4.64	95.5%	20.83	2.0	2.4	4.40
YOLO	N6436	Nunhems	Early	X			29	0.0%	4.42	90.8%	23.47	1.4	1.0	4.48
YOLO	SVTM9007	Seminis	Thick	X			11	0.0%	4.36	89.7%	21.77	0.7	2.2	4.42
YOLO	BP42	BHN Seed	Intermediate	X	X		6	0.0%	5.00	102.8%	21.75	1.5	1.8	4.41
YOLO	BP34	BHN Seed	Thick	X	X	X	4	0.0%	4.68	96.1%	20.88	2.1	1.5	4.54
YOLO	SVTM9008	Seminis	Thick	X		X	4	0.0%	4.15	85.3%	22.25	0.4	1.6	4.36
YOLO	BP43	BHN Seed	Thin	X	X		3	0.0%	5.17	106.2%	21.53	0.0	0.5	4.32

2018 PTAB Analysis by Region / County

North Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
YOLO	H1765	Heinz	Early	X			3	0.0%	5.10	104.8%	22.17	0.5	0.3	4.30
YOLO	Misc	Misc	Misc				1	0.0%	5.00	102.8%	21.00	0.5	0.5	4.24
YOLO	BP26	BHN Seed	Intermediate	X	X		1	0.0%	4.70	96.6%	20.50	0.0	1.0	4.46
YOLO	BP32	BHN Seed	Intermediate	X	X	X	1	0.0%	4.40	90.4%	19.50	0.5	0.5	4.45
YOLO	H5701	Heinz	Thick			X	1	0.0%	5.10	104.8%	20.50	0.0	0.5	4.36
YOLO							58,096	100.0%	4.87	100.0%	21.46	1.0	1.3	4.39
NORTH REGION							123,443		4.92		21.61	1.0	1.4	4.40