

2018 PTAB Analysis by Region / County

South Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
FRESNO	BQ273	Woodbridge	Early	X			20,869	12.6%	5.25	101.7%	21.08	1.4	0.4	4.38
FRESNO	AB0311	Seminis	Thin	X			19,157	11.6%	5.72	110.7%	20.68	2.1	2.2	4.44
FRESNO	H2401	Heinz	Thick			X	9,537	5.8%	4.77	92.3%	21.65	1.2	1.9	4.42
FRESNO	SV8011TM	Seminis	Intermediate	X			8,898	5.4%	5.28	102.1%	20.61	1.0	1.7	4.45
FRESNO	H4707	Heinz	Thick			X	8,561	5.2%	4.82	93.4%	22.70	0.6	2.4	4.47
FRESNO	DRI319	Seminis	Thin	X			8,288	5.0%	5.84	113.1%	21.63	2.5	2.4	4.47
FRESNO	H1428	Heinz	Thick	X		X	7,680	4.7%	4.83	93.5%	21.15	0.6	2.3	4.52
FRESNO	N6366	Nunhems	Thin				6,164	3.7%	5.29	102.4%	20.89	2.7	0.3	4.44
FRESNO	N6415	Nunhems	Thick	X		X	5,780	3.5%	4.76	92.2%	21.55	1.3	2.0	4.46
FRESNO	N6416	Nunhems	Early	X			4,823	2.9%	4.75	92.0%	21.43	1.8	0.2	4.36
FRESNO	H5608	Heinz	Thick	X			4,813	2.9%	4.89	94.6%	20.66	1.7	1.9	4.48
FRESNO	BQ400	Woodbridge	Early	X			4,255	2.6%	5.07	98.1%	20.65	1.3	0.3	4.50
FRESNO	N6428	Nunhems	Intermediate	X	X	X	4,102	2.5%	4.90	94.9%	21.71	1.5	1.5	4.49
FRESNO	HM4885	Harris Moran	Thick	X		X	3,801	2.3%	5.04	97.7%	20.72	0.9	2.4	4.42
FRESNO	SV2756TM	Seminis	Thick	X		X	3,718	2.3%	4.84	93.8%	21.86	0.8	1.2	4.50
FRESNO	H1293	Heinz	Pear	X			3,554	2.2%	5.49	106.2%	20.57	1.4	1.3	4.55
FRESNO	HM7885	Harris Moran	Pear			X	3,348	2.0%	4.88	94.4%	21.30	1.0	1.2	4.59
FRESNO	BQ403	Woodbridge	Early	X			3,227	2.0%	5.26	101.9%	21.25	1.8	0.1	4.34
FRESNO	HM1892	Harris Moran	Intermediate			X	2,422	1.5%	5.35	103.5%	20.69	1.5	0.8	4.50
FRESNO	HM3887	Harris Moran	Intermediate	X			2,283	1.4%	5.53	107.1%	21.15	1.8	1.3	4.47
FRESNO	HM4909	Harris Moran	Intermediate	X			2,137	1.3%	5.41	104.7%	21.35	1.1	1.8	4.32
FRESNO	N6420	Nunhems	Pear	X			2,014	1.2%	5.10	98.8%	21.22	1.4	1.7	4.55
FRESNO	H5508	Heinz	Thick	X		X	1,999	1.2%	4.57	88.5%	21.68	0.5	3.2	4.53
FRESNO	N6402	Nunhems	Thin	X			1,983	1.2%	5.42	105.0%	20.35	1.7	0.5	4.46
FRESNO	H5702	Heinz	Thick			X	1,743	1.1%	4.67	90.5%	20.89	0.5	2.8	4.54
FRESNO	N6426	Nunhems	Thick	X		X	1,609	1.0%	4.90	95.0%	20.50	1.8	1.7	4.51
FRESNO	H9663	Heinz	Thick				1,480	0.9%	4.65	90.1%	19.91	1.4	5.6	4.46
FRESNO	N6434	Nunhems	Intermediate	X	X	x	1,389	0.8%	5.17	100.0%	21.85	1.5	1.6	4.48
FRESNO	UG15212	United Genetics	Thick	X		X	1,378	0.8%	4.51	87.4%	21.48	1.0	1.8	4.43
FRESNO	UG16609	United Genetics	Thin	X			1,377	0.8%	5.38	104.2%	20.83	1.9	0.8	4.39
FRESNO	UG19406	United Genetics	Intermediate			X	1,248	0.8%	5.57	107.9%	21.27	1.2	1.5	4.40
FRESNO	BOS811	Orsetti	Intermediate	X			1,178	0.7%	4.99	96.6%	20.16	0.7	1.4	4.40
FRESNO	H1292	Heinz	Pear	X			1,166	0.7%	5.49	106.2%	20.78	2.5	0.5	4.53
FRESNO	UG16112	United Genetics	Thick	X		X	1,149	0.7%	4.67	90.5%	21.89	0.5	1.5	4.40
FRESNO	H5728	Heinz	Thick			X	984	0.6%	4.54	87.9%	22.06	0.6	7.3	4.58

2018 PTAB Analysis by Region / County

South Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
FRESNO	H8504	Heinz	Thick			X	773	0.5%	5.26	101.9%	21.59	1.4	1.4	4.48
FRESNO	SVTM1082	Seminis	Thin	X	X		772	0.5%	5.42	104.9%	21.25	2.0	0.7	4.36
FRESNO	UG9436	United Genetics	Intermediate				473	0.3%	4.76	92.2%	20.27	1.5	0.8	4.44
FRESNO	H5715	Heinz	Thick			X	424	0.3%	4.93	95.5%	22.29	0.4	4.5	4.50
FRESNO	H1662	Heinz	Thick	X	X		304	0.2%	5.08	98.4%	21.49	0.6	1.5	4.53
FRESNO	SVTM5655	Seminis	Intermediate	X			297	0.2%	4.96	96.0%	21.79	0.9	8.3	4.60
FRESNO	H9491	Heinz	Intermediate				269	0.2%	5.02	97.3%	21.35	2.3	0.2	4.37
FRESNO	SV6133TM	Seminis	Thick	X			265	0.2%	5.34	103.5%	20.89	1.1	2.2	4.54
FRESNO	N6397	Nunhems	Early				261	0.2%	5.31	102.9%	20.84	3.1	0.3	4.50
FRESNO	HM58871	Harris Moran	Intermediate	X			254	0.2%	5.40	104.6%	22.74	1.1	5.1	4.49
FRESNO	BQ401	Woodbridge	Early	X			253	0.2%	5.15	99.7%	21.30	0.8	0.2	4.43
FRESNO	H5710	Heinz	Thick				220	0.1%	4.88	94.4%	21.79	0.8	7.5	4.58
FRESNO	SVTM9007	Seminis	Thick	X			218	0.1%	5.24	101.5%	21.75	1.5	3.7	4.59
FRESNO	HM4521	Harris Moran	Intermediate	X		X	212	0.1%	4.98	96.5%	22.35	1.8	2.8	4.42
FRESNO	HM58811	Harris Moran	Thick	X		X	169	0.1%	5.09	98.5%	21.61	0.9	1.6	4.41
FRESNO	Misc	Heinz	Thick				156	0.1%	4.86	94.1%	20.81	1.9	1.4	4.49
FRESNO	SV2493TM	Seminis	Intermediate	X	X		140	0.1%	5.02	97.2%	22.40	3.2	0.6	4.51
FRESNO	UG27713	United Genetics	Thin	X			132	0.1%	5.86	113.4%	19.91	3.9	4.4	4.58
FRESNO	SV0599TM	Seminis	Early				127	0.1%	5.73	111.0%	20.30	0.9	0.1	4.37
FRESNO	HM58841	Harris Moran	Intermediate	X		X	124	0.1%	5.38	104.2%	20.75	0.7	1.4	4.45
FRESNO	SVTM9000	Seminis	Early	X			119	0.1%	4.99	96.5%	21.09	1.1	0.2	4.46
FRESNO	HM58881	Harris Moran	Early	X			100	0.1%	4.89	94.7%	20.18	1.1	0.1	4.40
FRESNO	H1765	Heinz	Early	X			91	0.1%	5.90	114.1%	21.36	3.8	0.1	4.51
FRESNO	HM5900	Harris Moran	Intermediate	X			88	0.1%	5.18	100.3%	22.84	4.1	4.3	4.57
FRESNO	HM58801	Harris Moran	Intermediate	X	X		87	0.1%	5.64	109.3%	23.77	3.5	0.7	4.53
FRESNO	H1776	Heinz	Thick	X			82	0.0%	4.76	92.2%	20.73	0.5	2.6	4.45
FRESNO	H1421	Heinz	Pear	X	X		78	0.0%	5.00	96.8%	19.49	2.2	1.5	4.46
FRESNO	N6410	Nunhems	Intermediate			X	77	0.0%	5.12	99.2%	22.73	2.2	5.8	4.56
FRESNO	Misc	Misc	Misc				75	0.0%	4.91	95.1%	20.89	0.9	1.8	4.44
FRESNO	N6441	Nunhems	Thick	X	X	X	55	0.0%	4.97	96.3%	21.02	0.7	0.6	4.40
FRESNO	BQ398	Woodbridge	Intermediate	X			45	0.0%	4.87	94.2%	20.86	1.0	2.7	4.41
FRESNO	HM5235	Harris Moran	Intermediate	X	X		34	0.0%	4.98	96.5%	20.44	5.6	0.9	4.46
FRESNO	H5708	Heinz	Thick			X	32	0.0%	5.23	101.2%	20.66	1.0	1.5	4.50
FRESNO	Misc	Misc	Misc				26	0.0%	5.37	103.9%	21.17	1.9	1.8	4.49
FRESNO	Misc Trial	Misc	Misc				25	0.0%	5.03	97.4%	21.30	1.9	2.3	4.45

2018 PTAB Analysis by Region / County

South Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
FRESNO	N6440	Nunhems	Intermediate	X	X	X	24	0.0%	4.63	89.5%	22.67	1.8	0.1	4.44
FRESNO	BP13	BHN Seed	Early	X	X		21	0.0%	4.58	88.6%	20.67	3.4	1.2	4.39
FRESNO	BQ411	Woodbridge	Intermediate	X	X		19	0.0%	5.24	101.4%	20.79	4.9	4.2	4.48
FRESNO	BQ422	Woodbridge	Intermediate	X	X		19	0.0%	4.86	94.2%	21.18	4.8	1.9	4.52
FRESNO	BOS3842	Orsetti	Intermediate	X			17	0.0%	5.08	98.3%	20.82	2.1	0.4	4.35
FRESNO	BQ413	Woodbridge	Early	X	X		11	0.0%	4.83	93.5%	22.00	2.0	0.6	4.54
FRESNO	SVTM9003	Seminis	Intermediate	X		X	9	0.0%	6.03	116.8%	21.72	0.4	0.1	4.29
FRESNO	UG1813	United Genetics	Intermediate	X			8	0.0%	5.04	97.5%	21.50	1.4	0.7	4.40
FRESNO	HM5522	Harris Moran	Intermediate	X			4	0.0%	5.33	103.1%	19.63	0.3	0.3	4.29
FRESNO	BP43	BHN Seed	Thin	X	X		3	0.0%	5.27	102.0%	20.83	1.2	3.3	4.45
FRESNO	H1885	Heinz	Thick	X	X		3	0.0%	5.03	97.5%	20.50	0.5	1.7	4.41
FRESNO	N6429	Nunhems	Intermediate	X	X	X	3	0.0%	4.77	92.3%	20.00	1.3	3.7	4.53
FRESNO	BP16	BHN Seed	Intermediate	X	X		2	0.0%	5.85	113.3%	19.50	0.8	0.5	4.29
FRESNO	BP42	BHN Seed	Intermediate	X	X		2	0.0%	5.00	96.8%	20.50	1.5	2.3	4.47
FRESNO	BQ141	Woodbridge	Intermediate	X	X		1	0.0%	5.80	112.3%	21.50	1.0	2.5	4.54
FRESNO	BQ163	Woodbridge	Thin				1	0.0%	5.70	110.4%	19.50	3.0	0.0	4.40
FRESNO	BQ270	Woodbridge	Early	X			1	0.0%	5.50	106.5%	20.00	0.5	0.5	4.29
FRESNO	H1311VHL™	Heinz	Thick			X	1	0.0%	5.80	112.3%	21.00	0.5	1.5	4.25
FRESNO	SVTM2303	Seminis	Thick	X			1	0.0%	6.50	125.8%	20.50	1.5	0.0	4.41
FRESNO	N6404	Nunhems	Intermediate	X			1	0.0%	5.90	114.2%	20.50	0.5	0.0	4.30
FRESNO							165,122	100.0%	5.17	100.0%	21.18	1.5	1.6	4.45
KERN	BQ273	Woodbridge	Early	X			3,628	24.7%	5.05	101.9%	21.37	1.7	0.7	4.37
KERN	H5608	Heinz	Thick	X			3,339	22.7%	4.90	98.8%	20.99	1.3	0.5	4.47
KERN	N6366	Nunhems	Thin				1,329	9.0%	5.08	102.4%	20.88	1.5	0.4	4.44
KERN	BQ400	Woodbridge	Early	X			992	6.7%	5.17	104.4%	20.70	1.1	0.5	4.50
KERN	HM4909	Harris Moran	Intermediate	X			852	5.8%	5.06	102.0%	22.07	1.7	1.7	4.34
KERN	SV8011TM	Seminis	Intermediate	X			703	4.8%	4.99	100.7%	20.77	1.7	2.4	4.44
KERN	H1428	Heinz	Thick	X		X	591	4.0%	4.68	94.3%	22.06	1.0	2.7	4.55
KERN	BQ403	Woodbridge	Early	X			509	3.5%	4.65	93.7%	21.24	1.3	0.9	4.36
KERN	HM3887	Harris Moran	Intermediate	X			497	3.4%	5.17	104.3%	21.75	1.0	0.8	4.45
KERN	CXD187	Harris Moran	Early				352	2.4%	4.63	93.4%	20.74	2.5	0.6	4.40
KERN	H2401	Heinz	Thick			X	282	1.9%	4.27	86.1%	22.72	0.7	2.4	4.38
KERN	H1170	Heinz	Intermediate			X	250	1.7%	4.86	98.0%	21.58	0.9	0.7	4.40
KERN	H4707	Heinz	Thick			X	238	1.6%	5.26	106.1%	22.62	0.7	2.1	4.38
KERN	H8504	Heinz	Thick			X	238	1.6%	4.77	96.2%	22.89	1.4	4.5	4.49

2018 PTAB Analysis by Region / County

South Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
KERN	N6428	Nunhems	Intermediate	X	X	X	198	1.3%	5.10	102.9%	21.57	0.8	0.5	4.43
KERN	N6416	Nunhems	Early	X			186	1.3%	4.93	99.4%	21.29	1.9	0.4	4.36
KERN	Misc	Misc	Misc				134	0.9%	4.83	97.4%	22.53	2.5	0.4	4.46
KERN	H1662	Heinz	Thick	X	X		124	0.8%	4.65	93.9%	21.58	0.3	2.2	4.47
KERN	N6415	Nunhems	Thick	X		X	119	0.8%	4.46	90.0%	24.03	1.0	0.1	4.41
KERN	N6436	Nunhems	Early	X			43	0.3%	4.61	92.9%	21.17	1.8	0.6	4.54
KERN	N6426	Nunhems	Thick	X		X	40	0.3%	4.64	93.5%	21.93	3.6	1.1	4.53
KERN	SVTM9007	Seminis	Thick	X			29	0.2%	5.14	103.8%	21.17	0.8	0.6	4.44
KERN	HM58811	Harris Moran	Thick	X		X	27	0.2%	5.62	113.3%	21.02	0.8	1.3	4.43
KERN	N6402	Nunhems	Thin	X			2	0.0%	4.15	83.7%	22.25	0.3	2.5	4.37
KERN							14,702	100.0%	4.96	100.0%	21.34	1.4	1.0	4.43
KINGS	SV2756TM	Seminis	Thick	X		X	15,884	25.5%	5.25	101.5%	21.76	1.0	1.4	4.50
KINGS	BQ273	Woodbridge	Early	X			9,221	14.8%	5.14	99.4%	21.80	1.4	0.2	4.37
KINGS	HM3887	Harris Moran	Intermediate	X			7,808	12.6%	5.73	110.7%	21.48	1.9	1.5	4.53
KINGS	H5608	Heinz	Thick	X			4,961	8.0%	5.00	96.7%	20.49	0.8	1.9	4.42
KINGS	HM4885	Harris Moran	Thick	X		X	3,959	6.4%	5.24	101.3%	21.14	1.0	2.0	4.38
KINGS	H8504	Heinz	Thick			X	1,725	2.8%	4.99	96.4%	21.71	1.1	3.9	4.46
KINGS	N6416	Nunhems	Early	X			1,576	2.5%	4.45	85.9%	21.65	2.0	0.2	4.35
KINGS	BQ400	Woodbridge	Early	X			1,549	2.5%	4.83	93.3%	21.08	1.8	0.2	4.52
KINGS	N6415	Nunhems	Thick	X		X	1,387	2.2%	4.72	91.1%	21.84	1.3	1.0	4.44
KINGS	H1428	Heinz	Thick	X		X	1,256	2.0%	4.80	92.8%	21.25	0.8	4.0	4.56
KINGS	H5508	Heinz	Thick	X		X	1,135	1.8%	4.63	89.5%	21.56	0.5	1.6	4.46
KINGS	H4707	Heinz	Thick			X	1,098	1.8%	4.57	88.4%	22.66	0.5	1.6	4.47
KINGS	N6428	Nunhems	Intermediate	X	X	X	1,086	1.7%	4.81	92.9%	23.41	1.5	1.2	4.52
KINGS	N6366	Nunhems	Thin				995	1.6%	4.91	94.8%	21.50	2.2	0.7	4.42
KINGS	N6402	Nunhems	Thin	X			993	1.6%	5.39	104.1%	21.44	2.1	1.7	4.53
KINGS	SV8011TM	Seminis	Intermediate	X			792	1.3%	5.35	103.4%	20.87	1.4	1.9	4.42
KINGS	SVTM5655	Seminis	Intermediate	X			610	1.0%	5.36	103.6%	20.86	1.0	3.6	4.50
KINGS	AB0311	Seminis	Thin	X			488	0.8%	5.55	107.2%	21.42	2.9	1.5	4.50
KINGS	Misc	Misc	Misc				484	0.8%	5.35	103.4%	21.45	0.9	1.9	4.44
KINGS	BQ403	Woodbridge	Early	X			442	0.7%	4.80	92.7%	21.99	2.6	0.1	4.33
KINGS	UG16112	United Genetics	Thick	X		X	349	0.6%	5.29	102.3%	21.24	0.4	0.5	4.40
KINGS	HM5235	Harris Moran	Intermediate	X	X		344	0.6%	5.33	103.0%	21.20	2.3	2.6	4.54
KINGS	N6397	Nunhems	Early				344	0.6%	4.91	94.8%	20.55	0.8	0.5	4.43
KINGS	H2401	Heinz	Thick			X	313	0.5%	4.47	86.4%	22.15	0.9	6.5	4.49

2018 PTAB Analysis by Region / County

South Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
KINGS	HM58801	Harris Moran	Intermediate	X	X		309	0.5%	5.26	101.7%	22.11	1.9	0.8	4.51
KINGS	HM4909	Harris Moran	Intermediate	X			302	0.5%	5.90	114.1%	21.03	0.9	0.6	4.24
KINGS	BOS811	Orsetti	Intermediate	X			301	0.5%	5.21	100.7%	20.76	0.5	2.8	4.46
KINGS	H9663	Heinz	Thick				294	0.5%	5.21	100.8%	19.70	2.9	1.8	4.50
KINGS	HM58841	Harris Moran	Intermediate	X		X	256	0.4%	6.03	116.6%	21.71	1.4	2.7	4.50
KINGS	HM58811	Harris Moran	Thick	X		X	237	0.4%	5.66	109.4%	21.77	0.9	2.7	4.44
KINGS	HM4521	Harris Moran	Intermediate	X		X	230	0.4%	5.59	108.1%	21.93	0.5	1.8	4.41
KINGS	H5728	Heinz	Thick			X	203	0.3%	4.39	84.9%	20.56	0.6	1.9	4.51
KINGS	H5702	Heinz	Thick			X	136	0.2%	4.80	92.7%	21.46	1.0	6.3	4.58
KINGS	BQ141	Woodbridge	Intermediate	X	X		132	0.2%	5.13	99.1%	22.43	2.4	0.2	4.53
KINGS	H1662	Heinz	Thick	X	X		131	0.2%	4.84	93.5%	22.56	2.0	1.0	4.54
KINGS	Misc	Misc	Misc				116	0.2%	4.83	93.3%	21.39	5.3	0.1	4.51
KINGS	H9491	Heinz	Intermediate				108	0.2%	3.77	72.8%	23.62	2.9	2.9	4.39
KINGS	SVTM9007	Seminis	Thick	X			104	0.2%	4.99	96.4%	21.97	1.4	2.2	4.55
KINGS	N6426	Nunhems	Thick	X		X	92	0.1%	5.39	104.2%	21.29	1.4	6.1	4.52
KINGS	H1293	Heinz	Pear	X			91	0.1%	4.84	93.5%	22.05	4.0	0.9	4.64
KINGS	H5710	Heinz	Thick				90	0.1%	4.59	88.7%	21.97	0.7	10.3	4.61
KINGS	HM7885	Harris Moran	Pear			X	64	0.1%	4.58	88.6%	22.05	1.0	3.4	4.66
KINGS	N6420	Nunhems	Pear	X			58	0.1%	4.30	83.0%	23.40	2.2	0.9	4.55
KINGS	SVTM9000	Seminis	Early	X			56	0.1%	4.76	92.0%	21.66	2.0	0.0	4.50
KINGS	H1292	Heinz	Pear	X			37	0.1%	4.99	96.5%	21.99	9.9	0.6	4.67
KINGS	BQ413	Woodbridge	Early	X	X		31	0.0%	4.87	94.1%	22.58	4.5	0.5	4.62
KINGS	BQ398	Woodbridge	Intermediate	X			20	0.0%	5.21	100.6%	21.13	2.1	3.2	4.49
KINGS	Misc	Misc	Misc				1	0.0%	5.30	102.4%	21.50	0.5	4.0	4.48
KINGS	BQ323	Woodbridge	Intermediate	X			1	0.0%	6.10	117.9%	20.00	0.5	0.5	4.28
KINGS	H1776	Heinz	Thick	X			1	0.0%	4.80	92.8%	21.00	1.0	2.5	4.35
KINGS							62,200	100.0%	5.17	100.0%	21.55	1.3	1.5	4.46
MADERA	H1428	Heinz	Thick	X		X	2,270	17.8%	4.55	94.8%	20.99	0.5	3.2	4.54
MADERA	N6415	Nunhems	Thick	X		X	1,654	13.0%	4.63	96.4%	21.36	1.2	4.4	4.49
MADERA	H4707	Heinz	Thick			X	1,106	8.7%	4.72	98.4%	22.55	0.6	2.1	4.48
MADERA	AB0311	Seminis	Thin	X			863	6.8%	5.34	111.2%	21.10	2.2	6.1	4.50
MADERA	H1662	Heinz	Thick	X	X		707	5.5%	4.64	96.7%	22.02	1.2	4.5	4.57
MADERA	N6428	Nunhems	Intermediate	X	X	X	700	5.5%	4.66	97.1%	21.97	1.5	5.5	4.57
MADERA	UG19406	United Genetics	Intermediate			X	681	5.3%	4.82	100.4%	21.28	1.3	4.2	4.36
MADERA	HM4885	Harris Moran	Thick	X		X	623	4.9%	4.80	100.1%	21.14	1.2	4.9	4.45

2018 PTAB Analysis by Region / County

South Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
MADERA	SV8011TM	Seminis	Intermediate	X			614	4.8%	4.86	101.4%	20.87	0.7	5.3	4.47
MADERA	H5702	Heinz	Thick			X	459	3.6%	4.74	98.9%	21.16	0.9	2.5	4.55
MADERA	H5508	Heinz	Thick	X		X	413	3.2%	4.44	92.5%	20.82	0.3	1.6	4.40
MADERA	H8504	Heinz	Thick			X	380	3.0%	5.12	106.6%	20.89	0.6	2.6	4.41
MADERA	H2401	Heinz	Thick			X	356	2.8%	4.64	96.7%	21.91	0.9	3.2	4.39
MADERA	HM1892	Harris Moran	Intermediate			X	312	2.4%	5.01	104.4%	21.33	1.7	3.1	4.58
MADERA	HM4326	Harris Moran	Thin	X			308	2.4%	5.56	115.9%	21.87	3.8	8.4	4.55
MADERA	DRI319	Seminis	Thin	X			279	2.2%	5.71	119.0%	20.78	1.1	0.8	4.37
MADERA	UG16112	United Genetics	Thick	X		X	247	1.9%	4.56	95.0%	22.16	0.5	3.0	4.58
MADERA	HM3887	Harris Moran	Intermediate	X			180	1.4%	4.88	101.7%	20.56	0.5	3.2	4.48
MADERA	HM58841	Harris Moran	Intermediate	X		X	172	1.3%	5.44	113.3%	22.15	1.5	7.6	4.53
MADERA	HM4909	Harris Moran	Intermediate	X			143	1.1%	5.83	121.6%	22.60	1.5	0.9	4.26
MADERA	BQ273	Woodbridge	Early	X			86	0.7%	4.62	96.4%	21.69	1.7	1.6	4.47
MADERA	SV2756TM	Seminis	Thick	X		X	68	0.5%	4.61	96.1%	22.23	2.3	0.9	4.58
MADERA	UG15212	United Genetics	Thick	X		X	62	0.5%	4.29	89.4%	21.31	0.9	1.5	4.40
MADERA	HM7885	Harris Moran	Pear			X	30	0.2%	5.09	106.1%	22.02	0.8	1.7	4.58
MADERA	HM58811	Harris Moran	Thick	X		X	29	0.2%	5.10	106.2%	22.03	0.6	0.2	4.35
MADERA	HM58801	Harris Moran	Intermediate	X	X		13	0.1%	5.38	112.2%	20.77	3.1	1.0	4.43
MADERA	N6420	Nunhems	Pear	X			2	0.0%	4.85	101.1%	21.25	1.0	0.5	4.51
MADERA	BOS811	Orsetti	Intermediate	X			1	0.0%	5.00	104.2%	21.50	0.5	4.0	4.41
MADERA							12,758	100.0%	4.80	100.0%	21.42	1.1	3.9	4.49
TULARE	H5608	Heinz	Thick	X			379	100.0%	4.64	100.0%	20.44	0.5	7.1	4.51
TULARE							379	100.0%	4.64	100.0%	20.40	0.5	7.1	4.51
SOUTH REGION							255,161		5.14		21.29	1.4	1.6	4.46