

2019 Processing Tomato Season
PTAB Analysis (10/12/19) - Statewide by Variety



Variety Name	Week Ending 10/12/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	1,086	0	3.5	0.7	0.3	21.12	0.5	4.86	4.46	26,730	0	1.9	2.0	0.8	21.75	1.3	4.92	4.49
1428, HZ	794	0	3.5	3.4	1.6	20.64	0.3	4.53	4.43	25,742	0	1.4	2.6	1.2	20.63	0.6	4.92	4.46
273, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	24,907	0	0.7	2.2	0.8	21.47	1.3	5.34	4.37
0311, AB	13	0	3.1	0.6	0.3	21.92	0.5	5.01	4.39	23,733	0	2.1	1.3	0.4	20.74	1.9	5.71	4.41
8011, SV	390	0	3.0	0.5	0.1	19.29	0.2	4.88	4.34	22,920	0	2.1	1.6	0.5	20.71	1.1	5.20	4.45
1662, HZ	1,596	0	4.6	3.8	1.8	21.55	0.7	4.81	4.43	21,643	0	1.8	2.9	1.2	21.68	1.1	4.98	4.46
0319, DRI	713	0	3.0	0.6	0.3	21.00	1.0	5.44	4.35	20,123	0	1.8	0.8	0.4	21.33	2.0	5.65	4.40
2756, SV	470	0	3.8	2.1	0.8	20.97	0.3	4.65	4.55	19,657	0	1.7	1.5	0.7	21.13	0.7	4.87	4.51
4707, HEINZ	184	0	2.9	9.6	1.3	21.73	0.4	4.57	4.40	18,647	0	1.0	2.5	1.0	22.50	0.8	4.86	4.46
5608, HZ	74	0	6.2	2.1	1.2	20.53	0.7	4.45	4.54	18,063	0	1.3	1.6	0.5	20.63	1.2	4.88	4.45
2401, HEINZ	651	0	5.8	2.0	1.0	21.29	0.8	4.50	4.39	13,882	0	1.5	2.3	0.7	21.34	0.9	4.83	4.37
1082, SVTM	79	0	1.3	0.2	0.4	20.58	0.6	5.02	4.32	13,634	0	1.3	1.4	0.6	21.41	1.6	5.50	4.38
6415, N	76	0	2.0	4.4	2.1	21.11	0.4	5.10	4.42	10,385	0	1.6	2.0	0.9	21.10	1.1	4.96	4.43
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,635	0	0.5	2.5	0.9	20.08	1.1	5.14	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,616	0	0.3	1.4	0.6	21.31	1.3	5.29	4.32
4885, HMX	105	0	1.7	0.5	0.7	20.38	0.4	5.11	4.26	8,672	0	1.5	1.0	0.4	20.98	0.9	5.05	4.39
5702, HZ	114	0	2.8	1.0	0.4	19.79	0.5	4.64	4.46	8,050	0	1.2	2.6	1.2	20.53	0.6	4.75	4.47
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,628	0	1.1	1.3	0.6	20.54	1.5	5.37	4.56
3887, HM	94	0	1.2	2.7	0.2	20.64	1.1	6.41	4.32	7,613	0	0.6	1.5	0.3	21.03	1.7	5.62	4.46
1310, HZ	1024	0	3.9	5.7	1.2	21.23	0.5	5.07	4.47	7,559	0	2.8	4.1	1.2	21.25	0.9	5.04	4.50
58841, HM	197	0	3.1	0.6	0.4	20.48	0.5	5.23	4.40	6,886	0	1.2	0.8	0.5	21.16	0.5	5.20	4.42
6426, N	138	0	1.9	1.3	0.8	19.99	0.3	5.28	4.48	5,617	0	1.4	1.0	0.5	20.11	1.4	5.08	4.50
0811, BOS	297	0	0.6	0.5	0.5	20.37	0.3	5.01	4.32	5,526	0	1.2	1.3	0.5	20.17	0.8	5.09	4.40
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,327	0	0.5	1.4	0.4	20.57	2.0	5.37	4.40
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,273	0	1.9	1.4	0.4	20.37	1.7	5.27	4.45
5508, HZ	833	0	2.2	2.8	0.3	19.75	0.5	4.56	4.50	5,150	0	1.7	1.8	0.3	20.15	0.4	4.63	4.45
16112, UG	146	0	1.4	2.0	0.7	20.39	0.2	4.54	4.47	4,922	0	0.8	1.2	0.3	20.64	0.5	4.99	4.44
6434, N	514	0	5.6	0.9	0.2	22.18	0.8	4.71	4.44	4,696	0	2.2	0.7	0.4	22.15	1.0	4.89	4.43
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,772	0	1.8	0.6	0.3	22.11	0.7	5.42	4.30
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,768	0	1.1	1.0	0.5	20.62	1.6	5.54	4.47
19406, UG	189	0	1.1	0.3	0.5	21.34	0.5	5.19	4.23	3,618	0	1.5	1.3	0.5	21.33	0.7	5.19	4.32
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,452	0	1.6	0.8	0.3	21.39	1.0	4.78	4.62
8504, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,010	0	1.5	1.1	0.6	22.02	1.1	4.94	4.37
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,898	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,735	0	0.6	2.7	0.9	20.57	0.9	5.05	4.45
6420, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,637	0	2.1	0.9	0.4	21.43	1.4	4.86	4.53

Variety Name	Week Ending 10/12/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1892, HMX	59	0	1.2	0.7	0.9	19.78	0.7	4.83	4.49	2618	0	0.9	2.9	1.5	20.71	1.5	5.31	4.50
4521, HMX 61P	127	0	0.4	0.2	0.7	21.11	0.2	5.05	4.31	2458	0	0.7	1.2	0.4	21.24	0.5	5.16	4.40
9008, SVTM	77	0	1.2	0.1	0.1	20.34	0.1	5.12	4.27	2438	0	1.5	1.0	0.4	20.55	0.4	5.24	4.35
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2293	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2165	0	1.2	2.6	0.8	20.96	0.9	4.64	4.50
9007, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2124	0	1.4	2.1	0.6	21.66	1.4	4.91	4.55
58811, HM	75	0	0.1	0.4	0.3	20.66	0.1	5.33	4.35	2121	0	1.6	1.0	0.6	21.43	0.6	4.98	4.42
9905, HARRIS MORAN	102	0	0.5	1.0	0.4	19.96	0.4	5.60	4.41	2119	0	0.6	0.9	0.5	20.42	0.3	5.05	4.45
6441, N	179	0	2.1	2.3	1.1	21.56	0.2	5.04	4.48	2012	0	2.1	1.8	0.5	21.03	0.7	5.05	4.52
398, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1893	0	1.8	2.4	1.0	19.67	1.2	5.27	4.46
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
1776, HZ	53	0	1.4	2.7	1.6	20.90	0.3	4.90	4.40	1755	0	1.5	2.9	0.8	21.25	0.6	5.16	4.44
9011, SVTM	50	0	1.7	0.4	0.2	20.09	0.4	4.86	4.31	1682	0	2.4	1.5	0.6	20.73	1.6	5.57	4.43
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1477	0	1.1	1.0	0.3	20.54	2.3	5.50	4.38
5900, HM	70	0	2.3	0.6	0.7	22.09	1.7	4.98	4.36	1471	0	1.0	0.5	0.2	21.30	1.8	5.44	4.34
3888, HM	209	0	1.8	1.0	0.6	21.77	0.8	5.23	4.50	1387	0	1.3	0.7	0.5	21.74	1.2	5.48	4.53
58801, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1320	0	1.6	0.9	0.4	21.28	1.1	5.34	4.46
5522, HMX 61P	160	0	2.5	0.6	0.5	19.69	0.1	5.65	4.29	1284	0	1.3	0.7	0.4	20.16	0.7	5.62	4.37
UNCODED	8	0	2.9	2.1	0.8	21.63	0.5	4.76	4.50	1191	0	1.5	1.9	0.8	20.88	1.4	5.10	4.47
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
5710, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	736	0	1.9	0.9	0.4	22.23	1.1	4.83	4.46
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	659	0	1.5	1.4	0.4	20.19	3.3	5.99	4.50
1422, HZ	52	0	5.6	8.3	1.0	20.70	0.5	5.22	4.37	654	0	3.6	4.1	1.3	20.70	1.0	4.92	4.49
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	613	0	2.4	3.3	0.8	21.46	6.6	5.11	4.55
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	562	0	0.6	3.3	1.1	21.46	0.7	4.72	4.41
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	483	0	1.6	1.4	0.2	21.09	0.7	4.95	4.46
9013, SVTM	22	0	0.5	0.1	0.3	19.11	0.6	5.64	4.33	476	0	1.8	1.1	0.4	20.59	0.9	5.21	4.44
6461, N	18	0	8.7	1.1	0.2	22.72	0.9	4.29	4.41	473	0	1.9	1.4	0.5	21.93	1.0	4.91	4.47
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	442	0	0.7	1.3	0.4	20.80	1.3	5.05	4.53
9780, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	433	0	2.1	0.3	0.1	21.66	2.0	5.12	4.37
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
4326, HMX 61P	81	0	0.6	0.8	0.4	21.24	0.3	5.55	4.30	368	0	1.2	1.0	0.6	21.20	1.7	5.68	4.36
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	360	0	1.2	1.3	0.6	20.94	2.5	5.88	4.52
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	347	0	0.9	0.7	0.2	21.70	0.6	5.01	4.43
9014, SVTM	17	0	0.2	0.1	0.2	19.74	0.9	5.82	4.33	347	0	1.5	0.8	0.3	20.60	0.7	5.20	4.42
HEINZ TRIAL	30	0	3.0	1.2	0.5	19.54	1.0	4.52	4.52	331	0	2.6	2.3	0.5	19.93	1.1	4.90	4.52
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	273	0	1.6	0.8	0.4	21.04	0.7	4.95	4.39

Variety Name	Week Ending 10/12/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	261	0	2.4	1.2	0.2	20.71	1.6	4.78	4.50
5715, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	210	0	2.0	1.1	0.3	21.77	0.9	5.34	4.41
9003, SVTM	13	0	0.5	2.7	0.6	21.54	0.1	5.25	4.21	181	0	1.3	1.0	0.3	21.93	1.6	5.38	4.36
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.2	0.8	0.4	22.58	1.2	4.80	4.39
1175, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	162	0	1.2	0.6	0.2	19.85	1.0	5.31	4.51
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
849, HYPEEL	42	0	0.3	0.7	1.1	20.82	0.3	5.40	4.26	157	0	0.4	0.5	0.5	21.39	0.4	4.97	4.27
6407, N	83	0	1.2	0.8	0.6	21.72	0.4	5.19	4.38	139	0	0.9	0.7	0.6	21.53	0.4	5.31	4.36
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	128	0	0.7	1.0	0.5	21.51	0.8	4.88	4.33
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	101	0	1.2	1.4	0.7	20.53	0.7	4.93	4.42
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	88	0	0.6	0.7	0.5	22.03	0.7	6.05	4.40
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	85	0	1.2	1.1	0.3	21.03	0.5	5.82	4.37
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
MIX	1	0	3.0	0.5	1.0	22.00	5.0	4.60	4.39	75	0	1.6	0.8	0.4	20.49	1.4	5.52	4.44
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	66	0	1.5	1.4	0.4	21.87	1.1	5.41	4.62
MISC EXP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	51	0	1.2	1.2	0.0	21.08	0.6	5.19	4.35
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	46	0	0.8	0.8	0.2	20.87	1.3	4.93	4.40
000, MISC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	46	0	3.9	0.6	0.1	22.64	2.0	5.00	4.43
9016, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	43	0	1.4	0.9	0.5	22.26	0.5	4.85	4.39
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	38	0	1.5	0.6	0.2	21.53	2.1	5.31	4.38
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
1421, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	3.3	0.2	0.5	21.76	1.9	5.57	4.44
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
6175, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	4.0	0.9	0.3	21.93	1.9	5.46	4.55
32413, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.3	1.6	0.0	21.15	0.4	4.88	4.35
6436, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	2.3	0.8	1.0	22.00	1.1	4.98	4.48
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	1.2	1.2	0.9	20.47	0.7	5.64	4.43
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	1.2	0.8	0.8	21.97	4.5	5.09	4.65
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	2.0	0.6	0.5	21.71	3.1	5.39	4.43
47, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	0.5	1.3	0.5	23.17	1.6	5.13	4.40
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	2.2	1.0	0.5	21.15	1.9	5.15	4.40
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.1	1.2	0.3	21.19	8.4	5.31	4.45
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.9	1.1	2.3	20.75	2.9	5.35	4.52
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49

Variety Name	Week Ending 10/12/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.6	0.4	0.8	21.81	5.8	5.09	4.49
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	2.1	0.0	0.2	20.92	2.6	5.52	4.50
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.3	0.8	0.7	21.30	2.1	5.32	4.55
1992, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.7	0.4	0.8	23.74	5.1	4.74	4.51
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.1	1.6	0.8	21.38	0.8	5.00	4.26
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.3	1.3	0.0	21.33	1.8	4.97	4.43
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
2849, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.3	0.7	21.00	0.7	5.33	4.42
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1424, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.3	0.0	0.3	21.50	2.5	5.65	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
5234, IVF	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	1.5	0.8	0.8	22.25	2.0	5.25	4.54
19806 LYCO, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	5.60	4.44
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	0.0	4.70	4.35
163, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.5	21.00	0.5	5.00	4.29
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	2.5	0.0	22.00	0.5	5.40	4.24
1813, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	4.80	4.27
2303, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22
5701, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
8232, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42
29314	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	1.0	0.0	20.00	0.5	5.20	4.57
32113, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	20.50	0.5	5.60	4.50
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	11,305	0.0	3.3	2.3	0.9	20.93	0.5	4.90	4.42	436,695	0.0	1.4	1.8	0.7	21.11	1.2	5.13	4.44