

2019 Processing Tomato Season
PTAB Analysis (10/5/19) - Statewide by Variety



Variety Name	Week Ending 10/5/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	1,880	0	2.2	1.4	0.4	21.10	0.5	4.81	4.47	25,644	0	1.8	2.1	0.9	21.78	1.3	4.93	4.49
1428, HZ	2,503	0	2.3	3.6	1.6	20.18	0.4	4.73	4.45	24,948	0	1.3	2.6	1.2	20.63	0.6	4.93	4.46
273, BQ	264	0	6.2	6.6	2.4	21.29	0.8	4.57	4.47	24,907	0	0.7	2.2	0.8	21.47	1.3	5.34	4.37
0311, AB	503	0	2.7	1.1	0.5	20.40	0.7	5.56	4.35	23,720	0	2.1	1.3	0.4	20.74	1.9	5.71	4.41
8011, SV	512	0	2.3	0.7	0.3	19.75	0.4	5.06	4.37	22,530	0	2.1	1.6	0.5	20.74	1.1	5.21	4.45
1662, HZ	4,193	0	2.1	3.3	1.3	21.15	0.8	4.94	4.46	20,046	0	1.5	2.8	1.1	21.69	1.2	4.99	4.46
0319, DRI	2,623	0	2.1	0.6	0.4	21.06	1.2	5.46	4.39	19,410	0	1.7	0.8	0.4	21.35	2.1	5.66	4.40
2756, SV	3,101	0	2.5	2.0	1.0	20.73	0.4	4.75	4.51	19,187	0	1.7	1.5	0.7	21.13	0.7	4.88	4.51
4707, HEINZ	358	0	2.1	6.6	1.0	21.27	0.4	4.73	4.39	18,463	0	0.9	2.5	1.0	22.50	0.8	4.87	4.46
5608, HZ	3	0	2.2	2.8	1.2	20.00	1.3	4.43	4.44	17,989	0	1.3	1.6	0.5	20.63	1.2	4.88	4.45
1082, SVTM	428	0	2.5	1.5	1.4	20.46	1.2	5.73	4.37	13,555	0	1.3	1.4	0.6	21.42	1.6	5.50	4.38
2401, HEINZ	1,614	0	2.5	2.6	0.6	20.94	0.6	4.60	4.40	13,231	0	1.3	2.3	0.7	21.34	0.9	4.85	4.37
6415, N	1,698	0	2.8	1.9	0.8	19.95	0.6	4.80	4.42	10,309	0	1.6	2.0	0.9	21.10	1.1	4.96	4.43
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,635	0	0.5	2.5	0.9	20.08	1.1	5.14	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,616	0	0.3	1.4	0.6	21.31	1.3	5.29	4.32
4885, HMX	275	0	0.9	0.6	0.3	20.33	0.2	5.01	4.27	8,567	0	1.5	1.0	0.4	20.98	0.9	5.05	4.40
5702, HZ	1048	0	1.1	2.0	1.0	20.26	0.4	4.69	4.45	7,936	0	1.1	2.6	1.2	20.54	0.6	4.75	4.47
1293, HZ	148	0	1.8	1.2	0.3	21.04	0.7	5.13	4.49	7,628	0	1.1	1.3	0.6	20.54	1.5	5.37	4.56
3887, HM	107	0	1.0	1.5	0.4	20.44	0.7	6.19	4.36	7,519	0	0.6	1.5	0.3	21.03	1.7	5.61	4.46
58841, HM	556	0	1.1	0.4	0.3	20.75	0.3	4.84	4.42	6689	0	1.1	0.8	0.5	21.18	0.5	5.20	4.42
1310, HZ	1277	0	2.3	3.1	1.4	20.53	0.7	5.11	4.51	6535	0	2.6	3.8	1.2	21.25	0.9	5.03	4.51
6426, N	329	0	2.2	0.8	0.3	19.63	0.5	5.01	4.49	5479	0	1.4	1.0	0.4	20.11	1.4	5.08	4.50
6366, SUN	121	0	0.5	0.2	0.0	20.34	1.6	5.97	4.37	5327	0	0.5	1.4	0.4	20.57	2.0	5.37	4.40
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5273	0	1.9	1.4	0.4	20.37	1.7	5.27	4.45
0811, BOS	117	0	0.3	0.7	0.4	20.21	0.2	4.82	4.26	5229	0	1.3	1.4	0.5	20.16	0.8	5.09	4.41
16112, UG	459	0	0.8	1.3	0.4	20.42	0.2	4.77	4.38	4776	0	0.8	1.2	0.3	20.64	0.5	5.01	4.44
5508, HZ	1210	0	1.4	2.2	0.3	19.74	0.4	4.59	4.48	4317	0	1.6	1.6	0.3	20.23	0.4	4.64	4.45
6434, N	496	0	2.5	1.1	0.4	23.10	0.5	4.40	4.44	4182	0	1.7	0.6	0.5	22.15	1.0	4.91	4.43
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3772	0	1.8	0.6	0.3	22.11	0.7	5.42	4.30
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3768	0	1.1	1.0	0.5	20.62	1.6	5.54	4.47
7885, HMX	107	0	3.1	2.4	0.9	20.36	0.7	4.76	4.60	3452	0	1.6	0.8	0.3	21.39	1.0	4.78	4.62
19406, UG	570	0	0.6	0.7	0.3	20.78	0.4	5.33	4.28	3429	0	1.5	1.4	0.5	21.33	0.7	5.19	4.33
8504, HEINZ	302	0	2.2	2.3	0.6	20.92	0.7	4.73	4.35	3010	0	1.5	1.1	0.6	22.02	1.1	4.94	4.37
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2898	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2735	0	0.6	2.7	0.9	20.57	0.9	5.05	4.45
6420, N	79	0	5.0	1.4	0.4	22.30	1.2	4.67	4.58	2637	0	2.1	0.9	0.4	21.43	1.4	4.86	4.53

Variety Name	Week Ending 10/5/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1892, HMX	27	0	1.1	1.0	0.8	20.76	1.2	4.74	4.47	2559	0	0.9	3.0	1.5	20.74	1.5	5.32	4.50
9008, SVTM	311	0	1.4	2.3	0.5	20.27	0.2	5.07	4.35	2362	0	1.5	1.0	0.5	20.56	0.4	5.24	4.35
4521, HMX 61P	136	0	1.2	0.2	0.2	20.84	0.3	5.15	4.36	2331	0	0.7	1.3	0.4	21.24	0.5	5.17	4.40
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2293	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2165	0	1.2	2.6	0.8	20.96	0.9	4.64	4.50
9007, SVTM	26	0	3.2	9.1	1.8	21.31	0.7	4.48	4.62	2124	0	1.4	2.1	0.6	21.66	1.4	4.91	4.55
58811, HM	95	0	0.8	0.4	0.3	20.78	0.2	5.21	4.37	2046	0	1.6	1.1	0.6	21.46	0.6	4.97	4.42
9905, HARRIS MORAN	1104	0	0.5	1.1	0.6	20.37	0.3	5.09	4.44	2017	0	0.6	0.9	0.5	20.44	0.3	5.02	4.45
398, BQ	464	0	2.2	3.1	1.2	18.47	0.8	5.18	4.40	1893	0	1.8	2.4	1.0	19.67	1.2	5.27	4.46
6441, N	178	0	1.2	1.0	0.4	20.19	0.2	5.30	4.49	1833	0	2.1	1.8	0.4	20.98	0.7	5.05	4.53
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
1776, HZ	127	0	2.7	4.3	0.5	19.39	0.3	4.93	4.52	1702	0	1.5	2.9	0.8	21.27	0.6	5.17	4.45
9011, SVTM	62	0	2.2	1.5	0.2	20.02	0.6	5.70	4.34	1632	0	2.5	1.5	0.6	20.75	1.7	5.59	4.44
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1477	0	1.1	1.0	0.3	20.54	2.3	5.50	4.38
5900, HM	15	0	2.4	0.4	0.5	21.30	1.0	5.32	4.36	1401	0	0.9	0.5	0.2	21.26	1.8	5.46	4.34
58801, HM	218	0	1.5	0.3	0.2	19.95	0.5	5.43	4.45	1320	0	1.6	0.9	0.4	21.28	1.1	5.34	4.46
UNCODED	134	0	3.6	2.3	1.3	20.29	0.7	4.76	4.51	1183	0	1.5	1.9	0.8	20.87	1.4	5.10	4.47
3888, HM	305	0	1.5	0.9	0.5	21.20	0.8	5.43	4.50	1178	0	1.2	0.6	0.4	21.73	1.3	5.52	4.54
5522, HMX 61P	138	0	1.0	0.5	0.2	20.30	0.3	5.25	4.35	1124	0	1.2	0.7	0.3	20.23	0.8	5.61	4.38
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
5710, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	736	0	1.9	0.9	0.4	22.23	1.1	4.83	4.46
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	659	0	1.5	1.4	0.4	20.19	3.3	5.99	4.50
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	613	0	2.4	3.3	0.8	21.46	6.6	5.11	4.55
1422, HZ	122	0	5.6	2.7	1.7	20.75	1.1	4.88	4.58	602	0	3.4	3.8	1.4	20.70	1.1	4.89	4.50
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	562	0	0.6	3.3	1.1	21.46	0.7	4.72	4.41
15212, UG	131	0	2.8	1.1	0.3	20.22	0.4	4.69	4.45	483	0	1.6	1.4	0.2	21.09	0.7	4.95	4.46
6461, N	35	0	0.5	1.0	0.8	20.20	0.2	5.19	4.30	455	0	1.7	1.4	0.5	21.90	1.0	4.93	4.47
9013, SVTM	21	0	0.8	0.7	0.8	19.50	0.1	5.34	4.35	454	0	1.9	1.1	0.4	20.66	0.9	5.19	4.45
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	442	0	0.7	1.3	0.4	20.80	1.3	5.05	4.53
9780, HEINZ	30	0	5.5	0.5	0.5	21.28	1.7	4.93	4.41	433	0	2.1	0.3	0.1	21.66	2.0	5.12	4.37
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	360	0	1.2	1.3	0.6	20.94	2.5	5.88	4.52
6460, N	68	0	0.7	0.4	0.4	21.01	0.2	4.77	4.39	347	0	0.9	0.7	0.2	21.70	0.6	5.01	4.43
9014, SVTM	1	0	1.5	0.0	0.0	19.00	1.0	5.20	4.39	330	0	1.6	0.8	0.3	20.65	0.7	5.16	4.42
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
HEINZ TRIAL	77	0	2.8	2.5	0.3	19.53	0.5	4.61	4.55	301	0	2.5	2.4	0.5	19.96	1.1	4.93	4.52
4326, HMX 61P	12	0	1.0	0.3	0.7	21.75	0.5	5.67	4.30	287	0	1.4	1.1	0.7	21.18	2.1	5.71	4.38
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	273	0	1.6	0.8	0.4	21.04	0.7	4.95	4.39

Variety Name	Week Ending 10/5/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	261	0	2.4	1.2	0.2	20.71	1.6	4.78	4.50
5715, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	210	0	2.0	1.1	0.3	21.77	0.9	5.34	4.41
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.2	0.8	0.4	22.58	1.2	4.80	4.39
9003, SVTM	97	0	1.3	0.6	0.1	22.36	0.7	5.19	4.38	168	0	1.4	0.9	0.3	21.96	1.7	5.39	4.37
1175, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	162	0	1.2	0.6	0.2	19.85	1.0	5.31	4.51
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	128	0	0.7	1.0	0.5	21.51	0.8	4.88	4.33
849, HYPEEL	114	0	0.4	0.5	0.3	21.60	0.5	4.82	4.28	115	0	0.4	0.5	0.3	21.60	0.5	4.81	4.28
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	101	0	1.2	1.4	0.7	20.53	0.7	4.93	4.42
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	88	0	0.6	0.7	0.5	22.03	0.7	6.05	4.40
1161, HEINZ	64	0	1.3	1.0	0.3	20.93	0.5	5.86	4.38	85	0	1.2	1.1	0.3	21.03	0.5	5.82	4.37
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
MIX	8	0	2.6	1.0	0.1	20.13	0.3	5.53	4.38	74	0	1.5	0.8	0.4	20.47	1.3	5.54	4.44
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	66	0	1.5	1.4	0.4	21.87	1.1	5.41	4.62
6407, N	56	0	0.6	0.6	0.6	21.26	0.3	5.50	4.35	56	0	0.6	0.6	0.6	21.26	0.3	5.50	4.35
MISC EXP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	51	0	1.2	1.2	0.0	21.08	0.6	5.19	4.35
MISC TRIAL	12	0	0.3	0.7	0.3	21.71	0.0	4.54	4.28	46	0	0.8	0.8	0.2	20.87	1.3	4.93	4.40
000, MISC	1	0	1.0	0.5	0.5	20.50	0.0	5.10	4.26	46	0	3.9	0.6	0.1	22.64	2.0	5.00	4.43
9016, SVTM	1	0	1.5	3.5	0.0	18.00	0.0	4.30	4.39	43	0	1.4	0.9	0.5	22.26	0.5	4.85	4.39
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	38	0	1.5	0.6	0.2	21.53	2.1	5.31	4.38
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
1421, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	3.3	0.2	0.5	21.76	1.9	5.57	4.44
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
6175, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	4.0	0.9	0.3	21.93	1.9	5.46	4.55
32413, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.3	1.6	0.0	21.15	0.4	4.88	4.35
6436, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	2.3	0.8	1.0	22.00	1.1	4.98	4.48
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	1.2	1.2	0.9	20.47	0.7	5.64	4.43
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	1.2	0.8	0.8	21.97	4.5	5.09	4.65
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	2.0	0.6	0.5	21.71	3.1	5.39	4.43
47, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	0.5	1.3	0.5	23.17	1.6	5.13	4.40
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	2.2	1.0	0.5	21.15	1.9	5.15	4.40
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.1	1.2	0.3	21.19	8.4	5.31	4.45
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.9	1.1	2.3	20.75	2.9	5.35	4.52
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49

Variety Name	Week Ending 10/5/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.6	0.4	0.8	21.81	5.8	5.09	4.49
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	2.1	0.0	0.2	20.92	2.6	5.52	4.50
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.3	0.8	0.7	21.30	2.1	5.32	4.55
1992, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.7	0.4	0.8	23.74	5.1	4.74	4.51
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
6404, N	1	1	0.0	1.0	1.5	21.50	1.0	4.80	4.36	4	0	0.1	1.6	0.8	21.38	0.8	5.00	4.26
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.3	1.3	0.0	21.33	1.8	4.97	4.43
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
2849, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.3	0.7	21.00	0.7	5.33	4.42
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1424, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.3	0.0	0.3	21.50	2.5	5.65	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
5234, IVF	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	1.5	0.8	0.8	22.25	2.0	5.25	4.54
19806 LYCO, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	5.60	4.44
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	0.0	4.70	4.35
163, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.5	21.00	0.5	5.00	4.29
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	2.5	0.0	22.00	0.5	5.40	4.24
1813, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	4.80	4.27
2303, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22
5701, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
8232, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42
29314	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	1.0	0.0	20.00	0.5	5.20	4.57
32113, UG	1	0	1.5	0.5	0.0	20.50	0.5	5.60	4.50	1	0	1.5	0.5	0.0	20.50	0.5	5.60	4.50
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	31,073	0.0	2.1	2.1	0.8	20.65	0.6	4.94	4.44	425,390	0.0	1.4	1.8	0.7	21.11	1.2	5.14	4.44