

2019 Processing Tomato Season
PTAB Analysis (7/20/19) - Statewide by Variety



Variety Name	Week Ending 7/20/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	5,162	0	0.3	1.5	0.6	21.63	0.9	5.46	4.34	6,961	0	0.3	1.5	0.6	21.82	0.9	5.44	4.33
403, BQ	2,816	0	0.2	1.5	0.5	21.18	1.1	5.38	4.32	5,293	0	0.2	1.3	0.5	21.38	1.0	5.34	4.30
400, BQ	3,482	0	0.3	2.9	1.0	20.11	0.9	5.10	4.46	4,189	0	0.3	2.8	1.0	20.20	0.9	5.10	4.45
5608, HZ	1,513	0	0.5	1.4	0.7	20.68	0.8	4.99	4.40	2,412	0	0.4	1.2	0.6	20.72	0.7	4.85	4.39
6366, SUN	1,186	0	0.5	2.5	0.5	20.85	2.4	5.23	4.41	2,362	0	0.4	2.2	0.6	20.57	2.5	5.26	4.39
6416, N	636	0	0.2	1.0	0.4	20.74	1.6	4.80	4.39	1,684	0	0.2	1.3	0.4	21.16	1.0	4.83	4.35
3887, HM	973	0	0.3	1.6	0.5	21.30	2.6	5.40	4.43	1,056	0	0.3	1.7	0.5	21.25	2.5	5.40	4.42
9000, SVTM	778	0	0.3	0.5	0.2	20.56	0.8	5.29	4.45	829	0	0.3	0.5	0.2	20.50	0.8	5.30	4.45
0311, AB	750	0	0.5	1.0	0.4	21.11	1.6	5.87	4.40	785	0	0.5	1.0	0.4	21.15	1.6	5.89	4.40
4885, HMX	583	0	0.9	1.1	0.6	21.97	0.9	5.05	4.36	641	0	0.9	1.1	0.6	22.06	0.9	5.07	4.36
1293, HZ	362	0	0.2	1.4	1.1	20.39	1.2	5.40	4.54	476	0	0.2	1.2	0.9	20.44	1.1	5.44	4.52
187, CXD	1	0	0.0	0.5	0.5	21.50	0.0	5.40	4.29	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
6402, N	337	0	0.8	1.0	0.3	20.21	1.2	5.50	4.44	339	0	0.8	1.0	0.3	20.22	1.2	5.50	4.44
6415, N	219	0	0.1	3.9	0.1	20.50	0.7	5.10	4.34	260	0	0.1	3.6	0.1	20.59	0.7	5.11	4.34
16609, UG	246	0	0.1	0.9	0.4	20.42	1.4	5.57	4.33	246	0	0.1	0.9	0.4	20.42	1.4	5.57	4.33
9663, HEINZ	52	0	0.5	5.1	1.1	21.34	3.0	4.58	4.40	158	0	1.1	2.3	0.6	20.98	1.7	4.27	4.39
1428, HZ	140	0	0.2	3.7	0.6	21.04	0.3	5.34	4.36	140	0	0.2	3.7	0.6	21.04	0.3	5.34	4.36
6428, N	123	0	0.5	2.3	0.2	22.35	0.3	4.82	4.45	123	0	0.5	2.3	0.2	22.35	0.3	4.82	4.45
5235, HM	113	0	0.3	3.4	0.6	20.60	1.5	5.45	4.44	122	0	0.3	3.6	0.5	20.57	1.5	5.45	4.43
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.0	1.3	0.5	20.18	0.7	4.98	4.33
0811, BOS	100	0	0.1	1.8	0.9	20.77	0.3	5.03	4.39	102	0	0.1	1.8	0.9	20.75	0.3	5.03	4.39
UNCODED	94	0	0.3	0.7	0.7	20.58	2.2	4.93	4.42	94	0	0.3	0.7	0.7	20.58	2.2	4.93	4.42
9007, SVTM	70	0	0.2	1.4	1.2	22.87	2.0	5.01	4.53	70	0	0.2	1.4	1.2	22.87	2.0	5.01	4.53
1292, HZ	57	0	0.6	0.2	0.4	22.66	7.3	5.16	4.61	57	0	0.6	0.2	0.4	22.66	7.3	5.16	4.61
4521, HMX 61P	6	0	0.2	4.2	0.1	22.25	0.5	5.02	4.38	57	0	0.1	3.9	0.2	22.46	0.4	4.86	4.33
6426, N	57	0	0.3	1.2	0.4	20.16	0.6	5.14	4.38	57	0	0.3	1.2	0.4	20.16	0.6	5.14	4.38
2756, SV	53	0	0.2	3.4	0.2	21.93	0.6	4.61	4.42	53	0	0.2	3.4	0.2	21.93	0.6	4.61	4.42
58841, HM	47	0	0.3	1.9	1.2	21.86	1.1	5.99	4.41	47	0	0.3	1.9	1.2	21.86	1.1	5.99	4.41
8011, SV	46	0	0.6	0.9	0.4	22.21	5.2	5.72	4.55	46	0	0.6	0.9	0.4	22.21	5.2	5.72	4.55
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	44	0	0.1	1.1	0.6	20.75	0.8	4.68	4.28
4707, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	40	0	0.1	2.5	1.3	22.09	0.1	4.66	4.28
1765, HZ	39	0	0.1	1.4	0.7	21.74	2.7	4.81	4.39	39	0	0.1	1.4	0.7	21.74	2.7	4.81	4.39
5702, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	36	0	0.1	1.5	0.7	20.43	0.3	4.58	4.35
1170, HEINZ	35	0	0.4	1.2	0.2	20.86	0.7	5.97	4.32	35	0	0.4	1.2	0.2	20.86	0.7	5.97	4.32
0599, SV	33	0	0.4	0.9	0.5	21.71	0.8	5.52	4.38	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
6397, N	33	0	0.0	0.8	0.9	21.11	0.1	5.34	4.34	33	0	0.0	0.8	0.9	21.11	0.1	5.34	4.34
8163, HM	27	0	1.2	1.4	2.4	20.50	1.5	5.22	4.44	33	0	1.0	1.3	2.1	20.85	1.3	5.29	4.41
6459, N	31	0	0.2	1.1	0.5	21.77	0.9	4.71	4.50	31	0	0.2	1.1	0.5	21.77	0.9	4.71	4.50
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	28	0	0.2	0.4	0.6	21.11	1.2	5.28	4.27
5710, HZ	13	0	0.8	2.8	0.2	24.12	0.9	4.15	4.33	13	0	0.8	2.8	0.2	24.12	0.9	4.15	4.33
402, BQ	1	0	0.5	0.0	1.0	21.00	2.5	5.80	4.50	4	0	0.3	0.3	0.5	20.88	0.9	5.40	4.33
1311, HZ	1	0	2.0	3.0	0.0	24.50	0.0	4.10	4.32	4	0	0.6	0.9	0.0	21.13	1.8	5.50	4.28
1662, HZ	3	0	0.3	2.2	0.3	22.67	0.0	4.67	4.37	3	0	0.3	2.2	0.3	22.67	0.0	4.67	4.37
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
58811, HM	3	0	1.2	0.8	0.5	21.17	3.3	5.67	4.52	3	0	1.2	0.8	0.5	21.17	3.3	5.67	4.52
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	1.5	0.5	22.50	0.8	5.20	4.30
270, BQ	2	0	0.5	0.3	0.0	21.75	1.0	5.25	4.35	2	0	0.5	0.3	0.0	21.75	1.0	5.25	4.35
8504, HEINZ	2	0	0.0	0.3	0.5	21.25	0.3	5.40	4.26	2	0	0.0	0.3	0.5	21.25	0.3	5.40	4.26
58801, HM	2	0	0.0	1.0	0.8	21.50	5.8	5.85	4.51	2	0	0.0	1.0	0.8	21.50	5.8	5.85	4.51
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	4.0	0.0	22.00	2.5	4.20	4.33
205, BQ	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	0.5	21.00	1.0	4.60	4.31
6461, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	0.0	22.00	0.5	4.50	4.25
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.0	22.00	0.0	5.10	4.18
STATEWIDE	20,229	0.0	0.3	1.8	0.6	21.01	1.2	5.29	4.39	29,585	0.0	0.3	1.7	0.6	21.10	1.1	5.24	4.37