

2019 Processing Tomato Season
PTAB Analysis (7/27/19) - Statewide by Variety



Variety Name	Week Ending 7/27/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	5,651	0	0.4	2.5	0.8	21.09	1.1	5.39	4.37	12,612	0	0.3	2.0	0.7	21.49	1.0	5.42	4.35
403, BQ	1,377	0	0.2	2.1	0.6	21.31	2.0	5.30	4.36	6,669	0	0.2	1.5	0.5	21.37	1.2	5.33	4.31
400, BQ	1,918	0	0.3	3.4	1.0	19.96	1.0	5.08	4.48	6,107	0	0.3	3.0	1.0	20.13	0.9	5.10	4.46
5608, HZ	3,672	0	0.5	1.7	0.4	20.52	0.8	4.97	4.42	6,084	0	0.4	1.5	0.5	20.60	0.8	4.93	4.41
6366, SUN	920	0	0.4	1.2	0.3	20.62	1.6	5.69	4.40	3,282	0	0.4	1.9	0.5	20.58	2.3	5.38	4.39
0311, AB	1,528	0	1.3	1.5	0.4	20.44	2.0	5.88	4.42	2,313	0	1.0	1.3	0.4	20.68	1.9	5.88	4.41
3887, HM	1,223	0	0.5	1.9	0.3	20.72	1.9	5.42	4.42	2,279	0	0.4	1.9	0.4	20.96	2.2	5.41	4.42
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,684	0	0.2	1.3	0.4	21.16	1.0	4.83	4.35
1293, HZ	964	0	0.6	1.5	0.8	20.53	1.4	5.45	4.56	1,440	0	0.5	1.4	0.9	20.50	1.3	5.45	4.55
9000, SVTM	547	0	0.3	1.3	0.2	20.42	1.4	5.18	4.49	1,376	0	0.3	0.8	0.2	20.47	1.0	5.25	4.47
6402, N	684	0	0.6	1.4	0.5	20.32	1.7	5.93	4.48	1,023	0	0.6	1.3	0.4	20.29	1.5	5.79	4.47
4885, HMX	287	0	1.3	1.0	0.3	21.46	0.6	5.06	4.38	928	0	1.0	1.1	0.5	21.87	0.8	5.07	4.36
6415, N	658	0	0.3	2.8	0.5	21.46	1.4	5.13	4.41	918	0	0.2	3.1	0.4	21.21	1.2	5.12	4.39
8011, SV	572	0	0.9	1.2	0.4	21.27	1.8	5.54	4.47	618	0	0.9	1.2	0.4	21.34	2.0	5.55	4.48
6428, N	436	0	0.3	2.0	0.5	22.12	1.0	4.82	4.45	559	0	0.3	2.1	0.5	22.17	0.8	4.82	4.45
16609, UG	287	0	0.2	1.0	0.3	20.74	1.9	5.91	4.35	533	0	0.2	0.9	0.3	20.59	1.7	5.75	4.34
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
0319, DRI	397	0	0.6	1.3	0.3	21.88	2.6	6.11	4.45	397	0	0.6	1.3	0.3	21.88	2.6	6.11	4.45
0811, BOS	201	0	0.2	1.1	0.4	19.55	0.5	5.29	4.38	303	0	0.2	1.3	0.6	19.95	0.4	5.20	4.38
4909, HMX	252	0	0.5	1.0	0.1	21.55	0.4	5.32	4.27	252	0	0.5	1.0	0.1	21.55	0.4	5.32	4.27
9663, HEINZ	65	0	0.2	2.4	0.3	20.16	2.4	5.56	4.41	223	0	0.8	2.3	0.5	20.74	1.9	4.65	4.40
4521, HMX 61P	146	0	0.2	2.7	0.7	21.60	0.6	5.20	4.35	203	0	0.2	3.0	0.5	21.84	0.5	5.10	4.34
6426, N	135	0	0.3	1.4	0.4	19.77	0.6	5.08	4.40	192	0	0.3	1.3	0.4	19.89	0.6	5.10	4.39
1428, HZ	40	0	0.3	3.2	0.4	21.64	0.4	5.08	4.39	180	0	0.2	3.6	0.6	21.17	0.3	5.28	4.37
UNCODED	57	0	0.4	1.5	0.5	21.28	0.9	5.24	4.46	151	0	0.3	1.0	0.6	20.84	1.7	5.05	4.43
6397, N	116	0	0.3	0.7	0.4	21.68	0.3	5.03	4.40	149	0	0.2	0.7	0.5	21.55	0.2	5.10	4.39
1292, HZ	80	0	0.8	0.2	0.6	22.95	9.5	5.21	4.61	137	0	0.7	0.2	0.5	22.83	8.5	5.19	4.61
6459, N	105	0	0.3	1.7	0.2	20.20	0.9	4.90	4.52	136	0	0.3	1.6	0.3	20.56	0.9	4.86	4.52
401, BQ	106	0	0.3	2.1	0.3	21.35	1.4	4.82	4.43	134	0	0.2	1.7	0.3	21.30	1.3	4.92	4.39
1170, HEINZ	96	0	0.5	1.0	0.5	20.83	0.6	6.01	4.33	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
2756, SV	75	0	0.2	2.3	0.1	21.91	1.6	4.79	4.48	128	0	0.2	2.7	0.1	21.92	1.2	4.72	4.46
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	122	0	0.3	3.6	0.5	20.57	1.5	5.45	4.43
9007, SVTM	49	0	0.3	2.7	1.3	21.53	0.4	4.69	4.46	119	0	0.2	1.9	1.2	22.32	1.4	4.88	4.50
1776, HZ	106	0	0.3	2.6	0.2	21.18	0.4	5.29	4.39	106	0	0.3	2.6	0.2	21.18	0.4	5.29	4.39
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.0	1.3	0.5	20.18	0.7	4.98	4.33
398, BQ	100	0	0.2	1.0	0.3	19.00	0.5	5.47	4.43	100	0	0.2	1.0	0.3	19.00	0.5	5.47	4.43
1082, SVTM	96	0	0.3	1.8	0.3	22.11	1.7	6.36	4.40	96	0	0.3	1.8	0.3	22.11	1.7	6.36	4.40
8163, HM	48	0	0.8	2.1	0.4	20.47	1.6	5.98	4.48	81	0	0.9	1.8	1.1	20.62	1.5	5.70	4.45
58841, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	47	0	0.3	1.9	1.2	21.86	1.1	5.99	4.41
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	44	0	0.1	1.1	0.6	20.75	0.8	4.68	4.28
7885, HMX	42	0	0.8	0.3	0.0	23.00	0.9	4.29	4.64	42	0	0.8	0.3	0.0	23.00	0.9	4.29	4.64
4707, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	40	0	0.1	2.5	1.3	22.09	0.1	4.66	4.28
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	39	0	0.1	1.4	0.7	21.74	2.7	4.81	4.39
5522, HMX 61P	37	0	0.5	0.4	0.1	21.01	1.7	6.45	4.47	37	0	0.5	0.4	0.1	21.01	1.7	6.45	4.47
5702, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	36	0	0.1	1.5	0.7	20.43	0.3	4.58	4.35
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
9013, SVTM	30	0	2.1	0.8	0.3	20.92	1.7	5.66	4.54	30	0	2.1	0.8	0.3	20.92	1.7	5.66	4.54
4326, HMX 61P	23	0	2.0	1.6	1.1	20.50	2.5	5.43	4.35	23	0	2.0	1.6	1.1	20.50	2.5	5.43	4.35
27713, UG	19	0	0.2	1.1	0.6	20.26	3.2	5.72	4.52	19	0	0.2	1.1	0.6	20.26	3.2	5.72	4.52
5710, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.9	2.8	0.2	24.17	0.8	4.16	4.33
6357, HMX61P	6	0	0.2	1.8	0.8	20.58	1.7	5.57	4.49	6	0	0.2	1.8	0.8	20.58	1.7	5.57	4.49
1311, HZ	2	0	0.3	0.3	0.0	21.00	1.5	5.60	4.49	5	0	0.2	0.2	0.0	20.40	2.0	5.82	4.36
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.3	0.3	0.5	20.88	0.9	5.40	4.33
270, BQ	1	0	0.0	2.0	0.0	20.50	0.0	5.00	4.46	3	0	0.3	0.8	0.0	21.33	0.7	5.17	4.39
1662, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	2.2	0.3	22.67	0.0	4.67	4.37
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
13512, UG	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
58811, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.2	0.8	0.5	21.17	3.3	5.67	4.52
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	1.5	0.5	22.50	0.8	5.20	4.30
108, HYPEEL	2	0	1.8	0.3	0.0	23.75	0.3	4.00	4.68	2	0	1.8	0.3	0.0	23.75	0.3	4.00	4.68
8504, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	0.3	0.5	21.25	0.3	5.40	4.26
58801, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	1.0	0.8	21.50	5.8	5.85	4.51
MIX	1	0	0.0	2.5	0.0	19.00	2.0	4.90	4.53	1	0	0.0	2.5	0.0	19.00	2.0	4.90	4.53
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	4.0	0.0	22.00	2.5	4.20	4.33
120, BQ	1	0	0.0	2.0	0.5	22.00	0.0	5.10	4.39	1	0	0.0	2.0	0.5	22.00	0.0	5.10	4.39
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
1015, HEINZ	1	0	0.0	2.0	0.0	24.00	3.5	4.60	4.58	1	0	0.0	2.0	0.0	24.00	3.5	4.60	4.58
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	0.5	21.00	1.0	4.60	4.31
6461, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	0.0	22.00	0.5	4.50	4.25
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.0	22.00	0.0	5.10	4.18
STATEWIDE	23,162	0.0	0.5	2.0	0.6	20.82	1.3	5.34	4.42	52,747	0.0	0.4	1.8	0.6	20.98	1.2	5.29	4.39