

2019 Processing Tomato Season
PTAB Analysis (8/24/19) - Statewide by Variety



Variety Name	Week Ending 8/24/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	1,462	0	1.4	2.6	0.8	21.46	1.4	5.25	4.45	22,583	0	0.5	2.0	0.7	21.51	1.2	5.36	4.37
5608, HZ	1,897	0	2.5	1.4	0.6	20.64	1.6	4.79	4.51	16,186	0	1.1	1.6	0.5	20.55	1.1	4.88	4.45
0311, AB	2,880	0	2.1	1.0	0.3	20.85	1.8	5.63	4.42	15,712	0	1.7	1.5	0.5	20.73	2.0	5.73	4.42
8011, SV	4,039	0	2.2	1.4	0.5	20.76	1.2	5.19	4.47	13,871	0	2.0	1.4	0.4	20.76	1.1	5.25	4.46
403, BQ	52	0	0.4	2.0	0.4	20.15	1.6	5.35	4.41	9,616	0	0.3	1.4	0.6	21.31	1.3	5.29	4.32
400, BQ	338	0	1.7	2.5	1.4	20.12	1.6	5.02	4.54	9,432	0	0.5	2.5	0.9	20.10	1.1	5.13	4.47
6428, N	4,603	0	0.9	2.1	1.1	21.79	1.6	4.92	4.49	7,127	0	1.0	2.4	1.0	21.95	1.5	4.96	4.49
3887, HM	247	0	2.2	0.6	0.3	21.44	1.5	5.40	4.41	6,745	0	0.5	1.6	0.3	21.00	1.7	5.64	4.47
1082, SVTM	1,973	0	1.1	1.5	0.6	21.29	1.5	5.49	4.39	5,841	0	0.8	1.8	0.6	21.51	1.6	5.61	4.38
1428, HZ	2,422	0	0.7	2.8	1.0	20.69	0.6	4.95	4.45	5,177	0	0.6	2.8	0.9	20.85	0.6	5.03	4.45
1293, HZ	902	0	1.2	1.0	0.3	20.37	1.9	5.34	4.59	5,086	0	1.0	1.3	0.6	20.47	1.7	5.37	4.57
4707, HEINZ	2,269	0	0.5	2.2	0.7	22.71	1.0	4.84	4.45	4,752	0	0.4	2.4	1.0	22.59	0.8	4.86	4.43
6366, SUN	163	0	0.2	0.8	0.3	21.37	0.6	4.55	4.42	4,427	0	0.3	1.6	0.5	20.60	1.9	5.36	4.40
0319, DRI	1,327	0	2.1	0.9	0.4	21.83	2.8	5.66	4.48	4,117	0	1.6	1.0	0.3	21.58	2.8	5.84	4.46
6415, N	688	0	0.8	1.5	0.4	20.96	1.2	5.14	4.45	3,670	0	0.7	2.6	0.5	21.47	1.3	5.05	4.44
4885, HMX	1632	0	0.9	0.9	0.2	20.41	0.8	4.96	4.39	3,594	0	1.0	1.0	0.4	21.10	0.9	5.06	4.39
6402, N	166	0	1.5	0.2	0.3	20.14	2.0	5.27	4.56	3,407	0	1.0	0.9	0.4	20.57	1.6	5.55	4.47
2401, HEINZ	1366	0	0.6	2.4	0.7	21.61	1.0	4.72	4.35	3,298	0	0.7	2.0	0.5	21.55	1.1	4.85	4.36
0811, BOS	609	0	1.1	1.2	0.5	20.40	1.2	5.07	4.47	3048	0	0.6	1.6	0.6	20.00	0.9	5.19	4.39
13, BP	259	0	0.8	5.7	1.2	20.87	1.3	4.87	4.44	2879	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
6426, N	722	0	0.9	1.0	0.4	20.55	1.4	5.05	4.50	2696	0	1.0	0.9	0.3	20.29	1.7	5.04	4.49
1015, HEINZ	578	0	0.8	2.8	0.6	20.86	0.8	4.93	4.54	2598	0	0.5	2.7	0.9	20.56	0.9	5.04	4.45
5235, HM	887	0	1.8	1.0	0.4	20.57	1.6	5.16	4.45	2555	0	1.2	1.5	0.5	20.32	1.4	5.34	4.44
2756, SV	1310	0	1.0	1.5	0.6	21.79	1.0	4.64	4.51	2510	0	0.8	1.8	0.6	21.66	1.2	4.79	4.50
9000, SVTM	36	0	1.4	4.3	0.4	21.56	1.0	5.17	4.62	2291	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
413, BQ	256	0	2.0	1.3	0.7	21.58	1.2	4.67	4.58	2109	0	1.2	2.5	0.8	20.97	0.9	4.64	4.50
1662, HZ	889	0	0.8	1.5	0.5	22.09	1.2	4.84	4.44	2039	0	0.8	1.7	0.9	22.85	2.2	5.06	4.46
4909, HMX	726	0	0.9	0.7	0.3	22.20	0.5	5.28	4.23	1955	0	1.1	0.7	0.2	21.76	0.6	5.28	4.25
5702, HZ	920	0	0.5	2.6	1.2	20.78	1.0	4.86	4.48	1955	0	0.5	2.8	1.1	20.84	0.8	4.86	4.48
1892, HMX	328	0	2.2	2.3	0.7	21.07	2.7	5.16	4.57	1812	0	0.8	3.1	1.2	20.66	1.6	5.44	4.51
6416, N	1	0	2.5	0.5	0.5	21.50	0.5	4.70	4.40	1759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
9007, SVTM	686	0	0.9	1.8	0.3	21.42	1.1	4.96	4.56	1633	0	1.0	1.9	0.5	21.60	1.4	4.88	4.54
16609, UG	83	0	0.9	1.1	0.2	20.28	3.0	5.75	4.43	1475	0	1.1	1.0	0.3	20.54	2.3	5.50	4.38
7885, HMX	397	0	1.1	0.9	0.3	21.65	0.6	4.55	4.59	1420	0	1.0	0.9	0.2	21.97	1.0	4.70	4.61
4521, HMX 61P	115	0	0.1	0.1	0.5	21.39	0.3	4.73	4.35	1271	0	0.2	1.7	0.4	20.95	0.4	5.29	4.38

Variety Name	Week Ending 8/24/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1776, HZ	81	0	2.5	0.8	0.5	21.28	0.9	4.94	4.48	1269	0	0.9	3.1	0.8	21.51	0.6	5.22	4.42
8504, HEINZ	195	0	1.8	0.8	0.6	22.02	1.4	4.77	4.37	1202	0	1.5	1.0	0.4	22.43	1.1	4.93	4.36
58841, HM	554	0	0.7	0.5	0.3	21.33	0.5	5.18	4.41	1123	0	0.7	1.4	0.7	21.44	1.0	5.47	4.41
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
398, BQ	88	0	1.8	1.1	0.9	20.06	1.9	5.33	4.50	868	0	0.9	2.1	0.7	19.93	1.5	5.51	4.48
16112, UG	610	0	0.6	2.1	0.4	20.97	0.6	4.98	4.45	853	0	0.5	1.7	0.4	21.35	0.7	4.94	4.46
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
9011, SVTM	416	0	2.3	2.0	0.6	20.64	1.7	5.66	4.46	751	0	1.9	2.1	0.8	20.75	1.9	5.75	4.47
6434, N	247	0	1.5	0.7	0.6	22.18	0.8	5.08	4.42	667	0	1.5	0.6	0.5	22.50	1.3	5.01	4.46
27713, UG	114	0	1.7	1.8	0.6	19.65	3.6	6.09	4.57	570	0	1.3	1.4	0.4	20.32	3.4	6.03	4.50
6420, N	136	0	2.3	0.6	0.3	20.31	2.5	5.33	4.59	566	0	1.7	0.8	0.3	20.79	2.0	4.91	4.56
1310, HZ	340	0	1.1	5.7	0.9	21.32	0.7	4.77	4.52	523	0	1.1	6.4	0.9	21.21	0.6	4.92	4.47
UNCODED	161	0	0.8	2.1	0.7	21.25	1.7	4.92	4.44	496	0	0.5	1.9	0.6	20.81	1.6	5.20	4.43
6440, N	450	0	0.2	3.8	1.2	21.15	0.5	4.59	4.38	471	0	0.2	3.8	1.1	21.12	0.5	4.60	4.38
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
5710, HZ	206	0	2.8	0.8	0.6	21.89	1.2	4.92	4.46	420	0	2.1	1.2	0.4	22.63	1.2	4.69	4.45
5522, HMX 61P	241	0	1.1	0.7	0.4	19.94	1.0	5.69	4.41	417	0	1.0	0.8	0.3	20.51	1.2	5.70	4.42
5900, HM	60	0	0.9	1.7	0.2	22.18	2.5	5.80	4.44	378	0	0.2	0.6	0.1	21.38	1.5	5.54	4.34
6459, N	9	0	1.7	0.2	0.5	20.83	1.2	5.39	4.49	361	0	0.5	1.4	0.4	20.94	1.5	5.05	4.53
1292, HZ	34	0	0.9	0.9	0.6	21.29	1.8	5.30	4.54	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
141, BQ	139	0	1.5	4.2	1.6	21.15	5.9	4.93	4.52	290	0	1.2	5.4	1.2	21.03	4.1	5.03	4.49
8163, HM	3	0	0.8	0.5	0.0	19.33	4.8	6.63	4.61	277	0	1.1	1.5	0.6	20.84	3.0	5.91	4.54
19406, UG	92	0	0.6	0.9	0.5	21.44	0.6	5.30	4.25	275	0	2.9	1.0	0.4	21.87	0.8	5.14	4.35
58811, HM	126	0	2.9	0.7	0.3	21.69	1.1	4.80	4.52	244	0	1.9	0.5	0.3	21.06	0.8	5.02	4.46
58801, HM	39	0	2.8	2.1	0.6	21.46	0.9	5.84	4.47	197	0	1.2	1.2	0.5	21.24	1.0	5.65	4.42
9008, SVTM	163	0	1.1	0.5	0.3	21.12	0.9	5.59	4.40	189	0	1.1	0.5	0.3	21.07	0.9	5.56	4.39
9013, SVTM	95	0	1.2	1.7	0.5	21.44	1.4	5.14	4.45	179	0	1.6	1.5	0.4	20.75	1.1	5.24	4.46
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
4326, HMX 61P	37	0	1.8	0.8	0.5	22.28	3.6	5.89	4.52	138	0	2.0	1.5	0.9	21.51	3.1	5.57	4.43
9014, SVTM	88	0	1.1	1.2	0.4	21.12	0.7	5.14	4.43	134	0	1.4	1.1	0.2	20.46	0.6	5.18	4.43
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
5715, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	127	0	1.6	1.2	0.4	21.89	0.9	5.38	4.39
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	106	0	0.1	1.3	0.5	20.19	0.7	4.97	4.33
1765, HZ	26	0	0.4	0.8	0.5	22.71	5.5	5.16	4.61	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.3	0.2	0.1	22.13	0.5	4.60	4.30
6441, N	94	0	0.9	0.6	0.3	21.64	1.0	5.55	4.48	94	0	0.9	0.6	0.3	21.64	1.0	5.55	4.48
255, CXD	53	0	0.6	0.5	0.4	21.57	0.6	4.82	4.32	92	0	0.5	0.5	0.4	21.53	0.7	4.86	4.31
6460, N	56	0	0.7	1.1	0.2	21.34	0.7	5.21	4.44	92	0	0.5	0.9	0.2	21.30	0.5	5.18	4.44
43, BP	71	0	0.8	1.0	0.8	20.53	0.3	4.66	4.39	86	0	0.9	1.5	0.7	20.48	0.5	4.84	4.40

Variety Name	Week Ending 8/24/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
15212, UG	6	0	0.2	9.7	0.0	23.92	0.3	5.72	4.41	81	0	0.4	3.3	0.2	21.71	0.6	4.82	4.42
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	1.5	1.4	0.4	21.87	1.2	5.46	4.62
6461, N	11	0	0.6	0.8	0.0	21.64	1.6	5.07	4.37	50	0	0.2	2.2	0.1	21.76	0.9	5.15	4.42
58871, HM	39	0	0.5	0.9	0.2	21.40	0.6	6.07	4.36	43	0	0.5	0.9	0.2	21.47	0.5	6.04	4.36
3888, HM	35	0	0.4	0.3	0.3	21.74	0.9	6.14	4.47	41	0	0.4	0.3	0.3	21.71	0.8	6.12	4.46
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
34, BP	3	0	1.5	0.7	0.2	21.33	3.3	4.93	4.47	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
MISC TRIAL	5	0	1.4	0.8	0.1	19.70	0.3	5.22	4.52	30	0	0.7	0.9	0.2	20.57	1.6	5.08	4.44
6357, HMX61P	7	0	0.5	1.2	0.1	22.07	4.0	4.73	4.61	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
MIX	3	0	2.5	0.3	0.2	20.50	2.8	5.33	4.48	20	0	1.4	1.0	0.3	20.45	1.5	5.52	4.46
1311, HZ	2	0	3.5	0.8	0.3	21.50	1.3	5.30	4.41	18	0	1.2	0.7	0.2	20.72	2.0	5.46	4.41
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	1.3	0.8	0.7	21.96	4.8	5.12	4.65
51,BP	5	0	1.1	0.1	0.5	20.50	3.2	5.48	4.33	13	0	1.9	0.6	0.5	21.58	3.3	5.44	4.42
6436, N	3	0	3.5	0.8	1.0	21.83	1.2	4.87	4.55	11	0	2.3	0.5	1.0	22.00	1.2	5.07	4.50
000, MISC	9	0	3.8	0.6	0.1	22.33	5.7	4.47	4.44	10	0	3.6	0.6	0.1	22.35	5.2	4.46	4.43
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
MISC EXP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.6	0.8	0.1	21.75	1.6	4.93	4.35
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.3	1.6	0.2	19.64	0.5	5.31	4.38
4014, UG	1	0	2.5	1.0	0.0	21.50	0.5	5.60	4.34	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50
9016, SVTM	1	0	1.0	0.0	0.0	20.50	0.0	4.60	4.46	6	0	0.8	0.2	0.0	21.17	0.3	4.77	4.40
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1992, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.0	0.5	1.3	24.40	7.7	5.00	4.55
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
6175, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.0	0.7	0.5	22.67	4.7	5.47	4.51
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	0.0	0.0	19.50	2.3	5.40	4.53
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.5	23.75	1.3	5.05	4.56
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
19806 LYCO, UG	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	4.0	0.0	22.00	2.5	4.20	4.33
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26

Variety Name	Week Ending 8/24/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1175, HEINZ	1	0	0.5	1.0	0.5	21.50	0.0	4.70	4.37	1	0	0.5	1.0	0.5	21.50	0.0	4.70	4.37
5701, HZ	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
37314, UG	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	42,387	0.0	1.3	1.7	0.6	21.21	1.3	5.09	4.46	197,786	0.0	0.9	1.8	0.6	21.06	1.4	5.23	4.43