

2019 Processing Tomato Season
PTAB Analysis (8/3/19) - Statewide by Variety



Variety Name	Week Ending 8/3/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	3,282	0	0.6	2.2	0.6	21.75	1.9	5.29	4.42	15,888	0	0.4	2.0	0.7	21.55	1.2	5.39	4.36
5608, HZ	2,951	0	0.5	2.0	0.3	20.65	1.3	4.86	4.46	9,035	0	0.5	1.7	0.4	20.61	1.0	4.91	4.42
403, BQ	1,679	0	0.3	1.4	0.8	21.26	1.6	5.14	4.35	8,349	0	0.2	1.5	0.6	21.34	1.3	5.29	4.32
400, BQ	1,967	0	0.5	2.0	0.7	20.04	1.6	5.29	4.49	8,074	0	0.4	2.7	1.0	20.11	1.1	5.14	4.47
0311, AB	3,072	0	1.5	2.0	0.5	21.01	2.9	5.77	4.46	5,386	0	1.3	1.7	0.5	20.87	2.5	5.82	4.44
3887, HM	1,767	0	0.3	1.7	0.4	21.48	1.7	5.75	4.51	4,046	0	0.4	1.8	0.4	21.19	2.0	5.56	4.46
6366, SUN	406	0	0.1	0.8	0.2	20.40	1.3	5.73	4.37	3,689	0	0.4	1.8	0.5	20.56	2.1	5.42	4.39
8011, SV	1,814	0	1.3	1.0	0.3	20.78	1.2	5.27	4.45	2,432	0	1.2	1.1	0.3	20.92	1.4	5.34	4.46
1293, HZ	539	0	1.2	2.0	0.7	20.78	1.9	5.37	4.59	1,979	0	0.7	1.6	0.8	20.57	1.5	5.43	4.56
6402, N	913	0	1.2	0.9	0.4	20.95	2.0	5.69	4.49	1,939	0	0.9	1.1	0.4	20.60	1.8	5.74	4.48
6415, N	793	0	0.6	2.4	0.4	21.83	1.9	5.13	4.45	1,711	0	0.4	2.7	0.4	21.50	1.5	5.13	4.42
6416, N	26	0	0.5	0.3	0.2	20.44	0.3	5.06	4.33	1,710	0	0.2	1.3	0.4	21.15	1.0	4.83	4.35
9000, SVTM	189	0	0.5	2.5	0.5	21.09	0.9	4.87	4.46	1,565	0	0.3	1.0	0.2	20.54	1.0	5.20	4.47
4885, HMX	234	0	0.6	1.2	0.4	21.50	0.7	5.56	4.43	1,218	0	0.9	1.1	0.5	21.81	0.8	5.16	4.38
1082, SVTM	885	0	0.4	1.5	0.7	22.22	1.7	6.06	4.41	981	0	0.4	1.5	0.6	22.21	1.7	6.09	4.41
6428, N	314	0	0.5	3.0	1.0	23.39	2.0	5.09	4.47	817	0	0.4	2.5	0.7	22.65	1.3	4.92	4.46
0319, DRI	387	0	0.6	1.2	0.4	21.42	2.6	5.96	4.46	784	0	0.6	1.3	0.4	21.65	2.6	6.03	4.45
1776, HZ	624	0	0.3	3.2	0.8	21.46	0.5	5.23	4.41	730	0	0.3	3.1	0.7	21.42	0.5	5.24	4.41
0811, BOS	421	0	0.3	1.6	0.7	20.06	0.7	5.32	4.39	724	0	0.2	1.5	0.7	20.02	0.6	5.27	4.38
6426, N	461	0	1.1	0.9	0.2	19.68	0.9	4.93	4.47	653	0	0.9	1.0	0.3	19.74	0.8	4.98	4.45
1428, HZ	436	0	0.4	2.3	0.6	21.21	0.6	4.98	4.43	621	0	0.4	2.7	0.6	21.20	0.5	5.07	4.41
398, BQ	502	0	0.5	2.3	0.8	20.13	1.7	5.66	4.49	602	0	0.5	2.1	0.7	19.94	1.5	5.63	4.48
16609, UG	41	0	0.2	0.2	0.0	20.41	2.9	5.29	4.36	572	0	0.2	0.9	0.3	20.58	1.7	5.72	4.34
6397, N	412	0	0.3	1.0	0.4	21.65	0.7	5.48	4.41	561	0	0.3	0.9	0.4	21.62	0.6	5.38	4.40
4909, HMX	217	0	0.9	0.2	0.1	20.97	0.7	5.23	4.31	469	0	0.7	0.6	0.1	21.28	0.5	5.27	4.29
1892, HMX	465	0	0.5	1.4	0.8	20.64	1.1	5.48	4.48	465	0	0.5	1.4	0.8	20.64	1.1	5.48	4.48
9007, SVTM	314	0	0.8	1.7	0.3	22.07	3.0	4.89	4.53	433	0	0.7	1.7	0.6	22.14	2.5	4.89	4.52
2756, SV	299	0	0.5	2.9	1.1	21.63	2.1	5.29	4.50	427	0	0.4	2.9	0.8	21.72	1.8	5.12	4.49
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
7885, HMX	375	0	1.3	0.9	0.2	22.85	1.3	4.69	4.63	419	0	1.3	0.8	0.2	22.87	1.2	4.64	4.63
1662, HZ	353	0	0.6	2.7	1.9	25.81	6.0	5.42	4.51	356	0	0.6	2.7	1.8	25.79	6.0	5.41	4.51
9663, HEINZ	99	0	0.6	4.1	0.6	21.62	7.1	5.15	4.46	322	0	0.7	2.9	0.6	21.01	3.5	4.80	4.42
5235, HM	127	0	0.7	1.2	0.7	21.13	3.7	5.78	4.57	249	0	0.5	2.4	0.6	20.86	2.6	5.62	4.50
6459, N	111	0	0.5	1.2	0.5	21.11	2.2	5.25	4.60	247	0	0.4	1.4	0.4	20.81	1.5	5.04	4.55
4521, HMX 61P	39	0	0.4	1.8	0.7	21.73	1.0	5.01	4.36	242	0	0.2	2.8	0.6	21.83	0.6	5.08	4.35

Variety Name	Week Ending 8/3/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6420, N	239	0	1.2	0.8	0.3	21.38	1.8	4.75	4.55	239	0	1.2	0.8	0.3	21.38	1.8	4.75	4.55
5710, HZ	199	0	1.4	1.4	0.1	23.29	1.3	4.49	4.44	214	0	1.4	1.5	0.1	23.35	1.2	4.47	4.43
8163, HM	100	0	0.4	1.1	0.4	20.34	2.7	6.04	4.54	181	0	0.6	1.4	0.7	20.47	2.1	5.89	4.50
401, BQ	23	0	0.1	2.7	0.4	21.70	1.7	4.64	4.41	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
UNCODED	3	0	1.7	1.7	0.2	19.67	1.0	5.00	4.53	153	0	0.3	1.0	0.6	20.82	1.7	5.05	4.44
58841, HM	97	0	1.1	2.2	3.0	22.50	5.0	6.29	4.59	144	0	0.8	2.1	2.4	22.29	3.7	6.19	4.53
6434, N	142	0	1.7	0.2	0.2	23.49	1.6	4.42	4.50	142	0	1.7	0.2	0.2	23.49	1.6	4.42	4.50
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	137	0	0.7	0.2	0.5	22.83	8.5	5.19	4.61
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
13, BP	125	0	0.2	0.4	0.6	22.38	0.6	4.63	4.38	125	0	0.2	0.4	0.6	22.38	0.6	4.63	4.38
27713, UG	89	0	0.7	1.2	0.3	20.78	4.2	5.75	4.50	108	0	0.6	1.2	0.4	20.69	4.0	5.75	4.51
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.0	1.3	0.5	20.18	0.7	4.98	4.33
2401, HEINZ	50	0	0.3	2.2	0.4	20.43	1.0	5.00	4.33	94	0	0.2	1.6	0.5	20.58	0.9	4.85	4.31
8504, HEINZ	92	0	1.4	0.9	0.8	22.62	0.4	4.88	4.34	94	0	1.4	0.9	0.8	22.59	0.4	4.89	4.34
5702, HZ	51	0	0.1	2.9	0.7	21.08	0.7	4.91	4.45	87	0	0.1	2.3	0.7	20.81	0.5	4.78	4.41
4326, HMX 61P	62	0	2.1	1.6	1.2	21.06	1.9	5.39	4.39	85	0	2.1	1.6	1.2	20.91	2.1	5.40	4.38
5522, HMX 61P	29	0	0.2	1.2	0.4	20.66	1.4	6.10	4.44	66	0	0.4	0.8	0.2	20.86	1.6	6.30	4.46
4707, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	40	0	0.1	2.5	1.3	22.09	0.1	4.66	4.28
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	39	0	0.1	1.4	0.7	21.74	2.7	4.81	4.39
413, BQ	38	0	0.2	0.5	0.4	21.55	0.9	5.03	4.34	38	0	0.2	0.5	0.4	21.55	0.9	5.03	4.34
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
9013, SVTM	4	0	0.4	0.0	0.0	19.13	0.1	4.85	4.44	34	0	1.9	0.7	0.3	20.71	1.5	5.56	4.52
18205, ISI	33	0	0.1	0.9	0.8	20.50	0.3	5.64	4.40	33	0	0.1	0.9	0.8	20.50	0.3	5.64	4.40
6461, N	31	0	0.1	2.9	0.2	21.58	0.8	5.22	4.47	32	0	0.1	2.8	0.2	21.59	0.8	5.20	4.47
5369, HMX61P	30	0	1.0	0.8	0.4	21.80	1.2	5.34	4.59	30	0	1.0	0.8	0.4	21.80	1.2	5.34	4.59
9011, SVTM	26	0	0.5	1.3	0.5	21.92	1.9	6.32	4.51	26	0	0.5	1.3	0.5	21.92	1.9	6.32	4.51
5715, HZ	15	0	1.2	2.0	0.4	21.77	0.8	5.29	4.36	15	0	1.2	2.0	0.4	21.77	0.8	5.29	4.36
MISC TRIAL	14	0	0.2	0.1	0.0	20.43	1.0	4.83	4.43	14	0	0.2	0.1	0.0	20.43	1.0	4.83	4.43
1311, HZ	9	0	1.5	1.1	0.2	21.00	2.5	5.43	4.45	13	0	1.1	0.8	0.1	20.77	2.3	5.52	4.41
19406, UG	11	0	2.6	1.3	0.0	21.45	2.7	5.28	4.30	11	0	2.6	1.3	0.0	21.45	2.7	5.28	4.30
58801, HM	9	0	1.0	0.0	0.1	21.28	1.3	5.41	4.48	11	0	0.8	0.2	0.2	21.32	2.1	5.49	4.49
5900, HM	10	0	0.0	0.9	0.0	22.85	2.3	6.59	4.39	10	0	0.0	0.9	0.0	22.85	2.3	6.59	4.39
108, HYPEEL	7	0	0.9	0.7	0.1	22.57	1.4	4.84	4.65	7	0	0.9	0.7	0.1	22.57	1.4	4.84	4.65
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.2	1.8	0.8	20.58	1.7	5.57	4.49
MIX	4	0	0.9	0.9	0.3	19.63	1.4	5.43	4.42	5	0	0.7	1.2	0.2	19.50	1.5	5.32	4.44
4014, UG	5	0	0.3	1.3	0.1	18.50	0.1	5.52	4.53	5	0	0.3	1.3	0.1	18.50	0.1	5.52	4.53
9016, SVTM	5	0	0.8	0.2	0.0	21.30	0.4	4.80	4.38	5	0	0.8	0.2	0.0	21.30	0.4	4.80	4.38
9014, SVTM	4	0	0.1	0.5	0.0	19.38	0.0	4.78	4.49	4	0	0.1	0.5	0.0	19.38	0.0	4.78	4.49

Variety Name	Week Ending 8/3/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
58811, HM	1	0	1.0	0.0	0.0	21.00	1.5	5.60	4.49	4	0	1.1	0.6	0.4	21.13	2.9	5.65	4.51
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	0.8	0.0	21.33	0.7	5.17	4.39
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
6460, N	3	0	0.3	0.3	0.2	20.50	0.3	4.97	4.54	3	0	0.3	0.3	0.2	20.50	0.3	4.97	4.54
9012, SVTM	3	0	1.3	0.0	0.0	19.50	2.3	5.40	4.53	3	0	1.3	0.0	0.0	19.50	2.3	5.40	4.53
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	1.5	0.5	22.50	0.8	5.20	4.30
1015, HEINZ	1	0	2.5	2.0	0.5	21.00	2.0	5.40	4.31	2	0	1.3	2.0	0.3	22.50	2.8	5.00	4.45
9008, SVTM	2	0	0.3	1.0	0.0	20.00	0.3	5.30	4.21	2	0	0.3	1.0	0.0	20.00	0.3	5.30	4.21
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	4.0	0.0	22.00	2.5	4.20	4.33
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.00	0.0	5.10	4.39
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
1901, HZ	1	0	0.5	1.0	1.0	22.50	1.0	6.10	4.49	1	0	0.5	1.0	1.0	22.50	1.0	6.10	4.49
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	0.5	21.00	1.0	4.60	4.31
15212, UG	1	0	0.5	1.5	0.0	22.00	5.5	5.80	4.47	1	0	0.5	1.5	0.0	22.00	5.5	5.80	4.47
22706, ISI	1	0	0.0	0.5	0.0	19.50	2.0	6.00	4.56	1	0	0.0	0.5	0.0	19.50	2.0	6.00	4.56
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.0	22.00	0.0	5.10	4.18
STATEWIDE	28,083	0.0	0.7	1.8	0.5	21.22	1.8	5.34	4.45	80,830	0.0	0.5	1.8	0.6	21.06	1.4	5.31	4.41